



Appendix A – BLE-1M PHY Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	5.422	30	Pass
NVNT	BLE	2442	Ant1	2.246	30	Pass
NVNT	BLE	2480	Ant1	3.307	30	Pass













### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.665	0.5	Pass
NVNT	BLE	2442	Ant1	0.659	0.5	Pass
NVNT	BLE	2480	Ant1	0.661	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.025619249
NVNT	BLE	2442	Ant1	1.011537236
NVNT	BLE	2480	Ant1	1.020352243













# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-9.618	8	Pass
NVNT	BLE	2442	Ant1	-12.951	8	Pass
NVNT	BLE	2480	Ant1	-11.832	8	Pass













**Band Edge** 

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.56	-20	Pass
NVNT	BLE	2480	Ant1	-59.69	-20	Pass











## **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.11	-20	Pass
NVNT	BLE	2442	Ant1	-51.87	-20	Pass
NVNT	BLE	2480	Ant1	-53.29	-20	Pass



















Appendix A – BLE-2M PHY Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict	
NVNT	BLE	2402	Ant1	5.527	30	Pass	
NVNT	BLE	2442	Ant1	2.205	30	Pass	
NVNT	BLE	2480	Ant1	3.35	30	Pass	














### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	1.072	0.5	Pass
NVNT	BLE	2442	Ant1	1.279	0.5	Pass
NVNT	BLE	2480	Ant1	1.125	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	2.037822682
NVNT	BLE	2442	Ant1	2.036688198
NVNT	BLE	2480	Ant1	2.04462821













# **Maximum Power Spectral Density Level**

		<u>-</u>				
Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-12.18	8	Pass
NVNT	BLE	2442	Ant1	-15.312	8	Pass
NVNT	BLE	2480	Ant1	-14.231	8	Pass













**Band Edge** 

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-61.08	-20	Pass
NVNT	BLE	2480	Ant1	-59.01	-20	Pass













## **Conducted RF Spurious Emission**

		-				
Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-53.39	-20	Pass
NVNT	BLE	2442	Ant1	-50.06	-20	Pass
NVNT	BLE	2480	Ant1	-50.61	-20	Pass

















# Appendix A – BLE-Coded PHY,S=2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	5.892	30	Pass
NVNT	BLE	2442	Ant1	2.725	30	Pass
NVNT	BLE	2480	Ant1	3.857	30	Pass













#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.656	0.5	Pass
NVNT	BLE	2442	Ant1	0.653	0.5	Pass
NVNT	BLE	2480	Ant1	0.658	0.5	Pass












### **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	0.9963060251
NVNT	BLE	2442	Ant1	0.985635894
NVNT	BLE	2480	Ant1	1.005355244













## **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-0.715	8	Pass
NVNT	BLE	2442	Ant1	-3.9	8	Pass
NVNT	BLE	2480	Ant1	-2.653	8	Pass













**Band Edge** 

Co	ondition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
	NVNT	BLE	2402	Ant1	-61.72	-20	Pass
	NVNT	BLE	2480	Ant1	-59.48	-20	Pass











### **Conducted RF Spurious Emission**

		•				
Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.24	-20	Pass
NVNT	BLE	2442	Ant1	-52.73	-20	Pass
NVNT	BLE	2480	Ant1	-53.34	-20	Pass



















# Appendix A – BLE-Coded PHY,S=8 Maximum Conducted Output Power

<b>_</b>							
	Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
	NVNT	BLE	2402	Ant1	5.372	30	Pass
	NVNT	BLE	2442	Ant1	2.213	30	Pass
	NVNT	BLE	2480	Ant1	4.033	30	Pass














#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	limit	Verdic
NVNT	BLE	2402	Ant1	0.623	0.5	Pass
NVNT	BLE	2442	Ant1	0.629	0.5	Pass
NVNT	BLE	2480	Ant1	0.626	0.5	Pass













## **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	BLE	2402	Ant1	1.036156306
NVNT	BLE	2442	Ant1	1.036252602
NVNT	BLE	2480	Ant1	1.033434374











**Maximum Power Spectral Density Level** 

		<u> </u>				
Condit	ion Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVN	T BLE	2402	Ant1	-1.08	8	Pass
NVN	T BLE	2442	Ant1	-3.772	8	Pass
NVN	T BLE	2480	Ant1	-2.393	8	Pass















**Band Edge** 

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-59	-20	Pass
NVNT	BLE	2480	Ant1	-57.39	-20	Pass











### **Conducted RF Spurious Emission**

		_				
Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-55.38	-20	Pass
NVNT	BLE	2442	Ant1	-52.84	-20	Pass
NVNT	BLE	2480	Ant1	-53.49	-20	Pass












Page 111 of





-----End of report-----