







11AC20MIMO_Ant1_5825_30~1000




11AC20MIMO_Ant1_5825_1000~40000




11AC20MIMO_Ant2_5825_30~1000




11AC20MIMO_Ant2_5825_1000~40000




11AC40MIMO_Ant1_5190_30~1000




11AC40MIMO_Ant1_5190_1000~40000




11AC40MIMO_Ant2_5190_30~1000




11AC40MIMO_Ant2_5190_1000~40000




11AC40MIMO_Ant1_5230_30~1000




11AC40MIMO_Ant1_5230_1000~40000




11AC40MIMO_Ant2_5230_30~1000




11AC40MIMO_Ant2_5230_1000~40000




11AC40MIMO_Ant1_5755_30~1000




11AC40MIMO_Ant1_5755_1000~40000




11AC40MIMO_Ant2_5755_30~1000




11AC40MIMO_Ant2_5755_1000~40000




11AC40MIMO_Ant1_5795_30~1000




11AC40MIMO_Ant1_5795_1000~40000




11AC40MIMO_Ant2_5795_30~1000




11AC40MIMO_Ant2_5795_1000~40000




11AC80MIMO_Ant1_5210_30~1000




11AC80MIMO_Ant1_5210_1000~40000




11AC80MIMO_Ant2_5210_30~1000




11AC80MIMO_Ant2_5210_1000~40000




11AC80MIMO_Ant1_5775_30~1000




11AC80MIMO_Ant1_5775_1000~40000



11AC80MIMO_Ant2_5775_30~1000



11AC80MIMO_Ant2_5775_1000~40000



9. Frequency Stability

9.1. Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
	Ant2	5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
	Ant1	5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
	Ant2	5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
	Ant2	5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11N20MIMO	Ant1	5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5745	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	20000.00	3.457217	20	PASS

	Ant1	5825	HV	NT	20000.00	3.457217	20	PASS	
			NV	NT	20000.00	3.433476	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	40000.00	6.866953	20	PASS	
	Ant2	5825	NV	NT	20000.00	3.433476	20	PASS	
			LV	NT	20000.00	3.433476	20	PASS	
			HV	NT	20000.00	3.433476	20	PASS	
11N40MIM O	Ant1	5190	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
		5230	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
		5755	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	40000.00	6.950478	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant2	5755	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant1	5795	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	Ant2	5795	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	0.00	0.000000	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
	11AC20MI MO	Ant1	5745	NV	NT	0.00	0.000000	20	PASS
				LV	NT	0.00	0.000000	20	PASS
				HV	NT	0.00	0.000000	20	PASS
Ant2		5745	NV	NT	-20000.00	-3.481288	20	PASS	
			LV	NT	-20000.00	-3.481288	20	PASS	
			HV	NT	-20000.00	-3.481288	20	PASS	
Ant1		5785	NV	NT	20000.00	3.457217	20	PASS	
			LV	NT	20000.00	3.457217	20	PASS	
			HV	NT	0.00	0.000000	20	PASS	
Ant2		5785	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	20000.00	3.457217	20	PASS	
			HV	NT	20000.00	3.457217	20	PASS	
Ant1		5825	NV	NT	20000.00	3.433476	20	PASS	
			LV	NT	20000.00	3.433476	20	PASS	
			HV	NT	20000.00	3.433476	20	PASS	
Ant2		5825	NV	NT	20000.00	3.433476	20	PASS	
			LV	NT	20000.00	3.433476	20	PASS	
			HV	NT	20000.00	3.433476	20	PASS	
11AC40MI MO	Ant1	5230	NV	NT	0.00	0.000000	20	PASS	
			LV	NT	-40000.00	-7.648184	20	PASS	

		5755	HV	NT	-40000.00	-7.648184	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AC80MI MO	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5775	NV	NT	-24000.00	-4.155844	20	PASS
			LV	NT	-17000.00	-2.943723	20	PASS
			HV	NT	-13000.00	-2.251082	20	PASS
	Ant2	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	1000.00	0.173160	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
		5200	NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5240	NV	-30	0.00	0.000000	20	PASS

			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	-20000.00	-3.481288	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
	Ant2	5745	NV	-30	-20000.00	-3.481288	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	-20000.00	-3.481288	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	-20000.00	-3.481288	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-20000.00	-3.481288	20	PASS
	Ant1	5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	-20000.00	-3.457217	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	-20000.00	-3.457217	20	PASS
			NV	30	-20000.00	-3.457217	20	PASS
			NV	40	-20000.00	-3.457217	20	PASS
			NV	50	-20000.00	-3.457217	20	PASS
	Ant2	5785	NV	-30	-20000.00	-3.457217	20	PASS
			NV	-20	-20000.00	-3.457217	20	PASS
			NV	-10	-20000.00	-3.457217	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-20000.00	-3.457217	20	PASS
			NV	20	20000.00	3.457217	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant1	5825	NV	-30	-20000.00	-3.433476	20	PASS

			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	-20000.00	-3.433476	20	PASS
			NV	0	-20000.00	-3.433476	20	PASS
			NV	10	-20000.00	-3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
	Ant2	5825	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.433476	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.433476	20	PASS
			NV	20	-20000.00	-3.433476	20	PASS
			NV	30	-20000.00	-3.433476	20	PASS
			NV	40	-20000.00	-3.433476	20	PASS
			NV	50	-20000.00	-3.433476	20	PASS
	Ant1	5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	20000.00	3.481288	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11N20MIM O	Ant1	5785	NV	-30	20000.00	3.457217	20	PASS
			NV	-20	20000.00	3.457217	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	20000.00	3.457217	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	20000.00	3.457217	20	PASS
	Ant2	5785	NV	-30	0.00	0.000000	20	PASS

			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	20000.00	3.457217	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant1	5825	NV	-30	40000.00	6.866953	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	20000.00	3.433476	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	20000.00	3.433476	20	PASS
			NV	40	0.00	0.000000	20	PASS
	Ant2	5825	NV	50	20000.00	3.433476	20	PASS
			NV	-30	20000.00	3.433476	20	PASS
			NV	-20	20000.00	3.433476	20	PASS
			NV	-10	20000.00	3.433476	20	PASS
			NV	0	20000.00	3.433476	20	PASS
			NV	10	20000.00	3.433476	20	PASS
			NV	20	20000.00	3.433476	20	PASS
			NV	30	40000.00	6.866953	20	PASS
11N40MIM O	Ant1	5190	NV	40	40000.00	6.866953	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
		5230	NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
			NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	40000.00	7.648184	20	PASS
			NV	0	40000.00	7.648184	20	PASS
			NV	10	40000.00	7.648184	20	PASS
			NV	20	40000.00	7.648184	20	PASS
			NV	30	40000.00	7.648184	20	PASS
			NV	40	40000.00	7.648184	20	PASS
			NV	50	40000.00	7.648184	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS

			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	40000.00	6.950478	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	6.950478	20	PASS
			NV	30	40000.00	6.950478	20	PASS
			NV	40	40000.00	6.950478	20	PASS
			NV	50	40000.00	6.950478	20	PASS
	Ant2	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
	Ant1	5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
	Ant2	5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
11AC20MI MO	Ant1	5745	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5745	NV	-30	-20000.00	-3.481288	20	PASS

			NV	-20	-20000.00	-3.481288	20	PASS
			NV	-10	-20000.00	-3.481288	20	PASS
			NV	0	-20000.00	-3.481288	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.481288	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant1	5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	20000.00	3.457217	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	20000.00	3.457217	20	PASS
	Ant2	5785	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.457217	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	20000.00	3.457217	20	PASS
			NV	30	20000.00	3.457217	20	PASS
			NV	40	0.00	0.000000	20	PASS
	Ant1	5825	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.433476	20	PASS
			NV	-10	20000.00	3.433476	20	PASS
			NV	0	20000.00	3.433476	20	PASS
			NV	10	20000.00	3.433476	20	PASS
			NV	20	20000.00	3.433476	20	PASS
			NV	30	20000.00	3.433476	20	PASS
			NV	40	20000.00	3.433476	20	PASS
	Ant2	5825	NV	-30	20000.00	3.433476	20	PASS
			NV	-20	20000.00	3.433476	20	PASS
			NV	-10	20000.00	3.433476	20	PASS
			NV	0	20000.00	3.433476	20	PASS
			NV	10	20000.00	3.433476	20	PASS
			NV	20	20000.00	3.433476	20	PASS
			NV	30	20000.00	3.433476	20	PASS
			NV	40	20000.00	3.433476	20	PASS
	Ant1	5230	NV	-30	-40000.00	-7.648184	20	PASS

MO			NV	-20	-40000.00	-7.648184	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.648184	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	40000.00	6.950478	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	40000.00	6.950478	20	PASS
	Ant2	5755	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-6.950478	20	PASS
	Ant1	5795	NV	-30	40000.00	6.902502	20	PASS
			NV	-20	40000.00	6.902502	20	PASS
			NV	-10	40000.00	6.902502	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	40000.00	6.902502	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
	Ant2	5795	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80MI	Ant1	5210	NV	-30	0.00	0.000000	20	PASS

MO			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5775	NV	-30	-10000.00	-1.731602	20	PASS
			NV	-20	-8000.00	-1.385281	20	PASS
			NV	-10	-7000.00	-1.212121	20	PASS
			NV	0	-6000.00	-1.038961	20	PASS
			NV	10	-4000.00	-0.692641	20	PASS
			NV	20	-3000.00	-0.519481	20	PASS
			NV	30	-2000.00	-0.346320	20	PASS
			NV	40	-2000.00	-0.346320	20	PASS
			NV	50	-1000.00	-0.173160	20	PASS
	Ant2	5775	NV	-30	1000.00	0.173160	20	PASS
			NV	-20	1000.00	0.173160	20	PASS
			NV	-10	1000.00	0.173160	20	PASS
			NV	0	2000.00	0.346320	20	PASS
			NV	10	2000.00	0.346320	20	PASS
			NV	20	3000.00	0.519481	20	PASS
			NV	30	3000.00	0.519481	20	PASS
			NV	40	3000.00	0.519481	20	PASS
			NV	50	3000.00	0.519481	20	PASS


10. Duty Cycle


10.1. Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5180	2.07	2.18	94.95	---	---
	Ant2	5180	2.07	2.23	92.83	---	---
	Ant1	5200	2.07	2.30	90.00	---	---
	Ant2	5200	2.06	2.24	91.96	---	---
	Ant1	5240	2.07	2.20	94.09	---	---
	Ant2	5240	2.07	2.24	92.41	---	---
	Ant1	5745	2.07	2.28	90.79	---	---
	Ant2	5745	2.06	2.20	93.64	---	---
	Ant1	5785	2.07	2.24	92.41	---	---
	Ant2	5785	2.06	2.26	91.15	---	---
	Ant1	5825	2.08	2.30	90.43	---	---
	Ant2	5825	2.06	2.28	90.35	---	---
11N20MIMO	Ant1	5180	1.92	2.08	92.31	---	---
	Ant2	5180	1.92	2.15	89.30	---	---
	Ant1	5200	1.93	2.13	90.61	---	---
	Ant2	5200	1.92	2.16	88.89	---	---
	Ant1	5240	1.93	2.16	89.35	---	---
	Ant2	5240	1.92	2.01	95.52	---	---
	Ant1	5745	1.92	2.12	90.57	---	---
	Ant2	5745	1.92	2.14	89.72	---	---
	Ant1	5785	1.92	2.10	91.43	---	---
	Ant2	5785	1.92	2.15	89.30	---	---
	Ant1	5825	1.92	2.06	93.20	---	---
	Ant2	5825	1.92	2.11	91.00	---	---
11N40MIMO	Ant1	5190	0.95	1.09	87.16	---	---
	Ant2	5190	0.95	1.08	87.96	---	---
	Ant1	5230	0.94	1.16	81.03	---	---
	Ant2	5230	0.94	1.09	86.24	---	---
	Ant1	5755	0.95	1.11	85.59	---	---
	Ant2	5755	0.94	1.04	90.38	---	---
	Ant1	5795	0.95	1.18	80.51	---	---
	Ant2	5795	0.94	1.12	83.93	---	---
11AC20MIMO	Ant1	5180	1.93	2.17	88.94	---	---
	Ant2	5180	1.94	2.12	91.51	---	---
	Ant1	5200	1.94	2.18	88.99	---	---
	Ant2	5200	1.93	2.19	88.13	---	---
	Ant1	5240	1.93	2.10	91.90	---	---
	Ant2	5240	1.94	2.17	89.40	---	---
	Ant1	5745	1.93	2.14	90.19	---	---

	Ant2	5745	1.93	2.18	88.53	---	---
	Ant1	5785	1.93	2.18	88.53	---	---
	Ant2	5785	1.94	2.18	88.99	---	---
	Ant1	5825	1.93	2.15	89.77	---	---
	Ant2	5825	1.94	2.08	93.27	---	---
11AC40MIMO	Ant1	5190	0.95	1.15	82.61	---	---
	Ant2	5190	0.96	1.18	81.36	---	---
	Ant1	5230	0.95	1.11	85.59	---	---
	Ant2	5230	0.96	1.21	79.34	---	---
	Ant1	5755	0.95	1.20	79.17	---	---
	Ant2	5755	0.95	1.20	79.17	---	---
	Ant1	5795	0.95	1.18	80.51	---	---
	Ant2	5795	0.96	1.21	79.34	---	---
11AC80MIMO	Ant1	5210	0.46	0.69	66.67	---	---
	Ant2	5210	0.46	0.70	65.71	---	---
	Ant1	5775	0.45	0.65	69.23	---	---
	Ant2	5775	0.46	0.69	66.67	---	---


10.2. Test Graphs






Date: 13.NOV.2023 14:10:12

11A_Ant2_5200




Date: 13.NOV.2023 14:17:47

11A_Ant1_5240




Date: 13.NOV.2023 14:20:34

11A_Ant2_5240




Date: 13.NOV.2023 14:32:29

11A_Ant1_5745




Date: 17.NOV.2023 10:59:04

11A_Ant2_5745




Date: 17.NOV.2023 11:28:46

11A_Ant1_5785




Date: 17.NOV.2023 11:10:29

11A_Ant2_5785




Date: 17.NOV.2023 11:36:05

11A_Ant1_5825




Date: 17.NOV.2023 11:16:00

11A_Ant2_5825




Date: 17.NOV.2023 11:45:52

11N20MIMO_Ant1_5180




Date: 13.NOV.2023 14:39:38

11N20MIMO_Ant2_5180




Date: 13.NOV.2023 14:42:25

11N20MIMO_Ant1_5200




Date: 13.NOV.2023 14:47:46

11N20MIMO_Ant2_5200




Date: 13.NOV.2023 14:49:10

11N20MIMO_Ant1_5240




Date: 13.NOV.2023 14:53:03


11N20MIMO_Ant2_5240




11N20MIMO_Ant1_5745



11N20MIMO_Ant2_5745




11N20MIMO_Ant1_5785




Date: 17.NOV.2023 13:58:59

11N20MIMO_Ant2_5785




Date: 17.NOV.2023 14:04:09

11N20MIMO_Ant1_5825




Date: 17.NOV.2023 14:09:44

11N20MIMO_Ant2_5825




Date: 17.NOV.2023 14:16:04

11N40MIMO_Ant1_5190




Date: 13.NOV.2023 15:04:08

11N40MIMO_Ant2_5190




Date: 13.NOV.2023 15:07:49

11N40MIMO_Ant1_5230




Date: 13.NOV.2023 15:20:16

11N40MIMO_Ant2_5230




Date: 13.NOV.2023 15:23:00

11N40MIMO_Ant1_5755




Date: 17.NOV.2023 14:24:38

11N40MIMO_Ant2_5755




Date: 17.NOV.2023 14:30:58

11N40MIMO_Ant1_5795




Date: 17.NOV.2023 14:37:45

11N40MIMO_Ant2_5795




Date: 17.NOV.2023 14:44:04

11AC20MIMO_Ant1_5180




Date: 13.NOV.2023 15:28:49

11AC20MIMO_Ant2_5180




Date: 13.NOV.2023 15:31:33

11AC20MIMO_Ant1_5200




Date: 13.NOV.2023 15:36:47

11AC20MIMO_Ant2_5200




Date: 13.NOV.2023 15:38:11

11AC20MIMO_Ant1_5240




Date: 13.NOV.2023 15:40:44

11AC20MIMO_Ant2_5240




Date: 13.NOV.2023 15:43:51

11AC20MIMO_Ant1_5745




Date: 17.NOV.2023 14:51:51

11AC20MIMO_Ant2_5745




Date: 17.NOV.2023 14:58:14

11AC20MIMO_Ant1_5785




Date: 17.NOV.2023 15:09:29

11AC20MIMO_Ant2_5785




Date: 17.NOV.2023 15:14:40

11AC20MIMO_Ant1_5825




Date: 17.NOV.2023 15:20:18

11AC20MIMO_Ant2_5825




Date: 17.NOV.2023 15:26:38

11AC40MIMO_Ant1_5190




Date: 13.NOV.2023 15:48:52

11AC40MIMO_Ant2_5190




Date: 13.NOV.2023 15:51:56

11AC40MIMO_Ant1_5230




Date: 14.NOV.2023 18:48:15

11AC40MIMO_Ant2_5230




Date: 14.NOV.2023 18:54:09

11AC40MIMO_Ant1_5755




Date: 17.NOV.2023 15:33:48

11AC40MIMO_Ant2_5755




Date: 17.NOV.2023 15:40:07

11AC40MIMO_Ant1_5795




Date: 17.NOV.2023 15:46:57

11AC40MIMO_Ant2_5795




Date: 17.NOV.2023 15:53:16

11AC80MIMO_Ant1_5210




Date: 14.NOV.2023 19:04:16

11AC80MIMO_Ant2_5210




Date: 14.NOV.2023 19:08:12

11AC80MIMO_Ant1_5775



Date: 17.NOV.2023 16:02:17

11AC80MIMO_Ant2_5775



Date: 17.NOV.2023 16:09:46

-----End of the report-----