

Page: 105 of 277

11 UNDESIRABLE RADIATED EMISSION MEASUREMENT

11.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 2. For transmitters operating in the 5.725-5.85 GHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

APPLICABLE TO	LI	MIT
FCC KDB 789033 D02 General UNII Test Procedures New Rules	FIELD STRE	ENGTH AT 3m
	PK: 74 (dBμV/m)	AV 54 (dBµV/m)
APPLICABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m
15.407(b)(1) RSS-247 6.2.1.2		
15.407(b)(2) RSS-247 6.2.2.2	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)
15.407(b)(3) RSS-247 6.2.3.2		
	PK:-27 (dBm/MHz) *1	PK: 68.2(dBµV/m) *1
15.407(b)(4)(i)	PK:10 (dBm/MHz) *2	PK:105.2 (dBµV/m) *2
RSS-247 6.2.4.2	PK:15.6 (dBm/MHz) *3 PK:27 (dBm/MHz) *4	PK: 110.8(dBµV/m) *3 PK:122.2 (dBµV/m) *4

^{*1} beyond 75 MHz or more above of the bandedge.

EIRP = ((E*d)^2) / 30, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.

^{*2} below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above.

^{*3} below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above.

^{*4} from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.



Page: 106 of 277

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

•		
Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)
0.009-0.490	2400/F(KHz)	300
0.490-1.705	24000/F(KHz)	30
1.705-30	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.



Page: 107 of 277

11.2 Measurement Equipment Used

		SGS SAC-III			
Name of Equipment	Manufacturer	Model	Serial Num- ber	Calibration Date	Calibration Due
EMI Test Receiver	R&S	ESU 40	100363	04/18/2017	04/17/2018
Loop Antenna	ETS-Lindgren	6502	00143303	12/23/2017	12/22/2018
Broadband Antenna	TESEQ	CBL 6112D	35240	11/03/2017	11/02/2018
Horn Antenna	ETS-Lindgren	3117	00143272	12/15/2017	12/16/2018
Horn Antenna	Schwarzbeck	BBHA9170	185	08/01/2017	07/31/2018
Pre Amplifier	EMC Instru- ments	EMC330	980096	12/24/2017	12/23/2018
Pre Amplifier	EMC Instru- ments	EMC0011830	980199	12/24/2017	12/23/2018
Pre Amplifier	R&S	SCU-18	10204	12/24/2017	12/23/2018
Pre Amplifier	EMC Instru- ments	EMC184045B	980135	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	RG 214/U SUCOFLEX 104	966Rx 30M-3G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	mini 141-12 SUCOFLEX 104	966Rx 18G-40G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/24/2017	12/23/2018
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/24/2017	12/23/2018
Attenuator	WOKEN	218FS-10	RF27	12/24/2017	12/23/2018
Site NSA	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018
Site VSWR	SGS	966 Chamber C	SAC-C	03/02/2017	03/01/2018
DC Power Supply	HOLA	DP-3003	D7070035	05/04/2017	05/03/2018
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms=e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the researched the shillest extent of the shillest extent may be prosecuted to the fullest extent of the law.




Page: 108 of 277

11.3 **Test SET-UP**


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 109 of 277

11.4 **Measurement Procedure**

- The EUT was placed on a turn table which is 0.8m above ground plane. 1.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequency> 3. 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level. 4.
- 5. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- 6. Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T 8. (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

11.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where FS = Fie	<u> </u>	CL = Cable Attenuation Factor (Cable Loss)
RA = Rea	ading Amplitude	AG = Amplifier Gain
AF = Ant	enna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dB μ V/m) + Cable Loss(dB) – Pre_Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 110 of 277

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

11.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

11.7 **Measurement Result**

Refer to next page for tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 111 of 277

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data: 802.11a 5150~5250 MHz

Operation Mode: 802.11aB1 Test Date: 2017/12/22

Fundamental Frequency: Temp. / Humi.: 5220 MHz 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
31.94	S	Peak	33.30	-8.22	25.08	40	-14.92
135.73	S	Peak	33.87	-15.73	18.14	43.5	-25.36
499.48	S	Peak	35.07	-7.66	27.40	46	-18.60
565.44	S	Peak	32.83	-6.49	26.34	46	-19.66
803.09	S	Peak	31.52	-3.42	28.11	46	-17.89
977.69	S	Peak	31.60	-0.85	30.75	54	-23.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 112 of 277

Operation Mode: 802.11aB1 Test Date: 2017/12/22

Fundamental Frequency: 5220 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
40.67	S	Peak	34.42	-13.29	21.13	40	-18.87
97.90	S	Peak	38.71	-18.10	20.60	43.5	-22.90
208.48	S	Peak	36.60	-17.18	19.42	43.5	-24.08
263.77	S	Peak	36.67	-13.80	22.87	46	-23.13
677.96	S	Peak	32.90	-5.20	27.70	46	-18.30
988.36	S	Peak	31.99	-0.57	31.42	54	-22.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 113 of 277

802.11a 5250~5350 MHz

Operation Mode: 802.11aB2 Test Date: 2017/12/22 Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Enzo EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
61.04	S	Peak	40.93	-22.83	18.10	40	-21.90
117.30	S	Peak	33.35	-16.00	17.35	43.5	-26.15
239.52	S	Peak	34.84	-15.28	19.55	46	-26.45
645.95	S	Peak	31.99	- 4.79	27.21	46	-18.79
815.70	S	Peak	31.54	-3.16	28.38	46	-17.62
996.12	S	Peak	30.58	-0.61	29.97	54	-24.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 114 of 277

Operation Mode: 802.11aB2 Test Date: 2017/12/22

Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
32.91	S	Peak	31.58	-8.75	22.83	40	-17.17
97.90	S	Peak	35.58	-18.10	17.48	43.5	-26.02
326.82	S	Peak	33.19	-11.99	21.20	46	-24.80
700.27	S	Peak	31.71	-5.20	26.51	46	-19.49
864.20	S	Peak	30.97	-2.70	28.27	46	-17.73
985.45	S	Peak	30.37	-0.72	29.66	54	-24.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 115 of 277

802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 2017/12/22 Fundamental Frequency: 5580 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Enzo Tx CH Mid EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
96.93	S	Peak	42.61	-18.27	24.34	43.5	-19.16
128.94	S	Peak	32.89	-15.62	17.27	43.5	-26.23
303.54	S	Peak	32.53	-13.00	19.53	46	-26.47
439.34	S	Peak	33.15	-9.23	23.92	46	-22.08
871.96	S	Peak	32.41	-2.82	29.59	46	-16.41
970.90	S	Peak	31.05	-1.57	29.48	54	-24.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 116 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/22

Fundamental Frequency: 5580 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
30.97	S	Peak	31.03	-7.70	23.32	40	-16.68
96.93	S	Peak	40.64	-18.27	22.37	43.5	-21.13
146.40	S	Peak	33.57	-16.45	17.11	43.5	-26.39
512.09	S	Peak	33.33	-7.51	25.82	46	-20.18
936.95	S	Peak	32.17	-1.70	30.47	46	-15.53
987.39	S	Peak	30.41	-0.57	29.84	54	-24.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 117 of 277

802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 2017/12/22 Fundamental Frequency: 5785 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Enzo Tx CH Mid EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
61.04	S	Peak	39.31	-22.83	16.48	40	-23.52
126.03	S	Peak	33.00	-15.65	17.35	43.5	-26.15
287.05	S	Peak	33.24	-13.38	19.86	46	-26.14
636.25	S	Peak	30.71	-5.25	25.46	46	-20.54
740.04	S	Peak	30.25	-4.09	26.16	46	-19.84
984.48	S	Peak	29.94	-0.80	29.14	54	-24.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 118 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/22

Fundamental Frequency: 5785 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
31.94	S	Peak	32.12	-8.22	23.90	40	-16.10
96.93	S	Peak	37.31	-18.27	19.04	43.5	-24.46
212.36	S	Peak	32.55	-17.11	15.45	43.5	-28.05
280.26	S	Peak	34.72	-13.61	21.12	46	-24.88
699.30	S	Peak	31.28	-5.09	26.19	46	-19.81
978.66	S	Peak	31.08	-0.92	30.17	54	-23.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.



Page: 119 of 277


Above 1GHz Worst-Case Data:

Radiated Spurious Emission Measurement Result 802.11a, 5150~5250 MHz

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH 5180 MHz

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	30.26	20.18	50.44	68.3	-17.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 120 of 277

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10360.00	Н	Peak	31.00	20.18	51.17	68.3	-17.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 121 of 277

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: 5220 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	31.07	20.29	51.36	68.3	-16.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 122 of 277

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: 5220 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	30.88	20.29	51.17	68.3	-17.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 123 of 277

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5240 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10480.00	Н	Peak	31.90	20.68	52.58	68.3	-15.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




Page: 124 of 277

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5240 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10480.00	Н	Peak	31.46	20.68	52.14	68.3	-16.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 125 of 277

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode: 802.11aB2 Test Date: 2017/12/14

Fundamental Frequency: 5260 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
		Mode	Reading Level		FS	@3m		
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB	
10520.00	Н	Peak	31.14	20.10	51.24	68.3	-17.06	•

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com




Page: 126 of 277

Operation Mode: 802.11aB2 Test Date: 2017/12/14

Fundamental Frequency: 5260 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10520.00	Н	Peak	31.51	20.10	51.61	68.3	-16.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 127 of 277

Operation Mode: 802.11aB2 Test Date: 2017/12/14

Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	31.14	21.44	52.58	74	-21.42
10600.00	Н	Average	20.99	21.44	42.43	54	-11.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 128 of 277

Operation Mode: 802.11aB2 Test Date: 2017/12/14

Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	30.73	22.11	52.84	74	-21.16
10600.00	Н	Average	20.98	22.11	43.09	54	-10.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 129 of 277

Operation Mode: 802.11aB2 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5320 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	30.98	20.34	51.32	74	-22.68
10640.00	Н	Average	20.95	20.34	41.29	54	-12.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 130 of 277

Operation Mode: 802.11aB2 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5320 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	31.44	20.34	51.78	74	-22.22
10640.00	Н	Average	20.96	20.34	41.30	54	-12.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 131 of 277

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	31.05	22.11	53.15	74	-20.85
11000.00	Н	Average	21.05	22.11	43.16	54	-10.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 132 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	11000.00	Н	Peak	31.44	20.34	51.78	74	-22.22
	11000.00	Н	Average	20.97	20.34	41.31	54	-12.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 133 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: 5580 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Peak	31.15	22.04	53.19	74	-20.81
11160.00	Н	Average	21.06	22.04	43.10	54	-10.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 134 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: 5580 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
1	1160.00	Н	Peak	31.66	20.70	52.36	74	-21.64
1	1160.00	Н	Average	21.02	20.70	41.72	54	-12.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page: 135 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5700 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	30.98	20.34	51.32	74	-22.68
11400.00	Н	Average	21.01	20.34	41.35	54	-12.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 136 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5700 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
,	11400.00	Н	Peak	32.05	20.17	52.22	74	-21.78
	11400.00	Н	Average	21.01	20.17	41.18	54	-12.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 137 of 277

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11490.00	Н	Peak	31.47	21.22	52.69	74	-21.31
11490.00	Н	Average	20.96	21.22	42.18	54	-11.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 138 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	31.43	21.22	52.65	74	-21.35
11490.00	Н	Average	20.92	21.22	42.14	54	-11.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 139 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: 5785 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	31.91	20.70	52.62	74	-21.38
11570.00	Н	Average	21.03	20.70	41.73	54	-12.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 140 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: 5785 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	30.71	22.04	52.75	74	-21.25
11570.00	Н	Average	21.04	22.04	43.08	54	-10.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 141 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5825 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	31.35	22.02	53.37	74	-20.63
11650.00	Н	Average	20.97	22.02	42.99	54	-11.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 142 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5825 MHz

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	11650.00	Н	Peak	32.03	21.44	53.47	74	-20.53
	11650.00	Н	Average	21.08	21.44	42.52	54	-11.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 143 of 277

Radiated Spurious Emission Measurement Result 802.11n HT20, 5150~5250 MHz

Operation Mode: 802.11n20B1 Test Date: 2017/12/14

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	30.32	20.18	50.50	68.3	-17.80

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 144 of 277

Operation Mode: 802.11n20B1 Test Date: 2017/12/14

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10360.00	Н	Peak	30.17	20.18	50.35	68.3	-17.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 145 of 277

802.11n20B1 Operation Mode: Test Date: 2017/12/14

Fundamental Frequency: 5220 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10440.00	Н	Peak	30.83	20.29	51.13	68.3	-17.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 146 of 277

802.11n20B1 Operation Mode: Test Date: 2017/12/14

Fundamental Frequency: 5220 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
10440.00	Н	Peak	30.85	20.29	51.14	68.3	-17.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 t (886-2) 2299-3279




Page: 147 of 277

Operation Mode: 802.11n20B1 Test Date: 2017/12/14

Fundamental Frequency: 5240 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10480.00	Н	Peak	30.54	20.68	51.22	68.3	-17.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 148 of 277

Operation Mode: 802.11n20B1 Test Date: 2017/12/14

Fundamental Frequency: 5240 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	H	Peak	31.57	20.68	52.25	68.3	-16.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 149 of 277

Radiated Spurious Emission Measurement Result 802.11n HT20, 5250~5350 MHz

Operation Mode: 802.11n20B2 Test Date: 2017/12/14

Fundamental Frequency: 5260 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10520.00	Н	Peak	31.07	20.10	51.17	68.3	-17.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 150 of 277

Operation Mode: 802.11n20B2 Test Date: 2017/12/14

Fundamental Frequency: 5260 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	30.48	20.10	50.58	68.3	-17.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 151 of 277

802.11n20B2 Operation Mode: Test Date: 2017/12/14

Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10600.00	Н	Peak	30.65	20.17	50.81	74	-23.19
	10600.00	Н	Average	20.98	20.17	41.15	54	-12.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 152 of 277

802.11n20B2 Operation Mode: Test Date: 2017/12/14

Fundamental Frequency: 5300 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	31.46	20.17	51.63	74	-22.37
10600.00	Н	Average	20.94	20.17	41.11	54	-12.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 153 of 277

Operation Mode: 802.11n20B2 Test Date: 2017/12/14

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10640.00	Н	Peak	31.66	20.34	52.00	74	-22.00
	10640.00	Н	Average	20.88	20.34	41.22	54	-12.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 154 of 277

Operation Mode: 802.11n20B2 Test Date: 2017/12/14

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	30.54	20.34	50.88	74	-23.12
10640.00	Н	Average	20.85	20.34	41.19	54	-12.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 155 of 277

Radiated Spurious Emission Measurement Result 802.11n HT20, 5470~5725 MHz

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	30.73	22.11	52.83	74	-21.17
11000.00	Н	Average	20.93	22.11	43.04	54	-10.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 156 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11000.00	Н	Peak	30.32	22.11	52.43	74	-21.57
11000.00	Н	Average	20.96	22.11	43.07	54	-10.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 157 of 277

802.11n20B3 Operation Mode: Test Date: 2017/12/14

Fundamental Frequency: 5580 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Peak	30.41	22.04	52.44	74	-21.56
11160.00	Н	Average	20.99	22.04	43.03	54	-10.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 158 of 277

802.11n20B3 Operation Mode: Test Date: 2017/12/14

Fundamental Frequency: 5580 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Fred	ι. Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MH	z F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160	.00 H	Peak	31.11	22.04	53.15	74	-20.85
11160	.00 H	Average	21.03	22.04	43.07	54	-10.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 159 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: 5700 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	30.94	21.22	52.16	74	-21.84
11400.00	Н	Average	21.05	21.22	42.27	54	-11.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 160 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: 5700 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	30.82	21.22	52.03	74	-21.97
11400.00	Н	Average	21.08	21.22	42.30	54	-11.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 161 of 277

802.11n20B3 Test Date: Operation Mode: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5720 MHz

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Η Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11440.00	Н	Peak	30.77	21.39	52.16	74	-21.84
11440.00	Н	Average	21.09	21.39	42.48	54	-11.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 162 of 277

802.11n20B3 Test Date: Operation Mode: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5720 MHz

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Η Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11440.00	Н	Peak	31.65	21.39	53.04	74	-20.96
11440.00	Н	Average	21.07	21.39	42.46	54	-11.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 163 of 277

Radiated Spurious Emission Measurement Result 802.11n HT20, 5725~5850 MHz

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH 5745 MHz

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
Ī	11490.00	Н	Peak	30.87	20.70	51.57	74	-22.43
	11490.00	Н	Average	20.95	20.70	41.65	54	-12.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 164 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	30.82	20.70	51.53	74	-22.47
11490.00	Н	Average	20.99	20.70	41.69	54	-12.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 165 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5785 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	31.15	21.44	52.59	74	-21.41
11570.00	Н	Average	21.03	21.44	42.47	54	-11.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 166 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5785 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	30.85	21.44	52.29	74	-21.71
11570.00	Н	Average	21.06	21.44	42.50	54	-11.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd.




Page: 167 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5825 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	30.61	22.02	52.63	74	-21.37
11650.00	Н	Average	20.98	22.02	43.00	54	-11.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 168 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5825 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	31.42	22.02	53.44	74	-20.56
11650.00	Н	Average	20.92	22.02	42.94	54	-11.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 169 of 277

Radiated Spurious Emission Measurement Result 802.11n HT40, 5150~5250 MHz

Operation Mode: 802.11n40B1 Test Date: 2017/12/15

Fundamental Frequency: 5190 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10380.00	Н	Peak	29.20	20.95	50.16	68.3	-18.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 170 of 277

Operation Mode: 802.11n40B1 Test Date: 2017/12/15

Fundamental Frequency: 5190 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10380.00	Н	Peak	32.18	20.95	53.13	68.3	-15.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 171 of 277

Operation Mode: 802.11n40B1 Test Date: 2017/12/15

Fundamental Frequency: 5230 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10460.00	Н	Peak	30.95	20.95	51.90	68.3	-16.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 172 of 277

Operation Mode: 802.11n40B1 Test Date: 2017/12/15

Fundamental Frequency: 5230 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
,	10460.00	Н	Peak	30.17	20.95	51.13	68.3	-17.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 173 of 277

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Mode: 802.11n40B2 Test Date: 2017/12/15

Fundamental Frequency: 5270 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10540.00	Н	Peak	29.61	20.06	49.67	68.3	-18.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 174 of 277

802.11n40B2 Operation Mode: Test Date: 2017/12/15

Fundamental Frequency: 5270 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10540.00	Н	Peak	30.09	20.06	50.15	68.3	-18.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 175 of 277

Operation Mode: 802.11n40B2 Test Date: 2017/12/15

Fundamental Frequency: 5310 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10620.00	Н	Peak	29.64	20.29	49.93	74	-24.07
	10620.00	Н	Average	20.98	20.29	41.27	54	-12.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page: 176 of 277

Operation Mode: 802.11n40B2 Test Date: 2017/12/15

Fundamental Frequency: 5310 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10620.00	S	Peak	29.56	20.29	49.85	74	-24.15
	10620.00	S	Average	20.99	20.29	41.28	54	-12.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 177 of 277

Radiated Spurious Emission Measurement Result 802.11n HT40, 5470~5725 MHz

Operation Mode: 802.11n40B3 Test Date: 2017/12/15

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
11020.00	Н	Peak	30.96	22.90	53.86	74	-20.14
11020.00	Н	Average	20.97	22.90	43.87	54	-10.13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 178 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/15

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	11020.00	Н	Peak	30.36	22.90	53.26	74	-20.74
	11020.00	Н	Average	20.99	22.90	43.89	54	-10.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 179 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/15

Fundamental Frequency: 5550 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Н	Peak	30.20	23.16	53.36	74	-20.64
11100.00	Н	Average	20.96	23.16	44.12	54	-9.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 180 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/15

Fundamental Frequency: 5550 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Н	Peak	30.34	23.16	53.50	74	-20.50
11100.00	Н	Average	20.95	23.16	44.11	54	-9.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 181 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/15

Fundamental Frequency: 5670 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11340.00	Н	Peak	31.09	20.97	52.05	74	-21.95
11340.00	Н	Average	20.96	20.97	41.93	54	-12.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 182 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/15

Fundamental Frequency: 5670 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11340.00	Н	Peak	30.03	20.97	50.99	74	-23.01
11340.00	Н	Average	20.92	20.97	41.89	54	-12.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 183 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: 5710 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	11420.00	Н	Peak	29.91	21.09	51.00	74	-23.00
	11420.00	Н	Average	21.06	21.09	42.15	54	-11.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 184 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: 5710 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11420.00	Н	Peak	29.89	21.09	50.98	74	-23.02
11420.00	Н	Average	21.03	21.09	42.12	54	-11.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 185 of 277

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

802.11n40B4 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5755 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Peak	31.45	22.17	53.61	74	-20.39
11510.00	Н	Average	20.99	22.17	43.16	54	-10.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 186 of 277

Operation Mode: 802.11n40B4 Test Date: 2017/12/15

Fundamental Frequency: 5755 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00) Н	Peak	31.43	22.17	53.59	74	-20.41
11510.00) H	Average	21.00	22.17	43.17	54	-10.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 187 of 277

Operation Mode: 802.11n40B4 Test Date: 2017/12/15

Fundamental Frequency: 5795 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Peak	30.92	21.84	52.76	74	-21.24
11590.00	Н	Average	20.96	21.84	42.80	54	-11.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 188 of 277

Operation Mode: 802.11n40B4 Test Date: 2017/12/15

Fundamental Frequency: 5795 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Peak	31.36	21.84	53.20	74	-20.80
11590.00	Н	Average	20.98	21.84	42.82	54	-11.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 189 of 277

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Mode: 802.11ac80B1 Test Date: 2017/12/15

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10420.00	Н	Peak	30.23	20.67	50.89	68.3	-17.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 190 of 277

802.11ac80B1 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10420.00	Н	Peak	30.08	20.67	50.74	68.3	-17.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 191 of 277

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Mode: 802.11ac80B2 Test Date: 2017/12/15

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH High Enzo EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10580.00	Н	Peak	30.44	20.12	50.56	68.3	-17.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

www.tw.sqs.com




Page: 192 of 277

802.11ac80B2 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	10580.00	Н	Peak	30.31	20.12	50.43	68.3	-17.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 193 of 277

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5470~5725 MHz

Operation Mode: 802.11ac80B3 Test Date: 2017/12/15

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Enzo EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
11060.00	Н	Peak	29.91	21.83	51.74	74	-22.26
11060.00	Н	Average	20.95	21.83	42.78	54	-11.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 194 of 277

802.11ac80B3 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	11060.00	Н	Peak	30.23	21.83	52.06	74	-21.94
	11060.00	Н	Average	21.01	21.83	42.84	54	-11.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 195 of 277

802.11ac80B3 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5610 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11220.00	Н	Peak	30.37	21.32	51.69	74	-22.31
11220.00	Н	Average	20.98	21.32	42.30	54	-11.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 196 of 277

802.11ac80B3 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5610 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11220.00	Н	Peak	31.77	21.32	53.09	74	-20.91
11220.00	Н	Average	20.96	21.32	42.28	54	-11.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 197 of 277

802.11ac80B3 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5690 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
11380.00	Н	Peak	30.67	20.97	51.64	74	-22.36
11380.00	Н	Average	20.96	20.97	41.93	54	-12.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page: 198 of 277

802.11ac80B3 Test Date: Operation Mode: 2017/12/15

Fundamental Frequency: 5690 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11380.00	Н	Peak	31.04	20.97	52.01	74	-21.99
11380.00	Н	Average	21.01	20.97	41.98	54	-12.02

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 199 of 277

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5725~5850 MHz

Operation Mode: Test Date: 2017/12/15 802.11ac80B4

Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
Ī	11550.00	Н	Peak	31.22	21.41	52.63	74	-21.37
	11550.00	Н	Average	20.98	21.41	42.39	54	-11.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 200 of 277

Operation Mode: 802.11ac80B4 Test Date: 2017/12/15

Fundamental Frequency: 5775 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Enzo Horizontal EUT Pol.: E2 Measurement Antenna Pol.:



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
11550.00	Н	Peak	31.44	21.41	52.85	74	-21.15	
11550.00	Н	Average	21.99	21.41	43.40	54	-10.60	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 201 of 277

Band edge falling to restricted band 802.11a mode

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH 5180 MHz

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.60	S	Peak	47.72	8.19	55.91	74	-18.09
5149.60	S	Average	33.25	8.19	41.44	54	-12.56
5150.00	E	Peak	46.31	8.19	54.51	74	-19.49
5150.00	E	Average	33.36	8.19	41.55	54	-12.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

| No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Page: 202 of 277

Operation Mode: 802.11aB1 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5180 MHz

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.72	S	Peak	43.65	8.19	51.84	74	-22.16
5149.72	S	Average	31.82	8.19	40.01	54	-13.99
5150.00	E	Peak	42.78	8.19	50.97	74	-23.03
5150.00	Е	Average	31.81	8.19	40.00	54	-14.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 203 of 277

Operation Mode: 802.11aB2 Test Date: 2017/12/14

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol. : E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	49.74	8.96	58.70	74	-15.30
5350.00	E	Average	33.18	8.96	42.14	54	-11.86
5350.20	S	Peak	50.74	8.97	59.71	74	-14.29
5350.20	S	Average	32.98	8.97	41.95	54	-12.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 204 of 277

Test Date: Operation Mode: 802.11aB2 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5320 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
,	5350.00	Е	Peak	46.06	8.96	55.02	74	-18.98	
	5350.00	Ε	Average	32.43	8.96	41.39	54	-12.61	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 205 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5500 MHz

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5459.96	S	Peak	47.34	8.88	56.23	74	-17.77
5459.96	S	Average	32.57	8.88	41.45	54	-12.55
5460.00	E	Peak	46.99	8.88	55.88	74	-18.12
5460.00	Е	Average	32.73	8.88	41.61	54	-12.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 206 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5500 MHz

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5435.72	S	Peak	44.44	9.15	53.59	74	-20.41
5435.72	S	Average	31.90	9.15	41.05	54	-12.95
5460.00	E	Peak	42.87	8.88	51.76	74	-22.24
5460.00	Е	Average	31.96	8.88	40.84	54	-13.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 207 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5500 MHz Operation Band: BE CH LOW RSE Test Engineer: Enzo





Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.96	S	Peak	47.34	8.88	56.23	68.3	-12.07
5470.00	Ε	Peak	45.08	8.79	53.87	68.3	-14.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 208 of 277

Operation Mode: 802.11aB3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5500 MHz Operation Band: BE CH LOW RSE Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5435.72	S	Peak	44.44	9.15	53.59	68.3	-14.71
5470.00	Е	Peak	43.15	8.79	51.94	68.3	-16.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 209 of 277

Test Date: Operation Mode: 802.11aB3 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5700 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	43.00	9.30	52.30	68.3	-16.00
5725.64	S	Peak	44.32	9.30	53.62	68.3	-14.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 210 of 277

Test Date: Operation Mode: 802.11aB3 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5700 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	43.11	9.30	52.41	68.3	-15.89
5726.12	S	Peak	45.24	9.30	54.54	68.3	-13.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 211 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5745 MHz

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	41.41	9.33	50.75	68.23	-17.48
5700.00	S	Peak	42.40	9.44	51.83	105.23	-53.40
5718.37	S	Peak	47.22	9.27	56.49	110.3736	-53.88
5720.00	S	Peak	45.43	9.28	54.71	110.83	-56.12
5725.00	Е	Peak	47.03	9.30	56.33	122.23	-65.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 212 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5745 MHz

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	41.86	9.33	51.19	68.23	-17.04
5700.00	S	Peak	41.58	9.44	51.02	105.23	-54.21
5718.37	S	Peak	46.11	9.27	55.38	110.3736	-54.99
5720.00	S	Peak	44.11	9.28	53.39	110.83	-57.44
5723.21	S	Peak	46.76	9.29	56.05	118.1487	-62.10
5725.00	E	Peak	45.30	9.30	54.60	122.23	-67.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 213 of 277

Operation Mode: 802.11aB4 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5825 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	45.63	9.49	55.12	122.23	-67.11
5854.25	S	Peak	47.49	9.57	57.05	112.54	-55.49
5855.00	S	Peak	43.18	9.58	52.76	110.83	-58.07
5855.50	S	Peak	46.60	9.59	56.19	110.69	-54.50
5875.00	S	Peak	41.69	9.63	51.32	105.23	-53.91
5877.25	S	Peak	45.17	9.62	54.79	103.565	-48.78
5925.00	S	Peak	41.23	10.01	51.24	68.23	-16.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 214 of 277

Test Date: Operation Mode: 802.11aB4 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5825 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	42.71	9.49	52.20	122.23	-70.03
5852.75	S	Peak	45.89	9.54	55.43	115.96	-60.53
5855.00	S	Peak	43.89	9.58	53.47	110.83	-57.36
5856.88	S	Peak	43.99	9.62	53.60	110.305	-56.70
5875.00	S	Peak	41.41	9.63	51.04	105.23	-54.19
5925.00	S	Peak	41.16	10.01	51.17	68.23	-17.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 215 of 277

802.11n20 HT mode

Operation Mode: 802.11n20B1 Test Date: 2017/12/14

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5145.76	S	Peak	50.06	8.17	58.22	74	-15.78
5145.76	S	Average	32.74	8.17	40.91	54	-13.09
5150.00	Е	Peak	46.48	8.19	54.67	74	-19.33
5150.00	E	Average	33.00	8.19	41.19	54	-12.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 216 of 277

Operation Mode: 802.11n20B1 Test Date: 2017/12/14

Fundamental Frequency: 5180 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.36	S	Peak	44.30	8.19	52.48	74	-21.52
5149.36	S	Average	31.77	8.19	39.96	54	-14.04
5150.00	Ε	Peak	42.86	8.19	51.05	74	-22.95
5150.00	E	Average	31.78	8.19	39.97	54	-14.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 217 of 277

Operation Mode: 802.11n20B2 Test Date: 2017/12/14

Fundamental Frequency: 5320 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	50.45	8.96	59.42	74	-14.58
5350.00	E	Average	33.40	8.96	42.36	54	-11.64
5351.40	S	Peak	57.63	8.99	66.62	74	-7.38
5351.40	S	Average	33.34	8.99	42.33	54	-11.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 218 of 277

Operation Mode: 802.11n20B2 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5320 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	47.16	8.96	56.13	74	-17.87
5350.00	E	Average	32.65	8.96	41.61	54	-12.39
5354.88	S	Peak	49.29	8.97	58.26	74	-15.74
5354.88	S	Average	32.35	8.97	41.32	54	-12.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 219 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.60	S	Peak	48.29	8.89	57.18	74	-16.82
5459.60	S	Average	32.82	8.89	41.71	54	-12.29
5460.00	E	Peak	46.37	8.88	55.25	74	-18.75
5460.00	Е	Average	32.98	8.88	41.86	54	-12.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 220 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: 5500 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5458.16	S	Peak	45.19	8.90	54.09	74	-19.91
5458.16	S	Average	32.07	8.90	40.97	54	-13.03
5460.00	E	Peak	43.49	8.88	52.37	74	-21.63
5460.00	Е	Average	32.13	8.88	41.01	54	-12.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 221 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5500 MHz Operation Band: BE CH LOW RSE Test Engineer:

Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5468.24	S	Peak	48.98	8.80	57.78	68.3	-10.52
5470.00	E	Peak	45.81	8.79	54.60	68.3	-13.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 222 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5500 MHz Operation Band: BE CH LOW RSE Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	5469.80	S	Peak	45.45	8.79	54.24	68.3	-14.06
	5470.00	Ε	Peak	43.70	8.79	52.49	68.3	-15.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 223 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	E	Peak	45.50	9.30	54.80	68.3	-13.50
5725.88	S	Peak	50.92	9.30	60.22	68.3	-8.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page: 224 of 277

Operation Mode: 802.11n20B3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5700 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	5725.00	Е	Peak	46.93	9.30	56.23	68.3	-12.07
	5726.96	S	Peak	48.13	9.30	57.43	68.3	-10.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 225 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	42.88	9.33	52.21	68.23	-16.02
5700.00	S	Peak	42.78	9.44	52.22	105.23	-53.01
5714.85	S	Peak	47.63	9.26	56.89	109.388	-52.50
5719.36	S	Peak	51.05	9.28	60.33	110.6508	-50.33
5720.00	S	Peak	46.78	9.28	56.06	110.83	-54.77
5725.00	E	Peak	49.15	9.30	58.45	122.23	-63.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 226 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5745 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	42.25	9.33	51.59	68.23	-16.64
5700.00	S	Peak	44.13	9.44	53.57	105.23	-51.66
5717.49	S	Peak	49.16	9.27	58.44	110.1273	-51.69
5720.00	S	Peak	46.25	9.28	55.53	110.83	-55.30
5725.00	E	Peak	53.94	9.30	63.24	122.23	-58.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 227 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	46.43	9.49	55.92	122.23	-66.31
5853.38	S	Peak	53.25	9.55	62.80	114.535	-51.74
5855.00	S	Peak	45.27	9.58	54.85	110.83	-55.98
5855.50	S	Peak	48.96	9.59	58.55	110.69	-52.14
5875.00	S	Peak	42.35	9.63	51.98	105.23	-53.25
5925.00	S	Peak	42.38	10.01	52.40	68.23	-15.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 228 of 277

Operation Mode: 802.11n20B4 Test Date: 2017/12/14

Fundamental Frequency: 5825 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	46.07	9.49	55.55	122.23	-66.68
5852.00	S	Peak	47.15	9.53	56.67	117.67	-61.00
5855.00	S	Peak	43.68	9.58	53.26	110.83	-57.57
5855.50	S	Peak	45.99	9.59	55.58	110.69	-55.11
5875.00	S	Peak	41.48	9.63	51.12	105.23	-54.11
5925.00	S	Peak	41.32	10.01	51.33	68.23	-16.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page: 229 of 277

802.11n40 HT mode

Operation Mode: 802.11n40B1 Test Date: 2017/12/14

Fundamental Frequency: 5190 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5144.68	S	Peak	55.17	8.16	63.33	74	-10.67
5144.68	S	Average	34.42	8.16	42.58	54	-11.42
5150.00	Ε	Peak	52.63	8.19	60.82	74	-13.18
5150.00	E	Average	36.04	8.19	44.23	54	-9.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 230 of 277

Operation Mode: 802.11n40B1 Test Date: 2017/12/14

Fundamental Frequency: 5190 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5147.80	S	Peak	47.62	8.18	55.80	74	-18.20
5147.80	S	Average	32.67	8.18	40.85	54	-13.15
5150.00	E	Peak	46.28	8.19	54.47	74	-19.53
5150.00	Е	Average	33.12	8.19	41.31	54	-12.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 231 of 277

Operation Mode: 802.11n40B2 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5310 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	48.19	8.96	57.15	74	-16.85
5350.00	E	Average	34.31	8.96	43.27	54	-10.73
5351.72	S	Peak	48.66	8.99	57.65	74	-16.35
5351.72	S	Average	33.71	8.99	42.70	54	-11.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 232 of 277

Operation Mode: 802.11n40B2 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5310 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.0	00 E	Peak	43.62	8.96	52.58	74	-21.42
5350.0	00 E	Average	32.83	8.96	41.79	54	-12.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 233 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5455.32	S	Peak	47.80	8.93	56.73	74	-17.27
5455.32	S	Average	33.30	8.93	42.23	54	-11.77
5460.00	E	Peak	46.54	8.88	55.42	74	-18.58
5460.00	Е	Average	34.00	8.88	42.88	54	-11.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 234 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5440.44	S	Peak	45.44	9.13	54.56	74	-19.44
5440.44	S	Average	31.85	9.13	40.98	54	-13.02
5460.00	E	Peak	43.34	8.88	52.23	74	-21.77
5460.00	Е	Average	32.23	8.88	41.11	54	-12.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 235 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW RSE Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5466.12	S	Peak	51.52	8.83	60.34	68.3	-7.96
5470.00	Ε	Peak	50.62	8.79	59.41	68.3	-8.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 236 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: 5510 MHz Temp. / Humi. : 22.7deg_C/57RH Operation Band: BE CH LOW RSE Test Engineer: Enzo

EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5469.24	S	Peak	47.22	8.80	56.01	68.3	-12.29
5470.00	Ε	Peak	45.16	8.79	53.95	68.3	-14.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 237 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5670 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	42.07	9.30	51.37	68.3	-16.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 238 of 277

Operation Mode: 802.11n40B3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5670 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBμV/m	dB
5725.00	E	Peak	40.65	9.30	49.95	68.3	-18.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.




Page: 239 of 277

Operation Mode: 802.11n40B4 Test Date: 2017/12/14

Fundamental Frequency: 5755 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	42.38	9.33	51.71	68.23	-16.52
5700.00	S	Peak	43.38	9.44	52.82	105.23	-52.41
5720.00	S	Peak	46.17	9.28	55.45	110.83	-55.38
5722.04	S	Peak	52.03	9.29	61.32	115.4813	-54.16
5725.00	E	Peak	47.45	9.30	56.75	122.23	-65.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 240 of 277

Operation Mode: 802.11n40B4 Test Date: 2017/12/14

Fundamental Frequency: 5755 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	41.23	9.33	50.56	68.23	-17.67
5700.00	S	Peak	42.70	9.44	52.13	105.23	-53.10
5713.76	S	Peak	45.99	9.26	55.24	109.0827	-53.84
5719.76	S	Peak	46.87	9.28	56.15	110.7627	-54.61
5720.00	S	Peak	44.78	9.28	54.06	110.83	-56.77
5725.00	Е	Peak	45.87	9.30	55.17	122.23	-67.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 241 of 277

Operation Mode: 802.11n40B4 Test Date: 2017/12/14

Fundamental Frequency: 5795 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol.: E2 Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	41.74	9.49	51.23	122.23	-71.00
5855.00	S	Peak	42.13	9.58	51.71	110.83	-59.12
5869.39	S	Peak	42.91	9.67	52.58	106.8008	-54.22
5875.00	S	Peak	41.94	9.63	51.57	105.23	-53.66
5925.00	S	Peak	42.20	10.01	52.22	68.23	-16.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 242 of 277

Operation Mode: 802.11n40B4 Test Date: 2017/12/14

Fundamental Frequency: 5795 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5850.00	Е	Peak	42.28	9.49	51.77	122.23	-70.46
5853.44	S	Peak	43.38	9.55	52.94	114.3869	-61.45
5855.00	S	Peak	42.31	9.58	51.89	110.83	-58.94
5858.52	S	Peak	42.99	9.65	52.63	109.8458	-57.21
5875.00	S	Peak	41.97	9.63	51.60	105.23	-53.63
5925.00	S	Peak	41.54	10.01	51.55	68.23	-16.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.




Page: 243 of 277

802.11ac80 VHT mode

Operation Mode: 802.11ac80B1 Test Date: 2017/12/14

Fundamental Frequency: 5210 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: **BE CH LOW** Test Engineer: Enzo EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5132.10	S	Peak	47.89	8.08	55.97	74	-18.03
5132.10	S	Average	32.00	8.08	40.08	54	-13.92
5150.00	Е	Peak	43.61	8.19	51.80	74	-22.20
5150.00	E	Average	32.33	8.19	40.52	54	-13.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and samples teach may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488




Page: 244 of 277

Test Date: Operation Mode: 802.11ac80B1 2017/12/14

Fundamental Frequency: 5210 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.80	S	Peak	49.82	8.19	58.01	74	-15.99
5149.80	S	Average	32.15	8.19	40.34	54	-13.66
5150.00	E	Peak	44.13	8.19	52.32	74	-21.68
5150.00	Е	Average	32.19	8.19	40.38	54	-13.62

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states that the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states and such as a feet and the sample states are such as a feet and the sample states may be prosecuted to the fullest extent of the law.




Page: 245 of 277

802.11ac80B2 Test Date: Operation Mode: 2017/12/14

Fundamental Frequency: 5290 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	47.89	8.96	56.85	74	-17.15
5350.00	E	Average	33.73	8.96	42.69	54	-11.31
5350.60	S	Peak	48.44	8.97	57.41	74	-16.59
5350.60	S	Average	33.77	8.97	42.74	54	-11.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states that the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states and such as a feet and the sample states are such as a feet and the sample states may be prosecuted to the fullest extent of the law.




Page: 246 of 277

Test Date: Operation Mode: 802.11ac80B2 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5290 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	46.17	8.96	55.14	74	-18.86
5350.00	E	Average	33.33	8.96	42.29	54	-11.71
5350.30	S	Peak	46.87	8.97	55.84	74	-18.16
5350.30	S	Average	33.28	8.97	42.25	54	-11.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states that the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states and such as a feet and the sample states are such as a feet and the sample states may be prosecuted to the fullest extent of the law.



Page: 247 of 277

802.11ac80B3 Test Date: Operation Mode: 2017/12/14 Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5446.90	S	Peak	49.77	9.04	58.81	74	-15.19
5446.90	S	Average	34.37	9.04	43.41	54	-10.59
5460.00	E	Peak	49.05	8.88	57.93	74	-16.07
5460.00	Е	Average	34.76	8.88	43.64	54	-10.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states that the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states and such as a feet and the sample states are such as a feet and the sample states may be prosecuted to the fullest extent of the law.




Page: 248 of 277

802.11ac80B3 Test Date: Operation Mode: 2017/12/14

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.30	S	Peak	51.37	8.92	60.29	74	-13.71
5456.30	S	Average	35.02	8.92	43.94	54	-10.06
5460.00	E	Peak	49.36	8.88	58.24	74	-15.76
5460.00	Е	Average	35.41	8.88	44.29	54	-9.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states that the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states are such as a feet and the sample states and such as a feet and the sample states are such as a feet and the sample states may be prosecuted to the fullest extent of the law.




Page: 249 of 277

Operation Mode: 802.11ac80B3 Test Date: 2017/12/14

Fundamental Frequency: 5530 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW RSE Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Fre	eq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
M	Hz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
546	5.20	S	Peak	50.38	8.83	59.21	68.3	-9.09
547	0.00	E	Peak	49.58	8.79	58.37	68.3	-9.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.




Page: 250 of 277

Operation Mode: 802.11ac80B3 Test Date: 2017/12/14

Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5530 MHz

Operation Band: BE CH LOW RSE Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5456.30	S	Peak	51.37	8.92	60.29	68.3	-8.01
5470.00	E	Peak	49.44	8.79	58.23	68.3	-10.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.



Page: 251 of 277

Test Date: Operation Mode: 802.11ac80B4 2017/12/14 Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	46.51	9.33	55.84	68.23	-12.39
5692.32	S	Peak	55.32	9.61	64.93	99.54668	-34.62
5700.00	S	Peak	52.33	9.44	61.77	105.23	-43.46
5708.56	S	Peak	54.87	9.25	64.12	107.6268	-43.51
5720.00	S	Peak	52.57	9.28	61.85	110.83	-48.98
5725.00	Е	Peak	52.99	9.30	62.29	122.23	-59.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 252 of 277

Test Date: Operation Mode: 802.11ac80B4 2017/12/14 Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH LOW Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5650.00	S	Peak	42.82	9.33	52.15	68.23	-16.08
5692.60	S	Peak	49.70	9.60	59.31	99.75407	-40.45
5700.00	S	Peak	48.28	9.44	57.71	105.23	-47.52
5718.78	S	Peak	49.90	9.28	59.17	110.4883	-51.32
5720.00	S	Peak	49.05	9.28	58.33	110.83	-52.50
5725.00	Е	Peak	48.83	9.30	58.13	122.23	-64.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.



Page: 253 of 277

Test Date: Operation Mode: 802.11ac80B4 2017/12/14 Fundamental Frequency: 5775 MHz Temp. / Humi. : 22.7deg_C/57RH

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	50.15	9.49	59.64	122.23	-62.59
5853.59	S	Peak	51.72	9.55	61.28	114.0563	-52.78
5855.00	S	Peak	49.50	9.58	59.08	110.83	-51.75
5855.14	S	Peak	50.88	9.58	60.46	110.7923	-50.33
5860.25	S	Peak	50.57	9.68	60.25	109.36	-49.11
5875.00	S	Peak	44.89	9.63	54.53	105.23	-50.70
5925.00	S	Peak	42.56	10.01	52.57	68.23	-15.66

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page: 254 of 277

Test Date: Operation Mode: 802.11ac80B4 2017/12/14 Fundamental Frequency: Temp. / Humi. : 22.7deg_C/57RH 5775 MHz

Operation Band: BE CH HIGH Test Engineer: Enzo EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
5850.00	Е	Peak	46.00	9.49	55.49	122.23	-66.74
5851.42	S	Peak	46.98	9.51	56.50	119.0037	-62.51
5855.00	S	Peak	45.46	9.58	55.04	110.83	-55.79
5858.86	S	Peak	46.47	9.65	56.12	109.7506	-53.63
5875.00	S	Peak	42.43	9.63	52.07	105.23	-53.16
5925.00	S	Peak	41.58	10.01	51.59	68.23	-16.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this test report teer only to the sample(s) tested and such as a feet and the sample states are stated and such as the sample state and the sample states are stated and such as the sample state and sample state may be prosecuted to the fullest extent of the law.



Page: 255 of 277

12 TRANSMISSION IN THE ABSENCE OF DATA

Standard Applicable 12.1

According to §15.407(c)

The device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signaling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met.

12.2 Result

While the EUT is not transmitting any information, the EUT can automatically discontinue transmission and become standby mode for power saving. The EUT can detect the controlling signal of ASK message transmitting from remote device and verify whether it shall resend or discontinue transmission.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Unless otherwise stated the results shown in this less report eiter only to the sample(s) tested and such as an piets). Re #B a fixed and such as may be prosecuted to the fullest extent of the law.



Page: 256 of 277

13 FREQUENCY STABILITY


Standard Applicable 13.1

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

13.2 Measurement Procedure

- 1. The EUT was placed inside temperature chamber and powered and powered by nominal DC voltage.
- 2. Set EUT as normal operation.
- 3. Turn the EUT on and couple its output to spectrum.
- 4. Turn the EUT off and set the chamber to the highest temperature specified.
- 5. Allow sufficient time (approximately 30 min) for the temperature of the chamber to stabilize, turn the EUT and measure the operating frequency.
- 6. Repeat step with the temperature chamber set to the lowest temperature.

Test SET-UP 13.3



Measurement Equipment Used: 13.4

	SGS Conducted Room									
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due					
Spectrum Analyzer	KEYSIGHT	N9010A	MY51440113	06/20/2017	06/19/2018					
Coaxial Cable 30cm	WOKEN	00100A1F1A195C	RF01	12/24/2017	12/23/2018					
DC Block	PASTERNACK	PE8210	RF29	12/24/2017	12/23/2018					
Attenuator	WOKEN	218FS-10	RF23	12/24/2017	12/23/2018					
DC Power Supply	Agilent	E3640A	MY53140006	05/02/2017	05/01/2018					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page: 257 of 277

13.5 **Measurement Result**

Startup:

Operation Mode	802.11 a	Test Date	2017.12.11
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,180.09087	-0.00001754
		44	5220	5,220.09614	-0.00001842
		48	5240	5,240.01140	-0.00000218
		52	5260	5,260.02236	-0.00000425
		60	5300	5,300.08324	-0.00001571
	8.74V	64	5320	5,320.05862	-0.00001102
		100	5500	5,500.07775	-0.00001414
		116	5580	5,580.09181	-0.00001645
		140	5700	5,700.04724	-0.00000829
		149	5745	5,745.06987	-0.00001216
		157	5785	5,785.08036	-0.00001389
		165	5825	5,825.08133	-0.00001396
0		36	5180	5,180.07293	-0.00001408
		44	5220	5,220.02371	-0.00000454
		48	5240	5,240.08931	-0.00001704
		52	5260	5,260.02940	-0.00000559
		60	5300	5,300.06397	-0.00001207
	6.46V	64	5320	5,320.04523	-0.00000850
		100	5500	5,500.06382	-0.00001160
		116	5580	5,580.09254	-0.00001658
		140	5700	5,700.06370	-0.00001118
		149	5745	5,745.06432	-0.00001120
		157	5785	5,785.09546	-0.00001650
		165	5825	5,825.06616	-0.00001136

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms-e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be excepted for the fullest extent of the law. may be prosecuted to the fullest extent of the law.



Page: 258 of 277

	•			_	
		36	5180	5,180.03003	-0.00000580
		44	5220	5,220.00000	0.00000000
		48	5240	5,239.98511	0.00000284
		52	5260	5,260.01489	-0.00000283
		60	5300	5,300.01514	-0.00000286
25	7.6V	64	5320	5,320.01514	-0.00000285
		100	5500	5,500.00000	0.00000000
		116	5580	5,580.00000	0.00000000
		140	5700	5,699.96997	0.00000527
		149	5745	5,745.00000	0.00000000
		157	5785	5,785.00000	0.00000000
		165	5825	5,825.00000	0.00000000
	-		E400		0.00001000
		36	5180	5,179.90261	0.00001880
		44	5220	5,219.97475	0.00000484
		48	5240	5,239.95360	0.00000885
		52	5260	5,259.99651	0.00000066
		60	5300	5,299.91311	0.00001639
		64	5320	5,319.94547	0.00001025
	8.74V	100	5500	5,499.93735	0.00001139
		116	5580	5,579.93880	0.00001097
		140	5700	5,699.97469	0.00000444
		149	5745	5,744.95321	0.00000814
		157	5785	5,784.97848	0.00000372
		165	5825	5,824.90600	0.00001614
35		36	5180	5,179.96805	0.00000617
		44	5220	5,219.97501	0.00000479
		48	5240	5,239.93842	0.00001175
		52	5260	5,259.95200	0.00000913
		60	5300	5,299.98062	0.00000366
	6.46V	64	5320	5,319.97970	0.00000382
		100	5500	5,499.99791	0.00000038
		116	5580	5,579.97419	0.00000463
		140	5700	5,699.95939	0.00000712
		149	5745	5,744.90081	0.00001727
		157	5785	5,784.97625	0.00000411
		165	5825	5,824.91164	0.00001517

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 259 of 277

Operation Mode	802.11 n_HT40	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,190.05409	-0.00001042
		46	5230	5,230.03839	-0.00000734
		54	5270	5,270.05072	-0.00000962
		62	5310	5,310.08290	-0.00001561
	8.74V	102	5510	5,510.06164	-0.00001119
		110	5550	5,550.07008	-0.00001263
		134	5670	5,670.00444	-0.00000078
		142	5710	5,710.00152	-0.00000027
		151	5755	5,755.05078	-0.00000882
0		159	5795	5,795.08089	-0.00001396
		38	5190	5,190.09166	-0.00001766
		46	5230	5,230.02761	-0.00000528
		54	5270	5,270.03225	-0.00000612
		62	5310	5,310.02051	-0.00000386
	6.46V	102	5510	5,510.03589	-0.00000651
		110	5550	5,550.01372	-0.00000247
		134	5670	5,670.03281	-0.00000579
		142	5710	5,710.00259	-0.00000045
		151	5755	5,755.06389	-0.00001110
		159	5795	5,795.07208	-0.00001244

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 260 of 277

				T =	
		38	5190	5,190.00000	0.00000000
		46	5230	5,230.02490	-0.00000476
		54	5270	5,270.02515	-0.00000477
		62	5310	5,309.97510	0.00000469
25	7.6V	102	5510	5,510.00000	0.00000000
		110	5550	5,550.02490	-0.00000449
		134	5670	5,670.04981	-0.00000878
		142	5710	5,710.00562	-0.00000098
		151	5755	5,755.05005	-0.00000870
		159	5795	5,795.00000	0.00000000
		38	5190	5,189.93235	0.00001303
		46	5230	5,229.97187	0.00000538
		54	5270	5,269.96498	0.00000665
	8.74V	62	5310	5,309.98805	0.00000225
		102	5510	5,509.97035	0.00000538
		110	5550	5,549.90661	0.00001683
		134	5670	5,669.91397	0.00001517
		142	5710	5,710.00129	-0.00000023
		151	5755	5,754.94593	0.00000940
		159	5795	5,794.93877	0.00001057
35		38	5190	5,189.92735	0.00001400
		46	5230	5,229.93195	0.00001301
		54	5270	5,269.99837	0.00000031
		62	5310	5,309.91823	0.00001540
	6.46V	102	5510	5,509.93616	0.00001159
		110	5550	5,549.99135	0.00000156
		134	5670	5,669.99361	0.00000113
		142	5710	5,710.00428	-0.00000075
		151	5755	5,754.92361	0.00001327
		159	5795	5,794.91391	0.00001486

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 261 of 277

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,210.03003	-0.00000576
		58	5290	5,290.08714	-0.00001647
	8.74V	106	5530	5,530.08674	-0.00001569
		122	5610	5,610.03109	-0.00000554
		138	5690	5,690.03214	-0.00000565
0		155	5775	5,775.07642	-0.00001323
		42	5210	5,210.04352	-0.00000835
		58	5290	5,290.05840	-0.00001104
	6.46V	106	5530	5,530.03472	-0.00000628
		122	5610	5,610.07725	-0.00001377
		138	5690	5,690.04251	-0.00000747
		155	5775	5,775.08885	-0.00001539
		42	5210	5,210.35010	-0.00006720
		58	5290	5,290.05005	-0.00000946
25	7.6V	106	5530	5,529.44995	0.00009947
		122	5610	5,610.40015	-0.00007133
		138	5690	5,690.02698	-0.00000474
		155	5775	5,774.94995	0.00000867
		42	5210	5,209.90854	0.00001755
		58	5290	5,289.91722	0.00001565
	8.74V	106	5530	5,529.98248	0.00000317
		122	5610	5,609.92808	0.00001282
		138	5690	5,690.04521	-0.00000795
35		155	5775	5,774.96856	0.00000544
		42	5210	5,209.91688	0.00001595
		58	5290	5,289.92535	0.00001411
	6.46V	106	5530	5,529.94635	0.00000970
	- · - -	122	5610	5,609.94378	0.00001002
		138	5690	5,690.06985	-0.00001228
		155	5775	5,774.95642	0.00000755

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 262 of 277

2 Minutes:

Operation Mode	802.11 a	Test Date	2017.12.11
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	∆ Frequency (MHz)
		36	5180	5,180.05101	-0.00000985
		44	5220	5,220.09314	-0.00001784
		48	5240	5,240.09882	-0.00001886
		52	5260	5,260.05227	-0.00000994
		60	5300	5,300.00414	-0.00000078
	8.74V	64	5320	5,320.05854	-0.00001100
		100	5500	5,500.08936	-0.00001625
		116	5580	5,580.00966	-0.00000173
		140	5700	5,700.03587	-0.00000629
		149	5745	5,745.00592	-0.00000103
		157	5785	5,785.03491	-0.00000603
		165	5825	5,825.01939	-0.00000333
0		36	5180	5,180.08690	-0.00001678
		44	5220	5,220.09426	-0.00001806
		48	5240	5,240.00772	-0.00000147
		52	5260	5,260.06868	-0.00001306
		60	5300	5,300.02556	-0.00000482
	6.46V	64	5320	5,320.08421	-0.00001583
		100	5500	5,500.01188	-0.00000216
		116	5580	5,580.03666	-0.00000657
		140	5700	5,700.01345	-0.00000236
		149	5745	5,745.00500	-0.00000087
		157	5785	5,785.02217	-0.00000383
		165	5825	5,825.06188	-0.00001062

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 263 of 277

36 5180 5,180,08928 -0.00001724 44 5220 5,220,02495 -0.00000478 48 5240 5,240,09320 -0.00001779 52 5260 5,260,02070 -0.00000750 60 5300 5,300,03975 -0.00000750 100 5500 5,500,07364 -0.00001339 116 5580 5,580,07379 -0.00001322 140 5700 5,700,05450 -0.00000956 149 5745 5,745,04401 -0.0000166 157 5785 5,825,00533 -0.00000092 36 5180 5,179,98606 0.0000029 36 5180 5,179,98606 0.0000029 36 5180 5,179,98606 0.0000029 37 52 5260 5,259,96379 0.00001381 48 5240 5,239,98748 0.00001381 48 5240 5,239,98748 0.00001381 48 5240 5,239,98748 0.00001381 48 5240 5,319,92883 0.00001381 48 5240 5,319,92883 0.00001381 49 5745 5,744,94857 0.00000895 116 5580 5,79,96205 0.00000680 140 5700 5,699,9827 0.0000080 140 5700 5,699,9827 0.0000080 140 5705 5,744,94857 0.00000895 157 5785 5,784,99447 0.0000096 165 5825 5,824,96712 0.00000640 48 5220 5,219,94983 0.00001141 52 5260 5,259,96719 0.00000640 60 5300 5,299,90331 0.00000164 60 5300 5,299,90331 0.00000161 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.000001824 60 5300 5,299,90331 0.00000183 60 5300 5,299,90300 0.0000183		ı	T			
A8			36	5180	5,180.08928	-0.00001724
52 5260 5,260,02070 -0.00000394 60 5300 5,300.03975 -0.00000750 100 5500 5,300.03975 -0.000001339 116 5580 5,580.07379 -0.00001339 1140 5700 5,700.05450 -0.00001254 149 5745 5,745.04401 -0.00001254 165 5825 5,825.00533 -0.0000092 36 5180 5,179,98606 0.00000269 44 5220 5,219,92896 0.00001361 48 5240 5,239,98748 0.00001361 48 5240 5,239,98748 0.000001381 64 5320 5,319,92883 0.00001381 64 5320 5,319,92883 0.00001381 64 5320 5,319,92883 0.00001381 64 5320 5,319,92883 0.00001381 64 5320 5,319,92883 0.00001388 8.74V 100 5500 5,499,98104 0.00000345 116 5580 5,579,96205 0.00000680 140 5700 5,699,99827 0.00000680 140 5700 5,699,99827 0.00000080 149 5745 5,744,94857 0.0000096 155 5825 5,824,96712 0.00000564 44 5220 5,219,94983 0.0000961 45 5825 5,824,96712 0.00000664 66 5300 5,299,9331 0.00000140 55 52 5260 5,259,96719 0.00000664 66 5300 5,299,90331 0.00001824 66 5300 5,299,90331 0.00001824 66 5300 5,299,90331 0.00001821 6.46V 64 5320 5,319,91931 0.00001821 6.46V 64 5320 5,319,91931 0.00001821 6.46V 64 5320 5,319,91931 0.00001824 6.46V 64 5320 5,319,91931 0.00001824 6.46V 64 5320 5,319,91931 0.00001821 6.46V 64 5320 5,319,91931 0.00001821 6.46V 64 5320 5,319,91931 0.00000521 149 5745 5,744,94006 0.00001824				5220	5,220.02495	-0.00000478
7.6V 64 5320 5,300.03975 -0.00000750 100 5500 5,500.07364 -0.00001339 116 5580 5,580.07379 -0.00001322 140 5700 5,700.05450 -0.00000956 149 5745 5,745.04401 -0.00000764 157 5785 5,785.07257 -0.00001264 155 5825 5,825.00533 -0.00000269 44 5220 5,219.92896 0.00001361 48 5240 5,239.98748 0.00000269 52 5260 5,259.96379 0.00001841 64 5320 5,319.9283 0.00001388 8.74V 100 5500 5,499.98104 0.0000345 116 5580 5,579.96205 0.00000380 140 5700 5,699.99827 0.00000088 140 5700 5,699.99827 0.00000089 157 5785 5,784.94477 0.00000089 157 5785 5,784.99447 0.00000089 158 36 5180 5,179.97895 0.00000144 169 5745 5,784.99447 0.00000089 160 5300 5,299.9331 0.0000144 160 5700 5,699.99827 0.00000089 160 5300 5,299.9331 0.00001824 160 5300 5,299.9331 0.00001824 160 5300 5,299.9331 0.00001824 160 5300 5,299.9331 0.00001824 160 5300 5,299.9331 0.000001517 160 5580 5,799.96195 0.00000682 160 5300 5,299.9331 0.00001517 160 5580 5,799.96195 0.00000682 160 5300 5,299.9331 0.00001517 160 5580 5,799.96195 0.00000682 160 5300 5,299.9331 0.00001517 160 5580 5,799.96195 0.00000621 160 5580 5,799.9733 0.00000521 160 5580 5,799.97030 0.00000521 160 5580 5,799.97030 0.00000521 160 5580 5,799.97030 0.00000521 160 5580 5,799.97030 0.00000521				5240	5,240.09320	-0.00001779
7.6V 64 5320 5,320.01269 -0.00000239 100 5500 5,500.07364 -0.00001339 116 5580 5,580.07379 -0.00001322 140 5700 5,700.05450 -0.0000956 149 5745 5,745.04401 -0.0000766 157 5785 5,785.07257 -0.00001254 165 5825 5,825.00533 -0.0000092 36 5180 5,179.98606 0.0000269 44 5220 5,219.92896 0.00001361 48 5240 5,239.98748 0.00000239 52 5260 5,259.96379 0.00000188 60 5300 5,299.93955 0.00001141 64 5320 5,319.92883 0.00001388 8.74V 100 5500 5,499.98104 0.00000345 116 5580 5,579.96205 0.00000184 149 5745 5,744.94857 0.0000038 149 5745 5,744.94857 0.0000038 149 5745 5,744.94857 0.0000096 165 5825 5,824.96712 0.0000096 165 5825 5,824.96712 0.0000096 165 5825 5,824.96712 0.0000096 165 5825 5,824.96712 0.0000096 165 5825 5,824.96712 0.0000096 165 5825 5,824.96712 0.0000096 165 5825 5,824.96712 0.0000096 165 5825 5,824.96712 0.00000624 60 5300 5,299.90331 0.0000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 60 5300 5,299.90331 0.00001824 60 5300 5,499.9308 0.00001255 116 5580 5,579.96195 0.00000624 60 5300 5,499.9308 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.9406 0.00000521 149 5745 5,744.9406 0.00001043 157 5785 5,784.95409 0.00000794			52	5260	5,260.02070	-0.00000394
100			60	5300	5,300.03975	-0.00000750
116	25	7.6V	64	5320	5,320.01269	-0.00000239
140			100	5500	5,500.07364	-0.00001339
149			116	5580	5,580.07379	-0.00001322
157 5785 5,785.07257 -0.00001254 165 5825 5,825.00533 -0.00000092 36 5180 5,179.98606 0.00000269 44 5220 5,219.92896 0.00001361 48 5240 5,239.98748 0.00000239 52 5260 5,259.96379 0.00000688 60 5300 5,299.93955 0.00001141 64 5320 5,319.92883 0.00001338 8.74V 100 5500 5,499.98104 0.00000345 116 5580 5,579.96205 0.00000680 140 5700 5,699.99827 0.00000080 149 5745 5,744.94857 0.00000096 165 5825 5,824.96712 0.00000564 35 36 5180 5,179.97895 0.000000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.000000614 52 52 5260 5,259.96719 0.00000064 60 5300 5,299.90331 0.00000114 52 52 5260 5,259.96719 0.00000064 60 5300 5,299.90331 0.00001517 100 5500 5,499.93098 0.00001517 100 5500 5,499.93098 0.00001517 100 5500 5,499.93098 0.00000521 149 5745 5,744.94006 0.000000521 149 5745 5,744.94006 0.000000794			140	5700	5,700.05450	-0.00000956
36 5180 5,179,98606 0.00000269 44 5220 5,219,92896 0.00001361 48 5240 5,239,98748 0.00000239 52 5260 5,259,96379 0.00000688 60 5300 5,299,93955 0.00001141 64 5320 5,319,92883 0.0000138 8.74V 100 5500 5,499,98104 0.00000345 116 5580 5,579,96205 0.00000680 140 5700 5,699,99827 0.00000080 149 5745 5,744,94857 0.00000961 165 5825 5,824,96712 0.00000564 35 36 5180 5,179,97895 0.00000406 44 5220 5,219,94983 0.00000961 48 5240 5,239,99405 0.00000614 52 5260 5,259,96719 0.00000624 60 5300 5,299,90331 0.00001141 52 5260 5,259,96719 0.00000624 60 5300 5,299,90331 0.00001517 100 5500 5,499,93098 0.00001517 100 5500 5,499,93098 0.00001255 116 5580 5,579,96195 0.00000682 140 5700 5,699,97030 0.00000521 149 5745 5,744,94006 0.00001043 157 5785 5,784,95409 0.00000794			149	5745	5,745.04401	-0.00000766
36 5180 5,179,98606 0.00000269 44 5220 5,219,92896 0.00001361 48 5240 5,239,98748 0.00000239 52 5260 5,259,96379 0.00000688 60 5300 5,299,93955 0.00001141 64 5320 5,319,92883 0.00001338 8.74V 100 5500 5,499,98104 0.00000345 116 5580 5,579,96205 0.00000680 140 5700 5,699,99827 0.000000895 157 5785 5,784,99447 0.00000096 165 5825 5,824,96712 0.00000564 44 5220 5,219,94983 0.00000961 48 5240 5,239,99405 0.00000114 52 5260 5,259,96719 0.00000624 60 5300 5,299,90331 0.0000114 52 5260 5,259,96719 0.00000624 60 5300 5,299,90331 0.00001517 100 5500 5,499,93098 0.00001255 116 5580 5,579,96195 0.00000682 140 5700 5,699,97030 0.00000521 149 5745 5,744,94006 0.00001043 157 5785 5,784,95409 0.00000794			157	5785	5,785.07257	-0.00001254
44 5220 5,219,92896 0.00001361 48 5240 5,239,98748 0.00000239 52 5260 5,259,96379 0.00000688 60 5300 5,299,93955 0.00001141 64 5320 5,319,92883 0.00001338 8.74V 100 5500 5,499,98104 0.00000345 116 5580 5,579,96205 0.00000680 140 5700 5,699,99827 0.00000030 149 5745 5,744,94857 0.00000996 165 5825 5,824,96712 0.00000564 35 36 5180 5,179,97895 0.00000406 44 5220 5,219,94983 0.00000961 48 5240 5,239,99405 0.00000144 52 5260 5,259,96719 0.00000140 48 5240 5,239,99405 0.000001517 100 5500 5,499,9331 0.00001255 116 5580 5,579,96195 0.00000682 140 5700 5,699,97030 0.00000521 149 5745 5,744,94006 0.00001043 157 5785 5,784,95409 0.00000794			165	5825	5,825.00533	-0.00000092
44 5220 5,219,92896 0.00001361 48 5240 5,239,98748 0.00000239 52 5260 5,259,96379 0.00000688 60 5300 5,299,93955 0.00001141 64 5320 5,319,92883 0.00001338 8.74V 100 5500 5,499,98104 0.00000345 116 5580 5,579,96205 0.00000680 140 5700 5,699,99827 0.00000030 149 5745 5,744,94857 0.00000996 165 5825 5,824,96712 0.00000564 35 36 5180 5,179,97895 0.00000406 44 5220 5,219,94983 0.00000961 48 5240 5,239,99405 0.00000144 52 5260 5,259,96719 0.00000140 48 5240 5,239,99405 0.000001517 100 5500 5,499,9331 0.00001255 116 5580 5,579,96195 0.00000682 140 5700 5,699,97030 0.00000521 149 5745 5,744,94006 0.00001043 157 5785 5,784,95409 0.00000794		1	0.4	F400	F 170 00/0/	0.00000010
48 5240 5,239,98748 0.00000239 52 5260 5,259,96379 0.00000688 60 5300 5,299,93955 0.00001141 64 5320 5,319,92883 0.00001338 8.74V 100 5500 5,499,98104 0.00000345 116 5580 5,579,96205 0.00000680 140 5700 5,699,99827 0.00000030 149 5745 5,744,94857 0.0000096 165 5825 5,824,96712 0.00000564 165 5825 5,824,96712 0.00000564 44 5220 5,219,94983 0.00000961 48 5240 5,239,99405 0.00000114 52 5260 5,259,96719 0.00000624 60 5300 5,299,90331 0.00001824 60 5300 5,499,93098 0.00001255 116 5580 5,579,96195 0.00000682 140 5700 5,699,97030 0.00000521 149 5745 5,744,94006 0.00001043 157 5785 5,784,95409 0.00000794						
52 5260 5,259,96379 0.00000688 60 5300 5,299,93955 0.00001141 64 5320 5,319,92883 0.00001338 8.74V 100 5500 5,499,98104 0.00000345 116 5580 5,579,96205 0.00000680 140 5700 5,699,99827 0.0000030 149 5745 5,744,94857 0.0000096 165 5825 5,824,96712 0.00000564 36 5180 5,179,97895 0.00000466 44 5220 5,219,94983 0.00000961 48 5240 5,239,99405 0.00000114 52 5260 5,259,96719 0.00000624 60 5300 5,299,90331 0.00001517 100 5500 5,499,93098 0.00001255 116 5580 5,579,96195 0.00000682 140 5700 5,699,97030 0.00000521 149 5745 5,744,94006 0.00001043						
8.74V					<u>'</u>	
8.74V					-	
8.74V 100 5500 5,499.98104 0.00000345 116 5580 5,579.96205 0.000000680 140 5700 5,699.99827 0.00000030 149 5745 5,744.94857 0.0000096 157 5785 5,784.99447 0.0000096 165 5825 5,824.96712 0.00000564 35 36 5180 5,179.97895 0.00000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 6.46V 64 5320 5,319.91931 0.00001824 6.46V 64 5320 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794					<u>'</u>	
116 5580 5,579.96205 0.00000680 140 5700 5,699.99827 0.00000030 149 5745 5,744.94857 0.00000985 157 5785 5,784.99447 0.0000096 165 5825 5,824.96712 0.00000564 36 5180 5,179.97895 0.00000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 60 5300 5,299.90331 0.00001824 60 5300 5,499.93098 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794						
140 5700 5,699.99827 0.00000030 149 5745 5,744.94857 0.00000895 157 5785 5,784.99447 0.00000096 165 5825 5,824.96712 0.00000564 35 36 5180 5,179.97895 0.00000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 64 5320 5,319.91931 0.00001824 654 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794		8.74V				
149 5745 5,744.94857 0.00000895 157 5785 5,784.99447 0.00000096 165 5825 5,824.96712 0.00000564 36 5180 5,179.97895 0.00000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 60 5300 5,299.90331 0.00001824 60 5300 5,319.91931 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794						
157 5785 5,784.99447 0.00000096 165 5825 5,824.96712 0.00000564 36 5180 5,179.97895 0.00000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 64 5320 5,319.91931 0.00001824 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794					· ·	
35 5825 5,824.96712 0.00000564 36 5180 5,179.97895 0.00000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 6.46V 64 5320 5,319.91931 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794					5,744.94857	0.00000895
35 36 5180 5,179.97895 0.00000406 44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 64 5320 5,319.91931 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794			157	5785	5,784.99447	0.00000096
44 5220 5,219.94983 0.00000961 48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 6.46V 64 5320 5,319.91931 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794			165	5825	5,824.96712	0.00000564
48 5240 5,239.99405 0.00000114 52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 6.46V 64 5320 5,319.91931 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794	35		36	5180	5,179.97895	0.00000406
52 5260 5,259.96719 0.00000624 60 5300 5,299.90331 0.00001824 6.46V 64 5320 5,319.91931 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794			44	5220	5,219.94983	0.00000961
6.46V			48	5240	5,239.99405	0.00000114
6.46V 64 5320 5,319.91931 0.00001517 100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794			52	5260	5,259.96719	0.00000624
100 5500 5,499.93098 0.00001255 116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794			60	5300	5,299.90331	0.00001824
116 5580 5,579.96195 0.00000682 140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794		6.46V	64	5320	5,319.91931	0.00001517
140 5700 5,699.97030 0.00000521 149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794			100	5500	5,499.93098	0.00001255
149 5745 5,744.94006 0.00001043 157 5785 5,784.95409 0.00000794			116	5580	5,579.96195	0.00000682
157 5785 5,784.95409 0.00000794			140	5700	5,699.97030	0.00000521
			149	5745	5,744.94006	0.00001043
165 5825 5,824.92082 0.00001359			157	5785	5,784.95409	0.00000794
			165	5825	5,824.92082	0.00001359

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 264 of 277

Operation Mode	802.11 n_HT40	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,190.01492	-0.00000287
		46	5230	5,230.09696	-0.00001854
		54	5270	5,270.02706	-0.00000513
		62	5310	5,310.07543	-0.00001421
	8.74V	102	5510	5,510.05847	-0.00001061
		110	5550	5,550.05292	-0.00000954
		134	5670	5,670.06063	-0.00001069
		142	5710	5,710.00852	-0.00000149
		151	5755	5,755.07325	-0.00001273
0		159	5795	5,795.03518	-0.00000607
		38	5190	5,190.01956	-0.00000377
		46	5230	5,230.01904	-0.00000364
		54	5270	5,270.05939	-0.00001127
		62	5310	5,310.07868	-0.00001482
	6.46V	102	5510	5,510.09575	-0.00001738
		110	5550	5,550.06462	-0.00001164
		134	5670	5,670.02626	-0.00000463
		142	5710	5,710.00571	-0.00000100
		151	5755	5,755.02262	-0.00000393
		159	5795	5,795.03995	-0.00000689

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 265 of 277

		38	5190	5,190.03676	-0.00000708
		46	5230	5,230.09159	-0.00001751
		54	5270	5,270.00784	-0.00000149
		62	5310	5,310.03546	-0.00000668
25	7.6V	102	5510	5,510.07970	-0.00001446
		110	5550	5,550.07414	-0.00001336
		134	5670	5,670.01261	-0.00000222
		142	5710	5,710.00569	-0.00000100
		151	5755	5,755.07909	-0.00001374
		159	5795	5,795.06442	-0.00001112
		38	5190	5,189.92131	0.00001516
		46	5230	5,229.95147	0.00000928
		54	5270	5,269.91818	0.00001553
		62	5310	5,309.99557	0.00000083
	8.74V	102	5510	5,509.91150	0.00001606
		110	5550	5,549.93592	0.00001155
		134	5670	5,669.97568	0.00000429
		142	5710	5,710.00451	-0.00000079
		151	5755	5,754.94465	0.00000962
		159	5795	5,794.91893	0.00001399
35		38	5190	5,189.98853	0.00000221
		46	5230	5,229.98652	0.00000258
		54	5270	5,269.96265	0.00000709
		62	5310	5,309.98319	0.00000317
	6.46V	102	5510	5,509.97728	0.00000412
		110	5550	5,549.97926	0.00000374
		134	5670	5,669.92242	0.00001368
		142	5710	5,710.00175	-0.00000031
		151	5755	5,754.92926	0.00001229
		159	5795	5,794.99560	0.00000076

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 266 of 277

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,210.01944	-0.00000373
		58	5290	5,290.09580	-0.00001811
	8.74V	106	5530	5,530.00500	-0.00000090
		122	5610	5,610.08931	-0.00001592
		138	5690	5,690.06521	-0.00001146
0		155	5775	5,775.02449	-0.00000424
		42	5210	5,210.02313	-0.00000444
		58	5290	5,290.01304	-0.00000247
	6.46V	106	5530	5,530.03894	-0.00000704
		122	5610	5,610.00904	-0.00000161
		138	5690	5,690.04511	-0.00000793
		155	5775	5,775.04026	-0.00000697
		42	5210	5,210.03505	-0.00000673
		58	5290	5,290.08769	-0.00001658
25	7.6V	106	5530	5,530.07270	-0.00001315
		122	5610	5,610.04167	-0.00000743
		138	5690	5,690.06521	-0.00001146
		155	5775	5,775.09518	-0.00001648
		42	5210	5,209.94091	0.00001134
		58	5290	5,289.98103	0.00000359
	8.74V	106	5530	5,529.99613	0.00000070
		122	5610	5,609.99569	0.00000077
		138	5690	5,690.05247	-0.00000922
35		155	5775	5,774.97176	0.00000489
		42	5210	5,209.96596	0.00000653
		58	5290	5,289.90082	0.00001875
	6.46V	106	5530	5,529.98564	0.00000260
		122	5610	5,609.95580	0.00000788
		138	5690	5,690.06547	-0.00001151
		155	5775	5,774.94217	0.00001001

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 267 of 277

5 Minutes:

Operation Mode	802.11 a	Test Date	2017.12.11
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,180.00565	-0.00000109
		44	5220	5,220.03934	-0.00000754
		48	5240	5,240.06043	-0.00001153
		52	5260	5,260.01283	-0.00000244
		60	5300	5,300.08676	-0.00001637
	8.74V	64	5320	5,320.09997	-0.00001879
		100	5500	5,500.08634	-0.00001570
		116	5580	5,580.05633	-0.00001009
		140	5700	5,700.03090	-0.00000542
		149	5745	5,745.03166	-0.00000551
		157	5785	5,785.01080	-0.00000187
		165	5825	5,825.08249	-0.00001416
0		36	5180	5,180.07687	-0.00001484
		44	5220	5,220.04508	-0.00000864
		48	5240	5,240.04252	-0.00000811
		52	5260	5,260.07457	-0.00001418
		60	5300	5,300.07812	-0.00001474
	6.46V	64	5320	5,320.08142	-0.00001530
		100	5500	5,500.00170	-0.00000031
		116	5580	5,580.06449	-0.00001156
		140	5700	5,700.02355	-0.00000413
		149	5745	5,745.08732	-0.00001520
		157	5785	5,785.06280	-0.00001086
		165	5825	5,825.01343	-0.00000231

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.

f (886-2) 2298-0488



Page: 268 of 277

36 5180 5,180,02074 -0.00000400 44 5220 5,220.05091 -0.00000628 52 5260 5,260.07891 -0.00000628 52 5260 5,260.07891 -0.00001500 60 5300 5,300.04252 -0.00001046 100 5500 5,500.05967 -0.00001085 116 5580 5,580.07103 -0.00001273 140 5700 5,700.00854 -0.0000150 149 5745 5,745.07792 -0.0000156 157 5785 5,785.00290 -0.0000156 157 5785 5,825.09196 -0.00001579 36 5180 5,179.97726 0.00000439 44 5220 5,219.93869 0.0000175 48 5240 5,239.99783 0.0000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.00000401 64 5320 5,319.99687 0.00000401 64 5320 5,319.99687 0.00000401 64 5320 5,319.99687 0.00000059 116 5580 5,749.98593 0.00000256 116 5580 5,749.98593 0.00000646 157 5785 5,784.99467 0.00000052 140 5700 5,699.99884 0.00000073 149 5745 5,744.96289 0.00000646 157 5785 5,784.99467 0.00000092 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.000000792 36 520 5,259.93049 0.00001671 60 5300 5,299.91144 0.00000092 165 5825 5,824.95386 0.00000171 60 5500 5,499.90525 0.00001712 60 5300 5,299.91144 0.00001671 60 5300 5,299.91144 0.00001671 60 5300 5,299.9144 0.000001671				E400	E 400 0007 :	0.00000101
48 5240 5,240.03291 -0.00000628 52 5260 5,260.07891 -0.00001500 60 5300 5,300.04252 -0.00000802 60 5300 5,300.04252 -0.00001085 100 5500 5,500.05967 -0.00001085 116 5580 5,580.07103 -0.00001273 140 5700 5,700.00854 -0.0000150 149 5745 5,745.07792 -0.00001356 157 5785 5,785.00290 -0.0000050 165 5825 5,825.09196 -0.00001579 36 5180 5,179.97726 0.0000439 44 5220 5,219.93869 0.00001175 48 5240 5,239.99783 0.0000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.0000059 64 5320 5,319.99687 0.0000059 8.74V 100 5500 5,499.98593 0.00000256 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000052 140 5700 5,699.99584 0.0000073 149 5745 5,744.96289 0.00000646 157 5785 5,784.99467 0.00000899 165 5825 5,824.95386 0.0000073 149 5745 5,749.9135 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 53 5579.95573 0.00000793 140 5700 5,699.99645 0.00000793 140 5705 5,699.99645 0.00000793 140 5705 5,699.99645 0.00000793 140 5705 5,699.99645 0.00000793 140 5705 5,699.99645 0.00000793 140 5705 5,699.99645 0.00000738 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.000000857			36	5180	5,180.02074	-0.00000400
52 5260 5,260.07891 -0.00001500 60 5300 5,300.04252 -0.00000802 100 5500 5,500.05967 -0.00001046 100 5500 5,500.05967 -0.00001085 116 5580 5,580.07103 -0.0000123 140 5700 5,700.00854 -0.0000150 1449 5745 5,745.07792 -0.0000150 165 5825 5,825.09196 -0.00000150 165 5825 5,825.09196 -0.000001579 36 5180 5,179.97726 0.000001579 44 5220 5,219.93869 0.00001175 48 5240 5,239.99783 0.0000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.00000401 64 5320 5,319.99687 0.00000050 140 5700 5,699.99584 0.00000052 140 5700 5,699.99584 0.00000052 140 5700 5,699.99584 0.000000792 155 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.00000092 165 5825 5,824.95386 0.00000792 36 5180 5,179.95344 0.00000092 165 5825 5,824.95386 0.00000792 36 5180 5,179.95344 0.00000092 165 5825 5,824.95386 0.00000792 37 36 5180 5,179.95344 0.00000092 165 5825 5,824.95386 0.00000792 165 5825 5,824.95386 0.00000792 165 5825 5,824.95386 0.000001732 165 5825 5,824.95386 0.000001732 165 5825 5,824.95386 0.000001732 165 5825 5,824.95386 0.000001732 165 5825 5,824.95386 0.000001732 165 5825 5,824.95386 0.000001732 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.00000000000000000000000000000000000						
7.6V 60 5300 5,300.04252 -0.00000802 64 5320 5,320.05565 -0.00001046 100 5500 5,500.05967 -0.00001085 116 5580 5,580.07103 -0.00001273 140 5700 5,700.00854 -0.0000150 149 5745 5,745.0792 -0.00001550 157 5785 5,785.00290 -0.00000150 165 5825 5,825.09196 -0.00001579 36 5180 5,179.97726 0.00000439 44 5220 5,219.93869 0.00001175 48 5240 5,239.99783 0.00000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.00000256 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.00000073 149 5745 5,784.99467 0.00000073 149 5745 5,784.99467 0.00000073 149 5745 5,784.99467 0.00000073 149 5745 5,784.99467 0.00000092 165 5825 5,824.95386 0.00000792 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 166 5580 5,799.99144 0.00001671 167 580 5,799.99144 0.00001671 168 5580 5,799.99144 0.00001671 169 5580 5,799.99144 0.00001671 160 5580 5,799.99145 0.00000173 160 5580 5,799.99147 0.00000173 160 5580 5,799.99147 0.00000173 160 5580 5,799.995573 0.00000173 160 5580 5,799.99545 0.00000173 160 5580 5,799.99545 0.00000173 160 5580 5,799.99545 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000173 160 5580 5,799.99645 0.00000000000000000000000000000000000					<u> </u>	
7.6V 64 5320 5,320.05565 -0.00001046 100 5500 5,500.05967 -0.00001085 116 5580 5,580.07103 -0.00001273 140 5700 5,700.00854 -0.0000150 149 5745 5,745.07792 -0.00001356 157 5785 5,785.00290 -0.00000150 165 5825 5,825.09196 -0.00001579 165 5825 5,825.09196 -0.000014175 48 5240 5,239.99783 0.0000041 52 52 5260 5,259.91215 0.00001401 64 5320 5,319.99687 0.0000059 166 5580 5,579.99712 0.0000059 166 5580 5,579.99712 0.0000059 166 5580 5,579.99712 0.00000059 166 5580 5,789.99584 0.0000073 149 5745 5,744.96289 0.00000646 157 5785 5,784.99467 0.00000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.0000073 165 5825 5,824.95386 0.00000792 165 5825 5,824.95386 0.00000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.00000792 165 5825 5,824.95386 0.000000792 165 5825 5,824.95386 0.000001545 165 5825 5,824.95386 0.000001545 165 5825 5,824.95386 0.000001545 165 5825 5,824.95386 0.00000161 165 52 5260 5,259.93049 0.0000161 165 52 5260 5,259.93049 0.0000161 165 52 5260 5,259.93049 0.0000161 165 52 5260 5,259.93049 0.0000161 165 52 5260 5,259.93049 0.0000161 165 580 5,579.95573 0.000001671 160 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.000000793 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.00000073 140 5700 5,699.99645 0.000000062 149 5745 5,744.90017 0.000000857 1577 5785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.95042 0.000000857 157785 5,784.					5,260.07891	-0.00001500
100			60	5300	5,300.04252	-0.00000802
116 5580 5,580.07103 -0.00001273 140 5700 5,700.00854 -0.0000150 149 5745 5,745.07792 -0.00001356 157 5785 5,785.00290 -0.0000050 165 5825 5,825.09196 -0.00001579 36 5180 5,179.97726 0.00000439 44 5220 5,219.93869 0.00001175 48 5240 5,239.99783 0.0000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.00000059 8.74V 100 5500 5,499.98593 0.00000256 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.00000646 157 5785 5,884.99467 0.00000092 165 5825 5,824.95386 0.00000792 36 5180 5,179.95344 0.00000792 37 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001611 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 60 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000793 140 5700 5,699.99645 0.00000793	25	7.6V	64	5320	5,320.05565	-0.00001046
140			100	5500	5,500.05967	-0.00001085
149			116	5580	5,580.07103	-0.00001273
157 5785 5,785.00290 -0.0000050 165 5825 5,825.09196 -0.00001579 36 5180 5,179.97726 0.00000439 44 5220 5,219.93869 0.00001175 48 5240 5,239.99783 0.00000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.00000059 8.74V 100 5500 5,499.98593 0.00000256 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.000000646 157 5785 5,824.95386 0.00000792 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.000000792 36 5180 5,179.95344 0.000000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 53 527.949.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			140	5700	5,700.00854	-0.00000150
36 5180 5,179.97726 0.00000439 44 5220 5,219.93869 0.00001175 48 5240 5,239.99783 0.00000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.0000059 8.74V 100 5500 5,499.98593 0.00000526 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.00000073 149 5745 5,744.96289 0.00000092 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.00001671 6.46V 64 5320 5,319.92464 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00000738 157 5785 5,784.95042 0.00000857			149	5745	5,745.07792	-0.00001356
36 5180 5,179.97726 0.00000439 44 5220 5,219.93869 0.00001175 48 5240 5,239.99783 0.00000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.00000059 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.00000646 157 5785 5,824.95386 0.00000792 165 5825 5,824.95386 0.00000792 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			157	5785	5,785.00290	-0.00000050
44 5220 5,219,93869 0.00001175 48 5240 5,239,99783 0.00000041 52 5260 5,259,91215 0.00001670 60 5300 5,299,97875 0.00000059 8.74V 100 5500 5,499,98593 0.00000256 116 5580 5,579,99712 0.00000052 140 5700 5,699,99584 0.00000052 149 5745 5,744,96289 0.00000646 157 5785 5,784,99467 0.0000092 165 5825 5,824,95386 0.00000792 165 5825 5,824,95386 0.00000792 35 36 5180 5,179,95344 0.00000899 44 5220 5,219,91935 0.00001545 48 5240 5,239,99154 0.0000161 52 5260 5,259,93049 0.0000161 52 5260 5,259,93049 0.00001671 60 5300 5,299,91144 0.00001671 100 5500 5,499,90252 0.00001772 116 5580 5,579,95573 0.00000793 140 5700 5,699,99645 0.00000062 149 5745 5,744,90017 0.00001738 157 5785 5,784,95042 0.00000857			165	5825	5,825.09196	-0.00001579
44 5220 5,219,93869 0.00001175 48 5240 5,239,99783 0.00000041 52 5260 5,259,91215 0.00001670 60 5300 5,299,97875 0.00000059 8.74V 100 5500 5,499,98593 0.00000256 116 5580 5,579,99712 0.00000052 140 5700 5,699,99584 0.00000052 149 5745 5,744,96289 0.00000646 157 5785 5,784,99467 0.0000092 165 5825 5,824,95386 0.00000792 165 5825 5,824,95386 0.00000792 35 36 5180 5,179,95344 0.00000899 44 5220 5,219,91935 0.00001545 48 5240 5,239,99154 0.0000161 52 5260 5,259,93049 0.0000161 52 5260 5,259,93049 0.00001671 60 5300 5,299,91144 0.00001671 100 5500 5,499,90252 0.00001772 116 5580 5,579,95573 0.00000793 140 5700 5,699,99645 0.00000062 149 5745 5,744,90017 0.00001738 157 5785 5,784,95042 0.00000857			0.4	F400	F 170 0770 '	0.00000400
8.74V 520 5,239.99783 0.00000041 52 5260 5,259.91215 0.00001670 60 5300 5,299.97875 0.00000401 64 5320 5,319.99687 0.00000059 8.74V 100 5500 5,499.98593 0.00000256 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.00000092 165 5825 5,824.95386 0.00000792 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.0000161 52 5260 5,259.93049 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.0000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857						
52 5260 5,259,91215 0.00001670 60 5300 5,299,97875 0.00000401 64 5320 5,319,99687 0.00000059 100 5500 5,499,98593 0.00000256 116 5580 5,579,99712 0.00000052 140 5700 5,699,99584 0.00000073 149 5745 5,744,96289 0.00000646 157 5785 5,784,99467 0.0000092 165 5825 5,824,95386 0.00000792 36 5180 5,179,95344 0.000001545 48 5240 5,239,99154 0.00000161 52 5260 5,259,93049 0.00001671 60 5300 5,299,91144 0.00001671 6.46V 64 5320 5,319,92464 0.00001772 116 5580 5,579,95573 0.00000793 140 5700 5,699,99645 0.00000062 149 5745 5,744,90017 0.000001738 <					· ·	
8.74V					<u> </u>	
8.74V						
8.74V 100 5500 5,499.98593 0.00000256 116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.000000466 157 5785 5,784.99467 0.00000092 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857					<u> </u>	
116 5580 5,579.99712 0.00000052 140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.00000646 157 5785 5,784.99467 0.00000092 165 5825 5,824.95386 0.00000792 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001671 60 5300 5,299.91144 0.00001671 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857						
140 5700 5,699.99584 0.00000073 149 5745 5,744.96289 0.000000646 157 5785 5,784.99467 0.00000092 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857		8.74V			<u> </u>	
149 5745 5,744.96289 0.00000646 157 5785 5,784.99467 0.00000092 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857					5,579.99712	0.00000052
157 5785 5,784.99467 0.00000092 165 5825 5,824.95386 0.00000792 35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			140	5700	5,699.99584	0.00000073
35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.000001738 157 5785 5,784.95042 0.00000857			149	5745	5,744.96289	0.00000646
35 36 5180 5,179.95344 0.00000899 44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			157	5785	5,784.99467	
44 5220 5,219.91935 0.00001545 48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			165	5825	5,824.95386	0.00000792
48 5240 5,239.99154 0.00000161 52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857	35		36	5180	5,179.95344	0.00000899
52 5260 5,259.93049 0.00001321 60 5300 5,299.91144 0.00001671 6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			44	5220	5,219.91935	0.00001545
6.46V			48	5240	5,239.99154	0.00000161
6.46V 64 5320 5,319.92464 0.00001417 100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			52	5260	5,259.93049	0.00001321
100 5500 5,499.90252 0.00001772 116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			60	5300	5,299.91144	0.00001671
116 5580 5,579.95573 0.00000793 140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857		6.46V	64	5320	5,319.92464	0.00001417
140 5700 5,699.99645 0.00000062 149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			100	5500	5,499.90252	0.00001772
149 5745 5,744.90017 0.00001738 157 5785 5,784.95042 0.00000857			116	5580	5,579.95573	0.00000793
157 5785 5,784.95042 0.00000857			140	5700	5,699.99645	0.00000062
			149	5745	5,744.90017	0.00001738
165 5825 5,824.95423 0.00000786			157	5785	5,784.95042	0.00000857
			165	5825	5,824.95423	0.00000786

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 269 of 277

Operation Mode	802.11 n_HT40	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,190.00764	-0.00000147
		46	5230	5,230.08980	-0.00001717
		54	5270	5,270.04840	-0.00000918
		62	5310	5,310.09900	-0.00001864
	8.74V	102	5510	5,510.01406	-0.00000255
		110	5550	5,550.08476	-0.00001527
		134	5670	5,670.09264	-0.00001634
		142	5710	5,710.00398	-0.00000070
		151	5755	5,755.05158	-0.00000896
0		159	5795	5,795.05812	-0.00001003
		38	5190	5,190.04347	-0.00000838
		46	5230	5,230.03697	-0.00000707
		54	5270	5,270.05034	-0.00000955
		62	5310	5,310.00456	-0.00000086
	6.46V	102	5510	5,510.07417	-0.00001346
		110	5550	5,550.09718	-0.00001751
		134	5670	5,670.01257	-0.00000222
		142	5710	5,710.00456	-0.00000080
		151	5755	5,755.08784	-0.00001526
		159	5795	5,795.08983	-0.00001550

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 270 of 277

				_	
		38	5190	5,190.03127	-0.00000603
		46	5230	5,230.07361	-0.00001407
		54	5270	5,270.03990	-0.00000757
		62	5310	5,310.09189	-0.00001731
25	7.6V	102	5510	5,510.09153	-0.00001661
		110	5550	5,550.04766	-0.00000859
		134	5670	5,670.07977	-0.00001407
		142	5710	5,710.00875	-0.00000153
		151	5755	5,755.08585	-0.00001492
		159	5795	5,795.07885	-0.00001361
		38	5190	5,189.97495	0.00000483
		46	5230	5,229.90487	0.00001819
		54	5270	5,269.92554	0.00001413
		62	5310	5,309.91503	0.00001600
	8.74V	102	5510	5,509.97543	0.00000446
		110	5550	5,549.94363	0.00001016
		134	5670	5,669.98246	0.00000309
		142	5710	5,710.00547	-0.00000096
		151	5755	5,754.98583	0.00000246
		159	5795	5,794.94565	0.00000938
35		38	5190	5,189.99536	0.00000089
		46	5230	5,229.95452	0.00000870
		54	5270	5,269.94346	0.00001073
		62	5310	5,309.93400	0.00001243
	6.46V	102	5510	5,509.91496	0.00001543
		110	5550	5,549.96177	0.00000689
		134	5670	5,669.90246	0.00001720
		142	5710	5,710.00952	-0.00000167
		151	5755	5,754.91359	0.00001501
		159	5795	5,794.94573	0.00000936

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 271 of 277

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		42	5210	5,210.03891	-0.00000747
		58	5290	5,290.05002	-0.00000946
	8.74V	106	5530	5,530.07289	-0.00001318
		122	5610	5,610.02831	-0.00000505
		138	5690	5,690.04521	-0.00000795
0		155	5775	5,775.04185	-0.00000725
		42	5210	5,210.03684	-0.00000707
		58	5290	5,290.05260	-0.00000994
	6.46V	106	5530	5,530.04862	-0.00000879
		122	5610	5,610.09537	-0.00001700
		138	5690	5,690.05274	-0.00000927
		155	5775	5,775.02180	-0.00000377
		42	5210	5,210.01217	-0.00000234
		58	5290	5,290.08459	-0.00001599
25	7.6V	106	5530	5,530.03370	-0.00000609
		122	5610	5,610.09062	-0.00001615
		138	5690	5,690.03658	-0.00000643
		155	5775	5,775.06217	-0.00001077
		42	5210	5,209.99181	0.00000157
		58	5290	5,289.97914	0.00000394
	8.74V	106	5530	5,529.92373	0.00001379
		122	5610	5,609.94965	0.00000898
		138	5690	5,690.06258	-0.00001100
35		155	5775	5,774.95065	0.00000855
		42	5210	5,209.93953	0.00001161
		58	5290	5,289.90279	0.00001838
	6.46V	106	5530	5,529.96292	0.00000671
		122	5610	5,609.95284	0.00000841
		138	5690	5,690.02589	-0.00000455
		155	5775	5,774.96766	0.00000560

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 272 of 277

10 Minutes:

Operation Mode	802.11 a	Test Date	2017.12.11
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		36	5180	5,180.00494	-0.00000095
		44	5220	5,220.08143	-0.00001560
		48	5240	5,240.00401	-0.00000077
		52	5260	5,260.09454	-0.00001797
		60	5300	5,300.06898	-0.00001302
	8.74V	64	5320	5,320.07424	-0.00001395
		100	5500	5,500.02017	-0.00000367
		116	5580	5,580.01720	-0.00000308
		140	5700	5,700.01583	-0.00000278
		149	5745	5,745.06186	-0.00001077
		157	5785	5,785.00996	-0.00000172
		165	5825	5,825.05337	-0.00000916
0		36	5180	5,180.02657	-0.00000513
		44	5220	5,220.01078	-0.00000207
		48	5240	5,240.09284	-0.00001772
		52	5260	5,260.04990	-0.00000949
		60	5300	5,300.07353	-0.00001387
	6.46V	64	5320	5,320.01521	-0.00000286
		100	5500	5,500.05349	-0.00000973
		116	5580	5,580.08964	-0.00001606
		140	5700	5,700.03720	-0.00000653
		149	5745	5,745.02987	-0.00000520
		157	5785	5,785.04764	-0.00000824
		165	5825	5,825.07452	-0.00001279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 273 of 277

		36	5180	5,180.00553	-0.00000107
		44	5220	5,220.02288	-0.00000438
		48	5240	5,240.00124	-0.00000024
		52	5260	5,260.04949	-0.00000941
		60	5300	5,300.04766	-0.00000899
25	7.6V	64	5320	5,320.06593	-0.00001239
		100	5500	5,500.09481	-0.00001724
		116	5580	5,580.08632	-0.00001547
		140	5700	5,700.07989	-0.00001402
		149	5745	5,745.01126	-0.00000196
		157	5785	5,785.09918	-0.00001714
		165	5825	5,825.04234	-0.00000727
	1		E400		0.0000000
		36	5180	5,179.95313	0.00000905
		44	5220	5,219.90529	0.00001814
		48	5240	5,239.92672	0.00001398
		52	5260	5,259.91374	0.00001640
		60	5300	5,299.92445	0.00001425
		64	5320	5,319.99714	0.00000054
	8.74V	100	5500	5,499.96531	0.00000631
		116	5580	5,579.97463	0.00000455
		140	5700	5,699.91141	0.00001554
		149	5745	5,744.91002	0.00001566
		157	5785	5,784.92635	0.00001273
		165	5825	5,824.97219	0.00000477
35		36	5180	5,179.90141	0.00001903
		44	5220	5,219.96848	0.00000604
		48	5240	5,239.90146	0.00001881
		52	5260	5,259.94151	0.00001112
		60	5300	5,299.99602	0.00000075
	6.46V	64	5320	5,319.90541	0.00001778
		100	5500	5,499.99624	0.00000068
		116	5580	5,579.98096	0.00000341
		140	5700	5,699.91375	0.00001513
		149	5745	5,744.90596	0.00001637
		157	5785	5,784.91131	0.00001533
		165	5825	5,824.92914	0.00001216

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 274 of 277

Operation Mode	802.11 n_HT40	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
		38	5190	5,190.06716	-0.00001294
		46	5230	5,230.03255	-0.00000622
		54	5270	5,270.02992	-0.00000568
		62	5310	5,310.07286	-0.00001372
	8.74V	102	5510	5,510.03096	-0.00000562
		110	5550	5,550.09387	-0.00001691
		134	5670	5,670.09160	-0.00001616
		142	5710	5,710.00542	-0.00000095
		151	5755	5,755.00667	-0.00000116
0		159	5795	5,795.05914	-0.00001021
		38	5190	5,190.09914	-0.00001910
		46	5230	5,230.09610	-0.00001837
		54	5270	5,270.06269	-0.00001190
		62	5310	5,310.03131	-0.00000590
	6.46V	102	5510	5,510.08479	-0.00001539
		110	5550	5,550.01958	-0.00000353
		134	5670	5,670.02681	-0.00000473
		142	5710	5,710.00541	-0.00000095
		151	5755	5,755.01423	-0.00000247
		159	5795	5,795.06356	-0.00001097

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders was the preserved the full between the full and offenders. may be prosecuted to the fullest extent of the law.



Page: 275 of 277

	•	1		1	T
25	7.6V	38	5190	5,190.08370	-0.00001613
		46	5230	5,230.07292	-0.00001394
		54	5270	5,270.09214	-0.00001748
		62	5310	5,310.04841	-0.00000912
		102	5510	5,510.01191	-0.00000216
		110	5550	5,550.08524	-0.00001536
		134	5670	5,670.09249	-0.00001631
		142	5710	5,710.00452	-0.00000079
		151	5755	5,755.00399	-0.00000069
		159	5795	5,795.02590	-0.00000447
	8.74V	38	5190	5,189.99964	0.00000007
		46	5230	5,229.95266	0.00000905
		54	5270	5,269.95783	0.00000800
		62	5310	5,309.92218	0.00001466
		102	5510	5,509.97565	0.00000442
		110	5550	5,549.91189	0.00001588
		134	5670	5,669.98617	0.00000244
		142	5710	5,710.00654	-0.00000115
		151	5755	5,754.98756	0.00000216
		159	5795	5,794.91940	0.00001391
35		38	5190	5,189.99622	0.00000073
		46	5230	5,229.99447	0.00000106
		54	5270	5,269.93163	0.00001297
	6.46V	62	5310	5,309.93114	0.00001297
		102	5510	5,509.98724	0.00000232
		110	5550	5,549.94928	0.00000914
		134	5670	5,669.90000	0.00001764
		142	5710	5,710.00651	-0.00000114
		151	5755	5,754.95261	0.00000823
		159	5795	5,794.95861	0.00000714

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 276 of 277

Operation Mode	802.11 ac_VHT80	Test Date	2018.02.01
Temperature	:23	Test By	Henry
Humidity	:68 %		

Test Temp.	Test Voltage	Channel	Measured Frequency (MHz)	Spectrum Frequency (MHz)	Δ Frequency (MHz)
	8.74V	42	5210	5,210.07567	-0.00001452
		58	5290	5,290.07899	-0.00001493
		106	5530	5,530.00478	-0.00000086
		122	5610	5,610.09795	-0.00001746
		138	5690	5,690.08794	-0.00001546
0		155	5775	5,775.00234	-0.00000041
		42	5210	5,210.09373	-0.00001799
		58	5290	5,290.07307	-0.00001381
	6.46V	106	5530	5,530.04096	-0.00000741
		122	5610	5,610.06783	-0.00001209
		138	5690	5,690.01654	-0.00000291
		155	5775	5,775.02690	-0.00000466
	7.6V	42	5210	5,210.02380	-0.00000457
		58	5290	5,290.01965	-0.00000371
25		106	5530	5,530.06240	-0.00001128
		122	5610	5,610.09460	-0.00001686
		138	5690	5,690.06982	-0.00001227
		155	5775	5,775.05889	-0.00001020
35		42	5210	5,209.98442	0.00000299
		58	5290	5,289.96297	0.00000700
	8.74V	106	5530	5,529.92249	0.00001402
		122	5610	5,609.94864	0.00000916
		138	5690	5,690.04158	-0.00000731
		155	5775	5,774.97896	0.00000364
		42	5210	5,209.95465	0.00000870
	6.46V	58	5290	5,289.90352	0.00001824
		106	5530	5,529.90234	0.00001766
		122	5610	5,609.99381	0.00000110
		138	5690	5,690.02318	-0.00000407
		155	5775	5,774.95067	0.00000854

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be preserved to the full the cutest of the subject to the full and the full and offenders were an exercised to the full and the full and offenders without provided and the full and offenders without provided and an exercise of the full and the full and offenders without provided and the full and the full and the full and the full and offenders without provided and the full and the ful may be prosecuted to the fullest extent of the law.



Page: 277 of 277

14 ANTENNA REQUIREMENT

Standard Applicable 14.1

According to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device.

According to §15.407, If transmitting antennas of directional gain greater than 6 dBi are used, both the maximum conducted output power and the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

14.2 Antenna Connected Construction

PCB antenna designs are used.

The antenna is designed with unique type RF connector and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.