


5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 30
04-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6645G	74.57	78.93	-4.36	77.85	3	Horizontal	119	2.40	-	33.73	6.21	43.22			
PK	5.743G	123.21	Inf	-Inf	126.20	3	Horizontal	119	2.40	-	33.97	6.21	43.17			
AV	5.7435G	112.67	Inf	-Inf	115.66	3	Horizontal	119	2.40	-	33.97	6.21	43.17			
PK	5.9875G	59.88	68.20	-8.32	61.55	3	Horizontal	119	2.40	-	35.00	6.37	43.04			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5745MHz_TX




EUT_Y_4TX
Setting 30
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.48475G	54.75	74.00	-19.25	49.65	3	Vertical	277	1.97	-	38.80	9.47	43.17			
AV	11.4855G	40.23	54.00	-13.77	35.13	3	Vertical	277	1.97	-	38.80	9.47	43.17			
PK	17.25455G	60.60	68.20	-7.60	49.08	3	Vertical	282	2.61	-	41.33	12.46	42.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5745MHz_TX

EUT_Y_4TX
Setting 30
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4718G	53.70	74.00	-20.30	48.58	3	Horizontal	80	2.87	-	38.80	9.46	43.14			
AV	11.49425G	40.30	54.00	-13.70	35.22	3	Horizontal	80	2.87	-	38.80	9.47	43.19			
PK	17.229G	59.45	68.20	-8.75	48.02	3	Horizontal	96	1.55	-	41.26	12.44	42.27			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 30
04-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6305G	61.19	68.20	-7.01	64.51	3	Vertical	337	1.60	-	33.70	6.22	43.24			
PK	5.7825G	123.68	Inf	-Inf	126.50	3	Vertical	337	1.60	-	34.13	6.20	43.15			
AV	5.782G	115.38	Inf	-Inf	118.20	3	Vertical	337	1.60	-	34.13	6.20	43.15			
PK	6.002G	59.20	68.20	-9.00	60.85	3	Vertical	337	1.60	-	35.00	6.38	43.03			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 30
04-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6415G	59.70	68.20	-8.50	63.01	3	Horizontal	301	2.11	-	33.70	6.22	43.23			
PK	5.7815G	123.26	Inf	-Inf	126.08	3	Horizontal	301	2.11	-	34.13	6.20	43.15			
AV	5.782G	112.41	Inf	-Inf	115.23	3	Horizontal	301	2.11	-	34.13	6.20	43.15			
PK	5.976G	60.04	68.20	-8.16	61.72	3	Horizontal	301	2.11	-	35.00	6.36	43.04			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5785MHz_TX




EUT_Y_4TX
Setting 30
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.54575G	54.02	74.00	-19.98	48.89	3	Vertical	278	1.37	-	38.80	9.50	43.17			
AV	11.56295G	40.87	54.00	-13.13	35.72	3	Vertical	278	1.37	-	38.80	9.51	43.16			
PK	17.36445G	61.77	68.20	-6.43	49.72	3	Vertical	22	1.78	-	41.76	12.55	42.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5785MHz_TX

EUT_Y_4TX
Setting 30
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.55405G	54.28	74.00	-19.72	49.15	3	Horizontal	329	1.81	-	38.80	9.50	43.17			
AV	11.56355G	40.81	54.00	-13.19	35.66	3	Horizontal	329	1.81	-	38.80	9.51	43.16			
PK	17.37805G	61.98	68.20	-6.22	49.87	3	Horizontal	158	1.94	-	41.81	12.56	42.26			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 30
04-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.582G	58.87	68.20	-9.33	62.22	3	Vertical	115	2.07	-	33.70	6.21	43.26			
PK	5.824G	123.46	Inf	-Inf	126.07	3	Vertical	115	2.07	-	34.30	6.22	43.13			
AV	5.823G	112.25	Inf	-Inf	114.87	3	Vertical	115	2.07	-	34.29	6.22	43.13			
PK	6.0675G	60.44	68.20	-7.76	61.95	3	Vertical	115	2.07	-	35.04	6.46	43.01			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX

5825MHz_TX




EUT_Y_4TX
Setting 30
04-D-E-2-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.628G	59.62	68.20	-8.58	62.94	3	Horizontal	116	2.09	-	33.70	6.22	43.24			
PK	5.8215G	123.53	Inf	-Inf	126.15	3	Horizontal	116	2.09	-	34.29	6.22	43.13			
AV	5.8235G	112.51	Inf	-Inf	115.13	3	Horizontal	116	2.09	-	34.29	6.22	43.13			
PK	5.9895G	59.61	68.20	-8.59	61.28	3	Horizontal	116	2.09	-	35.00	6.37	43.04			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 30
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.66333G	53.77	74.00	-20.23	48.54	3	Vertical	52	2.98	-	38.77	9.56	43.10			
AV	11.62625G	40.72	54.00	-13.28	35.50	3	Vertical	52	2.98	-	38.80	9.54	43.12			
PK	17.4824G	61.58	68.20	-6.62	49.25	3	Vertical	303	2.82	-	41.94	12.64	42.25			

5.725-5.85GHz_802.11be EHT20_Nss1,(MCS0)_4TX


5825MHz_TX

EUT_Y_4TX
Setting 30
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6403G	53.68	74.00	-20.32	48.44	3	Horizontal	117	2.82	-	38.80	9.55	43.11			
AV	11.6253G	40.67	54.00	-13.33	35.45	3	Horizontal	117	2.82	-	38.80	9.54	43.12			
PK	17.4752G	60.36	68.20	-7.84	48.02	3	Horizontal	152	1.43	-	41.95	12.64	42.25			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 21
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.146G	66.90	74.00	-7.10	72.13	3	Vertical	-0	1.80	-	32.59	5.90	43.72			
AV	5.1444G	53.74	54.00	-0.26	58.98	3	Vertical	-0	1.80	-	32.59	5.89	43.72			
PK	5.1852G	117.57	Inf	-Inf	122.67	3	Vertical	-0	1.80	-	32.67	5.91	43.68			
AV	5.204G	105.52	Inf	-Inf	110.55	3	Vertical	-0	1.80	-	32.70	5.92	43.65			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 21
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.137G	61.82	74.00	-12.18	67.09	3	Horizontal	296	2.21	-	32.57	5.89	43.73			
AV	5.15G	48.16	54.00	-5.84	53.38	3	Horizontal	296	2.21	-	32.60	5.90	43.72			
PK	5.178G	114.44	Inf	-Inf	119.55	3	Horizontal	296	2.21	-	32.66	5.91	43.68			
AV	5.1786G	100.85	Inf	-Inf	105.96	3	Horizontal	296	2.21	-	32.66	5.91	43.68			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 21
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.38035G	52.87	68.20	-15.33	48.20	3	Vertical	266	1.53	-	38.60	8.90	42.83			
PK	15.5481G	56.95	74.00	-17.05	48.84	3	Vertical	305	1.99	-	38.30	11.24	41.43			
AV	15.552G	43.44	54.00	-10.56	35.33	3	Vertical	305	1.99	-	38.30	11.24	41.43			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5190MHz_TX




EUT_Y_4TX
Setting 21
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.356G	53.15	68.20	-15.05	48.48	3	Horizontal	249	2.95	-	38.60	8.89	42.82			
PK	15.5467G	56.35	74.00	-17.65	48.24	3	Horizontal	330	1.16	-	38.30	11.23	41.42			
AV	15.5483G	43.44	54.00	-10.56	35.33	3	Horizontal	330	1.16	-	38.30	11.24	41.43			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-R-5-13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	5.1448G	67.01	74.00	-6.99	72.24	3	Vertical	360	1.98	-	32.59	5.90	43.72			
AV	5.1448G	53.00	54.00	-1.00	58.23	3	Vertical	360	1.98	-	32.59	5.90	43.72			
PK	5.224G	119.76	Inf	-Inf	124.75	3	Vertical	360	1.98	-	32.70	5.94	43.63			
AV	5.2244G	107.50	Inf	-Inf	112.49	3	Vertical	360	1.98	-	32.70	5.94	43.63			
PK	5.3804G	61.22	74.00	-12.78	65.55	3	Vertical	360	1.98	-	33.02	6.10	43.45			
AV	5.38G	48.33	54.00	-5.67	52.66	3	Vertical	360	1.98	-	33.02	6.10	43.45			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1496G	65.14	74.00	-8.86	70.36	3	Horizontal	296	2.14	-	32.60	5.90	43.72			
AV	5.15G	48.52	54.00	-5.48	53.74	3	Horizontal	296	2.14	-	32.60	5.90	43.72			
PK	5.2192G	116.50	Inf	-Inf	121.50	3	Horizontal	296	2.14	-	32.70	5.94	43.64			
AV	5.218G	103.63	Inf	-Inf	108.63	3	Horizontal	296	2.14	-	32.70	5.94	43.64			
PK	5.3756G	58.81	74.00	-15.19	63.16	3	Horizontal	296	2.14	-	33.00	6.10	43.45			
AV	5.3868G	45.85	54.00	-8.15	50.13	3	Horizontal	296	2.14	-	33.05	6.11	43.44			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.46935G	53.88	68.20	-14.32	49.16	3	Vertical	14	1.45	-	38.64	8.95	42.87			
PK	15.68825G	55.79	74.00	-18.21	48.34	3	Vertical	359	1.53	-	37.85	11.30	41.70			
AV	15.6928G	42.48	54.00	-11.52	35.06	3	Vertical	359	1.53	-	37.83	11.30	41.71			

5.15-5.25GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5230MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.4798G	53.62	68.20	-14.58	48.88	3	Horizontal	66	2.82	-	38.66	8.95	42.87			
PK	15.69495G	56.10	74.00	-17.90	48.69	3	Horizontal	24	1.13	-	37.82	11.31	41.72			
AV	15.6974G	42.54	54.00	-11.46	35.14	3	Horizontal	24	1.13	-	37.81	11.31	41.72			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1484G	60.31	74.00	-13.69	65.53	3	Vertical	296	1.95	-	32.60	5.90	43.72			
AV	5.134G	47.44	54.00	-6.56	52.71	3	Vertical	296	1.95	-	32.57	5.89	43.73			
PK	5.2564G	120.52	Inf	-Inf	125.42	3	Vertical	296	1.95	-	32.71	5.98	43.59			
AV	5.2564G	107.92	Inf	-Inf	112.82	3	Vertical	296	1.95	-	32.71	5.98	43.59			
PK	5.356G	72.17	74.00	-1.83	76.65	3	Vertical	296	1.95	-	32.92	6.08	43.48			
AV	5.3556G	53.73	54.00	-0.27	58.21	3	Vertical	296	1.95	-	32.92	6.08	43.48			
PK	5.4684G	58.55	68.20	-9.65	62.34	3	Vertical	296	1.95	-	33.41	6.15	43.35			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.13G	58.19	74.00	-15.81	63.48	3	Horizontal	293	2.28	-	32.56	5.89	43.74			
AV	5.15G	45.07	54.00	-8.93	50.29	3	Horizontal	293	2.28	-	32.60	5.90	43.72			
PK	5.2588G	115.58	Inf	-Inf	120.47	3	Horizontal	293	2.28	-	32.72	5.98	43.59			
AV	5.2588G	104.34	Inf	-Inf	109.23	3	Horizontal	293	2.28	-	32.72	5.98	43.59			
PK	5.3504G	64.49	74.00	-9.51	69.00	3	Horizontal	293	2.28	-	32.90	6.07	43.48			
AV	5.3504G	50.82	54.00	-3.18	55.33	3	Horizontal	293	2.28	-	32.90	6.07	43.48			
PK	5.468G	57.70	68.20	-10.50	61.49	3	Horizontal	293	2.28	-	33.41	6.15	43.35			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.55685G	53.85	68.20	-14.35	48.85	3	Vertical	51	2.76	-	38.81	8.99	42.80			
PK	15.8171G	55.84	74.00	-18.16	48.27	3	Vertical	168	1.48	-	38.17	11.36	41.96			
AV	15.7851G	42.78	54.00	-11.22	35.15	3	Vertical	168	1.48	-	38.17	11.35	41.89			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5270MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5355G	54.54	68.20	-13.66	49.62	3	Horizontal	122	1.74	-	38.77	8.98	42.83			
PK	15.7862G	55.66	74.00	-18.34	48.04	3	Horizontal	60	1.24	-	38.17	11.35	41.90			
AV	15.785G	42.73	54.00	-11.27	35.10	3	Horizontal	60	1.24	-	38.17	11.35	41.89			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 21.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3016G	120.89	Inf	-Inf	125.61	3	Vertical	331	2.01	-	32.80	6.02	43.54			
AV	5.3016G	106.25	Inf	-Inf	110.97	3	Vertical	331	2.01	-	32.80	6.02	43.54			
PK	5.3622G	64.82	74.00	-9.18	69.26	3	Vertical	331	2.01	-	32.95	6.08	43.47			
AV	5.35G	51.06	54.00	-2.94	55.57	3	Vertical	331	2.01	-	32.90	6.07	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 21.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3001G	114.18	Inf	-Inf	118.90	3	Horizontal	292	2.31	-	32.80	6.02	43.54			
AV	5.2986G	101.94	Inf	-Inf	106.66	3	Horizontal	292	2.31	-	32.80	6.02	43.54			
PK	5.3517G	67.36	74.00	-6.64	71.86	3	Horizontal	292	2.31	-	32.91	6.07	43.48			
AV	5.3514G	53.39	54.00	-0.61	57.89	3	Horizontal	292	2.31	-	32.91	6.07	43.48			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 21.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.6176G	53.91	74.00	-20.09	48.71	3	Vertical	103	1.37	-	38.90	9.02	42.72			
AV	10.63735G	40.55	54.00	-13.45	35.31	3	Vertical	103	1.37	-	38.90	9.04	42.70			
PK	15.9209G	55.63	74.00	-18.37	48.10	3	Vertical	127	2.59	-	38.28	11.41	42.16			
AV	15.90625G	42.34	54.00	-11.66	34.83	3	Vertical	127	2.59	-	38.23	11.41	42.13			

5.25-5.35GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5310MHz_TX




EUT_Y_4TX
Setting 21.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.60855G	54.50	74.00	-19.50	49.32	3	Horizontal	57	1.66	-	38.90	9.02	42.74			
AV	10.6075G	40.46	54.00	-13.54	35.28	3	Horizontal	57	1.66	-	38.90	9.02	42.74			
PK	15.933G	55.30	74.00	-18.70	47.74	3	Horizontal	126	1.80	-	38.33	11.42	42.19			
AV	15.90575G	42.29	54.00	-11.71	34.79	3	Horizontal	126	1.80	-	38.22	11.41	42.13			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 22.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.34G	59.16	68.20	-9.04	63.72	3	Vertical	341	1.94	-	32.88	6.06	43.50			
PK	5.4596G	64.90	74.00	-9.10	68.75	3	Vertical	341	1.94	-	33.36	6.15	43.36			
AV	5.46G	51.00	54.00	-3.00	54.85	3	Vertical	341	1.94	-	33.36	6.15	43.36			
PK	5.4672G	68.19	68.20	-0.01	71.99	3	Vertical	341	1.94	-	33.40	6.15	43.35			
PK	5.5268G	119.86	Inf	-Inf	123.32	3	Vertical	341	1.94	-	33.65	6.18	43.29			
AV	5.5272G	107.33	Inf	-Inf	110.79	3	Vertical	341	1.94	-	33.65	6.18	43.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 22.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3188G	57.71	68.20	-10.49	62.35	3	Horizontal	327	2.18	-	32.84	6.04	43.52			
PK	5.4584G	59.67	74.00	-14.33	63.53	3	Horizontal	327	2.18	-	33.35	6.15	43.36			
AV	5.46G	46.93	54.00	-7.07	50.78	3	Horizontal	327	2.18	-	33.36	6.15	43.36			
PK	5.4644G	62.92	68.20	-5.28	66.73	3	Horizontal	327	2.18	-	33.39	6.15	43.35			
PK	5.5032G	115.87	Inf	-Inf	119.40	3	Horizontal	327	2.18	-	33.61	6.17	43.31			
AV	5.5036G	103.97	Inf	-Inf	107.50	3	Horizontal	327	2.18	-	33.61	6.17	43.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 22.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0108G	54.38	74.00	-19.62	48.51	3	Vertical	125	2.83	-	38.88	9.23	42.24			
AV	11.01355G	41.19	54.00	-12.81	35.34	3	Vertical	125	2.83	-	38.87	9.23	42.25			
PK	16.51475G	57.52	68.20	-10.68	47.62	3	Vertical	33	1.69	-	39.33	11.86	41.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5510MHz_TX




EUT_Y_4TX
Setting 22.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.01545G	54.47	74.00	-19.53	48.62	3	Horizontal	109	1.98	-	38.87	9.23	42.25			
AV	11.00525G	41.28	54.00	-12.72	35.40	3	Horizontal	109	1.98	-	38.89	9.22	42.23			
PK	16.52405G	58.38	68.20	-9.82	48.47	3	Horizontal	247	1.27	-	39.35	11.87	41.31			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 24.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.4472G	62.17	74.00	-11.83	66.11	3	Vertical	342	1.90	-	33.29	6.14	43.37			
PK	5.466G	67.90	68.20	-0.30	71.70	3	Vertical	342	1.90	-	33.40	6.15	43.35			
AV	5.46G	48.81	54.00	-5.19	52.66	3	Vertical	342	1.90	-	33.36	6.15	43.36			
PK	5.5472G	122.01	Inf	-Inf	125.41	3	Vertical	342	1.90	-	33.69	6.19	43.28			
AV	5.5472G	109.58	Inf	-Inf	112.98	3	Vertical	342	1.90	-	33.69	6.19	43.28			
PK	5.7412G	61.36	68.20	-6.84	64.36	3	Vertical	342	1.90	-	33.96	6.21	43.17			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 24.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3776G	59.62	74.00	-14.38	63.96	3	Horizontal	326	2.14	-	33.01	6.10	43.45			
PK	5.4632G	62.91	68.20	-5.29	66.73	3	Horizontal	326	2.14	-	33.38	6.15	43.35			
AV	5.4444G	46.19	54.00	-7.81	50.14	3	Horizontal	326	2.14	-	33.28	6.14	43.37			
PK	5.544G	117.86	Inf	-Inf	121.27	3	Horizontal	326	2.14	-	33.69	6.19	43.29			
AV	5.544G	106.31	Inf	-Inf	109.72	3	Horizontal	326	2.14	-	33.69	6.19	43.29			
PK	5.7384G	59.24	68.20	-8.96	62.26	3	Horizontal	326	2.14	-	33.95	6.21	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 24.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.12065G	54.03	74.00	-19.97	48.49	3	Vertical	223	2.27	-	38.72	9.28	42.46			
AV	11.0884G	41.01	54.00	-12.99	35.33	3	Vertical	223	2.27	-	38.80	9.27	42.39			
PK	16.67G	58.05	68.20	-10.15	48.13	3	Vertical	1	2.13	-	39.54	11.99	41.61			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5550MHz_TX




EUT_Y_4TX
Setting 24.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.08245G	54.77	74.00	-19.23	49.09	3	Horizontal	46	1.75	-	38.80	9.26	42.38			
AV	11.0887G	41.03	54.00	-12.97	35.35	3	Horizontal	46	1.75	-	38.80	9.27	42.39			
PK	16.67415G	58.45	68.20	-9.75	48.53	3	Horizontal	230	2.50	-	39.55	11.99	41.62			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.47G	55.53	68.20	-12.67	59.29	3	Vertical	338	1.62	-	33.42	6.16	43.34			
PK	5.688G	120.19	Inf	-Inf	123.40	3	Vertical	338	1.62	-	33.78	6.21	43.20			
AV	5.688G	107.91	Inf	-Inf	111.18	3	Vertical	338	1.62	-	33.74	6.21	43.22			
PK	5.7284G	65.99	68.20	-2.21	69.05	3	Vertical	338	1.62	-	33.91	6.21	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.47G	57.27	68.20	-10.93	61.03	3	Horizontal	314	2.06	-	33.42	6.16	43.34			
PK	5.6856G	117.99	Inf	-Inf	121.22	3	Horizontal	314	2.06	-	33.77	6.21	43.21			
AV	5.666G	105.69	Inf	-Inf	108.97	3	Horizontal	314	2.06	-	33.73	6.21	43.22			
PK	5.7268G	65.39	68.20	-2.81	68.45	3	Horizontal	314	2.06	-	33.91	6.21	43.18			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.32215G	53.71	74.00	-20.29	48.38	3	Vertical	40	1.26	-	38.80	9.38	42.85			
AV	11.3243G	40.46	54.00	-13.54	35.13	3	Vertical	40	1.26	-	38.80	9.39	42.86			
PK	17.00575G	58.38	68.20	-9.82	47.89	3	Vertical	281	2.26	-	40.52	12.26	42.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5670MHz_TX




EUT_Y_4TX
Setting 23.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.33255G	54.02	74.00	-19.98	48.70	3	Horizontal	9	1.46	-	38.80	9.39	42.87			
AV	11.3161G	40.49	54.00	-13.51	35.15	3	Horizontal	9	1.46	-	38.80	9.38	42.84			
PK	17.00185G	58.45	68.20	-9.75	47.97	3	Horizontal	119	1.49	-	40.51	12.26	42.29			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7272G	123.24	Inf	-Inf	126.30	3	Vertical	342	1.54	-	33.91	6.21	43.18			
AV	5.7276G	112.84	Inf	-Inf	115.90	3	Vertical	342	1.54	-	33.91	6.21	43.18			
PK	5.8576G	67.84	68.20	-0.36	70.25	3	Vertical	342	1.54	-	34.45	6.25	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.7268G	121.87	Inf	-Inf	124.93	3	Horizontal	302	1.80	-	33.91	6.21	43.18			
AV	5.7276G	110.15	Inf	-Inf	113.21	3	Horizontal	302	1.80	-	33.91	6.21	43.18			
PK	5.866G	63.29	68.20	-4.91	65.64	3	Horizontal	302	1.80	-	34.50	6.26	43.11			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.4377G	53.83	74.00	-20.17	48.67	3	Vertical	342	1.99	-	38.80	9.44	43.08			
AV	11.42445G	40.63	54.00	-13.37	35.44	3	Vertical	342	1.99	-	38.80	9.44	43.05			
PK	17.13885G	58.61	68.20	-9.59	47.44	3	Vertical	360	1.53	-	41.08	12.37	42.28			

5.47-5.725GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 28
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.44495G	54.05	74.00	-19.95	48.89	3	Horizontal	222	1.15	-	38.80	9.45	43.09			
AV	11.4215G	40.49	54.00	-13.51	35.31	3	Horizontal	222	1.15	-	38.80	9.43	43.05			
PK	17.14555G	58.06	68.20	-10.14	46.88	3	Horizontal	30	2.96	-	41.09	12.37	42.28			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 25.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6526G	68.69	70.12	-1.43	71.99	3	Vertical	338	1.61	-	33.71	6.21	43.22			
PK	5.7722G	123.35	Inf	-Inf	126.22	3	Vertical	338	1.61	-	34.09	6.20	43.16			
AV	5.7726G	111.28	Inf	-Inf	114.15	3	Vertical	338	1.61	-	34.09	6.20	43.16			
PK	5.9438G	59.55	68.20	-8.65	61.32	3	Vertical	338	1.61	-	34.96	6.33	43.06			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 25.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6518G	63.85	69.53	-5.68	67.16	3	Horizontal	302	1.90	-	33.70	6.21	43.22			
PK	5.7722G	121.80	Inf	-Inf	124.67	3	Horizontal	302	1.90	-	34.09	6.20	43.16			
AV	5.7722G	108.71	Inf	-Inf	111.58	3	Horizontal	302	1.90	-	34.09	6.20	43.16			
PK	5.9526G	59.60	68.20	-8.60	61.32	3	Horizontal	302	1.90	-	35.00	6.34	43.06			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5755MHz_TX




EUT_Y_4TX
Setting 25.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.49585G	54.48	74.00	-19.52	49.40	3	Vertical	254	1.83	-	38.80	9.47	43.19			
AV	11.5185G	40.42	54.00	-13.58	35.33	3	Vertical	254	1.83	-	38.80	9.48	43.19			
PK	17.2738G	59.57	68.20	-8.63	47.92	3	Vertical	178	1.46	-	41.44	12.48	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX


5755MHz_TX

EUT_Y_4TX
Setting 25.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.51825G	53.74	74.00	-20.26	48.65	3	Horizontal	277	2.26	-	38.80	9.48	43.19			
AV	11.5192G	40.34	54.00	-13.66	35.25	3	Horizontal	277	2.26	-	38.80	9.48	43.19			
PK	17.2757G	59.37	68.20	-8.83	47.71	3	Horizontal	253	1.32	-	41.45	12.48	42.27			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 25.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6465G	66.39	68.20	-1.81	69.70	3	Vertical	334	1.50	-	33.70	6.22	43.23			
PK	5.794G	123.31	Inf	-Inf	126.08	3	Vertical	334	1.50	-	34.18	6.20	43.15			
AV	5.793G	111.50	Inf	-Inf	114.28	3	Vertical	334	1.50	-	34.17	6.20	43.15			
PK	6.041G	59.50	68.20	-8.70	61.09	3	Vertical	334	1.50	-	35.00	6.43	43.02			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 25.5
04-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.6515G	64.82	69.31	-4.49	68.14	3	Horizontal	302	2.11	-	33.70	6.21	43.23			
PK	5.793G	121.94	Inf	-Inf	124.72	3	Horizontal	302	2.11	-	34.17	6.20	43.15			
AV	5.7925G	108.93	Inf	-Inf	111.71	3	Horizontal	302	2.11	-	34.17	6.20	43.15			
PK	6.0305G	60.16	68.20	-8.04	61.76	3	Horizontal	302	2.11	-	35.00	6.42	43.02			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 25.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.6023G	54.67	74.00	-19.33	49.48	3	Vertical	250	2.92	-	38.80	9.53	43.14			
AV	11.6023G	40.47	54.00	-13.53	35.28	3	Vertical	250	2.92	-	38.80	9.53	43.14			
PK	17.3684G	61.12	68.20	-7.08	49.06	3	Vertical	59	2.95	-	41.77	12.55	42.26			

5.725-5.85GHz_802.11be EHT40_Nss1,(MCS0)_4TX

5795MHz_TX




EUT_Y_4TX
Setting 25.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5922G	53.68	74.00	-20.32	48.50	3	Horizontal	199	1.71	-	38.80	9.52	43.14			
AV	11.5665G	40.53	54.00	-13.47	35.38	3	Horizontal	199	1.71	-	38.80	9.51	43.16			
PK	17.40585G	60.92	68.20	-7.28	48.69	3	Horizontal	123	2.20	-	41.91	12.58	42.26			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.15G	59.11	74.00	-14.89	64.33	3	Vertical	294	2.06	-	32.60	5.90	43.72			
AV	5.136G	45.99	54.00	-8.01	51.26	3	Vertical	294	2.06	-	32.57	5.89	43.73			
PK	5.217G	107.97	Inf	-Inf	112.97	3	Vertical	294	2.06	-	32.70	5.94	43.64			
AV	5.216G	97.29	Inf	-Inf	102.29	3	Vertical	294	2.06	-	32.70	5.94	43.64			
PK	5.431G	58.28	74.00	-15.72	62.31	3	Vertical	294	2.06	-	33.22	6.14	43.39			
AV	5.372G	45.86	54.00	-8.14	50.24	3	Vertical	294	2.06	-	32.99	6.09	43.46			
PK	5.503G	61.60	68.20	-6.60	65.13	3	Vertical	294	2.06	-	33.61	6.17	43.31			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.121G	58.92	74.00	-15.08	64.25	3	Horizontal	294	2.15	-	32.54	5.88	43.75			
AV	5.139G	44.67	54.00	-9.33	49.93	3	Horizontal	294	2.15	-	32.58	5.89	43.73			
PK	5.199G	104.38	Inf	-Inf	109.42	3	Horizontal	294	2.15	-	32.70	5.92	43.66			
AV	5.218G	92.87	Inf	-Inf	97.87	3	Horizontal	294	2.15	-	32.70	5.94	43.64			
PK	5.388G	58.74	74.00	-15.26	63.02	3	Horizontal	294	2.15	-	33.05	6.11	43.44			
AV	5.432G	45.11	54.00	-8.89	49.13	3	Horizontal	294	2.15	-	33.23	6.14	43.39			
PK	5.694G	58.39	68.20	-9.81	61.59	3	Horizontal	294	2.15	-	33.79	6.21	43.20			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.40305G	52.95	68.20	-15.25	48.27	3	Vertical	295	1.18	-	38.60	8.92	42.84			
PK	15.6316G	55.99	74.00	-18.01	48.15	3	Vertical	261	2.84	-	38.15	11.28	41.59			
AV	15.6111G	43.15	54.00	-10.85	35.12	3	Vertical	261	2.84	-	38.31	11.27	41.55			

5.15-5.25GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5210MHz_TX




EUT Y_4TX
Setting 16
04-D-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	10.42205G	53.08	68.20	-15.12	48.40	3	Horizontal	223	2.08	-	38.60	8.93	42.85			
PK	15.61455G	55.98	74.00	-18.02	47.99	3	Horizontal	170	1.71	-	38.28	11.27	41.56			
AV	15.6136G	43.11	54.00	-10.89	35.10	3	Horizontal	170	1.71	-	38.29	11.27	41.55			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.136G	57.97	74.00	-16.03	63.24	3	Vertical	330	2.03	-	32.57	5.89	43.73			
AV	5.131G	44.83	54.00	-9.17	50.12	3	Vertical	330	2.03	-	32.56	5.89	43.74			
PK	5.302G	109.07	Inf	-Inf	113.79	3	Vertical	330	2.03	-	32.80	6.02	43.54			
AV	5.261G	97.42	Inf	-Inf	102.31	3	Vertical	330	2.03	-	32.72	5.98	43.59			
AV	5.362G	46.56	54.00	-7.44	51.00	3	Vertical	330	2.03	-	32.95	6.08	43.47			
PK	5.43G	58.27	74.00	-15.73	62.31	3	Vertical	330	2.03	-	33.22	6.13	43.39			
PK	5.598G	60.22	68.20	-7.98	63.56	3	Vertical	330	2.03	-	33.70	6.22	43.26			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.039G	56.47	74.00	-17.53	61.84	3	Horizontal	294	2.27	-	32.62	5.85	43.84			
AV	5.144G	44.20	54.00	-9.80	49.44	3	Horizontal	294	2.27	-	32.59	5.89	43.72			
PK	5.298G	104.56	Inf	-Inf	109.28	3	Horizontal	294	2.27	-	32.80	6.02	43.54			
AV	5.258G	93.63	Inf	-Inf	98.52	3	Horizontal	294	2.27	-	32.72	5.98	43.59			
AV	5.359G	45.80	54.00	-8.20	50.25	3	Horizontal	294	2.27	-	32.94	6.08	43.47			
PK	5.439G	57.85	74.00	-16.15	61.83	3	Horizontal	294	2.27	-	33.26	6.14	43.38			
PK	5.594G	59.29	68.20	-8.91	62.63	3	Horizontal	294	2.27	-	33.70	6.22	43.26			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5905G	54.46	68.20	-13.74	49.33	3	Vertical	220	2.58	-	38.88	9.01	42.76			
PK	15.8686G	55.75	74.00	-18.25	48.28	3	Vertical	219	2.88	-	38.14	11.39	42.06			
AV	15.8461G	42.83	54.00	-11.17	35.36	3	Vertical	219	2.88	-	38.11	11.38	42.02			

5.25-5.35GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5290MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.5602G	53.97	68.20	-14.23	48.95	3	Horizontal	264	1.02	-	38.82	9.00	42.80			
PK	15.8456G	55.79	74.00	-18.21	48.31	3	Horizontal	162	1.80	-	38.11	11.38	42.01			
AV	15.8518G	42.68	54.00	-11.32	35.23	3	Horizontal	162	1.80	-	38.10	11.38	42.03			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.26G	60.80	68.20	-7.40	65.69	3	Vertical	342	1.88	-	32.72	5.98	43.59			
PK	5.355G	59.06	74.00	-14.94	63.54	3	Vertical	342	1.88	-	32.92	6.08	43.48			
PK	5.468G	58.36	68.20	-9.84	62.15	3	Vertical	342	1.88	-	33.41	6.15	43.35			
AV	5.459G	46.22	54.00	-7.78	50.08	3	Vertical	342	1.88	-	33.35	6.15	43.36			
PK	5.547G	111.52	Inf	-Inf	114.92	3	Vertical	342	1.88	-	33.69	6.19	43.28			
AV	5.547G	99.59	Inf	-Inf	102.99	3	Vertical	342	1.88	-	33.69	6.19	43.28			
PK	5.867G	61.14	68.20	-7.06	63.48	3	Vertical	342	1.88	-	34.50	6.26	43.10			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.244G	57.11	68.20	-11.09	62.06	3	Horizontal	326	1.80	-	32.70	5.96	43.61			
PK	5.357G	57.81	74.00	-16.19	62.28	3	Horizontal	326	1.80	-	32.93	6.08	43.48			
PK	5.466G	57.45	68.20	-10.75	61.25	3	Horizontal	326	1.80	-	33.40	6.15	43.35			
AV	5.415G	45.27	54.00	-8.73	49.39	3	Horizontal	326	1.80	-	33.16	6.13	43.41			
PK	5.544G	106.80	Inf	-Inf	110.21	3	Horizontal	326	1.80	-	33.69	6.19	43.29			
AV	5.544G	95.94	Inf	-Inf	99.35	3	Horizontal	326	1.80	-	33.69	6.19	43.29			
PK	5.813G	59.62	68.20	-8.58	62.29	3	Horizontal	326	1.80	-	34.25	6.21	43.13			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0434G	54.85	74.00	-19.15	49.11	3	Vertical	180	1.61	-	38.81	9.24	42.31			
AV	11.0453G	40.97	54.00	-13.03	35.23	3	Vertical	180	1.61	-	38.81	9.24	42.31			
PK	16.56545G	57.65	68.20	-10.55	47.76	3	Vertical	192	2.70	-	39.37	11.91	41.39			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5530MHz_TX




EUT_Y_4TX
Setting 17
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.0798G	54.54	74.00	-19.46	48.86	3	Horizontal	168	2.90	-	38.80	9.26	42.38			
AV	11.0453G	41.12	54.00	-12.88	35.38	3	Horizontal	168	2.90	-	38.81	9.24	42.31			
PK	16.61385G	57.35	68.20	-10.85	47.54	3	Horizontal	60	1.29	-	39.36	11.94	41.49			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.304G	59.12	68.20	-9.08	63.83	3	Vertical	347	1.84	-	32.81	6.02	43.54			
PK	5.377G	57.47	74.00	-16.53	61.81	3	Vertical	347	1.84	-	33.01	6.10	43.45			
PK	5.466G	57.43	68.20	-10.77	61.23	3	Vertical	347	1.84	-	33.40	6.15	43.35			
AV	5.459G	45.94	54.00	-8.06	49.80	3	Vertical	347	1.84	-	33.35	6.15	43.36			
PK	5.586G	110.29	Inf	-Inf	113.64	3	Vertical	347	1.84	-	33.70	6.21	43.26			
AV	5.586G	98.38	Inf	-Inf	101.73	3	Vertical	347	1.84	-	33.70	6.21	43.26			
PK	5.799G	60.13	68.20	-8.07	62.87	3	Vertical	347	1.84	-	34.20	6.20	43.14			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.318G	57.81	68.20	-10.39	62.45	3	Horizontal	323	2.02	-	32.84	6.04	43.52			
PK	5.437G	57.32	74.00	-16.68	61.31	3	Horizontal	323	2.02	-	33.25	6.14	43.38			
PK	5.464G	56.82	68.20	-11.38	60.64	3	Horizontal	323	2.02	-	33.38	6.15	43.35			
AV	5.458G	45.32	54.00	-8.68	49.18	3	Horizontal	323	2.02	-	33.35	6.15	43.36			
PK	5.645G	106.83	Inf	-Inf	110.14	3	Horizontal	323	2.02	-	33.70	6.22	43.23			
AV	5.585G	95.14	Inf	-Inf	98.49	3	Horizontal	323	2.02	-	33.70	6.21	43.26			
PK	5.965G	59.60	68.20	-8.60	61.30	3	Horizontal	323	2.02	-	35.00	6.35	43.05			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5610MHz_TX




EUT_Y_4TX
Setting 16
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2278G	53.68	74.00	-20.32	48.35	3	Vertical	115	1.90	-	38.66	9.34	42.67			
AV	11.19915G	40.73	54.00	-13.27	35.42	3	Vertical	115	1.90	-	38.60	9.32	42.61			
PK	16.8432G	59.56	68.20	-8.64	49.23	3	Vertical	39	2.49	-	40.17	12.13	41.97			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX


5610MHz_TX

EUT_Y_4TX
Setting 16
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.2182G	53.92	74.00	-20.08	48.60	3	Horizontal	289	2.91	-	38.64	9.33	42.65			
AV	11.20035G	40.81	54.00	-13.19	35.50	3	Horizontal	289	2.91	-	38.60	9.32	42.61			
PK	16.84815G	59.40	68.20	-8.80	49.06	3	Horizontal	89	2.73	-	40.19	12.13	41.98			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.345G	58.57	68.20	-9.63	63.10	3	Vertical	339	1.70	-	32.89	6.07	43.49			
PK	5.415G	60.29	74.00	-13.71	64.41	3	Vertical	339	1.70	-	33.16	6.13	43.41			
AV	5.414G	48.71	54.00	-5.29	52.83	3	Vertical	339	1.70	-	33.16	6.13	43.41			
PK	5.462G	58.26	68.20	-9.94	62.09	3	Vertical	339	1.70	-	33.37	6.15	43.35			
PK	5.688G	110.47	Inf	-Inf	113.68	3	Vertical	339	1.70	-	33.78	6.21	43.20			
AV	5.688G	98.50	Inf	-Inf	101.71	3	Vertical	339	1.70	-	33.78	6.21	43.20			
PK	5.896G	59.68	68.20	-8.52	61.80	3	Vertical	339	1.70	-	34.68	6.29	43.09			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.35G	57.36	68.20	-10.84	61.87	3	Horizontal	307	1.92	-	32.90	6.07	43.48			
PK	5.381G	57.84	74.00	-16.16	62.17	3	Horizontal	307	1.92	-	33.02	6.10	43.45			
AV	5.419G	46.08	54.00	-7.92	50.17	3	Horizontal	307	1.92	-	33.18	6.13	43.40			
PK	5.47G	56.77	68.20	-11.43	60.53	3	Horizontal	307	1.92	-	33.42	6.16	43.34			
PK	5.667G	107.51	Inf	-Inf	110.79	3	Horizontal	307	1.92	-	33.73	6.21	43.22			
AV	5.727G	96.03	Inf	-Inf	99.09	3	Horizontal	307	1.92	-	33.91	6.21	43.18			
PK	5.939G	59.49	68.20	-8.71	61.29	3	Horizontal	307	1.92	-	34.93	6.33	43.06			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39975G	53.80	74.00	-20.20	48.58	3	Vertical	72	1.09	-	38.80	9.42	43.00			
AV	11.379G	40.67	54.00	-13.33	35.42	3	Vertical	72	1.09	-	38.80	9.41	42.96			
PK	17.07955G	58.02	68.20	-10.18	47.10	3	Vertical	225	1.71	-	40.88	12.32	42.28			

5.47-5.725GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.39145G	54.48	74.00	-19.52	49.25	3	Horizontal	312	2.15	-	38.80	9.42	42.99			
AV	11.3809G	40.65	54.00	-13.35	35.41	3	Horizontal	312	2.15	-	38.80	9.41	42.97			
PK	17.0841G	57.98	68.20	-10.22	47.04	3	Horizontal	170	1.77	-	40.90	12.32	42.28			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.346G	57.54	68.20	-10.66	62.07	3	Vertical	340	1.52	-	32.89	6.07	43.49			
PK	5.437G	60.43	74.00	-13.57	64.42	3	Vertical	340	1.52	-	33.25	6.14	43.38			
AV	5.458G	48.61	54.00	-5.39	52.47	3	Vertical	340	1.52	-	33.35	6.15	43.36			
PK	5.498G	61.65	68.20	-6.55	65.20	3	Vertical	340	1.52	-	33.59	6.17	43.31			
PK	5.793G	111.66	Inf	-Inf	114.44	3	Vertical	340	1.52	-	34.17	6.20	43.15			
AV	5.772G	99.30	Inf	-Inf	102.17	3	Vertical	340	1.52	-	34.09	6.20	43.16			
PK	6.103G	59.88	68.20	-8.32	61.27	3	Vertical	340	1.52	-	35.10	6.50	42.99			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.348G	57.36	68.20	-10.84	61.88	3	Horizontal	308	1.94	-	32.90	6.07	43.49			
PK	5.448G	58.27	74.00	-15.73	62.21	3	Horizontal	308	1.94	-	33.29	6.14	43.37			
AV	5.46G	46.38	54.00	-7.62	50.23	3	Horizontal	308	1.94	-	33.36	6.15	43.36			
PK	5.504G	60.33	68.20	-7.87	63.86	3	Horizontal	308	1.94	-	33.61	6.17	43.31			
PK	5.774G	108.10	Inf	-Inf	110.96	3	Horizontal	308	1.94	-	34.10	6.20	43.16			
AV	5.772G	96.54	Inf	-Inf	99.41	3	Horizontal	308	1.94	-	34.09	6.20	43.16			
PK	6.155G	60.28	68.20	-7.92	61.59	3	Horizontal	308	1.94	-	35.11	6.56	42.98			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.52725G	54.16	74.00	-19.84	49.05	3	Vertical	159	2.91	-	38.80	9.49	43.18			
AV	11.53295G	40.55	54.00	-13.45	35.44	3	Vertical	159	2.91	-	38.80	9.49	43.18			
PK	17.3027G	60.99	68.20	-7.21	49.15	3	Vertical	195	2.99	-	41.61	12.50	42.27			

5.725-5.85GHz_802.11be EHT80_Nss1,(MCS0)_4TX

5775MHz_TX




EUT_Y_4TX
Setting 16.5
04-D-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.5699G	54.66	74.00	-19.34	49.51	3	Horizontal	56	2.03	-	38.80	9.51	43.16			
AV	11.5604G	40.62	54.00	-13.38	35.47	3	Horizontal	56	2.03	-	38.80	9.51	43.16			
PK	17.32805G	60.57	68.20	-7.63	48.65	3	Horizontal	79	1.69	-	41.66	12.52	42.26			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 19
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1036G	64.80	74.00	-9.20	70.18	3	Vertical	354	1.89	-	32.51	5.88	43.77			
AV	5.1244G	53.43	54.00	-0.57	58.74	3	Vertical	354	1.89	-	32.55	5.89	43.75			
PK	5.2452G	107.95	Inf	-Inf	112.89	3	Vertical	354	1.89	-	32.70	5.97	43.61			
AV	5.1844G	97.58	Inf	-Inf	102.68	3	Vertical	354	1.89	-	32.67	5.91	43.68			
PK	5.426G	65.15	74.00	-8.85	69.22	3	Vertical	354	1.89	-	33.20	6.13	43.40			
AV	5.4052G	53.60	54.00	-0.40	57.78	3	Vertical	354	1.89	-	33.12	6.12	43.42			
PK	5.466G	62.88	68.20	-5.32	66.68	3	Vertical	354	1.89	-	33.40	6.15	43.35			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 19
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.1164G	61.11	74.00	-12.89	66.45	3	Horizontal	292	2.36	-	32.53	5.88	43.75			
AV	5.1172G	49.37	54.00	-4.63	54.71	3	Horizontal	292	2.36	-	32.53	5.88	43.75			
PK	5.2972G	104.90	Inf	-Inf	109.64	3	Horizontal	292	2.36	-	32.79	6.02	43.55			
AV	5.258G	93.77	Inf	-Inf	98.66	3	Horizontal	292	2.36	-	32.72	5.98	43.59			
PK	5.386G	63.33	74.00	-10.67	67.62	3	Horizontal	292	2.36	-	33.04	6.11	43.44			
AV	5.378G	51.39	54.00	-2.61	55.73	3	Horizontal	292	2.36	-	33.01	6.10	43.45			
PK	5.462G	61.90	68.20	-6.30	65.73	3	Horizontal	292	2.36	-	33.37	6.15	43.35			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 19
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.49163G	54.01	68.20	-14.19	49.25	3	Vertical	25	1.80	-	38.68	8.96	42.88			
PK	15.75465G	53.32	74.00	-20.68	45.71	3	Vertical	186	1.80	-	38.11	11.33	41.83			
AV	15.75957G	40.91	54.00	-13.09	33.29	3	Vertical	186	1.80	-	38.12	11.34	41.84			

5.15-5.25GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz_TX




EUT_Y_4TX
Setting 19
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	10.50198G	53.03	68.20	-15.17	48.24	3	Horizontal	312	1.80	-	38.70	8.97	42.88			
PK	15.75462G	52.73	74.00	-21.27	45.12	3	Horizontal	149	2.10	-	38.11	11.33	41.83			
AV	15.76143G	40.85	54.00	-13.15	33.24	3	Horizontal	149	2.10	-	38.12	11.34	41.85			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3476G	62.46	68.20	-5.74	66.98	3	Vertical	339	1.69	-	32.90	6.07	43.49			
PK	5.4468G	64.98	74.00	-9.02	68.92	3	Vertical	339	1.69	-	33.29	6.14	43.37			
AV	5.4068G	53.04	54.00	-0.96	57.21	3	Vertical	339	1.69	-	33.13	6.12	43.42			
PK	5.4676G	63.34	68.20	-4.86	67.13	3	Vertical	339	1.69	-	33.41	6.15	43.35			
PK	5.586G	111.72	Inf	-Inf	115.07	3	Vertical	339	1.69	-	33.70	6.21	43.26			
AV	5.5868G	99.80	Inf	-Inf	103.15	3	Vertical	339	1.69	-	33.70	6.21	43.26			
PK	5.7276G	67.65	68.20	-0.55	70.71	3	Vertical	339	1.69	-	33.91	6.21	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19.5
04-V-G-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.3484G	60.15	68.20	-8.05	64.67	3	Horizontal	319	1.64	-	32.90	6.07	43.49			
PK	5.422G	61.48	74.00	-12.52	65.56	3	Horizontal	319	1.64	-	33.19	6.13	43.40			
PK	5.4628G	60.55	68.20	-7.65	64.37	3	Horizontal	319	1.64	-	33.38	6.15	43.35			
AV	5.4436G	50.24	54.00	-3.76	54.21	3	Horizontal	319	1.64	-	33.27	6.14	43.38			
PK	5.6052G	107.78	Inf	-Inf	111.11	3	Horizontal	319	1.64	-	33.70	6.22	43.25			
AV	5.5844G	96.81	Inf	-Inf	100.16	3	Horizontal	319	1.64	-	33.70	6.21	43.26			
PK	5.7252G	63.77	68.20	-4.43	66.84	3	Horizontal	319	1.64	-	33.90	6.21	43.18			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX




EUT_Y_4TX
Setting 19.5
04-V-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13394G	53.61	74.00	-20.39	48.14	3	Vertical	190	2.46	-	38.66	9.29	42.48			
AV	11.12515G	41.79	54.00	-12.21	36.28	3	Vertical	190	2.46	-	38.70	9.28	42.47			
PK	16.69755G	56.19	68.20	-12.01	46.25	3	Vertical	349	2.37	-	39.60	12.01	41.67			

5.47-5.725GHz_802.11be EHT160_Nss1,(MCS0)_4TX

5570MHz_TX



EUT_Y_4TX
Setting 19.5
04-V-G-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.13232G	53.97	74.00	-20.03	48.49	3	Horizontal	360	1.80	-	38.67	9.29	42.48			
AV	11.12512G	41.87	54.00	-12.13	36.36	3	Horizontal	360	1.80	-	38.70	9.28	42.47			
PK	16.70004G	56.24	68.20	-11.96	46.30	3	Horizontal	100	1.80	-	39.60	12.01	41.67			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.60003G	48.40	54.00	-5.60	Vertical

Mode 1



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)		
PK	1.60004G	47.91	74.00	-26.09	-6.99	3	Horizontal	306	1.41	-	54.90	25.40	4.34	36.73		
AV	1.60003G	45.93	54.00	-8.07	-6.99	3	Horizontal	306	1.41	"Worst"	52.92	25.40	4.34	36.73		