


			upper edge	6020	2	Yes	PASS
			upper edge	6020	3	Yes	PASS
			upper edge	6020	4	Yes	PASS
			upper edge	6020	5	Yes	PASS
			upper edge	6020	6	Yes	PASS
			upper edge	6020	7	Yes	PASS
			upper edge	6020	8	Yes	PASS
			upper edge	6020	9	Yes	PASS
			upper edge	6020	10	Yes	PASS
		6465	lower edge	6430	1	Yes	PASS
			lower edge	6430	2	Yes	PASS
			lower edge	6430	3	Yes	PASS
			lower edge	6430	4	Yes	PASS
			lower edge	6430	5	Yes	PASS
			lower edge	6430	6	Yes	PASS
			lower edge	6430	7	Yes	PASS
			lower edge	6430	8	Yes	PASS
			lower edge	6430	9	Yes	PASS
			lower edge	6430	10	Yes	PASS
			Center	6465	1	Yes	PASS
			Center	6465	2	Yes	PASS
			Center	6465	3	Yes	PASS
			Center	6465	4	Yes	PASS
			Center	6465	5	Yes	PASS
			Center	6465	6	Yes	PASS
			Center	6465	7	Yes	PASS
			Center	6465	8	Yes	PASS
			Center	6465	9	Yes	PASS
			Center	6465	10	Yes	PASS
			upper edge	6500	1	No	PASS
			upper edge	6500	2	Yes	PASS
			upper edge	6500	3	Yes	PASS
			upper edge	6500	4	Yes	PASS
			upper edge	6500	5	Yes	PASS
			upper edge	6500	6	Yes	PASS
			upper edge	6500	7	Yes	PASS
			upper edge	6500	8	Yes	PASS
			upper edge	6500	9	Yes	PASS
			upper edge	6500	10	Yes	PASS
		6545	lower edge	6510	1	No	PASS
			lower edge	6510	2	Yes	PASS
			lower edge	6510	3	Yes	PASS
			lower edge	6510	4	Yes	PASS
			lower edge	6510	5	Yes	PASS
			lower edge	6510	6	Yes	PASS
			lower edge	6510	7	Yes	PASS
			lower edge	6510	8	Yes	PASS
			lower edge	6510	9	Yes	PASS
			lower edge	6510	10	Yes	PASS
			Center	6545	1	No	PASS
			Center	6545	2	Yes	PASS
			Center	6545	3	Yes	PASS
			Center	6545	4	Yes	PASS
			Center	6545	5	Yes	PASS
			Center	6545	6	Yes	PASS
			Center	6545	7	Yes	PASS
			Center	6545	8	Yes	PASS
			Center	6545	9	Yes	PASS
			Center	6545	10	Yes	PASS
			upper edge	6580	1	Yes	PASS
			upper edge	6580	2	Yes	PASS
			upper edge	6580	3	Yes	PASS
			upper edge	6580	4	Yes	PASS
			upper edge	6580	5	Yes	PASS

			upper edge	6580	6	Yes	PASS
			upper edge	6580	7	Yes	PASS
			upper edge	6580	8	Yes	PASS
			upper edge	6580	9	Yes	PASS
			upper edge	6580	10	Yes	PASS
		6865	lower edge	6830	1	Yes	PASS
			lower edge	6830	2	Yes	PASS
			lower edge	6830	3	Yes	PASS
			lower edge	6830	4	Yes	PASS
			lower edge	6830	5	Yes	PASS
			lower edge	6830	6	Yes	PASS
			lower edge	6830	7	Yes	PASS
			lower edge	6830	8	Yes	PASS
			lower edge	6830	9	Yes	PASS
			lower edge	6830	10	Yes	PASS
			Center	6865	1	Yes	PASS
			Center	6865	2	Yes	PASS
			Center	6865	3	Yes	PASS
			Center	6865	4	Yes	PASS
			Center	6865	5	Yes	PASS
			Center	6865	6	Yes	PASS
			Center	6865	7	Yes	PASS
			Center	6865	8	Yes	PASS
			Center	6865	9	Yes	PASS
			Center	6865	10	Yes	PASS
			upper edge	6900	1	Yes	PASS
			upper edge	6900	2	Yes	PASS
			upper edge	6900	3	Yes	PASS
			upper edge	6900	4	Yes	PASS
			upper edge	6900	5	Yes	PASS
			upper edge	6900	6	Yes	PASS
			upper edge	6900	7	Yes	PASS
			upper edge	6900	8	Yes	PASS
			upper edge	6900	9	Yes	PASS
			upper edge	6900	10	Yes	PASS

Test Graphs for worst case

















11AX20MIMO 6435 Center 6435 1




11AX20MIMO 6435 Center 6435 2




11AX20MIMO 6435 Center 6435 3














11AX20MIMO 6535 Center 6535 5



11AX20MIMO 6535 Center 6535 6



11AX20MIMO 6535 Center 6535 7











Note: The device not supporting channel puncturing and channel bandwidth reduction.

Appendix H: Frequency Stability

Frequency Error vs. Voltage									
802.11ax:5955MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	5955.0056	0.95	5955.0183	3.07	5954.9907	-1.57	5955.0091	1.53
TN	VN	5954.9979	-0.34	5955.0049	0.82	5955.0232	3.90	5955.0120	2.01
TN	VH	5955.0074	1.25	5955.0181	3.03	5955.0101	1.70	5954.9891	-1.83
Frequency Error vs. Temperature									
802.11ax:5955MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	5955.0160	2.69	5954.9776	-3.76	5955.0197	3.31	5954.9783	-3.64
60	VN	5955.0220	3.70	5954.9772	-3.84	5955.0232	3.90	5955.0179	3.00
50	VN	5955.0220	3.69	5955.0133	2.23	5954.9912	-1.48	5955.0025	0.42
40	VN	5955.0077	1.29	5955.0023	0.39	5955.0105	1.76	5954.9773	-3.82
30	VN	5955.0099	1.66	5955.0053	0.90	5954.9833	-2.81	5955.0140	2.36
20	VN	5954.9794	-3.45	5955.0236	3.96	5954.9776	-3.77	5954.9975	-0.41
10	VN	5954.9909	-1.54	5954.9982	-0.29	5955.0239	4.02	5955.0047	0.78
0	VN	5954.9855	-2.44	5954.9775	-3.78	5955.0073	1.22	5954.9976	-0.41
-10	VN	5954.9763	-3.99	5954.9815	-3.11	5954.9795	-3.45	5955.0183	3.07

Note:

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.6 TEST ENVIRONMENT.

Frequency Error vs. Voltage									
802.11ax:7115MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
TN	VL	7115.0012	0.16	7114.9942	-0.81	7115.0165	2.32	7115.0102	1.43
TN	VN	7114.9805	-2.74	7114.9935	-0.91	7115.0115	1.61	7115.0157	2.20
TN	VH	7114.9772	-3.21	7114.9814	-2.62	7114.9851	-2.10	7114.9845	-2.18
Frequency Error vs. Temperature									
802.11ax:7115MHz									
Temp.	Volt.	0 Minute		2 Minute		5 Minute		10 Minute	
		Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)	Freq.Error (MHz)	Tolerance (ppm)
70	VN	7115.0053	0.75	7114.9981	-0.27	7114.9805	-2.74	7115.0002	0.03
60	VN	7114.9891	-1.54	7114.9970	-0.42	7114.9813	-2.62	7115.0214	3.00
50	VN	7115.0028	0.40	7115.0212	2.97	7114.9933	-0.94	7114.9871	-1.81
40	VN	7115.0079	1.11	7114.9868	-1.86	7115.0052	0.74	7115.0125	1.76
30	VN	7115.0047	0.65	7115.0102	1.44	7115.0119	1.67	7115.0035	0.49
20	VN	7115.0154	2.16	7115.0205	2.88	7115.0106	1.49	7115.0192	2.70
10	VN	7114.9804	-2.75	7114.9902	-1.37	7115.0191	2.68	7115.0214	3.01
0	VN	7115.0229	3.22	7115.0105	1.47	7115.0106	1.48	7114.9824	-2.47
-10	VN	7114.9902	-1.38	7114.9830	-2.39	7115.0000	0.00	7114.9991	-0.13

Note:

1. All antennas, test modes and test channels have been tested, only the worst data record in the report.
2. For the detail Test Conditions, please refer to section 7.6 TEST ENVIRONMENT.

END OF REPORT