



Appendix C. Radiated Spurious Emission Test Data

Table of Contents

Radiated Spurious Emission Test Modes.....	C2
Summary of each worse mode	C3
Radiated Spurious Emission Test plots.....	C5
<Co-location>.....	C179
Radiated Spurious Emission Test Modes.....	C179
Summary of each worse mode	C179
Radiated Spurious Emission Test plots.....	C180



Test Engineer:	Koi Ji	Relative Humidity :	51 ~ 53℃
		Temperature :	21.2 ~ 22.5%

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-1	5.15-5.25	CDD 1S2T	802.11a	36	5180	6Mbps	-	-
Mode 2	U-NII-1	5.15-5.25	CDD 1S2T	802.11a	44	5220	6Mbps	-	-
Mode 3	U-NII-1	5.15-5.25	CDD 1S2T	802.11a	48	5240	6Mbps	-	-
Mode 4	U-NII-1	5.15-5.25	CDD 1S2T	802.11ax HE20	36	5180	MCS0	-	-
Mode 5	U-NII-1	5.15-5.25	CDD 1S2T	802.11ax HE20	44	5220	MCS0	-	-
Mode 6	U-NII-1	5.15-5.25	CDD 1S2T	802.11ax HE20	48	5240	MCS0	-	-
Mode 7	U-NII-1	5.15-5.25	CDD 1S2T	802.11ax HE40	38	5190	MCS0	-	-
Mode 8	U-NII-1	5.15-5.25	CDD 1S2T	802.11ax HE40	46	5230	MCS0	-	-
Mode 9	U-NII-1	5.15-5.25	CDD 1S2T	802.11ax HE80	42	5210	MCS0	-	-
Mode 10	U-NII-2A	5.25-5.35	CDD 1S2T	802.11a	52	5260	6Mbps	-	-
Mode 11	U-NII-2A	5.25-5.35	CDD 1S2T	802.11a	60	5300	6Mbps	-	-
Mode 12	U-NII-2A	5.25-5.35	CDD 1S2T	802.11a	64	5320	6Mbps	-	-
Mode 13	U-NII-2A	5.25-5.35	CDD 1S2T	802.11ax HE20	52	5260	MCS0	-	-
Mode 14	U-NII-2A	5.25-5.35	CDD 1S2T	802.11ax HE20	60	5300	MCS0	-	-
Mode 15	U-NII-2A	5.25-5.35	CDD 1S2T	802.11ax HE20	64	5320	MCS0	-	-
Mode 16	U-NII-2A	5.25-5.35	CDD 1S2T	802.11ax HE40	54	5270	MCS0	-	-
Mode 17	U-NII-2A	5.25-5.35	CDD 1S2T	802.11ax HE40	62	5310	MCS0	-	-
Mode 18	U-NII-2A	5.25-5.35	CDD 1S2T	802.11ax HE80	58	5290	MCS0	-	-
Mode 19	U-NII-2A	5.25-5.35	CDD 1S2T	802.11ax HE160	50	5250	MCS0	-	-
Mode 20	U-NII-2C	5.47-5.725	CDD 1S2T	802.11a	100	5500	6Mbps	-	-
Mode 21	U-NII-2C	5.47-5.725	CDD 1S2T	802.11a	116	5580	6Mbps	-	-
Mode 22	U-NII-2C	5.47-5.725	CDD 1S2T	802.11a	140	5700	6Mbps	-	-
Mode 23	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE20	100	5500	MCS0	-	-
Mode 24	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE20	116	5580	MCS0	-	-
Mode 25	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE20	140	5700	MCS0	-	-
Mode 26	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE40	102	5510	MCS0	-	-
Mode 27	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE40	110	5550	MCS0	-	-
Mode 28	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE40	134	5670	MCS0	-	-
Mode 29	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE80	106	5530	MCS0	-	-
Mode 30	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE80	122	5610	MCS0	-	-
Mode 31	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE160	114	5570	MCS0	-	-
Mode 36	U-NII-3	5.725-5.85	CDD 1S2T	802.11a	149	5745	6Mbps	-	-
Mode 37	U-NII-3	5.725-5.85	CDD 1S2T	802.11a	157	5785	6Mbps	-	-
Mode 38	U-NII-3	5.725-5.85	CDD 1S2T	802.11a	165	5825	6Mbps	-	-
Mode 39	U-NII-3	5.725-5.85	CDD 1S2T	802.11ax HE20	149	5745	MCS0	-	-
Mode 40	U-NII-3	5.725-5.85	CDD 1S2T	802.11ax HE20	157	5785	MCS0	-	-
Mode 41	U-NII-3	5.725-5.85	CDD 1S2T	802.11ax HE20	165	5825	MCS0	-	-
Mode 42	U-NII-3	5.725-5.85	CDD 1S2T	802.11ax HE40	151	5755	MCS0	-	-
Mode 43	U-NII-3	5.725-5.85	CDD 1S2T	802.11ax HE40	159	5795	MCS0	-	-
Mode 44	U-NII-3	5.725-5.85	CDD 1S2T	802.11ax HE80	155	5775	MCS0	-	-
Mode 32	U-NII-2C	5.47-5.725	CDD 1S2T	802.11a	144	5720	6Mbps	-	-
Mode 33	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE20	144	5720	MCS0	-	-



Mode 34	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE40	142	5710	MCS0	-	-
Mode 35	U-NII-2C	5.47-5.725	CDD 1S2T	802.11ax HE80	138	5690	MCS0	-	-

Summary of each worse mode





Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	36	5148.76	53.89	54.00	-0.11	V	AVERAGE	Pass	Band Edge
1	802.11a	36	8288.00	44.80	54.00	-9.20	V	AVERAGE	Pass	Harmonic
2	802.11a	44	5058.52	52.82	54.00	-1.18	V	AVERAGE	Pass	Band Edge
2	802.11a	44	15660.00	51.73	54.00	-2.27	V	AVERAGE	Pass	Harmonic
3	802.11a	48	5403.08	51.75	54.00	-2.25	V	AVERAGE	Pass	Band Edge
3	802.11a	48	15720.00	53.72	54.00	-0.28	V	AVERAGE	Pass	Harmonic
4	802.11ax HE20	36	5149.93	53.21	54.00	-0.79	V	AVERAGE	Pass	Band Edge
4	802.11ax HE20	36	15540.00	35.29	54.00	-18.71	H	AVERAGE	Pass	Harmonic
5	802.11ax HE20	44	5064.56	52.78	54.00	-1.22	V	AVERAGE	Pass	Band Edge
5	802.11ax HE20	44	15660.00	51.85	54.00	-2.15	V	AVERAGE	Pass	Harmonic
6	802.11ax HE20	48	5402.14	51.58	54.00	-2.42	V	AVERAGE	Pass	Band Edge
6	802.11ax HE20	48	15720.00	48.64	54.00	-5.36	H	AVERAGE	Pass	Harmonic
7	802.11ax HE40	38	5149.05	53.87	54.00	-0.13	V	AVERAGE	Pass	Band Edge
7	802.11ax HE40	38	15570.00	35.45	54.00	-18.55	V	AVERAGE	Pass	Harmonic
8	802.11ax HE40	46	5149.97	51.37	54.00	-2.63	V	AVERAGE	Pass	Band Edge
8	802.11ax HE40	46	15690.00	39.76	54.00	-14.24	V	AVERAGE	Pass	Harmonic
9	802.11ax HE80	42	5147.84	51.99	54.00	-2.01	H	AVERAGE	Pass	Band Edge
9	802.11ax HE80	42	15630.00	36.12	54.00	-17.88	V	AVERAGE	Pass	Harmonic
10	802.11a	52	5103.37	49.34	54.00	-4.66	V	AVERAGE	Pass	Band Edge
10	802.11a	52	15780.00	36.06	54.00	-17.94	V	AVERAGE	Pass	Harmonic
11	802.11a	60	5142.40	50.41	54.00	-3.59	V	AVERAGE	Pass	Band Edge
11	802.11a	60	15900.00	36.34	54.00	-17.66	V	AVERAGE	Pass	Harmonic
12	802.11a	64	5350.07	52.42	54.00	-1.58	V	AVERAGE	Pass	Band Edge
12	802.11a	64	15960.00	37.49	54.00	-16.51	V	AVERAGE	Pass	Harmonic
13	802.11ax HE20	52	5417.80	53.52	54.00	-0.48	V	AVERAGE	Pass	Band Edge
13	802.11ax HE20	52	15780.00	36.00	54.00	-18.00	V	AVERAGE	Pass	Harmonic
14	802.11ax HE20	60	5380.64	52.89	54.00	-1.11	V	AVERAGE	Pass	Band Edge
14	802.11ax HE20	60	15900.00	35.45	54.00	-18.55	H	AVERAGE	Pass	Harmonic
15	802.11ax HE20	64	5350.65	53.86	54.00	-0.14	V	AVERAGE	Pass	Band Edge
15	802.11ax HE20	64	15960.00	35.94	54.00	-18.06	V	AVERAGE	Pass	Harmonic
16	802.11ax HE40	54	5353.20	50.09	54.00	-3.91	V	AVERAGE	Pass	Band Edge
16	802.11ax HE40	54	15810.00	35.13	54.00	-18.87	H	AVERAGE	Pass	Harmonic
17	802.11ax HE40	62	5350.22	52.71	54.00	-1.29	H	AVERAGE	Pass	Band Edge
17	802.11ax HE40	62	15930.00	35.50	54.00	-18.50	H	AVERAGE	Pass	Harmonic
18	802.11ax HE80	58	5354.71	52.35	54.00	-1.65	V	AVERAGE	Pass	Band Edge
18	802.11ax HE80	58	15870.00	36.17	54.00	-17.83	V	AVERAGE	Pass	Harmonic
19	802.11ax HE160	50	5112.88	53.87	54.00	-0.13	V	AVERAGE	Pass	Band Edge
19	802.11ax HE160	50	10500.00	45.19	68.20	-23.01	V	PEAK	Pass	Harmonic
20	802.11a	100	5469.08	67.51	68.20	-0.69	V	PEAK	Pass	Band Edge
20	802.11a	100	16500.00	59.68	68.20	-8.52	V	PEAK	Pass	Harmonic
21	802.11a	116	5413.42	53.69	54.00	-0.31	V	AVERAGE	Pass	Band Edge







21	802.11a	116	16740.00	60.72	68.20	-7.48	V	PEAK	Pass	Harmonic
22	802.11a	140	5725.76	65.91	68.20	-2.29	V	PEAK	Pass	Band Edge
22	802.11a	140	11400.00	40.55	54.00	-13.45	H	AVERAGE	Pass	Harmonic
23	802.11ax HE20	100	5469.78	67.27	68.20	-0.93	V	PEAK	Pass	Band Edge
23	802.11ax HE20	100	16500.00	62.65	68.20	-5.55	V	PEAK	Pass	Harmonic
24	802.11ax HE20	116	5422.47	52.84	54.00	-1.16	V	AVERAGE	Pass	Band Edge
24	802.11ax HE20	116	16740.00	62.00	68.20	-6.20	V	PEAK	Pass	Harmonic
25	802.11ax HE20	140	5725.52	66.51	68.20	-1.69	V	PEAK	Pass	Band Edge
25	802.11ax HE20	140	17100.00	59.52	68.20	-8.68	H	PEAK	Pass	Harmonic
26	802.11ax HE40	102	5468.16	67.28	68.20	-0.92	V	PEAK	Pass	Band Edge
26	802.11ax HE40	102	16530.00	55.56	68.20	-12.64	H	PEAK	Pass	Harmonic
27	802.11ax HE40	110	5392.75	51.76	54.00	-2.24	V	AVERAGE	Pass	Band Edge
27	802.11ax HE40	110	16650.00	56.27	68.20	-11.93	V	PEAK	Pass	Harmonic
28	802.11ax HE40	134	5727.15	67.47	68.20	-0.73	V	PEAK	Pass	Band Edge
28	802.11ax HE40	134	17010.00	54.76	68.20	-13.44	V	PEAK	Pass	Harmonic
29	802.11ax HE80	106	5450.30	52.88	54.00	-1.12	V	AVERAGE	Pass	Band Edge
29	802.11ax HE80	106	16590.00	47.59	68.20	-20.61	H	PEAK	Pass	Harmonic
30	802.11ax HE80	122	5730.05	67.43	68.20	-0.77	V	PEAK	Pass	Band Edge
30	802.11ax HE80	122	16830.00	49.20	68.20	-19.00	V	PEAK	Pass	Harmonic
31	802.11ax HE160	114	5458.12	53.64	54.00	-0.36	V	AVERAGE	Pass	Band Edge
31	802.11ax HE160	114	16710.00	47.89	68.20	-20.31	H	PEAK	Pass	Harmonic
36	802.11a	149	5630.80	63.76	68.20	-4.44	V	PEAK	Pass	Band Edge
36	802.11a	149	17235.00	67.28	68.20	-0.92	V	PEAK	Pass	Harmonic
37	802.11a	157	5936.80	64.48	68.20	-3.72	V	PEAK	Pass	Band Edge
37	802.11a	157	17355.00	68.03	68.20	-0.17	V	PEAK	Pass	Harmonic
38	802.11a	165	5992.40	64.26	68.20	-3.94	V	PEAK	Pass	Band Edge
38	802.11a	165	17475.00	67.25	68.20	-0.95	V	PEAK	Pass	Harmonic
39	802.11ax HE20	149	5649.20	63.04	68.20	-5.16	V	PEAK	Pass	Band Edge
39	802.11ax HE20	149	17235.00	67.63	68.20	-0.57	V	PEAK	Pass	Harmonic
40	802.11ax HE20	157	5626.80	65.72	68.20	-2.48	V	PEAK	Pass	Band Edge
40	802.11ax HE20	157	17355.00	67.34	68.20	-0.86	V	PEAK	Pass	Harmonic
41	802.11ax HE20	165	5986.80	64.26	68.20	-3.94	V	PEAK	Pass	Band Edge
41	802.11ax HE20	165	17475.00	67.34	68.20	-0.86	V	PEAK	Pass	Harmonic
42	802.11ax HE40	151	5648.67	67.20	68.20	-1.00	V	PEAK	Pass	Band Edge
42	802.11ax HE40	151	17265.00	64.39	68.20	-3.81	V	PEAK	Pass	Harmonic
43	802.11ax HE40	159	5922.40	69.75	70.12	-0.37	V	PEAK	Pass	Band Edge
43	802.11ax HE40	159	17385.00	67.43	68.20	-0.77	V	PEAK	Pass	Harmonic
44	802.11ax HE80	155	5648.80	68.08	68.20	-0.12	V	PEAK	Pass	Band Edge
44	802.11ax HE80	155	17325.00	49.27	68.20	-18.93	V	PEAK	Pass	Harmonic
32	802.11a	144	-	-	-	-	-	-	-	Band Edge
32	802.11a	144	17160.00	58.16	68.20	-10.04	H	PEAK	Pass	Harmonic
33	802.11ax HE20	144	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE20	144	17160.00	60.90	68.20	-7.30	V	PEAK	Pass	Harmonic
34	802.11ax HE40	142	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	142	11420.00	39.60	54.00	-14.40	H	AVERAGE	Pass	Harmonic
35	802.11ax HE80	138	-	-	-	-	-	-	-	Band Edge
35	802.11ax HE80	138	11380.00	37.89	54.00	-16.11	V	AVERAGE	Pass	Harmonic



Radiated Spurious Emission Test plots

Mode	1																																																																																																		
	Band Edge																																																																																																		
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.93</td><td>69.01</td><td>74.00</td><td>-4.99</td><td>52.75</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>165</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.93	69.01	74.00	-4.99	52.75	34.10	12.03	29.87	0.00	100	165	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>110.89</td><td>-----</td><td>-----</td><td>94.51</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>165</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	110.89	-----	-----	94.51	34.21	12.05	29.88	0.00	100	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5149.93	69.01	74.00	-4.99	52.75	34.10	12.03	29.87	0.00	100	165	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	110.89	-----	-----	94.51	34.21	12.05	29.88	0.00	100	165	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5150.00</td><td>50.69</td><td>54.00</td><td>-3.31</td><td>34.43</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>165</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5150.00	50.69	54.00	-3.31	34.43	34.10	12.03	29.87	0.00	100	165	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>102.74</td><td>-----</td><td>-----</td><td>86.31</td><td>34.25</td><td>12.06</td><td>29.88</td><td>0.00</td><td>100</td><td>165</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	102.74	-----	-----	86.31	34.25	12.06	29.88	0.00	100	165
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5150.00	50.69	54.00	-3.31	34.43	34.10	12.03	29.87	0.00	100	165	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5180.00	102.74	-----	-----	86.31	34.25	12.06	29.88	0.00	100	165	AVERAGE																																																																																							







	1																																																						
Mode	Band Edge																																																						
	U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.91</td><td>72.36</td><td>74.00</td><td>-1.64</td><td>56.10</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.91	72.36	74.00	-1.64	56.10	34.10	12.03	29.87	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.91	72.36	74.00	-1.64	56.10	34.10	12.03	29.87	0.00	100	64	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>116.94</td><td>-----</td><td>-----</td><td>100.56</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>64</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	116.94	-----	-----	100.56	34.21	12.05	29.88	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	116.94	-----	-----	100.56	34.21	12.05	29.88	0.00	100	64	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.76</td><td>53.89</td><td>54.00</td><td>-0.11</td><td>37.63</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.76	53.89	54.00	-0.11	37.63	34.10	12.03	29.87	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5148.76	53.89	54.00	-0.11	37.63	34.10	12.03	29.87	0.00	100	64	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.24</td><td>-----</td><td>-----</td><td>91.86</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>64</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.24	-----	-----	91.86	34.21	12.05	29.88	0.00	100	64
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5180.00	108.24	-----	-----	91.86	34.21	12.05	29.88	0.00	100	64	AVERAGE																																											



Mode		1																																																																																																																																																	
		Harmonic																																																																																																																																																	
		U-NII-1_5.15-5.25_802.11a_CH36_5180MHz																																																																																																																																																	
ANT		CDD 1S2T																																																																																																																																																	
Pol.		Horizontal							Vertical																																																																																																																																										
Peak Avg																																																																																																																																																			
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>10360.00</td><td>44.56</td><td>68.20</td><td>-23.64</td><td>55.01</td><td>37.46</td><td>17.54</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>2</td><td>15540.00</td><td>54.64</td><td>74.00</td><td>-19.36</td><td>57.25</td><td>40.04</td><td>21.65</td><td>64.30</td><td>0.00</td><td>111</td><td>34</td><td>PEAK</td><td></td><td></td></tr><tr><td>3</td><td>15540.00</td><td>36.83</td><td>54.00</td><td>-17.17</td><td>39.43</td><td>40.05</td><td>21.65</td><td>64.30</td><td>0.00</td><td>111</td><td>34</td><td>AVERAGE</td><td></td><td></td></tr></table>														Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg				1	10360.00	44.56	68.20	-23.64	55.01	37.46	17.54	65.45	0.00	--	--	PEAK			2	15540.00	54.64	74.00	-19.36	57.25	40.04	21.65	64.30	0.00	111	34	PEAK			3	15540.00	36.83	54.00	-17.17	39.43	40.05	21.65	64.30	0.00	111	34	AVERAGE																																														
	Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																								
1	10360.00	44.56	68.20	-23.64	55.01	37.46	17.54	65.45	0.00	--	--	PEAK																																																																																																																																							
2	15540.00	54.64	74.00	-19.36	57.25	40.04	21.65	64.30	0.00	111	34	PEAK																																																																																																																																							
3	15540.00	36.83	54.00	-17.17	39.43	40.05	21.65	64.30	0.00	111	34	AVERAGE																																																																																																																																							
<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th></tr><tr><td>1</td><td>8288.00</td><td>48.12</td><td>74.00</td><td>-25.88</td><td>63.50</td><td>35.92</td><td>15.41</td><td>66.71</td><td>0.00</td><td>100</td><td>180</td><td>PEAK</td><td></td><td></td></tr><tr><td>2</td><td>8288.00</td><td>44.80</td><td>54.00</td><td>-9.20</td><td>60.18</td><td>35.92</td><td>15.41</td><td>66.71</td><td>0.00</td><td>100</td><td>180</td><td>AVERAGE</td><td></td><td></td></tr><tr><td>3</td><td>10360.00</td><td>45.35</td><td>68.20</td><td>-22.85</td><td>55.80</td><td>37.46</td><td>17.54</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>4</td><td>11996.20</td><td>50.90</td><td>74.00</td><td>-23.10</td><td>58.20</td><td>38.60</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>5</td><td>15540.00</td><td>55.34</td><td>74.00</td><td>-18.66</td><td>57.95</td><td>40.04</td><td>21.65</td><td>64.30</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td><td></td><td></td></tr><tr><td>6</td><td>15540.00</td><td>37.95</td><td>54.00</td><td>-16.05</td><td>40.57</td><td>40.04</td><td>21.64</td><td>64.30</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td><td></td><td></td></tr></table>														Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg				1	8288.00	48.12	74.00	-25.88	63.50	35.92	15.41	66.71	0.00	100	180	PEAK			2	8288.00	44.80	54.00	-9.20	60.18	35.92	15.41	66.71	0.00	100	180	AVERAGE			3	10360.00	45.35	68.20	-22.85	55.80	37.46	17.54	65.45	0.00	--	--	PEAK			4	11996.20	50.90	74.00	-23.10	58.20	38.60	19.03	64.93	0.00	--	--	PEAK			5	15540.00	55.34	74.00	-18.66	57.95	40.04	21.65	64.30	0.00	300	160	PEAK			6	15540.00	37.95	54.00	-16.05	40.57	40.04	21.64	64.30	0.00	300	160	AVERAGE		
Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																								
1	8288.00	48.12	74.00	-25.88	63.50	35.92	15.41	66.71	0.00	100	180	PEAK																																																																																																																																							
2	8288.00	44.80	54.00	-9.20	60.18	35.92	15.41	66.71	0.00	100	180	AVERAGE																																																																																																																																							
3	10360.00	45.35	68.20	-22.85	55.80	37.46	17.54	65.45	0.00	--	--	PEAK																																																																																																																																							
4	11996.20	50.90	74.00	-23.10	58.20	38.60	19.03	64.93	0.00	--	--	PEAK																																																																																																																																							
5	15540.00	55.34	74.00	-18.66	57.95	40.04	21.65	64.30	0.00	300	160	PEAK																																																																																																																																							
6	15540.00	37.95	54.00	-16.05	40.57	40.04	21.64	64.30	0.00	300	160	AVERAGE																																																																																																																																							







Mode	2																																																				
	Band Edge - L																																																				
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																				
ANT	CDD 1S2T																																																				
Pol.	Horizontal						Fundamental																																														
Peak																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5061.70</td><td>59.61</td><td>74.00</td><td>-14.39</td><td>43.25</td><td>34.22</td><td>11.97</td><td>29.83</td><td>0.00</td><td>324</td><td>7 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5061.70	59.61	74.00	-14.39	43.25	34.22	11.97	29.83	0.00	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5061.70	59.61	74.00	-14.39	43.25	34.22	11.97	29.83	0.00	324	7 PEAK																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>116.46</td><td>-----</td><td>-----</td><td>99.92</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>324</td><td>7 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	116.46	-----	-----	99.92	34.34	12.09	29.89	0.00	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5220.00	116.46	-----	-----	99.92	34.34	12.09	29.89	0.00	324	7 PEAK																																										
Avg																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5062.03</td><td>48.11</td><td>54.00</td><td>-5.89</td><td>31.75</td><td>34.22</td><td>11.97</td><td>29.83</td><td>0.00</td><td>324</td><td>7 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5062.03	48.11	54.00	-5.89	31.75	34.22	11.97	29.83	0.00	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5062.03	48.11	54.00	-5.89	31.75	34.22	11.97	29.83	0.00	324	7 AVERAGE																																										
Fundamental																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>107.20</td><td>-----</td><td>-----</td><td>90.68</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>324</td><td>7 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	107.20	-----	-----	90.68	34.33	12.08	29.89	0.00	324
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5220.00	107.20	-----	-----	90.68	34.33	12.08	29.89	0.00	324	7 AVERAGE																																										





Mode	2										
	Band Edge - R										
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz										
ANT	CDD 1S2T										
Pol.	Horizontal										
Peak											



Mode	2																																																																																																
	Band Edge - L																																																																																																
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																
ANT	CDD 1S2T																																																																																																
Pol.	Vertical						Fundamental																																																																																										
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5067.44</td><td>62.90</td><td>74.00</td><td>-11.10</td><td>46.53</td><td>34.23</td><td>11.98</td><td>29.84</td><td>0.00</td><td>136</td><td>63 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5067.44	62.90	74.00	-11.10	46.53	34.23	11.98	29.84	0.00	136	63 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>122.49</td><td>-----</td><td>-----</td><td>105.97</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>136</td><td>63 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	122.49	-----	-----	105.97	34.33	12.08	29.89	0.00	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5067.44	62.90	74.00	-11.10	46.53	34.23	11.98	29.84	0.00	136	63 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5220.00	122.49	-----	-----	105.97	34.33	12.08	29.89	0.00	136	63 PEAK																																																																																						
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5058.52</td><td>52.82</td><td>54.00</td><td>-1.18</td><td>36.46</td><td>34.22</td><td>11.97</td><td>29.83</td><td>0.00</td><td>136</td><td>63 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5058.52	52.82	54.00	-1.18	36.46	34.22	11.97	29.83	0.00	136	63 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5220.00</td><td>113.68</td><td>-----</td><td>-----</td><td>97.16</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>136</td><td>63 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	113.68	-----	-----	97.16	34.33	12.08	29.89	0.00	136
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5058.52	52.82	54.00	-1.18	36.46	34.22	11.97	29.83	0.00	136	63 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	5220.00	113.68	-----	-----	97.16	34.33	12.08	29.89	0.00	136	63 AVERAGE																																																																																						







Mode	2																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5379.14</td><td>62.56</td><td>74.00</td><td>-11.44</td><td>45.62</td><td>34.52</td><td>12.23</td><td>29.81</td><td>0.00</td><td>136</td><td>63 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.14	62.56	74.00	-11.44	45.62	34.52	12.23	29.81	0.00	136	63 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5379.14	62.56	74.00	-11.44	45.62	34.52	12.23	29.81	0.00	136	63 PEAK																																											
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5378.78</td><td>51.12</td><td>54.00</td><td>-2.88</td><td>34.18</td><td>34.52</td><td>12.23</td><td>29.81</td><td>0.00</td><td>136</td><td>63 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.78	51.12	54.00	-2.88	34.18	34.52	12.23	29.81	0.00	136	63 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5378.78	51.12	54.00	-2.88	34.18	34.52	12.23	29.81	0.00	136	63 AVERAGE																																											







Mode	2																																																																																																																																																																																																																																												
	Harmonic																																																																																																																																																																																																																																												
	U-NII-1_5.15-5.25_802.11a_CH44_5220MHz																																																																																																																																																																																																																																												
ANT	CDD 1S2T																																																																																																																																																																																																																																												
Pol.	Horizontal	Vertical																																																																																																																																																																																																																																											
Peak Avg																																																																																																																																																																																																																																													
	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>10440.00</td><td>45.70</td><td>68.20</td><td>-22.50</td><td>55.90</td><td>37.54</td><td>17.61</td><td>65.35</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>61.70</td><td>74.00</td><td>-12.30</td><td>64.14</td><td>40.16</td><td>21.74</td><td>64.34</td><td>0.00</td><td>300</td><td>235</td><td>300</td><td>235</td><td>300</td><td>235</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>47.10</td><td>54.00</td><td>-6.90</td><td>49.54</td><td>40.16</td><td>21.74</td><td>64.34</td><td>0.00</td><td>300</td><td>235</td><td>300</td><td>235</td><td>300</td><td>235</td><td>AVERAGE</td></tr></table>	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg		1	10440.00	45.70	68.20	-22.50	55.90	37.54	17.61	65.35	0.00	--	--	--	--	--	--	PEAK	2	15660.00	61.70	74.00	-12.30	64.14	40.16	21.74	64.34	0.00	300	235	300	235	300	235	PEAK	3	15660.00	47.10	54.00	-6.90	49.54	40.16	21.74	64.34	0.00	300	235	300	235	300	235	AVERAGE	<table><tr><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable</th><th colspan="2">Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>8352.00</td><td>43.12</td><td>74.00</td><td>-30.88</td><td>58.48</td><td>35.90</td><td>15.48</td><td>66.74</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10440.00</td><td>44.81</td><td>68.20</td><td>-23.39</td><td>55.01</td><td>37.54</td><td>17.61</td><td>65.35</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11996.20</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>58.37</td><td>38.60</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>15660.00</td><td>66.74</td><td>74.00</td><td>-7.26</td><td>69.18</td><td>40.16</td><td>21.74</td><td>64.34</td><td>0.00</td><td>322</td><td>354</td><td>322</td><td>354</td><td>322</td><td>354</td><td>PEAK</td></tr><tr><td>5</td><td>15660.00</td><td>51.73</td><td>54.00</td><td>-2.27</td><td>54.17</td><td>40.16</td><td>21.74</td><td>64.34</td><td>0.00</td><td>322</td><td>354</td><td>322</td><td>354</td><td>322</td><td>354</td><td>AVERAGE</td></tr></table>	Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	cm	deg	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg		1	8352.00	43.12	74.00	-30.88	58.48	35.90	15.48	66.74	0.00	--	--	--	--	--	--	PEAK	2	10440.00	44.81	68.20	-23.39	55.01	37.54	17.61	65.35	0.00	--	--	--	--	--	--	PEAK	3	11996.20	51.07	74.00	-22.93	58.37	38.60	19.03	64.93	0.00	--	--	--	--	--	--	PEAK	4	15660.00	66.74	74.00	-7.26	69.18	40.16	21.74	64.34	0.00	322	354	322	354	322	354	PEAK	5	15660.00	51.73	54.00	-2.27	54.17	40.16	21.74	64.34	0.00	322	354	322	354	322	354
Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	cm	deg																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																																																																														
1	10440.00	45.70	68.20	-22.50	55.90	37.54	17.61	65.35	0.00	--	--	--	--	--	--	PEAK																																																																																																																																																																																																																													
2	15660.00	61.70	74.00	-12.30	64.14	40.16	21.74	64.34	0.00	300	235	300	235	300	235	PEAK																																																																																																																																																																																																																													
3	15660.00	47.10	54.00	-6.90	49.54	40.16	21.74	64.34	0.00	300	235	300	235	300	235	AVERAGE																																																																																																																																																																																																																													
Limit		Read		Ant		Cable		Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Factor	Factor	Factor	cm	deg	cm	deg																																																																																																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	cm	deg	cm	deg																																																																																																																																																																																																																														
1	8352.00	43.12	74.00	-30.88	58.48	35.90	15.48	66.74	0.00	--	--	--	--	--	--	PEAK																																																																																																																																																																																																																													
2	10440.00	44.81	68.20	-23.39	55.01	37.54	17.61	65.35	0.00	--	--	--	--	--	--	PEAK																																																																																																																																																																																																																													
3	11996.20	51.07	74.00	-22.93	58.37	38.60	19.03	64.93	0.00	--	--	--	--	--	--	PEAK																																																																																																																																																																																																																													
4	15660.00	66.74	74.00	-7.26	69.18	40.16	21.74	64.34	0.00	322	354	322	354	322	354	PEAK																																																																																																																																																																																																																													
5	15660.00	51.73	54.00	-2.27	54.17	40.16	21.74	64.34	0.00	322	354	322	354	322	354	AVERAGE																																																																																																																																																																																																																													





Mode	3																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5407.24</td><td>59.44</td><td>74.00</td><td>-14.56</td><td>42.37</td><td>34.60</td><td>12.26</td><td>29.79</td><td>0.00</td><td>271</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5407.24	59.44	74.00	-14.56	42.37	34.60	12.26	29.79	0.00	271	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>116.01</td><td>-----</td><td>-----</td><td>99.44</td><td>34.37</td><td>12.10</td><td>29.90</td><td>0.00</td><td>271</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	116.01	-----	-----	99.44	34.37	12.10	29.90	0.00	271	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5407.24	59.44	74.00	-14.56	42.37	34.60	12.26	29.79	0.00	271	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	116.01	-----	-----	99.44	34.37	12.10	29.90	0.00	271	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5401.47</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>31.54</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>271</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5401.47	48.61	54.00	-5.39	31.54	34.60	12.25	29.78	0.00	271	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>107.99</td><td>-----</td><td>-----</td><td>91.41</td><td>34.38</td><td>12.10</td><td>29.90</td><td>0.00</td><td>271</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	107.99	-----	-----	91.41	34.38	12.10	29.90	0.00	271	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5401.47	48.61	54.00	-5.39	31.54	34.60	12.25	29.78	0.00	271	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	107.99	-----	-----	91.41	34.38	12.10	29.90	0.00	271	360	AVERAGE																																																																																																			







Mode	3																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5397.67</td><td>63.35</td><td>74.00</td><td>-10.65</td><td>46.29</td><td>34.59</td><td>12.25</td><td>29.78</td><td>0.00</td><td>156</td><td>60</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5397.67	63.35	74.00	-10.65	46.29	34.59	12.25	29.78	0.00	156	60	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>122.77</td><td>-----</td><td>-----</td><td>106.21</td><td>34.36</td><td>12.10</td><td>29.90</td><td>0.00</td><td>156</td><td>60</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	122.77	-----	-----	106.21	34.36	12.10	29.90	0.00	156	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5397.67	63.35	74.00	-10.65	46.29	34.59	12.25	29.78	0.00	156	60	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	122.77	-----	-----	106.21	34.36	12.10	29.90	0.00	156	60	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5403.08</td><td>51.75</td><td>54.00</td><td>-2.25</td><td>34.68</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>156</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5403.08	51.75	54.00	-2.25	34.68	34.60	12.25	29.78	0.00	156	60	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>113.79</td><td>-----</td><td>-----</td><td>97.20</td><td>34.38</td><td>12.11</td><td>29.90</td><td>0.00</td><td>156</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	113.79	-----	-----	97.20	34.38	12.11	29.90	0.00	156	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5403.08	51.75	54.00	-2.25	34.68	34.60	12.25	29.78	0.00	156	60	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	113.79	-----	-----	97.20	34.38	12.11	29.90	0.00	156	60	AVERAGE																																																																																																			







Mode	3																																																																																																																																																			
	Harmonic																																																																																																																																																			
	U-NII-1_5.15-5.25_802.11a_CH48_5240MHz																																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																																		
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.67</td><td>68.20</td><td>-23.53</td><td>54.75</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15720.00</td><td>63.84</td><td>74.00</td><td>-10.16</td><td>66.15</td><td>40.26</td><td>21.79</td><td>64.36</td><td>0.00</td><td>300</td><td>196 PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>50.31</td><td>54.00</td><td>-3.69</td><td>52.62</td><td>40.26</td><td>21.79</td><td>64.36</td><td>0.00</td><td>300</td><td>196 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	44.67	68.20	-23.53	54.75	37.58	17.65	65.31	0.00	--	PEAK	2	15720.00	63.84	74.00	-10.16	66.15	40.26	21.79	64.36	0.00	300	196 PEAK	3	15720.00	50.31	54.00	-3.69	52.62	40.26	21.79	64.36	0.00	300	196 AVERAGE	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10480.00</td><td>44.60</td><td>68.20</td><td>-23.60</td><td>54.68</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11988.13</td><td>51.17</td><td>74.00</td><td>-22.83</td><td>58.48</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15720.00</td><td>68.14</td><td>74.00</td><td>-5.86</td><td>70.45</td><td>40.26</td><td>21.79</td><td>64.36</td><td>0.00</td><td>327</td><td>352 PEAK</td></tr><tr><td>4</td><td>15720.00</td><td>53.72</td><td>54.00</td><td>-0.28</td><td>56.03</td><td>40.26</td><td>21.79</td><td>64.36</td><td>0.00</td><td>327</td><td>352 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10480.00	44.60	68.20	-23.60	54.68	37.58	17.65	65.31	0.00	--	PEAK	2	11988.13	51.17	74.00	-22.83	58.48	38.59	19.02	64.92	0.00	--	PEAK	3	15720.00	68.14	74.00	-5.86	70.45	40.26	21.79	64.36	0.00	327	352 PEAK	4	15720.00	53.72	54.00	-0.28	56.03	40.26	21.79	64.36	0.00	327	352 AVERAGE
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	10480.00	44.67	68.20	-23.53	54.75	37.58	17.65	65.31	0.00	--	PEAK																																																																																																																																									
2	15720.00	63.84	74.00	-10.16	66.15	40.26	21.79	64.36	0.00	300	196 PEAK																																																																																																																																									
3	15720.00	50.31	54.00	-3.69	52.62	40.26	21.79	64.36	0.00	300	196 AVERAGE																																																																																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																										
1	10480.00	44.60	68.20	-23.60	54.68	37.58	17.65	65.31	0.00	--	PEAK																																																																																																																																									
2	11988.13	51.17	74.00	-22.83	58.48	38.59	19.02	64.92	0.00	--	PEAK																																																																																																																																									
3	15720.00	68.14	74.00	-5.86	70.45	40.26	21.79	64.36	0.00	327	352 PEAK																																																																																																																																									
4	15720.00	53.72	54.00	-0.28	56.03	40.26	21.79	64.36	0.00	327	352 AVERAGE																																																																																																																																									



		4									
Mode	Band Edge										
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz										
ANT	CDD 1S2T										
Pol.	Horizontal										
Peak	Fundamental										
	Fundamental										
Peak	Horizontal										
	Horizontal										
Avg	Horizontal										
	Horizontal										
Avg	Fundamental										
	Fundamental										

Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.93</td><td>66.58</td><td>74.00</td><td>-7.42</td><td>50.32</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>111 360 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.93	66.58	74.00	-7.42	50.32	34.10	12.03	29.87	0.00	111 360 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																												
	1	5149.93	66.58	74.00	-7.42	50.32	34.10	12.03	29.87	0.00	111 360 PEAK																																												
																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>110.52</td><td>-----</td><td>-----</td><td>94.14</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>111 360 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	110.52	-----	-----	94.14	34.21	12.05	29.88	0.00	111 360 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																													
	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	110.52	-----	-----	94.14	34.21	12.05	29.88	0.00	111 360 PEAK																																													
																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.79</td><td>48.54</td><td>54.00</td><td>-5.46</td><td>32.28</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>111 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.79	48.54	54.00	-5.46	32.28	34.10	12.03	29.87	0.00	111 360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5149.79	48.54	54.00	-5.46	32.28	34.10	12.03	29.87	0.00	111 360 AVERAGE																																													
																																																							
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>101.29</td><td>-----</td><td>-----</td><td>84.91</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>111 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	101.29	-----	-----	84.91	34.21	12.05	29.88	0.00	111 360 AVERAGE	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																													
1	5180.00	101.29	-----	-----	84.91	34.21	12.05	29.88	0.00	111 360 AVERAGE																																													







Mode	4																																																																																															
	Band Edge																																																																																															
	U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																															
ANT	CDD 1S2T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.05</td><td>72.32</td><td>74.00</td><td>-1.68</td><td>56.05</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>191</td><td>71 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.05	72.32	74.00	-1.68	56.05	34.11	12.03	29.87	0.00	191	71 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>118.35</td><td>-----</td><td>-----</td><td>101.97</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>191</td><td>71 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	118.35	-----	-----	101.97	34.21	12.05	29.88	0.00	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5148.05	72.32	74.00	-1.68	56.05	34.11	12.03	29.87	0.00	191	71 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	118.35	-----	-----	101.97	34.21	12.05	29.88	0.00	191	71 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.93</td><td>53.21</td><td>54.00</td><td>-0.79</td><td>36.95</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>191</td><td>71 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.93	53.21	54.00	-0.79	36.95	34.10	12.03	29.87	0.00	191	71 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5180.00</td><td>108.42</td><td>-----</td><td>-----</td><td>92.04</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>191</td><td>71 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	108.42	-----	-----	92.04	34.21	12.05	29.88	0.00	191
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5149.93	53.21	54.00	-0.79	36.95	34.10	12.03	29.87	0.00	191	71 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5180.00	108.42	-----	-----	92.04	34.21	12.05	29.88	0.00	191	71 AVERAGE																																																																																					





		4																																																																																																	
Mode		Harmonic																																																																																																	
		U-NII-1_5.15-5.25_802.11ax HE20_CH36_5180MHz																																																																																																	
ANT		CDD 1S2T																																																																																																	
Pol.		Horizontal												Vertical																																																																																					
Peak Avg																																																																																																			
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10360.00</td><td>44.28</td><td>68.20</td><td>-23.92</td><td>54.73</td><td>37.46</td><td>17.54</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15540.00</td><td>48.32</td><td>74.00</td><td>-25.68</td><td>50.93</td><td>40.04</td><td>21.65</td><td>64.30</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td></tr><tr><td>3</td><td>15540.00</td><td>35.29</td><td>54.00</td><td>-18.71</td><td>37.90</td><td>40.04</td><td>21.65</td><td>64.30</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td></tr></tbody></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10360.00	44.28	68.20	-23.92	54.73	37.46	17.54	65.45	0.00	--	--	PEAK	2	15540.00	48.32	74.00	-25.68	50.93	40.04	21.65	64.30	0.00	300	360	PEAK	3	15540.00	35.29	54.00	-18.71	37.90	40.04	21.65	64.30	0.00	300	360	AVERAGE													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	10360.00	44.28	68.20	-23.92	54.73	37.46	17.54	65.45	0.00	--	--	PEAK																																																																																							
2	15540.00	48.32	74.00	-25.68	50.93	40.04	21.65	64.30	0.00	300	360	PEAK																																																																																							
3	15540.00	35.29	54.00	-18.71	37.90	40.04	21.65	64.30	0.00	300	360	AVERAGE																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>8287.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>62.03</td><td>35.93</td><td>15.41</td><td>66.71</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10360.00</td><td>44.40</td><td>68.20</td><td>-23.80</td><td>54.85</td><td>37.46</td><td>17.54</td><td>65.45</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11980.00</td><td>51.20</td><td>74.00</td><td>-22.80</td><td>58.52</td><td>38.58</td><td>19.01</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>15540.00</td><td>46.69</td><td>74.00</td><td>-27.31</td><td>49.30</td><td>40.04</td><td>21.65</td><td>64.30</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>																	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8287.00	46.66	74.00	-27.34	62.03	35.93	15.41	66.71	0.00	--	--	PEAK	2	10360.00	44.40	68.20	-23.80	54.85	37.46	17.54	65.45	0.00	--	--	PEAK	3	11980.00	51.20	74.00	-22.80	58.52	38.58	19.01	64.91	0.00	--	--	PEAK	4	15540.00	46.69	74.00	-27.31	49.30	40.04	21.65	64.30	0.00	--	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																									
1	8287.00	46.66	74.00	-27.34	62.03	35.93	15.41	66.71	0.00	--	--	PEAK																																																																																							
2	10360.00	44.40	68.20	-23.80	54.85	37.46	17.54	65.45	0.00	--	--	PEAK																																																																																							
3	11980.00	51.20	74.00	-22.80	58.52	38.58	19.01	64.91	0.00	--	--	PEAK																																																																																							
4	15540.00	46.69	74.00	-27.31	49.30	40.04	21.65	64.30	0.00	--	--	PEAK																																																																																							







Mode	5																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.28</td><td>60.70</td><td>74.00</td><td>-13.30</td><td>44.42</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>124</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.28	60.70	74.00	-13.30	44.42	34.12	12.03	29.87	0.00	124	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>116.03</td><td>-----</td><td>-----</td><td>99.51</td><td>34.33</td><td>12.08</td><td>29.89</td><td>0.00</td><td>124</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	116.03	-----	-----	99.51	34.33	12.08	29.89	0.00	124	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5144.28	60.70	74.00	-13.30	44.42	34.12	12.03	29.87	0.00	124	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	116.03	-----	-----	99.51	34.33	12.08	29.89	0.00	124	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5062.01</td><td>48.06</td><td>54.00</td><td>-5.94</td><td>31.70</td><td>34.22</td><td>11.97</td><td>29.83</td><td>0.00</td><td>124</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5062.01	48.06	54.00	-5.94	31.70	34.22	11.97	29.83	0.00	124	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>107.03</td><td>-----</td><td>-----</td><td>90.49</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>124</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	107.03	-----	-----	90.49	34.34	12.09	29.89	0.00	124	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5062.01	48.06	54.00	-5.94	31.70	34.22	11.97	29.83	0.00	124	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5220.00	107.03	-----	-----	90.49	34.34	12.09	29.89	0.00	124	360	AVERAGE																																																																																																			





Mode	5																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5384.35</td><td>58.71</td><td>74.00</td><td>-15.29</td><td>41.73</td><td>34.54</td><td>12.24</td><td>29.00</td><td>0.00</td><td>124</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5384.35	58.71	74.00	-15.29	41.73	34.54	12.24	29.00	0.00	124	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5384.35	58.71	74.00	-15.29	41.73	34.54	12.24	29.00	0.00	124	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.96</td><td>47.59</td><td>54.00</td><td>-6.41</td><td>30.63</td><td>34.53</td><td>12.23</td><td>29.00</td><td>0.00</td><td>124</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.96	47.59	54.00	-6.41	30.63	34.53	12.23	29.00	0.00	124	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5382.96	47.59	54.00	-6.41	30.63	34.53	12.23	29.00	0.00	124	360	AVERAGE																																												





Mode	5																																																					
	Band Edge - L																																																					
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5145.24</td><td>67.67</td><td>74.00</td><td>-6.33</td><td>51.39</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>167</td><td>76 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5145.24	67.67	74.00	-6.33	51.39	34.12	12.03	29.87	0.00	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5145.24	67.67	74.00	-6.33	51.39	34.12	12.03	29.87	0.00	167	76 PEAK																																											
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>124.34</td><td>-----</td><td>-----</td><td>107.80</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>167</td><td>76 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	124.34	-----	-----	107.80	34.34	12.09	29.89	0.00	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5220.00	124.34	-----	-----	107.80	34.34	12.09	29.89	0.00	167	76 PEAK																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5064.56</td><td>52.78</td><td>54.00</td><td>-1.22</td><td>36.41</td><td>34.23</td><td>11.98</td><td>29.84</td><td>0.00</td><td>167</td><td>76 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5064.56	52.78	54.00	-1.22	36.41	34.23	11.98	29.84	0.00	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5064.56	52.78	54.00	-1.22	36.41	34.23	11.98	29.84	0.00	167	76 AVERAGE																																											
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5220.00</td><td>114.25</td><td>-----</td><td>-----</td><td>97.71</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>167</td><td>76 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5220.00	114.25	-----	-----	97.71	34.34	12.09	29.89	0.00	167
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5220.00	114.25	-----	-----	97.71	34.34	12.09	29.89	0.00	167	76 AVERAGE																																											







Mode	5																																													
	Band Edge - R																																													
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																													
ANT	CDD 1S2T																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5382.27</td><td>63.69</td><td>74.00</td><td>-10.31</td><td>46.73</td><td>34.53</td><td>12.23</td><td>29.80</td><td>0.00</td><td>167</td><td>76</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5382.27	63.69	74.00	-10.31	46.73	34.53	12.23	29.80	0.00	167	76	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5382.27	63.69	74.00	-10.31	46.73	34.53	12.23	29.80	0.00	167	76	PEAK																																		
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5377.06</td><td>52.15</td><td>54.00</td><td>-1.85</td><td>35.22</td><td>34.51</td><td>12.23</td><td>29.81</td><td>0.00</td><td>167</td><td>76</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5377.06	52.15	54.00	-1.85	35.22	34.51	12.23	29.81	0.00	167	76	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5377.06	52.15	54.00	-1.85	35.22	34.51	12.23	29.81	0.00	167	76	AVERAGE																																		







Mode	5																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH44_5220MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>44.57</td><td>68.20</td><td>-23.63</td><td>54.77</td><td>37.54</td><td>17.61</td><td>65.35</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15660.00</td><td>63.17</td><td>74.00</td><td>-10.83</td><td>65.61</td><td>40.16</td><td>21.74</td><td>64.34</td><td>0.00</td><td>290</td><td>229 PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>48.78</td><td>54.00</td><td>-5.22</td><td>51.21</td><td>40.16</td><td>21.75</td><td>64.34</td><td>0.00</td><td>290</td><td>229 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	44.57	68.20	-23.63	54.77	37.54	17.61	65.35	0.00	--	PEAK	2	15660.00	63.17	74.00	-10.83	65.61	40.16	21.74	64.34	0.00	290	229 PEAK	3	15660.00	48.78	54.00	-5.22	51.21	40.16	21.75	64.34	0.00	290	229 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10440.00</td><td>45.52</td><td>68.20</td><td>-22.68</td><td>55.72</td><td>37.54</td><td>17.61</td><td>65.35</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11983.73</td><td>51.27</td><td>74.00</td><td>-22.73</td><td>58.58</td><td>38.58</td><td>19.02</td><td>64.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15660.00</td><td>66.37</td><td>74.00</td><td>-7.63</td><td>68.81</td><td>40.16</td><td>21.74</td><td>64.34</td><td>0.00</td><td>300</td><td>156 PEAK</td></tr><tr><td>4</td><td>15660.00</td><td>51.85</td><td>54.00</td><td>-2.15</td><td>54.29</td><td>40.16</td><td>21.74</td><td>64.34</td><td>0.00</td><td>300</td><td>156 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10440.00	45.52	68.20	-22.68	55.72	37.54	17.61	65.35	0.00	--	PEAK	2	11983.73	51.27	74.00	-22.73	58.58	38.58	19.02	64.91	0.00	--	PEAK	3	15660.00	66.37	74.00	-7.63	68.81	40.16	21.74	64.34	0.00	300	156 PEAK	4	15660.00	51.85	54.00	-2.15	54.29	40.16	21.74	64.34	0.00	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10440.00	44.57	68.20	-23.63	54.77	37.54	17.61	65.35	0.00	--	PEAK																																																																																																																																																	
2	15660.00	63.17	74.00	-10.83	65.61	40.16	21.74	64.34	0.00	290	229 PEAK																																																																																																																																																	
3	15660.00	48.78	54.00	-5.22	51.21	40.16	21.75	64.34	0.00	290	229 AVERAGE																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1	10440.00	45.52	68.20	-22.68	55.72	37.54	17.61	65.35	0.00	--	PEAK																																																																																																																																																	
2	11983.73	51.27	74.00	-22.73	58.58	38.58	19.02	64.91	0.00	--	PEAK																																																																																																																																																	
3	15660.00	66.37	74.00	-7.63	68.81	40.16	21.74	64.34	0.00	300	156 PEAK																																																																																																																																																	
4	15660.00	51.85	54.00	-2.15	54.29	40.16	21.74	64.34	0.00	300	156 AVERAGE																																																																																																																																																	





Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.67</td><td>59.51</td><td>74.00</td><td>-14.49</td><td>42.59</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>113</td><td>205</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.67	59.51	74.00	-14.49	42.59	34.50	12.23	29.81	0.00	113	205	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>117.33</td><td>-----</td><td>-----</td><td>100.74</td><td>34.38</td><td>12.11</td><td>29.90</td><td>0.00</td><td>113</td><td>205</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	117.33	-----	-----	100.74	34.38	12.11	29.90	0.00	113	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5375.67	59.51	74.00	-14.49	42.59	34.50	12.23	29.81	0.00	113	205	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	117.33	-----	-----	100.74	34.38	12.11	29.90	0.00	113	205	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.64</td><td>46.90</td><td>54.00</td><td>-7.10</td><td>29.84</td><td>34.59</td><td>12.25</td><td>29.78</td><td>0.00</td><td>113</td><td>205</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.64	46.90	54.00	-7.10	29.84	34.59	12.25	29.78	0.00	113	205	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>107.41</td><td>-----</td><td>-----</td><td>90.85</td><td>34.36</td><td>12.10</td><td>29.90</td><td>0.00</td><td>113</td><td>205</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	107.41	-----	-----	90.85	34.36	12.10	29.90	0.00	113	205
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5398.64	46.90	54.00	-7.10	29.84	34.59	12.25	29.78	0.00	113	205	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	107.41	-----	-----	90.85	34.36	12.10	29.90	0.00	113	205	AVERAGE																																																																																																			







Mode	6																																																																																																														
	Band Edge																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5405.00</td><td>63.08</td><td>74.00</td><td>-10.92</td><td>46.01</td><td>34.60</td><td>12.26</td><td>29.79</td><td>0.00</td><td>100</td><td>58</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5405.00	63.08	74.00	-10.92	46.01	34.60	12.26	29.79	0.00	100	58	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>121.02</td><td>-----</td><td>-----</td><td>104.43</td><td>34.38</td><td>12.11</td><td>29.90</td><td>0.00</td><td>100</td><td>58</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	121.02	-----	-----	104.43	34.38	12.11	29.90	0.00	100	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5405.00	63.08	74.00	-10.92	46.01	34.60	12.26	29.79	0.00	100	58	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	121.02	-----	-----	104.43	34.38	12.11	29.90	0.00	100	58	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5402.14</td><td>51.58</td><td>54.00</td><td>-2.42</td><td>34.51</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>100</td><td>58</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5402.14	51.58	54.00	-2.42	34.51	34.60	12.25	29.78	0.00	100	58	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5240.00</td><td>111.96</td><td>-----</td><td>-----</td><td>95.37</td><td>34.38</td><td>12.11</td><td>29.90</td><td>0.00</td><td>100</td><td>58</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5240.00	111.96	-----	-----	95.37	34.38	12.11	29.90	0.00	100	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5402.14	51.58	54.00	-2.42	34.51	34.60	12.25	29.78	0.00	100	58	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor	Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5240.00	111.96	-----	-----	95.37	34.38	12.11	29.90	0.00	100	58	AVERAGE																																																																																																			





Mode	6																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-1_5.15-5.25_802.11ax HE20_CH48_5240MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>45.00</td><td>68.20</td><td>-23.20</td><td>55.08</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15720.00</td><td>63.53</td><td>74.00</td><td>-10.47</td><td>65.84</td><td>40.26</td><td>21.79</td><td>64.36</td><td>0.00</td><td>373</td><td>355</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>48.64</td><td>54.00</td><td>-5.36</td><td>50.96</td><td>40.25</td><td>21.79</td><td>64.36</td><td>0.00</td><td>373</td><td>355</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	45.00	68.20	-23.20	55.08	37.58	17.65	65.31	0.00	--	--	PEAK	2 15720.00	63.53	74.00	-10.47	65.84	40.26	21.79	64.36	0.00	373	355	PEAK	3 15720.00	48.64	54.00	-5.36	50.96	40.25	21.79	64.36	0.00	373	355	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10480.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>55.27</td><td>37.58</td><td>17.65</td><td>65.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11994.00</td><td>51.09</td><td>74.00</td><td>-22.91</td><td>58.41</td><td>38.59</td><td>19.02</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15720.00</td><td>62.76</td><td>74.00</td><td>-11.24</td><td>65.07</td><td>40.26</td><td>21.79</td><td>64.36</td><td>0.00</td><td>242</td><td>270</td><td>PEAK</td></tr><tr><td>4 15720.00</td><td>48.56</td><td>54.00</td><td>-5.44</td><td>50.87</td><td>40.26</td><td>21.79</td><td>64.36</td><td>0.00</td><td>242</td><td>270</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10480.00	45.19	68.20	-23.01	55.27	37.58	17.65	65.31	0.00	--	--	PEAK	2 11994.00	51.09	74.00	-22.91	58.41	38.59	19.02	64.93	0.00	--	--	PEAK	3 15720.00	62.76	74.00	-11.24	65.07	40.26	21.79	64.36	0.00	242	270	PEAK	4 15720.00	48.56	54.00	-5.44	50.87	40.26	21.79	64.36	0.00	242	270
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10480.00	45.00	68.20	-23.20	55.08	37.58	17.65	65.31	0.00	--	--	PEAK																																																																																																																																																	
2 15720.00	63.53	74.00	-10.47	65.84	40.26	21.79	64.36	0.00	373	355	PEAK																																																																																																																																																	
3 15720.00	48.64	54.00	-5.36	50.96	40.25	21.79	64.36	0.00	373	355	AVERAGE																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10480.00	45.19	68.20	-23.01	55.27	37.58	17.65	65.31	0.00	--	--	PEAK																																																																																																																																																	
2 11994.00	51.09	74.00	-22.91	58.41	38.59	19.02	64.93	0.00	--	--	PEAK																																																																																																																																																	
3 15720.00	62.76	74.00	-11.24	65.07	40.26	21.79	64.36	0.00	242	270	PEAK																																																																																																																																																	
4 15720.00	48.56	54.00	-5.44	50.87	40.26	21.79	64.36	0.00	242	270	AVERAGE																																																																																																																																																	







		7																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																									
ANT		CDD 1S2T																																																																																																									
Pol.	Horizontal										Fundamental																																																																																																
Peak																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.59</td><td>66.81</td><td>74.00</td><td>-7.19</td><td>50.54</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>112</td><td>360</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.59	66.81	74.00	-7.19	50.54	34.11	12.03	29.87	0.00	112	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>107.32</td><td>-----</td><td>-----</td><td>90.89</td><td>34.25</td><td>12.06</td><td>29.88</td><td>0.00</td><td>112</td><td>360</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	107.32	-----	-----	90.89	34.25	12.06	29.88	0.00	112	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5148.59	66.81	74.00	-7.19	50.54	34.11	12.03	29.87	0.00	112	360	PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5190.00	107.32	-----	-----	90.89	34.25	12.06	29.88	0.00	112	360	PEAK																																																																																															
Avg																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.05</td><td>53.68</td><td>54.00</td><td>-0.32</td><td>37.42</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>112</td><td>360</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.05	53.68	54.00	-0.32	37.42	34.10	12.03	29.87	0.00	112	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5190.00</td><td>97.05</td><td>-----</td><td>-----</td><td>80.67</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>112</td><td>360</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5190.00	97.05	-----	-----	80.67	34.21	12.05	29.88	0.00	112	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5149.05	53.68	54.00	-0.32	37.42	34.10	12.03	29.87	0.00	112	360	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																	
1	5190.00	97.05	-----	-----	80.67	34.21	12.05	29.88	0.00	112	360	AVERAGE																																																																																															





Mode	7																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5381.56</td><td>58.47</td><td>74.00</td><td>-15.53</td><td>41.51</td><td>34.53</td><td>12.23</td><td>29.80</td><td>0.00</td><td>112</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5381.56	58.47	74.00	-15.53	41.51	34.53	12.23	29.80	0.00	112	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5381.56	58.47	74.00	-15.53	41.51	34.53	12.23	29.80	0.00	112	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5404.25</td><td>46.89</td><td>54.00</td><td>-7.11</td><td>29.82</td><td>34.60</td><td>12.26</td><td>29.79</td><td>0.00</td><td>112</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5404.25	46.89	54.00	-7.11	29.82	34.60	12.26	29.79	0.00	112	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5404.25	46.89	54.00	-7.11	29.82	34.60	12.26	29.79	0.00	112	360	AVERAGE																																												





		7																																																			
Mode		Band Edge - L																																																			
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																			
ANT		CDD 1S2T																																																			
Pol.		Vertical					Fundamental																																														
Peak																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.66</td><td>69.16</td><td>74.00</td><td>-4.84</td><td>52.89</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>59 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.66	69.16	74.00	-4.84	52.89	34.11	12.03	29.87	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5147.66	69.16	74.00	-4.84	52.89	34.11	12.03	29.87	0.00	100	59 PEAK																																										
Fundamental																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>110.64</td><td>-----</td><td>-----</td><td>94.26</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>100</td><td>59 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	110.64	-----	-----	94.26	34.21	12.05	29.88	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5190.00	110.64	-----	-----	94.26	34.21	12.05	29.88	0.00	100	59 PEAK																																										
Avg																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.05</td><td>53.87</td><td>54.00</td><td>-0.13</td><td>37.61</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>59 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.05	53.87	54.00	-0.13	37.61	34.10	12.03	29.87	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5149.05	53.87	54.00	-0.13	37.61	34.10	12.03	29.87	0.00	100	59 AVERAGE																																										
Fundamental																																																					
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5190.00</td><td>93.24</td><td>-----</td><td>-----</td><td>76.75</td><td>34.31</td><td>12.07</td><td>29.89</td><td>0.00</td><td>100</td><td>59 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5190.00	93.24	-----	-----	76.75	34.31	12.07	29.89	0.00	100
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																											
1	5190.00	93.24	-----	-----	76.75	34.31	12.07	29.89	0.00	100	59 AVERAGE																																										







Mode	7																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5428.90</td><td>59.24</td><td>74.00</td><td>-14.76</td><td>42.18</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>100</td><td>59</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5428.90	59.24	74.00	-14.76	42.18	34.60	12.29	29.83	0.00	100	59	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5428.90	59.24	74.00	-14.76	42.18	34.60	12.29	29.83	0.00	100	59	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5358.46</td><td>47.92</td><td>54.00</td><td>-6.08</td><td>31.11</td><td>34.43</td><td>12.21</td><td>29.83</td><td>0.00</td><td>100</td><td>59</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5358.46	47.92	54.00	-6.08	31.11	34.43	12.21	29.83	0.00	100	59	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5358.46	47.92	54.00	-6.08	31.11	34.43	12.21	29.83	0.00	100	59	AVERAGE																																											





		7																																																																																																
Mode		Harmonic																																																																																																
		U-NII-1_5.15-5.25_802.11ax HE40_CH38_5190MHz																																																																																																
ANT		CDD 1S2T																																																																																																
Pol.		Horizontal						Vertical																																																																																										
Peak Avg																																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.96</td><td>68.20</td><td>-23.24</td><td>55.35</td><td>37.48</td><td>17.55</td><td>65.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15570.00</td><td>46.83</td><td>74.00</td><td>-27.17</td><td>49.40</td><td>40.07</td><td>21.67</td><td>64.31</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10380.00	44.96	68.20	-23.24	55.35	37.48	17.55	65.42	0.00	--	--	PEAK	2	15570.00	46.83	74.00	-27.17	49.40	40.07	21.67	64.31	0.00	--	--	PEAK																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	10380.00	44.96	68.20	-23.24	55.35	37.48	17.55	65.42	0.00	--	--	PEAK																																																																																						
2	15570.00	46.83	74.00	-27.17	49.40	40.07	21.67	64.31	0.00	--	--	PEAK																																																																																						
																																																																																																		
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10380.00</td><td>44.36</td><td>68.20</td><td>-23.84</td><td>54.75</td><td>37.48</td><td>17.55</td><td>65.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11977.87</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>58.64</td><td>38.58</td><td>19.01</td><td>64.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15570.00</td><td>47.79</td><td>74.00</td><td>-26.21</td><td>50.36</td><td>40.07</td><td>21.67</td><td>64.31</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td></tr><tr><td>4</td><td>15570.00</td><td>35.45</td><td>54.00</td><td>-18.55</td><td>38.00</td><td>40.08</td><td>21.68</td><td>64.31</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10380.00	44.36	68.20	-23.84	54.75	37.48	17.55	65.42	0.00	--	--	PEAK	2	11977.87	51.33	74.00	-22.67	58.64	38.58	19.01	64.90	0.00	--	--	PEAK	3	15570.00	47.79	74.00	-26.21	50.36	40.07	21.67	64.31	0.00	100	360	PEAK	4	15570.00	35.45	54.00	-18.55	38.00	40.08	21.68	64.31	0.00	100	360	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	10380.00	44.36	68.20	-23.84	54.75	37.48	17.55	65.42	0.00	--	--	PEAK																																																																																						
2	11977.87	51.33	74.00	-22.67	58.64	38.58	19.01	64.90	0.00	--	--	PEAK																																																																																						
3	15570.00	47.79	74.00	-26.21	50.36	40.07	21.67	64.31	0.00	100	360	PEAK																																																																																						
4	15570.00	35.45	54.00	-18.55	38.00	40.08	21.68	64.31	0.00	100	360	AVERAGE																																																																																						







Mode	8																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5144.42</td><td>63.97</td><td>74.00</td><td>-10.03</td><td>47.69</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>123</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.42	63.97	74.00	-10.03	47.69	34.12	12.03	29.87	0.00	123	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>111.77</td><td>-----</td><td>-----</td><td>95.23</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>123</td><td>360</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	111.77	-----	-----	95.23	34.34	12.09	29.89	0.00	123	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5144.42	63.97	74.00	-10.03	47.69	34.12	12.03	29.87	0.00	123	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	111.77	-----	-----	95.23	34.34	12.09	29.89	0.00	123	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.97</td><td>48.65</td><td>54.00</td><td>-5.35</td><td>32.39</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>123</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.97	48.65	54.00	-5.35	32.39	34.10	12.03	29.87	0.00	123	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5230.00</td><td>101.39</td><td>-----</td><td>-----</td><td>84.85</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>123</td><td>360</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	101.39	-----	-----	84.85	34.34	12.09	29.89	0.00	123	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.97	48.65	54.00	-5.35	32.39	34.10	12.03	29.87	0.00	123	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	101.39	-----	-----	84.85	34.34	12.09	29.89	0.00	123	360	AVERAGE																																																																																																			





Mode	8																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5386.31</td><td>58.09</td><td>74.00</td><td>-15.91</td><td>41.10</td><td>34.55</td><td>12.24</td><td>29.80</td><td>0.00</td><td>123</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5386.31	58.09	74.00	-15.91	41.10	34.55	12.24	29.80	0.00	123	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5386.31	58.09	74.00	-15.91	41.10	34.55	12.24	29.80	0.00	123	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.35</td><td>47.22</td><td>54.00</td><td>-6.78</td><td>30.20</td><td>34.57</td><td>12.24</td><td>29.79</td><td>0.00</td><td>123</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.35	47.22	54.00	-6.78	30.20	34.57	12.24	29.79	0.00	123	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.35	47.22	54.00	-6.78	30.20	34.57	12.24	29.79	0.00	123	360	AVERAGE																																												



Mode	8																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5146.73</td><td>68.35</td><td>74.00</td><td>-5.65</td><td>52.08</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5146.73	68.35	74.00	-5.65	52.08	34.11	12.03	29.87	0.00	100	60	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>114.14</td><td>-----</td><td>-----</td><td>97.60</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	114.14	-----	-----	97.60	34.34	12.09	29.89	0.00	100	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5146.73	68.35	74.00	-5.65	52.08	34.11	12.03	29.87	0.00	100	60	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	114.14	-----	-----	97.60	34.34	12.09	29.89	0.00	100	60	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.97</td><td>51.37</td><td>54.00</td><td>-2.63</td><td>35.11</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.97	51.37	54.00	-2.63	35.11	34.10	12.03	29.87	0.00	100	60	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5230.00</td><td>101.34</td><td>-----</td><td>-----</td><td>84.78</td><td>34.36</td><td>12.10</td><td>29.90</td><td>0.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5230.00	101.34	-----	-----	84.78	34.36	12.10	29.90	0.00	100	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5149.97	51.37	54.00	-2.63	35.11	34.10	12.03	29.87	0.00	100	60	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5230.00	101.34	-----	-----	84.78	34.36	12.10	29.90	0.00	100	60	AVERAGE																																																																																																			







Mode	8																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5387.88</td><td>59.60</td><td>74.00</td><td>-14.40</td><td>42.61</td><td>34.55</td><td>12.24</td><td>29.80</td><td>0.00</td><td>100</td><td>60</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.88	59.60	74.00	-14.40	42.61	34.55	12.24	29.80	0.00	100	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5387.88	59.60	74.00	-14.40	42.61	34.55	12.24	29.80	0.00	100	60	PEAK																																											
Avg							Blank																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.88</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>31.58</td><td>34.58</td><td>12.24</td><td>29.79</td><td>0.00</td><td>100</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.88	48.61	54.00	-5.39	31.58	34.58	12.24	29.79	0.00	100	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5393.88	48.61	54.00	-5.39	31.58	34.58	12.24	29.79	0.00	100	60	AVERAGE																																											





		8																																																																																																																														
Mode		Harmonic																																																																																																																														
		U-NII-1_5.15-5.25_802.11ax HE40_CH46_5230MHz																																																																																																																														
ANT		CDD 1S2T																																																																																																																														
Pol.		Horizontal										Vertical																																																																																																																				
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.72</td><td>68.20</td><td>-23.48</td><td>54.86</td><td>37.56</td><td>17.63</td><td>65.33</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15690.00</td><td>51.88</td><td>74.00</td><td>-22.12</td><td>54.27</td><td>40.19</td><td>21.77</td><td>64.35</td><td>0.00</td><td>100</td><td>352</td><td>PEAK</td><td></td><td></td><td></td></tr><tr><td>3</td><td>15690.00</td><td>37.47</td><td>54.00</td><td>-16.53</td><td>39.86</td><td>40.19</td><td>21.77</td><td>64.35</td><td>0.00</td><td>100</td><td>352</td><td>AVERAGE</td><td></td><td></td><td></td></tr></table>																		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	10460.00	44.72	68.20	-23.48	54.86	37.56	17.63	65.33	0.00	--	--	--	--	--	PEAK	2	15690.00	51.88	74.00	-22.12	54.27	40.19	21.77	64.35	0.00	100	352	PEAK				3	15690.00	37.47	54.00	-16.53	39.86	40.19	21.77	64.35	0.00	100	352	AVERAGE																		
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																	
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																	
1	10460.00	44.72	68.20	-23.48	54.86	37.56	17.63	65.33	0.00	--	--	--	--	--	PEAK																																																																																																																	
2	15690.00	51.88	74.00	-22.12	54.27	40.19	21.77	64.35	0.00	100	352	PEAK																																																																																																																				
3	15690.00	37.47	54.00	-16.53	39.86	40.19	21.77	64.35	0.00	100	352	AVERAGE																																																																																																																				
Peak Avg																																																																																																																																
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10460.00</td><td>44.41</td><td>68.20</td><td>-23.79</td><td>54.55</td><td>37.56</td><td>17.63</td><td>65.33</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11994.73</td><td>51.03</td><td>74.00</td><td>-22.97</td><td>58.34</td><td>38.59</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15690.00</td><td>54.92</td><td>74.00</td><td>-19.08</td><td>57.31</td><td>40.19</td><td>21.77</td><td>64.35</td><td>0.00</td><td>300</td><td>160</td><td>PEAK</td><td></td><td></td><td></td></tr><tr><td>4</td><td>15690.00</td><td>39.76</td><td>54.00</td><td>-14.24</td><td>42.15</td><td>40.19</td><td>21.77</td><td>64.35</td><td>0.00</td><td>300</td><td>160</td><td>AVERAGE</td><td></td><td></td><td></td></tr></table>																		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg	MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg	1	10460.00	44.41	68.20	-23.79	54.55	37.56	17.63	65.33	0.00	--	--	--	--	--	PEAK	2	11994.73	51.03	74.00	-22.97	58.34	38.59	19.03	64.93	0.00	--	--	--	--	--	PEAK	3	15690.00	54.92	74.00	-19.08	57.31	40.19	21.77	64.35	0.00	300	160	PEAK				4	15690.00	39.76	54.00	-14.24	42.15	40.19	21.77	64.35	0.00	300	160	AVERAGE		
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	Factor	Factor	cm	deg																																																																																																																	
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	dB	dB	cm	deg																																																																																																																	
1	10460.00	44.41	68.20	-23.79	54.55	37.56	17.63	65.33	0.00	--	--	--	--	--	PEAK																																																																																																																	
2	11994.73	51.03	74.00	-22.97	58.34	38.59	19.03	64.93	0.00	--	--	--	--	--	PEAK																																																																																																																	
3	15690.00	54.92	74.00	-19.08	57.31	40.19	21.77	64.35	0.00	300	160	PEAK																																																																																																																				
4	15690.00	39.76	54.00	-14.24	42.15	40.19	21.77	64.35	0.00	300	160	AVERAGE																																																																																																																				







		9																																																																																																											
Mode		Band Edge - L																																																																																																											
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																											
ANT		CDD 1S2T																																																																																																											
Pol.	Horizontal											Fundamental																																																																																																	
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.89</td><td>64.93</td><td>74.00</td><td>-9.07</td><td>48.66</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>341</td><td>15</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.89	64.93	74.00	-9.07	48.66	34.11	12.03	29.87	0.00	341	15	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>102.76</td><td>-----</td><td>-----</td><td>86.27</td><td>34.31</td><td>12.07</td><td>29.89</td><td>0.00</td><td>341</td><td>15</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	102.76	-----	-----	86.27	34.31	12.07	29.89	0.00	341	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5147.89	64.93	74.00	-9.07	48.66	34.11	12.03	29.87	0.00	341	15	PEAK																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5210.00	102.76	-----	-----	86.27	34.31	12.07	29.89	0.00	341	15	PEAK																																																																																																	
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.84</td><td>51.99</td><td>54.00</td><td>-2.01</td><td>35.72</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>341</td><td>15</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	51.99	54.00	-2.01	35.72	34.11	12.03	29.87	0.00	341	15	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>93.32</td><td>-----</td><td>-----</td><td>76.86</td><td>34.28</td><td>12.07</td><td>29.89</td><td>0.00</td><td>341</td><td>15</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	93.32	-----	-----	76.86	34.28	12.07	29.89	0.00	341	15
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5147.84	51.99	54.00	-2.01	35.72	34.11	12.03	29.87	0.00	341	15	AVERAGE																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5210.00	93.32	-----	-----	76.86	34.28	12.07	29.89	0.00	341	15	AVERAGE																																																																																																	





Mode	9																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.62</td><td>57.79</td><td>74.00</td><td>-16.21</td><td>40.87</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>341</td><td>15</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5375.62	57.79	74.00	-16.21	40.87	34.50	12.23	29.81	0.00	341	15	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5375.62	57.79	74.00	-16.21	40.87	34.50	12.23	29.81	0.00	341	15	PEAK																																												
Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.04</td><td>47.13</td><td>54.00</td><td>-6.87</td><td>30.36</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>341</td><td>15</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.04	47.13	54.00	-6.87	30.36	34.40	12.21	29.84	0.00	341	15	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.04	47.13	54.00	-6.87	30.36	34.40	12.21	29.84	0.00	341	15	AVERAGE																																												





Mode	9																																																																																												
	Band Edge - L																																																																																												
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																												
ANT	CDD 1S2T																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5147.17</td><td>66.75</td><td>74.00</td><td>-7.25</td><td>50.48</td><td>34.11</td><td>12.03</td><td>29.87</td><td>0.00</td><td>166</td><td>74 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5147.17	66.75	74.00	-7.25	50.48	34.11	12.03	29.87	0.00	166	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>106.18</td><td>-----</td><td>-----</td><td>89.80</td><td>34.21</td><td>12.05</td><td>29.88</td><td>0.00</td><td>166</td><td>74 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	106.18	-----	-----	89.80	34.21	12.05	29.88	0.00	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5147.17	66.75	74.00	-7.25	50.48	34.11	12.03	29.87	0.00	166	74 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5210.00	106.18	-----	-----	89.80	34.21	12.05	29.88	0.00	166	74 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5142.09</td><td>50.78</td><td>54.00</td><td>-3.22</td><td>34.49</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>166</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5142.09	50.78	54.00	-3.22	34.49	34.13	12.03	29.87	0.00	166	74 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>82.48</td><td>-----</td><td>-----</td><td>65.92</td><td>34.36</td><td>12.10</td><td>29.90</td><td>0.00</td><td>166</td><td>74 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	82.48	-----	-----	65.92	34.36	12.10	29.90	0.00	166
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5142.09	50.78	54.00	-3.22	34.49	34.13	12.03	29.87	0.00	166	74 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5210.00	82.48	-----	-----	65.92	34.36	12.10	29.90	0.00	166	74 AVERAGE																																																																																			







Mode	9																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.04</td><td>60.90</td><td>74.00</td><td>-13.10</td><td>44.06</td><td>34.45</td><td>12.22</td><td>29.83</td><td>0.00</td><td>166</td><td>74 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5362.04	60.90	74.00	-13.10	44.06	34.45	12.22	29.83	0.00	166	74 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5362.04	60.90	74.00	-13.10	44.06	34.45	12.22	29.83	0.00	166	74 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5361.79</td><td>49.00</td><td>54.00</td><td>-4.92</td><td>32.24</td><td>34.45</td><td>12.22</td><td>29.83</td><td>0.00</td><td>166</td><td>74 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.79	49.00	54.00	-4.92	32.24	34.45	12.22	29.83	0.00	166	74 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5361.79	49.00	54.00	-4.92	32.24	34.45	12.22	29.83	0.00	166	74 AVERAGE																																											





		9																																																																																																																																																															
Mode		Harmonic																																																																																																																																																															
		U-NII-1_5.15-5.25_802.11ax HE80_CH42_5210MHz																																																																																																																																																															
ANT		CDD 1S2T																																																																																																																																																															
Pol.		Horizontal					Vertical																																																																																																																																																										
Peak Avg																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>10420.00</td><td>45.48</td><td>68.20</td><td>-22.72</td><td>55.75</td><td>37.52</td><td>17.59</td><td>65.38</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>15630.00</td><td>47.38</td><td>74.00</td><td>-26.62</td><td>49.86</td><td>40.13</td><td>21.72</td><td>64.33</td><td>0.00 100 360 PEAK</td></tr><tr><td>3</td><td>15630.00</td><td>35.94</td><td>54.00</td><td>-18.06</td><td>38.48</td><td>40.09</td><td>21.69</td><td>64.32</td><td>0.00 100 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	10420.00	45.48	68.20	-22.72	55.75	37.52	17.59	65.38	0.00 -- -- PEAK	2	15630.00	47.38	74.00	-26.62	49.86	40.13	21.72	64.33	0.00 100 360 PEAK	3	15630.00	35.94	54.00	-18.06	38.48	40.09	21.69	64.32	0.00 100 360 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>8335.40</td><td>47.31</td><td>74.00</td><td>-26.69</td><td>62.67</td><td>35.90</td><td>15.47</td><td>66.73</td><td>0.00 -- -- PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>46.26</td><td>68.20</td><td>-21.94</td><td>56.53</td><td>37.52</td><td>17.59</td><td>65.38</td><td>0.00 -- -- PEAK</td></tr><tr><td>3</td><td>11996.93</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>58.48</td><td>38.60</td><td>19.03</td><td>64.93</td><td>0.00 -- -- PEAK</td></tr><tr><td>4</td><td>15630.00</td><td>47.39</td><td>74.00</td><td>-26.61</td><td>49.87</td><td>40.13</td><td>21.72</td><td>64.33</td><td>0.00 300 360 PEAK</td></tr><tr><td>5</td><td>15630.00</td><td>36.12</td><td>54.00</td><td>-17.88</td><td>38.65</td><td>40.10</td><td>21.69</td><td>64.32</td><td>0.00 300 360 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1	8335.40	47.31	74.00	-26.69	62.67	35.90	15.47	66.73	0.00 -- -- PEAK	2	10420.00	46.26	68.20	-21.94	56.53	37.52	17.59	65.38	0.00 -- -- PEAK	3	11996.93	51.18	74.00	-22.82	58.48	38.60	19.03	64.93	0.00 -- -- PEAK	4	15630.00	47.39	74.00	-26.61	49.87	40.13	21.72	64.33	0.00 300 360 PEAK	5	15630.00	36.12	54.00	-17.88	38.65	40.10	21.69	64.32
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																									
1	10420.00	45.48	68.20	-22.72	55.75	37.52	17.59	65.38	0.00 -- -- PEAK																																																																																																																																																								
2	15630.00	47.38	74.00	-26.62	49.86	40.13	21.72	64.33	0.00 100 360 PEAK																																																																																																																																																								
3	15630.00	35.94	54.00	-18.06	38.48	40.09	21.69	64.32	0.00 100 360 AVERAGE																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																																																																																									
1	8335.40	47.31	74.00	-26.69	62.67	35.90	15.47	66.73	0.00 -- -- PEAK																																																																																																																																																								
2	10420.00	46.26	68.20	-21.94	56.53	37.52	17.59	65.38	0.00 -- -- PEAK																																																																																																																																																								
3	11996.93	51.18	74.00	-22.82	58.48	38.60	19.03	64.93	0.00 -- -- PEAK																																																																																																																																																								
4	15630.00	47.39	74.00	-26.61	49.87	40.13	21.72	64.33	0.00 300 360 PEAK																																																																																																																																																								
5	15630.00	36.12	54.00	-17.88	38.65	40.10	21.69	64.32	0.00 300 360 AVERAGE																																																																																																																																																								







Mode	10																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.78</td><td>58.07</td><td>74.00</td><td>-15.93</td><td>41.64</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>316</td><td>12</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.78	58.07	74.00	-15.93	41.64	34.27	12.01	29.85	0.00	316	12	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>111.60</td><td>-----</td><td>-----</td><td>94.98</td><td>34.40</td><td>12.12</td><td>29.90</td><td>0.00</td><td>316</td><td>12</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	111.60	-----	-----	94.98	34.40	12.12	29.90	0.00	316	12
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5107.78	58.07	74.00	-15.93	41.64	34.27	12.01	29.85	0.00	316	12	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	111.60	-----	-----	94.98	34.40	12.12	29.90	0.00	316	12	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5102.21</td><td>46.44</td><td>54.00</td><td>-7.56</td><td>30.00</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>316</td><td>12</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5102.21	46.44	54.00	-7.56	30.00	34.29	12.00	29.85	0.00	316	12	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>102.77</td><td>-----</td><td>-----</td><td>86.15</td><td>34.40</td><td>12.12</td><td>29.90</td><td>0.00</td><td>316</td><td>12</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	102.77	-----	-----	86.15	34.40	12.12	29.90	0.00	316	12
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5102.21	46.44	54.00	-7.56	30.00	34.29	12.00	29.85	0.00	316	12	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	102.77	-----	-----	86.15	34.40	12.12	29.90	0.00	316	12	AVERAGE																																																																																																			





Mode	10																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5379.28</td><td>60.01</td><td>74.00</td><td>-13.99</td><td>43.07</td><td>34.52</td><td>12.23</td><td>29.81</td><td>0.00</td><td>316</td><td>12</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5379.28	60.01	74.00	-13.99	43.07	34.52	12.23	29.81	0.00	316	12	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5379.28	60.01	74.00	-13.99	43.07	34.52	12.23	29.81	0.00	316	12	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.81</td><td>47.21</td><td>54.00</td><td>-6.79</td><td>30.14</td><td>34.60</td><td>12.29</td><td>29.82</td><td>0.00</td><td>316</td><td>12</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.81	47.21	54.00	-6.79	30.14	34.60	12.29	29.82	0.00	316	12	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5426.81	47.21	54.00	-6.79	30.14	34.60	12.29	29.82	0.00	316	12	AVERAGE																																											



Mode	10																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5117.75</td><td>61.71</td><td>74.00</td><td>-12.29</td><td>45.33</td><td>34.23</td><td>12.01</td><td>29.86</td><td>0.00</td><td>119</td><td>66</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5117.75	61.71	74.00	-12.29	45.33	34.23	12.01	29.86	0.00	119	66	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>116.84</td><td>-----</td><td>-----</td><td>100.21</td><td>34.40</td><td>12.13</td><td>29.90</td><td>0.00</td><td>119</td><td>66</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	116.84	-----	-----	100.21	34.40	12.13	29.90	0.00	119	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5117.75	61.71	74.00	-12.29	45.33	34.23	12.01	29.86	0.00	119	66	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	116.84	-----	-----	100.21	34.40	12.13	29.90	0.00	119	66	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5103.37</td><td>49.34</td><td>54.00</td><td>-4.66</td><td>32.90</td><td>34.29</td><td>12.00</td><td>29.85</td><td>0.00</td><td>119</td><td>66</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5103.37	49.34	54.00	-4.66	32.90	34.29	12.00	29.85	0.00	119	66	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>107.97</td><td>-----</td><td>-----</td><td>91.35</td><td>34.40</td><td>12.12</td><td>29.90</td><td>0.00</td><td>119</td><td>66</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	107.97	-----	-----	91.35	34.40	12.12	29.90	0.00	119	66
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5103.37	49.34	54.00	-4.66	32.90	34.29	12.00	29.85	0.00	119	66	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5260.00	107.97	-----	-----	91.35	34.40	12.12	29.90	0.00	119	66	AVERAGE																																																																																																			







Mode	10																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.69</td><td>60.56</td><td>74.00</td><td>-13.44</td><td>43.50</td><td>34.59</td><td>12.25</td><td>29.78</td><td>0.00</td><td>119</td><td>66</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.69	60.56	74.00	-13.44	43.50	34.59	12.25	29.78	0.00	119	66	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5398.69	60.56	74.00	-13.44	43.50	34.59	12.25	29.78	0.00	119	66	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5418.99</td><td>49.11</td><td>54.00</td><td>-4.89</td><td>32.04</td><td>34.60</td><td>12.28</td><td>29.81</td><td>0.00</td><td>119</td><td>66</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.99	49.11	54.00	-4.89	32.04	34.60	12.28	29.81	0.00	119	66	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5418.99	49.11	54.00	-4.89	32.04	34.60	12.28	29.81	0.00	119	66	AVERAGE																																												





Mode	10																																																																																																																																																																																																																																							
	Harmonic																																																																																																																																																																																																																																							
	U-NII-2A_5.25-5.35_802.11a_CH52_5260MHz																																																																																																																																																																																																																																							
ANT	CDD 1S2T																																																																																																																																																																																																																																							
Pol.	Horizontal						Vertical																																																																																																																																																																																																																																	
Peak Avg																																																																																																																																																																																																																																								
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>10520.00</td><td>44.08</td><td>68.20</td><td>-24.12</td><td>54.05</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>2</td><td>15780.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>49.40</td><td>40.44</td><td>21.84</td><td>64.38</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td>15780.00</td><td>34.92</td><td>54.00</td><td>-19.08</td><td>37.03</td><td>40.43</td><td>21.84</td><td>64.38</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td><td></td><td></td><td></td><td></td></tr></table>								Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg				1	10520.00	44.08	68.20	-24.12	54.05	37.60	17.69	65.26	0.00	--	--	--	--	PEAK			2	15780.00	47.30	74.00	-26.70	49.40	40.44	21.84	64.38	0.00	100	360	PEAK					3	15780.00	34.92	54.00	-19.08	37.03	40.43	21.84	64.38	0.00	100	360	AVERAGE					<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>10520.00</td><td>44.92</td><td>68.20</td><td>-23.28</td><td>54.09</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>2</td><td>11996.93</td><td>52.46</td><td>74.00</td><td>-21.54</td><td>59.76</td><td>38.60</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>3</td><td>15780.00</td><td>48.44</td><td>74.00</td><td>-25.56</td><td>50.54</td><td>40.44</td><td>21.84</td><td>64.38</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td><td></td><td></td><td></td><td></td></tr><tr><td>4</td><td>15780.00</td><td>36.06</td><td>54.00</td><td>-17.94</td><td>38.17</td><td>40.43</td><td>21.84</td><td>64.38</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td><td></td><td></td><td></td><td></td></tr></table>								Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg				1	10520.00	44.92	68.20	-23.28	54.09	37.60	17.69	65.26	0.00	--	--	--	--	PEAK			2	11996.93	52.46	74.00	-21.54	59.76	38.60	19.03	64.93	0.00	--	--	--	--	PEAK			3	15780.00	48.44	74.00	-25.56	50.54	40.44	21.84	64.38	0.00	300	360	PEAK					4	15780.00	36.06	54.00	-17.94	38.17	40.43	21.84	64.38	0.00	300	360	AVERAGE			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																								
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																											
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																											
1	10520.00	44.08	68.20	-24.12	54.05	37.60	17.69	65.26	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																										
2	15780.00	47.30	74.00	-26.70	49.40	40.44	21.84	64.38	0.00	100	360	PEAK																																																																																																																																																																																																																												
3	15780.00	34.92	54.00	-19.08	37.03	40.43	21.84	64.38	0.00	100	360	AVERAGE																																																																																																																																																																																																																												
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																								
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																											
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																											
1	10520.00	44.92	68.20	-23.28	54.09	37.60	17.69	65.26	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																										
2	11996.93	52.46	74.00	-21.54	59.76	38.60	19.03	64.93	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																										
3	15780.00	48.44	74.00	-25.56	50.54	40.44	21.84	64.38	0.00	300	360	PEAK																																																																																																																																																																																																																												
4	15780.00	36.06	54.00	-17.94	38.17	40.43	21.84	64.38	0.00	300	360	AVERAGE																																																																																																																																																																																																																												







Mode	11																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5075.88</td><td>57.68</td><td>74.00</td><td>-16.32</td><td>41.29</td><td>34.25</td><td>11.98</td><td>29.84</td><td>0.00</td><td>268</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5075.88	57.68	74.00	-16.32	41.29	34.25	11.98	29.84	0.00	268	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>110.58</td><td>-----</td><td>-----</td><td>93.93</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>268</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	110.58	-----	-----	93.93	34.40	12.16	29.91	0.00	268	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5075.88	57.68	74.00	-16.32	41.29	34.25	11.98	29.84	0.00	268	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5300.00	110.58	-----	-----	93.93	34.40	12.16	29.91	0.00	268	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.88</td><td>46.02</td><td>54.00</td><td>-7.98</td><td>29.69</td><td>34.16</td><td>12.03</td><td>29.86</td><td>0.00</td><td>268</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.88	46.02	54.00	-7.98	29.69	34.16	12.03	29.86	0.00	268	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>101.99</td><td>-----</td><td>-----</td><td>85.35</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>268</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	101.99	-----	-----	85.35	34.40	12.15	29.91	0.00	268	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5135.88	46.02	54.00	-7.98	29.69	34.16	12.03	29.86	0.00	268	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5300.00	101.99	-----	-----	85.35	34.40	12.15	29.91	0.00	268	360	AVERAGE																																																																																																			



Mode	11																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.58</td><td>59.32</td><td>74.00</td><td>-14.68</td><td>42.53</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>268</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.58	59.32	74.00	-14.68	42.53	34.42	12.21	29.84	0.00	268	360	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5355.58	59.32	74.00	-14.68	42.53	34.42	12.21	29.84	0.00	268	360	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5398.91</td><td>47.24</td><td>54.00</td><td>-6.76</td><td>30.17</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>268</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5398.91	47.24	54.00	-6.76	30.17	34.60	12.25	29.78	0.00	268	360	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5398.91	47.24	54.00	-6.76	30.17	34.60	12.25	29.78	0.00	268	360	AVERAGE																																											



Mode	11																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.84</td><td>61.69</td><td>74.00</td><td>-12.31</td><td>45.40</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>155</td><td>58</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.84	61.69	74.00	-12.31	45.40	34.13	12.03	29.87	0.00	155	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5142.84	61.69	74.00	-12.31	45.40	34.13	12.03	29.87	0.00	155	58	PEAK																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>116.31</td><td>-----</td><td>-----</td><td>99.67</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>155</td><td>58</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	116.31	-----	-----	99.67	34.40	12.15	29.91	0.00	155	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5300.00	116.31	-----	-----	99.67	34.40	12.15	29.91	0.00	155	58	PEAK																																										
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.40</td><td>50.41</td><td>54.00</td><td>-3.59</td><td>34.12</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>155</td><td>58</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.40	50.41	54.00	-3.59	34.12	34.13	12.03	29.87	0.00	155	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5142.40	50.41	54.00	-3.59	34.12	34.13	12.03	29.87	0.00	155	58	AVERAGE																																										
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>107.79</td><td>-----</td><td>-----</td><td>91.14</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>155</td><td>58</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	107.79	-----	-----	91.14	34.40	12.16	29.91	0.00	155	58
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5300.00	107.79	-----	-----	91.14	34.40	12.16	29.91	0.00	155	58	AVERAGE																																										







Mode	11																																																	
	Band Edge - R																																																	
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																	
ANT	CDD 1S2T																																																	
Pol.	Vertical						Fundamental																																											
Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5356.74</td><td>61.88</td><td>74.00</td><td>-12.12</td><td>45.08</td><td>34.43</td><td>12.21</td><td>29.84</td><td>0.00</td><td>155</td><td>58</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5356.74	61.88	74.00	-12.12	45.08	34.43	12.21	29.84	0.00	155	58	PEAK	Blank				
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	5356.74	61.88	74.00	-12.12	45.08	34.43	12.21	29.84	0.00	155	58	PEAK																																						
Avg	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Loss</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5374.43</td><td>49.17</td><td>54.00</td><td>-4.83</td><td>32.25</td><td>34.50</td><td>12.23</td><td>29.81</td><td>0.00</td><td>155</td><td>58</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5374.43	49.17	54.00	-4.83	32.25	34.50	12.23	29.81	0.00	155	58	AVERAGE	Blank				
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Loss	Aux Factor	APos	TPos	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																							
1	5374.43	49.17	54.00	-4.83	32.25	34.50	12.23	29.81	0.00	155	58	AVERAGE																																						







Mode	11																																																																																																																																																																																																																													
	Harmonic																																																																																																																																																																																																																													
	U-NII-2A_5.25-5.35_802.11a_CH60_5300MHz																																																																																																																																																																																																																													
ANT	CDD 1S2T																																																																																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																																																																																												
Peak Avg																																																																																																																																																																																																																														
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>10600.00</td><td>44.83</td><td>74.00</td><td>-29.17</td><td>54.63</td><td>37.60</td><td>17.77</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>2</td><td>15900.00</td><td>48.38</td><td>74.00</td><td>-25.62</td><td>50.46</td><td>40.40</td><td>21.94</td><td>64.42</td><td>0.00</td><td>100</td><td>360</td><td>PEAK</td><td></td><td></td><td></td><td></td></tr><tr><td>3</td><td>15900.00</td><td>35.51</td><td>54.00</td><td>-18.49</td><td>37.58</td><td>40.41</td><td>21.93</td><td>64.41</td><td>0.00</td><td>100</td><td>360</td><td>AVERAGE</td><td></td><td></td><td></td><td></td></tr></table>			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg				1	10600.00	44.83	74.00	-29.17	54.63	37.60	17.77	65.17	0.00	--	--	--	--	PEAK			2	15900.00	48.38	74.00	-25.62	50.46	40.40	21.94	64.42	0.00	100	360	PEAK					3	15900.00	35.51	54.00	-18.49	37.58	40.41	21.93	64.41	0.00	100	360	AVERAGE					<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="3">Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>10600.00</td><td>44.35</td><td>74.00</td><td>-29.65</td><td>54.15</td><td>37.60</td><td>17.77</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>2</td><td>11977.13</td><td>50.97</td><td>74.00</td><td>-23.03</td><td>58.28</td><td>38.58</td><td>19.01</td><td>64.90</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td>PEAK</td><td></td><td></td></tr><tr><td>3</td><td>15900.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>50.55</td><td>40.40</td><td>21.94</td><td>64.42</td><td>0.00</td><td>300</td><td>360</td><td>PEAK</td><td></td><td></td><td></td><td></td></tr><tr><td>4</td><td>15900.00</td><td>36.34</td><td>54.00</td><td>-17.66</td><td>38.42</td><td>40.40</td><td>21.94</td><td>64.42</td><td>0.00</td><td>300</td><td>360</td><td>AVERAGE</td><td></td><td></td><td></td><td></td></tr></table>			Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg				MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg				1	10600.00	44.35	74.00	-29.65	54.15	37.60	17.77	65.17	0.00	--	--	--	--	PEAK			2	11977.13	50.97	74.00	-23.03	58.28	38.58	19.01	64.90	0.00	--	--	--	--	PEAK			3	15900.00	48.47	74.00	-25.53	50.55	40.40	21.94	64.42	0.00	300	360	PEAK					4	15900.00	36.34	54.00	-17.66	38.42	40.40	21.94	64.42	0.00	300	360	AVERAGE			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																														
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																	
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	10600.00	44.83	74.00	-29.17	54.63	37.60	17.77	65.17	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																
2	15900.00	48.38	74.00	-25.62	50.46	40.40	21.94	64.42	0.00	100	360	PEAK																																																																																																																																																																																																																		
3	15900.00	35.51	54.00	-18.49	37.58	40.41	21.93	64.41	0.00	100	360	AVERAGE																																																																																																																																																																																																																		
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																														
Freq		Level	Line Margin	Level	Factor	Level	Factor	Loss Factor	Factor	Factor	Factor	cm	deg																																																																																																																																																																																																																	
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																	
1	10600.00	44.35	74.00	-29.65	54.15	37.60	17.77	65.17	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																
2	11977.13	50.97	74.00	-23.03	58.28	38.58	19.01	64.90	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																
3	15900.00	48.47	74.00	-25.53	50.55	40.40	21.94	64.42	0.00	300	360	PEAK																																																																																																																																																																																																																		
4	15900.00	36.34	54.00	-17.66	38.42	40.40	21.94	64.42	0.00	300	360	AVERAGE																																																																																																																																																																																																																		



Mode	12																																																						
	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.22</td><td>62.10</td><td>74.00</td><td>-11.90</td><td>45.33</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>251</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.22	62.10	74.00	-11.90	45.33	34.40	12.21	29.84	0.00	251	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.22	62.10	74.00	-11.90	45.33	34.40	12.21	29.84	0.00	251	360	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>112.42</td><td>-----</td><td>-----</td><td>95.73</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>251</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	112.42	-----	-----	95.73	34.40	12.18	29.89	0.00	251	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	112.42	-----	-----	95.73	34.40	12.18	29.89	0.00	251	360	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.54</td><td>48.13</td><td>54.00</td><td>-5.87</td><td>31.35</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>251</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.54	48.13	54.00	-5.87	31.35	34.41	12.21	29.84	0.00	251	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.54	48.13	54.00	-5.87	31.35	34.41	12.21	29.84	0.00	251	360	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.17</td><td>-----</td><td>-----</td><td>86.48</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>251</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.17	-----	-----	86.48	34.40	12.18	29.89	0.00	251	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	103.17	-----	-----	86.48	34.40	12.18	29.89	0.00	251	360	AVERAGE																																											







Mode	12																																																																																																														
	Band Edge																																																																																																														
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>71.96</td><td>74.00</td><td>-2.04</td><td>55.19</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>151</td><td>60</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	71.96	74.00	-2.04	55.19	34.40	12.21	29.84	0.00	151	60	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>117.78</td><td>-----</td><td>-----</td><td>101.09</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>151</td><td>60</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	117.78	-----	-----	101.09	34.40	12.18	29.89	0.00	151	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.00	71.96	74.00	-2.04	55.19	34.40	12.21	29.84	0.00	151	60	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	117.78	-----	-----	101.09	34.40	12.18	29.89	0.00	151	60	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.07</td><td>52.42</td><td>54.00</td><td>-1.58</td><td>35.65</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>151</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.07	52.42	54.00	-1.58	35.65	34.40	12.21	29.84	0.00	151	60	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>108.76</td><td>-----</td><td>-----</td><td>92.07</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>151</td><td>60</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.76	-----	-----	92.07	34.40	12.18	29.89	0.00	151	60
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5350.07	52.42	54.00	-1.58	35.65	34.40	12.21	29.84	0.00	151	60	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5320.00	108.76	-----	-----	92.07	34.40	12.18	29.89	0.00	151	60	AVERAGE																																																																																																			





Mode	12																																																																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11a_CH64_5320MHz																																																																																																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																																																																																																											
Pol.	Horizontal								Vertical																																																																																																																																																																																																																																			
Peak Avg																																																																																																																																																																																																																																												
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>10640.00</td><td>44.65</td><td>74.00</td><td>-29.35</td><td>54.33</td><td>37.64</td><td>17.80</td><td>65.12</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td colspan="3">PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>48.04</td><td>74.00</td><td>-25.96</td><td>49.97</td><td>40.52</td><td>21.99</td><td>64.44</td><td>0.00</td><td>100</td><td>360</td><td colspan="3">PEAK</td><td colspan="2"></td></tr><tr><td>3</td><td>15960.00</td><td>35.87</td><td>54.00</td><td>-18.13</td><td>37.80</td><td>40.52</td><td>21.99</td><td>64.44</td><td>0.00</td><td>100</td><td>360</td><td colspan="3">AVERAGE</td><td colspan="2"></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor							MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg				1	10640.00	44.65	74.00	-29.35	54.33	37.64	17.80	65.12	0.00	--	--	--	--	PEAK			2	15960.00	48.04	74.00	-25.96	49.97	40.52	21.99	64.44	0.00	100	360	PEAK					3	15960.00	35.87	54.00	-18.13	37.80	40.52	21.99	64.44	0.00	100	360	AVERAGE					<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">Aux</th><th colspan="2">APos</th><th colspan="2">TPos</th><th>Remark</th></tr><tr><th colspan="2">Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th colspan="2">MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="3"></th></tr><tr><td>1</td><td>10640.00</td><td>44.52</td><td>74.00</td><td>-29.48</td><td>54.20</td><td>37.64</td><td>17.80</td><td>65.12</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td colspan="3">PEAK</td></tr><tr><td>2</td><td>11992.53</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>58.46</td><td>38.59</td><td>19.02</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>--</td><td>--</td><td colspan="3">PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>55.53</td><td>40.52</td><td>21.99</td><td>64.44</td><td>0.00</td><td>328</td><td>287</td><td colspan="3">PEAK</td><td colspan="2"></td></tr><tr><td>4</td><td>15960.00</td><td>37.49</td><td>54.00</td><td>-16.51</td><td>39.42</td><td>40.52</td><td>21.99</td><td>64.44</td><td>0.00</td><td>328</td><td>287</td><td colspan="3">AVERAGE</td><td colspan="2"></td></tr></table>										Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark	Freq		Level	Line Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor							MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg				1	10640.00	44.52	74.00	-29.48	54.20	37.64	17.80	65.12	0.00	--	--	--	--	PEAK			2	11992.53	51.14	74.00	-22.86	58.46	38.59	19.02	64.93	0.00	--	--	--	--	PEAK			3	15960.00	53.60	74.00	-20.40	55.53	40.52	21.99	64.44	0.00	328	287	PEAK					4	15960.00	37.49	54.00	-16.51	39.42	40.52	21.99	64.44	0.00	328	287	AVERAGE			
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																												
Freq		Level	Line Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																		
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
1	10640.00	44.65	74.00	-29.35	54.33	37.64	17.80	65.12	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																														
2	15960.00	48.04	74.00	-25.96	49.97	40.52	21.99	64.44	0.00	100	360	PEAK																																																																																																																																																																																																																																
3	15960.00	35.87	54.00	-18.13	37.80	40.52	21.99	64.44	0.00	100	360	AVERAGE																																																																																																																																																																																																																																
		Limit		Read		Ant		Cable Preamp		Aux		APos		TPos		Remark																																																																																																																																																																																																																												
Freq		Level	Line Margin	Level	Factor	Loss	Factor	Loss	Factor	Factor																																																																																																																																																																																																																																		
MHz		dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	dB	cm	deg																																																																																																																																																																																																																															
1	10640.00	44.52	74.00	-29.48	54.20	37.64	17.80	65.12	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																														
2	11992.53	51.14	74.00	-22.86	58.46	38.59	19.02	64.93	0.00	--	--	--	--	PEAK																																																																																																																																																																																																																														
3	15960.00	53.60	74.00	-20.40	55.53	40.52	21.99	64.44	0.00	328	287	PEAK																																																																																																																																																																																																																																
4	15960.00	37.49	54.00	-16.51	39.42	40.52	21.99	64.44	0.00	328	287	AVERAGE																																																																																																																																																																																																																																







Mode	13																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5141.40</td><td>62.75</td><td>74.00</td><td>-11.25</td><td>46.46</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>307</td><td>20</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5141.40	62.75	74.00	-11.25	46.46	34.13	12.03	29.87	0.00	307	20	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>112.52</td><td>-----</td><td>-----</td><td>95.90</td><td>34.40</td><td>12.12</td><td>29.90</td><td>0.00</td><td>307</td><td>20</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	112.52	-----	-----	95.90	34.40	12.12	29.90	0.00	307	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5141.40	62.75	74.00	-11.25	46.46	34.13	12.03	29.87	0.00	307	20	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5260.00	112.52	-----	-----	95.90	34.40	12.12	29.90	0.00	307	20	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.09</td><td>51.21</td><td>54.00</td><td>-2.79</td><td>34.92</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>307</td><td>20</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.09	51.21	54.00	-2.79	34.92	34.13	12.03	29.87	0.00	307	20	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5260.00</td><td>101.47</td><td>-----</td><td>-----</td><td>84.85</td><td>34.40</td><td>12.12</td><td>29.90</td><td>0.00</td><td>307</td><td>20</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5260.00	101.47	-----	-----	84.85	34.40	12.12	29.90	0.00	307	20
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5142.09	51.21	54.00	-2.79	34.92	34.13	12.03	29.87	0.00	307	20	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5260.00	101.47	-----	-----	84.85	34.40	12.12	29.90	0.00	307	20	AVERAGE																																																																																							





Mode	13																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5432.04</td><td>64.25</td><td>74.00</td><td>-9.75</td><td>47.19</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>307</td><td>20</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5432.04	64.25	74.00	-9.75	47.19	34.60	12.29	29.83	0.00	307	20	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5432.04	64.25	74.00	-9.75	47.19	34.60	12.29	29.83	0.00	307	20	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5416.96</td><td>51.82</td><td>54.00</td><td>-2.18</td><td>34.76</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>307</td><td>20</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5416.96	51.82	54.00	-2.18	34.76	34.60	12.27	29.81	0.00	307	20	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5416.96	51.82	54.00	-2.18	34.76	34.60	12.27	29.81	0.00	307	20	AVERAGE																																												



		13																																																																																																									
Mode		Band Edge - L																																																																																																									
		U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																																									
ANT		CDD 1S2T																																																																																																									
Pol.	Vertical												Fundamental																																																																																														
Peak																																																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5140.47	64.46	74.00	-9.54	48.16	34.14	12.03	29.87	0.00	153	241 PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5260.00	118.53	-----	-----	101.91	34.40	12.12	29.90	0.00	153	241 PEAK											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5140.47	64.46	74.00	-9.54	48.16	34.14	12.03	29.87	0.00	153	241 PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5260.00	118.53	-----	-----	101.91	34.40	12.12	29.90	0.00	153	241 PEAK																																																																																																
Avg																																																																																																											
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5104.99	52.88	54.00	-1.12	36.45	34.28	12.00	29.85	0.00	153	241 AVERAGE		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos				Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5260.00	108.07	-----	-----	91.45	34.40	12.12	29.90	0.00	153	241 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5104.99	52.88	54.00	-1.12	36.45	34.28	12.00	29.85	0.00	153	241 AVERAGE																																																																																																
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5260.00	108.07	-----	-----	91.45	34.40	12.12	29.90	0.00	153	241 AVERAGE																																																																																																







Mode	13																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5385.37</td><td>65.59</td><td>74.00</td><td>-8.41</td><td>48.61</td><td>34.54</td><td>12.24</td><td>29.80</td><td>0.00</td><td>153</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5385.37	65.59	74.00	-8.41	48.61	34.54	12.24	29.80	0.00	153	241	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5385.37	65.59	74.00	-8.41	48.61	34.54	12.24	29.80	0.00	153	241	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5417.80</td><td>53.52</td><td>54.00</td><td>-0.48</td><td>36.46</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>153</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.80	53.52	54.00	-0.48	36.46	34.60	12.27	29.81	0.00	153	241	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5417.80	53.52	54.00	-0.48	36.46	34.60	12.27	29.81	0.00	153	241	AVERAGE																																												



Mode	13																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE20_CH52_5260MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10520.00</td><td>44.72</td><td>68.20</td><td>-23.48</td><td>54.69</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15780.00</td><td>48.06</td><td>74.00</td><td>-25.94</td><td>50.16</td><td>40.44</td><td>21.84</td><td>64.38</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3 15780.00</td><td>34.78</td><td>54.00</td><td>-19.22</td><td>36.89</td><td>40.43</td><td>21.84</td><td>64.38</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	44.72	68.20	-23.48	54.69	37.60	17.69	65.26	0.00	--	--	PEAK	2 15780.00	48.06	74.00	-25.94	50.16	40.44	21.84	64.38	0.00	100	0	PEAK	3 15780.00	34.78	54.00	-19.22	36.89	40.43	21.84	64.38	0.00	100	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10520.00</td><td>45.91</td><td>68.20</td><td>-22.29</td><td>55.88</td><td>37.60</td><td>17.69</td><td>65.26</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11981.53</td><td>51.40</td><td>74.00</td><td>-22.60</td><td>58.72</td><td>38.58</td><td>19.01</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15780.00</td><td>51.67</td><td>74.00</td><td>-22.33</td><td>53.77</td><td>40.44</td><td>21.84</td><td>64.38</td><td>0.00</td><td>282</td><td>158</td><td>PEAK</td></tr><tr><td>4 15780.00</td><td>36.00</td><td>54.00</td><td>-18.00</td><td>38.12</td><td>40.42</td><td>21.84</td><td>64.38</td><td>0.00</td><td>282</td><td>158</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10520.00	45.91	68.20	-22.29	55.88	37.60	17.69	65.26	0.00	--	--	PEAK	2 11981.53	51.40	74.00	-22.60	58.72	38.58	19.01	64.91	0.00	--	--	PEAK	3 15780.00	51.67	74.00	-22.33	53.77	40.44	21.84	64.38	0.00	282	158	PEAK	4 15780.00	36.00	54.00	-18.00	38.12	40.42	21.84	64.38	0.00	282	158
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10520.00	44.72	68.20	-23.48	54.69	37.60	17.69	65.26	0.00	--	--	PEAK																																																																																																																																																	
2 15780.00	48.06	74.00	-25.94	50.16	40.44	21.84	64.38	0.00	100	0	PEAK																																																																																																																																																	
3 15780.00	34.78	54.00	-19.22	36.89	40.43	21.84	64.38	0.00	100	0	AVERAGE																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10520.00	45.91	68.20	-22.29	55.88	37.60	17.69	65.26	0.00	--	--	PEAK																																																																																																																																																	
2 11981.53	51.40	74.00	-22.60	58.72	38.58	19.01	64.91	0.00	--	--	PEAK																																																																																																																																																	
3 15780.00	51.67	74.00	-22.33	53.77	40.44	21.84	64.38	0.00	282	158	PEAK																																																																																																																																																	
4 15780.00	36.00	54.00	-18.00	38.12	40.42	21.84	64.38	0.00	282	158	AVERAGE																																																																																																																																																	



Mode	14																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5106.32</td><td>63.49</td><td>74.00</td><td>-10.51</td><td>47.07</td><td>34.27</td><td>12.00</td><td>29.85</td><td>0.00</td><td>237</td><td>18</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5106.32	63.49	74.00	-10.51	47.07	34.27	12.00	29.85	0.00	237	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5106.32	63.49	74.00	-10.51	47.07	34.27	12.00	29.85	0.00	237	18	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>112.46</td><td>-----</td><td>-----</td><td>95.81</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>237</td><td>18</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	112.46	-----	-----	95.81	34.40	12.16	29.91	0.00	237	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5300.00	112.46	-----	-----	95.81	34.40	12.16	29.91	0.00	237	18	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5133.82</td><td>51.07</td><td>54.00</td><td>-2.93</td><td>34.75</td><td>34.16</td><td>12.02</td><td>29.86</td><td>0.00</td><td>237</td><td>18</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5133.82	51.07	54.00	-2.93	34.75	34.16	12.02	29.86	0.00	237	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5133.82	51.07	54.00	-2.93	34.75	34.16	12.02	29.86	0.00	237	18	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.00</td><td>102.57</td><td>-----</td><td>-----</td><td>85.92</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>237</td><td>18</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	102.57	-----	-----	85.92	34.40	12.16	29.91	0.00	237	18
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5300.00	102.57	-----	-----	85.92	34.40	12.16	29.91	0.00	237	18	AVERAGE																																											



Mode	14																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5396.02</td><td>63.88</td><td>74.00</td><td>-10.12</td><td>46.84</td><td>34.58</td><td>12.25</td><td>29.79</td><td>0.00</td><td>237</td><td>18</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5396.02	63.88	74.00	-10.12	46.84	34.58	12.25	29.79	0.00	237	18	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5396.02	63.88	74.00	-10.12	46.84	34.58	12.25	29.79	0.00	237	18	PEAK																																												
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5393.41</td><td>51.97</td><td>54.00</td><td>-2.03</td><td>34.95</td><td>34.57</td><td>12.24</td><td>29.79</td><td>0.00</td><td>237</td><td>18</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.41	51.97	54.00	-2.03	34.95	34.57	12.24	29.79	0.00	237	18	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5393.41	51.97	54.00	-2.03	34.95	34.57	12.24	29.79	0.00	237	18	AVERAGE																																												





Mode	14																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5143.28</td><td>65.84</td><td>74.00</td><td>-8.16</td><td>49.55</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>166</td><td>92</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5143.28	65.84	74.00	-8.16	49.55	34.13	12.03	29.87	0.00	166	92	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>119.48</td><td>-----</td><td>-----</td><td>102.84</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>166</td><td>92</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	119.48	-----	-----	102.84	34.40	12.15	29.91	0.00	166	92
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5143.28	65.84	74.00	-8.16	49.55	34.13	12.03	29.87	0.00	166	92	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5300.00	119.48	-----	-----	102.84	34.40	12.15	29.91	0.00	166	92	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.04</td><td>52.77</td><td>54.00</td><td>-1.23</td><td>36.46</td><td>34.15</td><td>12.03</td><td>29.87</td><td>0.00</td><td>166</td><td>92</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.04	52.77	54.00	-1.23	36.46	34.15	12.03	29.87	0.00	166	92	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5300.00</td><td>108.24</td><td>-----</td><td>-----</td><td>91.59</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>166</td><td>92</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.00	108.24	-----	-----	91.59	34.40	12.16	29.91	0.00	166	92
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5138.04	52.77	54.00	-1.23	36.46	34.15	12.03	29.87	0.00	166	92	AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5300.00	108.24	-----	-----	91.59	34.40	12.16	29.91	0.00	166	92	AVERAGE																																																																																							







Mode	14										
	Band Edge - R										
	U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz										
ANT	CDD 1S2T										
Pol.	Vertical										
Peak	Level (dBuV/m) <										







		14																																																																																																																																																										
Mode		Harmonic																																																																																																																																																										
		U-NII-2A_5.25-5.35_802.11ax HE20_CH60_5300MHz																																																																																																																																																										
ANT		CDD 1S2T																																																																																																																																																										
Pol.		Horizontal											Vertical																																																																																																																																															
Peak Avg																																																																																																																																																												
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10600.00</td><td>44.15</td><td>74.00</td><td>-29.85</td><td>53.95</td><td>37.60</td><td>17.77</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15900.00</td><td>47.23</td><td>74.00</td><td>-26.77</td><td>49.31</td><td>40.40</td><td>21.94</td><td>64.42</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3 15900.00</td><td>35.45</td><td>54.00</td><td>-18.55</td><td>37.52</td><td>40.41</td><td>21.93</td><td>64.41</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	44.15	74.00	-29.85	53.95	37.60	17.77	65.17	0.00	--	--	PEAK	2 15900.00	47.23	74.00	-26.77	49.31	40.40	21.94	64.42	0.00	100	0	PEAK	3 15900.00	35.45	54.00	-18.55	37.52	40.41	21.93	64.41	0.00	100	0	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 10600.00</td><td>45.75</td><td>74.00</td><td>-28.25</td><td>55.55</td><td>37.60</td><td>17.77</td><td>65.17</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11996.20</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>58.12</td><td>38.60</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15900.00</td><td>46.96</td><td>74.00</td><td>-27.04</td><td>49.04</td><td>40.40</td><td>21.94</td><td>64.42</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10600.00	45.75	74.00	-28.25	55.55	37.60	17.77	65.17	0.00	--	--	PEAK	2 11996.20	50.82	74.00	-23.18	58.12	38.60	19.03	64.93	0.00	--	--	PEAK	3 15900.00	46.96	74.00	-27.04	49.04	40.40	21.94	64.42	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10600.00	44.15	74.00	-29.85	53.95	37.60	17.77	65.17	0.00	--	--	PEAK																																																																																																																																																	
2 15900.00	47.23	74.00	-26.77	49.31	40.40	21.94	64.42	0.00	100	0	PEAK																																																																																																																																																	
3 15900.00	35.45	54.00	-18.55	37.52	40.41	21.93	64.41	0.00	100	0	AVERAGE																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10600.00	45.75	74.00	-28.25	55.55	37.60	17.77	65.17	0.00	--	--	PEAK																																																																																																																																																	
2 11996.20	50.82	74.00	-23.18	58.12	38.60	19.03	64.93	0.00	--	--	PEAK																																																																																																																																																	
3 15900.00	46.96	74.00	-27.04	49.04	40.40	21.94	64.42	0.00	--	--	PEAK																																																																																																																																																	





	15																																																						
Mode	Band Edge																																																						
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.95</td><td>66.33</td><td>74.00</td><td>-7.67</td><td>49.56</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>375</td><td>23</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.95	66.33	74.00	-7.67	49.56	34.40	12.21	29.84	0.00	375	23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.95	66.33	74.00	-7.67	49.56	34.40	12.21	29.84	0.00	375	23	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>111.61</td><td>-----</td><td>-----</td><td>94.92</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>375</td><td>23</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	111.61	-----	-----	94.92	34.40	12.18	29.89	0.00	375	23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	111.61	-----	-----	94.92	34.40	12.18	29.89	0.00	375	23	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.49</td><td>51.78</td><td>54.00</td><td>-2.22</td><td>35.00</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>375</td><td>23</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.49	51.78	54.00	-2.22	35.00	34.41	12.21	29.84	0.00	375	23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5352.49	51.78	54.00	-2.22	35.00	34.41	12.21	29.84	0.00	375	23	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>101.64</td><td>-----</td><td>-----</td><td>84.95</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>375</td><td>23</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	101.64	-----	-----	84.95	34.40	12.18	29.89	0.00	375	23
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5320.00	101.64	-----	-----	84.95	34.40	12.18	29.89	0.00	375	23	AVERAGE																																											







	15																																																																																															
Mode	Band Edge																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																															
ANT	CDD 1S2T																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.22</td><td>73.42</td><td>74.00</td><td>-0.58</td><td>56.65</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>163</td><td>92 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.22	73.42	74.00	-0.58	56.65	34.40	12.21	29.84	0.00	163	92 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>117.99</td><td>-----</td><td>-----</td><td>101.32</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>163</td><td>92 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	117.99	-----	-----	101.32	34.40	12.17	29.90	0.00	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5350.22	73.42	74.00	-0.58	56.65	34.40	12.21	29.84	0.00	163	92 PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5320.00	117.99	-----	-----	101.32	34.40	12.17	29.90	0.00	163	92 PEAK																																																																																					
Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.65</td><td>53.86</td><td>54.00</td><td>-0.14</td><td>37.09</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>163</td><td>92 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.65	53.86	54.00	-0.14	37.09	34.40	12.21	29.84	0.00	163	92 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>107.34</td><td>-----</td><td>-----</td><td>90.65</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>163</td><td>92 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	107.34	-----	-----	90.65	34.40	12.18	29.89	0.00	163
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5350.65	53.86	54.00	-0.14	37.09	34.40	12.21	29.84	0.00	163	92 AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	5320.00	107.34	-----	-----	90.65	34.40	12.18	29.89	0.00	163	92 AVERAGE																																																																																					





		15																																																																																									
Mode		Harmonic																																																																																									
		U-NII-2A_5.25-5.35_802.11ax HE20_CH64_5320MHz																																																																																									
ANT		CDD 1S2T																																																																																									
Pol.		Horizontal						Vertical																																																																																			
Peak Avg																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>44.48</td><td>74.00</td><td>-29.52</td><td>54.16</td><td>37.64</td><td>17.80</td><td>65.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15960.00</td><td>46.85</td><td>74.00</td><td>-27.15</td><td>48.78</td><td>40.52</td><td>21.99</td><td>64.44</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	44.48	74.00	-29.52	54.16	37.64	17.80	65.12	0.00	--	PEAK	2	15960.00	46.85	74.00	-27.15	48.78	40.52	21.99	64.44	0.00	--	PEAK																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10640.00	44.48	74.00	-29.52	54.16	37.64	17.80	65.12	0.00	--	PEAK																																																																																
2	15960.00	46.85	74.00	-27.15	48.78	40.52	21.99	64.44	0.00	--	PEAK																																																																																
																																																																																											
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10640.00</td><td>43.38</td><td>74.00</td><td>-30.62</td><td>53.06</td><td>37.64</td><td>17.80</td><td>65.12</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11987.40</td><td>50.76</td><td>74.00</td><td>-23.24</td><td>58.07</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15960.00</td><td>48.59</td><td>74.00</td><td>-25.41</td><td>50.52</td><td>40.52</td><td>21.99</td><td>64.44</td><td>0.00</td><td>303</td><td>213 PEAK</td></tr><tr><td>4</td><td>15960.00</td><td>35.94</td><td>54.00</td><td>-18.06</td><td>37.88</td><td>40.51</td><td>21.99</td><td>64.44</td><td>0.00</td><td>303</td><td>213 AVERAGE</td></tr></tbody></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10640.00	43.38	74.00	-30.62	53.06	37.64	17.80	65.12	0.00	--	PEAK	2	11987.40	50.76	74.00	-23.24	58.07	38.59	19.02	64.92	0.00	--	PEAK	3	15960.00	48.59	74.00	-25.41	50.52	40.52	21.99	64.44	0.00	303	213 PEAK	4	15960.00	35.94	54.00	-18.06	37.88	40.51	21.99	64.44	0.00	303	213 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	10640.00	43.38	74.00	-30.62	53.06	37.64	17.80	65.12	0.00	--	PEAK																																																																																
2	11987.40	50.76	74.00	-23.24	58.07	38.59	19.02	64.92	0.00	--	PEAK																																																																																
3	15960.00	48.59	74.00	-25.41	50.52	40.52	21.99	64.44	0.00	303	213 PEAK																																																																																
4	15960.00	35.94	54.00	-18.06	37.88	40.51	21.99	64.44	0.00	303	213 AVERAGE																																																																																







Mode	16																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5126.59</td><td>58.23</td><td>74.00</td><td>-15.77</td><td>41.88</td><td>34.19</td><td>12.02</td><td>29.86</td><td>0.00</td><td>238</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5126.59	58.23	74.00	-15.77	41.88	34.19	12.02	29.86	0.00	238	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5126.59	58.23	74.00	-15.77	41.88	34.19	12.02	29.86	0.00	238	360	PEAK																																											
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>109.60</td><td>-----</td><td>-----</td><td>92.96</td><td>34.40</td><td>12.14</td><td>29.90</td><td>0.00</td><td>238</td><td>360</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	109.60	-----	-----	92.96	34.40	12.14	29.90	0.00	238	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	109.60	-----	-----	92.96	34.40	12.14	29.90	0.00	238	360	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5112.12</td><td>45.99</td><td>54.00</td><td>-8.01</td><td>29.58</td><td>34.25</td><td>12.01</td><td>29.85</td><td>0.00</td><td>238</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5112.12	45.99	54.00	-8.01	29.58	34.25	12.01	29.85	0.00	238	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5112.12	45.99	54.00	-8.01	29.58	34.25	12.01	29.85	0.00	238	360	AVERAGE																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>98.64</td><td>-----</td><td>-----</td><td>82.01</td><td>34.40</td><td>12.14</td><td>29.91</td><td>0.00</td><td>238</td><td>360</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	98.64	-----	-----	82.01	34.40	12.14	29.91	0.00	238	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5270.00	98.64	-----	-----	82.01	34.40	12.14	29.91	0.00	238	360	AVERAGE																																											





Mode	16																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5431.51</td><td>59.97</td><td>74.00</td><td>-14.03</td><td>42.91</td><td>34.60</td><td>12.29</td><td>29.83</td><td>0.00</td><td>238</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5431.51	59.97	74.00	-14.03	42.91	34.60	12.29	29.83	0.00	238	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5431.51	59.97	74.00	-14.03	42.91	34.60	12.29	29.83	0.00	238	360	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.23</td><td>47.45</td><td>54.00</td><td>-6.55</td><td>30.38</td><td>34.60</td><td>12.27</td><td>29.80</td><td>0.00</td><td>238</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.23	47.45	54.00	-6.55	30.38	34.60	12.27	29.80	0.00	238	360	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5412.23	47.45	54.00	-6.55	30.38	34.60	12.27	29.80	0.00	238	360	AVERAGE																																												





Mode	16																																																					
	Band Edge - L																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical						Fundamental																																															
Peak																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5107.42</td><td>61.56</td><td>74.00</td><td>-12.44</td><td>45.13</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>179 74 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5107.42	61.56	74.00	-12.44	45.13	34.27	12.01	29.85	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5107.42	61.56	74.00	-12.44	45.13	34.27	12.01	29.85	0.00	179 74 PEAK																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>117.54</td><td>-----</td><td>-----</td><td>100.91</td><td>34.40</td><td>12.13</td><td>29.90</td><td>0.00</td><td>179 74 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	117.54	-----	-----	100.91	34.40	12.13	29.90	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5270.00	117.54	-----	-----	100.91	34.40	12.13	29.90	0.00	179 74 PEAK																																												
Avg																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.86</td><td>49.65</td><td>54.00</td><td>-4.35</td><td>33.26</td><td>34.24</td><td>12.01</td><td>29.86</td><td>0.00</td><td>179 74 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.86	49.65	54.00	-4.35	33.26	34.24	12.01	29.86	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5114.86	49.65	54.00	-4.35	33.26	34.24	12.01	29.86	0.00	179 74 AVERAGE																																												
Fundamental																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5270.00</td><td>105.49</td><td>-----</td><td>-----</td><td>88.86</td><td>34.40</td><td>12.13</td><td>29.90</td><td>0.00</td><td>179 74 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5270.00	105.49	-----	-----	88.86	34.40	12.13	29.90	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5270.00	105.49	-----	-----	88.86	34.40	12.13	29.90	0.00	179 74 AVERAGE																																												



Mode	16																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.58</td><td>63.18</td><td>74.00</td><td>-10.82</td><td>46.40</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>179</td><td>74 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.58	63.18	74.00	-10.82	46.40	34.41	12.21	29.84	0.00	179	74 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.58	63.18	74.00	-10.82	46.40	34.41	12.21	29.84	0.00	179	74 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.20</td><td>50.09</td><td>54.00</td><td>-3.91</td><td>33.31</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>179</td><td>74 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.20	50.09	54.00	-3.91	33.31	34.41	12.21	29.84	0.00	179	74 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5353.20	50.09	54.00	-3.91	33.31	34.41	12.21	29.84	0.00	179	74 AVERAGE																																											





Mode	16																																																																																																																																															
	Harmonic																																																																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE40_CH54_5270MHz																																																																																																																																															
ANT	CDD 1S2T																																																																																																																																															
Pol.	Horizontal						Vertical																																																																																																																																									
Peak Avg																																																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10540.00</td><td>45.60</td><td>68.20</td><td>-22.60</td><td>55.53</td><td>37.60</td><td>17.71</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15810.00</td><td>47.30</td><td>74.00</td><td>-26.70</td><td>49.33</td><td>40.49</td><td>21.87</td><td>64.39</td><td>0.00</td><td>111</td><td>137</td><td>PEAK</td></tr><tr><td>3 15810.00</td><td>35.13</td><td>54.00</td><td>-18.87</td><td>37.17</td><td>40.49</td><td>21.86</td><td>64.39</td><td>0.00</td><td>111</td><td>137</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	45.60	68.20	-22.60	55.53	37.60	17.71	65.24	0.00	--	--	PEAK	2 15810.00	47.30	74.00	-26.70	49.33	40.49	21.87	64.39	0.00	111	137	PEAK	3 15810.00	35.13	54.00	-18.87	37.17	40.49	21.86	64.39	0.00	111	137	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10540.00</td><td>45.99</td><td>68.20</td><td>-22.21</td><td>55.92</td><td>37.60</td><td>17.71</td><td>65.24</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11990.33</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>58.90</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15810.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>48.90</td><td>40.49</td><td>21.87</td><td>64.39</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10540.00	45.99	68.20	-22.21	55.92	37.60	17.71	65.24	0.00	--	--	PEAK	2 11990.33	51.59	74.00	-22.41	58.90	38.59	19.02	64.92	0.00	--	--	PEAK	3 15810.00	46.87	74.00	-27.13	48.90	40.49	21.87	64.39	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 10540.00	45.60	68.20	-22.60	55.53	37.60	17.71	65.24	0.00	--	--	PEAK																																																																																																																																					
2 15810.00	47.30	74.00	-26.70	49.33	40.49	21.87	64.39	0.00	111	137	PEAK																																																																																																																																					
3 15810.00	35.13	54.00	-18.87	37.17	40.49	21.86	64.39	0.00	111	137	AVERAGE																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1 10540.00	45.99	68.20	-22.21	55.92	37.60	17.71	65.24	0.00	--	--	PEAK																																																																																																																																					
2 11990.33	51.59	74.00	-22.41	58.90	38.59	19.02	64.92	0.00	--	--	PEAK																																																																																																																																					
3 15810.00	46.87	74.00	-27.13	48.90	40.49	21.87	64.39	0.00	--	--	PEAK																																																																																																																																					







Mode	17																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Horizontal						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5149.28</td><td>57.82</td><td>74.00</td><td>-16.18</td><td>41.56</td><td>34.10</td><td>12.03</td><td>29.87</td><td>0.00</td><td>228</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.28	57.82	74.00	-16.18	41.56	34.10	12.03	29.87	0.00	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5149.28	57.82	74.00	-16.18	41.56	34.10	12.03	29.87	0.00	228	0 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.75</td><td>46.38</td><td>54.00</td><td>-7.62</td><td>30.06</td><td>34.15</td><td>12.03</td><td>29.86</td><td>0.00</td><td>228</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.75	46.38	54.00	-7.62	30.06	34.15	12.03	29.86	0.00	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5136.75	46.38	54.00	-7.62	30.06	34.15	12.03	29.86	0.00	228	0 AVERAGE																																												
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>108.92</td><td>-----</td><td>-----</td><td>92.23</td><td>34.40</td><td>12.18</td><td>29.89</td><td>0.00</td><td>228</td><td>0 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	108.92	-----	-----	92.23	34.40	12.18	29.89	0.00	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	108.92	-----	-----	92.23	34.40	12.18	29.89	0.00	228	0 PEAK																																												
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th colspan="2">Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>98.10</td><td>-----</td><td>-----</td><td>81.43</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>228</td><td>0 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	98.10	-----	-----	81.43	34.40	12.17	29.90	0.00	228
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5310.00	98.10	-----	-----	81.43	34.40	12.17	29.90	0.00	228	0 AVERAGE																																												





Mode	17																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Horizontal										Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.57</td><td>66.31</td><td>74.00</td><td>-7.69</td><td>49.52</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>228</td><td>0 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.57	66.31	74.00	-7.69	49.52	34.42	12.21	29.84	0.00	228	0 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5354.57	66.31	74.00	-7.69	49.52	34.42	12.21	29.84	0.00	228	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.22</td><td>52.71</td><td>54.00</td><td>-1.29</td><td>35.94</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>228</td><td>0 AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.22	52.71	54.00	-1.29	35.94	34.40	12.21	29.84	0.00	228	0 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.22	52.71	54.00	-1.29	35.94	34.40	12.21	29.84	0.00	228	0 AVERAGE																																											





Mode	17																																																																																																														
	Band Edge - L																																																																																																														
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Vertical						Fundamental																																																																																																								
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5108.47</td><td>61.34</td><td>74.00</td><td>-12.66</td><td>44.91</td><td>34.27</td><td>12.01</td><td>29.85</td><td>0.00</td><td>151</td><td>241</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5108.47	61.34	74.00	-12.66	44.91	34.27	12.01	29.85	0.00	151	241	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>112.97</td><td>-----</td><td>-----</td><td>96.30</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>151</td><td>241</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	112.97	-----	-----	96.30	34.40	12.17	29.90	0.00	151	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5108.47	61.34	74.00	-12.66	44.91	34.27	12.01	29.85	0.00	151	241	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	112.97	-----	-----	96.30	34.40	12.17	29.90	0.00	151	241	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5135.83</td><td>49.75</td><td>54.00</td><td>-4.25</td><td>33.42</td><td>34.16</td><td>12.03</td><td>29.86</td><td>0.00</td><td>151</td><td>241</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5135.83	49.75	54.00	-4.25	33.42	34.16	12.03	29.86	0.00	151	241	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>91.83</td><td>-----</td><td>-----</td><td>75.19</td><td>34.40</td><td>12.15</td><td>29.91</td><td>0.00</td><td>151</td><td>241</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	91.83	-----	-----	75.19	34.40	12.15	29.91	0.00	151	241
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5135.83	49.75	54.00	-4.25	33.42	34.16	12.03	29.86	0.00	151	241	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor				Remark																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5310.00	91.83	-----	-----	75.19	34.40	12.15	29.91	0.00	151	241	AVERAGE																																																																																																			







Mode	17																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.18</td><td>67.47</td><td>74.00</td><td>-6.53</td><td>50.67</td><td>34.43</td><td>12.21</td><td>29.84</td><td>0.00</td><td>151</td><td>241</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.18	67.47	74.00	-6.53	50.67	34.43	12.21	29.84	0.00	151	241	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5357.18	67.47	74.00	-6.53	50.67	34.43	12.21	29.84	0.00	151	241	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.07</td><td>51.54</td><td>54.00</td><td>-2.46</td><td>34.77</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>151</td><td>241</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.07	51.54	54.00	-2.46	34.77	34.40	12.21	29.84	0.00	151	241	AVERAGE	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.07	51.54	54.00	-2.46	34.77	34.40	12.21	29.84	0.00	151	241	AVERAGE																																												





Mode	17																																																																																																																																																																																
	Harmonic																																																																																																																																																																																
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_5310MHz																																																																																																																																																																																
ANT	CDD 1S2T																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																										
Peak Avg																																																																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>10620.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>54.13</td><td>37.62</td><td>17.79</td><td>65.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>15930.00</td><td>47.56</td><td>74.00</td><td>-26.44</td><td>49.57</td><td>40.46</td><td>21.96</td><td>64.43</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3</td><td>15930.00</td><td>35.50</td><td>54.00</td><td>-18.50</td><td>37.54</td><td>40.43</td><td>21.95</td><td>64.42</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	10620.00	44.40	74.00	-29.60	54.13	37.62	17.79	65.14	0.00	--	--	PEAK	2	15930.00	47.56	74.00	-26.44	49.57	40.46	21.96	64.43	0.00	100	0	PEAK	3	15930.00	35.50	54.00	-18.50	37.54	40.43	21.95	64.42	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>8496.00</td><td>48.07</td><td>74.00</td><td>-25.93</td><td>63.28</td><td>35.90</td><td>15.70</td><td>66.81</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>10620.00</td><td>44.73</td><td>74.00</td><td>-29.27</td><td>54.46</td><td>37.62</td><td>17.79</td><td>65.14</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>11983.00</td><td>51.01</td><td>74.00</td><td>-22.99</td><td>58.32</td><td>38.58</td><td>19.02</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>15930.00</td><td>47.70</td><td>74.00</td><td>-26.30</td><td>49.71</td><td>40.46</td><td>21.96</td><td>64.43</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>5</td><td>15930.00</td><td>35.46</td><td>54.00</td><td>-18.54</td><td>37.45</td><td>40.47</td><td>21.97</td><td>64.43</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	8496.00	48.07	74.00	-25.93	63.28	35.90	15.70	66.81	0.00	--	--	PEAK	2	10620.00	44.73	74.00	-29.27	54.46	37.62	17.79	65.14	0.00	--	--	PEAK	3	11983.00	51.01	74.00	-22.99	58.32	38.58	19.02	64.91	0.00	--	--	PEAK	4	15930.00	47.70	74.00	-26.30	49.71	40.46	21.96	64.43	0.00	300	0	PEAK	5	15930.00	35.46	54.00	-18.54	37.45	40.47	21.97	64.43	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	10620.00	44.40	74.00	-29.60	54.13	37.62	17.79	65.14	0.00	--	--	PEAK																																																																																																																																																																					
2	15930.00	47.56	74.00	-26.44	49.57	40.46	21.96	64.43	0.00	100	0	PEAK																																																																																																																																																																					
3	15930.00	35.50	54.00	-18.50	37.54	40.43	21.95	64.42	0.00	100	0	AVERAGE																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																																							
1	8496.00	48.07	74.00	-25.93	63.28	35.90	15.70	66.81	0.00	--	--	PEAK																																																																																																																																																																					
2	10620.00	44.73	74.00	-29.27	54.46	37.62	17.79	65.14	0.00	--	--	PEAK																																																																																																																																																																					
3	11983.00	51.01	74.00	-22.99	58.32	38.58	19.02	64.91	0.00	--	--	PEAK																																																																																																																																																																					
4	15930.00	47.70	74.00	-26.30	49.71	40.46	21.96	64.43	0.00	300	0	PEAK																																																																																																																																																																					
5	15930.00	35.46	54.00	-18.54	37.45	40.47	21.97	64.43	0.00	300	0	AVERAGE																																																																																																																																																																					







Mode	18																																																																																																												
	Band Edge - L																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																												
ANT	CDD 1S2T																																																																																																												
Pol.	Horizontal						Fundamental																																																																																																						
Peak																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.42</td><td>58.35</td><td>74.00</td><td>-15.65</td><td>42.07</td><td>34.12</td><td>12.03</td><td>29.87</td><td>0.00</td><td>309</td><td>17 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.42	58.35	74.00	-15.65	42.07	34.12	12.03	29.87	0.00	309	17 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>104.00</td><td>-----</td><td>-----</td><td>87.35</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>309</td><td>17 PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	104.00	-----	-----	87.35	34.40	12.16	29.91	0.00	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5144.42	58.35	74.00	-15.65	42.07	34.12	12.03	29.87	0.00	309	17 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5290.00	104.00	-----	-----	87.35	34.40	12.16	29.91	0.00	309	17 PEAK																																																																																																		
Avg																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5136.76</td><td>46.98</td><td>54.00</td><td>-7.02</td><td>30.66</td><td>34.15</td><td>12.03</td><td>29.86</td><td>0.00</td><td>309</td><td>17 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5136.76	46.98	54.00	-7.02	30.66	34.15	12.03	29.86	0.00	309	17 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>93.92</td><td>-----</td><td>-----</td><td>77.28</td><td>34.40</td><td>12.14</td><td>29.90</td><td>0.00</td><td>309</td><td>17 AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	93.92	-----	-----	77.28	34.40	12.14	29.90	0.00	309
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5136.76	46.98	54.00	-7.02	30.66	34.15	12.03	29.86	0.00	309	17 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5290.00	93.92	-----	-----	77.28	34.40	12.14	29.90	0.00	309	17 AVERAGE																																																																																																		





Mode	18																																															
	Band Edge - R																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																															
ANT	CDD 1S2T																																															
Pol.	Horizontal						Fundamental																																									
Peak							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5353.12</td><td>62.09</td><td>74.00</td><td>-11.91</td><td>45.31</td><td>34.41</td><td>12.21</td><td>29.84</td><td>0.00</td><td>309</td><td>17 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.12	62.09	74.00	-11.91	45.31
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5353.12	62.09	74.00	-11.91	45.31	34.41	12.21	29.84	0.00	309	17 PEAK																																					
Avg							Blank																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.09</td><td>50.22</td><td>54.00</td><td>-3.78</td><td>33.45</td><td>34.40</td><td>12.21</td><td>29.84</td><td>0.00</td><td>309</td><td>17 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5351.09	50.22	54.00	-3.78	33.45
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																						
1	5351.09	50.22	54.00	-3.78	33.45	34.40	12.21	29.84	0.00	309	17 AVERAGE																																					





Mode	18																																																						
	Band Edge - L																																																						
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical						Fundamental																																																
Peak																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5114.73</td><td>62.03</td><td>74.00</td><td>-11.97</td><td>45.64</td><td>34.24</td><td>12.01</td><td>29.86</td><td>0.00</td><td>150</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5114.73	62.03	74.00	-11.97	45.64	34.24	12.01	29.86	0.00	150	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5114.73	62.03	74.00	-11.97	45.64	34.24	12.01	29.86	0.00	150	78	PEAK																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>108.82</td><td>-----</td><td>-----</td><td>92.18</td><td>34.40</td><td>12.14</td><td>29.90</td><td>0.00</td><td>150</td><td>78</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	108.82	-----	-----	92.18	34.40	12.14	29.90	0.00	150	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	108.82	-----	-----	92.18	34.40	12.14	29.90	0.00	150	78	PEAK																																											
Avg																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5142.78</td><td>50.00</td><td>54.00</td><td>-3.92</td><td>33.79</td><td>34.13</td><td>12.03</td><td>29.87</td><td>0.00</td><td>150</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5142.78	50.00	54.00	-3.92	33.79	34.13	12.03	29.87	0.00	150	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5142.78	50.00	54.00	-3.92	33.79	34.13	12.03	29.87	0.00	150	78	AVERAGE																																											
Fundamental																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.60</td><td>-----</td><td>-----</td><td>73.95</td><td>34.40</td><td>12.16</td><td>29.91</td><td>0.00</td><td>150</td><td>78</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.60	-----	-----	73.95	34.40	12.16	29.91	0.00	150	78
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5290.00	90.60	-----	-----	73.95	34.40	12.16	29.91	0.00	150	78	AVERAGE																																											







Mode	18																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Vertical						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5373.55</td><td>64.33</td><td>74.00</td><td>-9.67</td><td>47.42</td><td>34.49</td><td>12.23</td><td>29.81</td><td>0.00</td><td>150</td><td>78 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5373.55	64.33	74.00	-9.67	47.42	34.49	12.23	29.81	0.00	150	78 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5373.55	64.33	74.00	-9.67	47.42	34.49	12.23	29.81	0.00	150	78 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.71</td><td>52.35</td><td>54.00</td><td>-1.65</td><td>35.56</td><td>34.42</td><td>12.21</td><td>29.84</td><td>0.00</td><td>150</td><td>78 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.71	52.35	54.00	-1.65	35.56	34.42	12.21	29.84	0.00	150	78 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5354.71	52.35	54.00	-1.65	35.56	34.42	12.21	29.84	0.00	150	78 AVERAGE																																											





Mode	18																																																																																																																																																											
	Harmonic																																																																																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_5290MHz																																																																																																																																																											
ANT	CDD 1S2T																																																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																																																					
Peak Avg																																																																																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>45.01</td><td>68.20</td><td>-23.19</td><td>54.85</td><td>37.60</td><td>17.75</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 15870.00</td><td>47.10</td><td>74.00</td><td>-26.90</td><td>49.17</td><td>40.43</td><td>21.91</td><td>64.41</td><td>0.00</td><td>100</td><td>0</td><td>PEAK</td></tr><tr><td>3 15870.00</td><td>35.98</td><td>54.00</td><td>-18.02</td><td>38.05</td><td>40.42</td><td>21.92</td><td>64.41</td><td>0.00</td><td>100</td><td>0</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10580.00	45.01	68.20	-23.19	54.85	37.60	17.75	65.19	0.00	--	--	PEAK	2 15870.00	47.10	74.00	-26.90	49.17	40.43	21.91	64.41	0.00	100	0	PEAK	3 15870.00	35.98	54.00	-18.02	38.05	40.42	21.92	64.41	0.00	100	0	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 10580.00</td><td>45.57</td><td>68.20</td><td>-22.63</td><td>55.41</td><td>37.60</td><td>17.75</td><td>65.19</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2 11990.40</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>58.73</td><td>38.60</td><td>19.03</td><td>64.94</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3 15870.00</td><td>47.52</td><td>74.00</td><td>-26.48</td><td>49.59</td><td>40.43</td><td>21.91</td><td>64.41</td><td>0.00</td><td>300</td><td>0</td><td>PEAK</td></tr><tr><td>4 15870.00</td><td>36.17</td><td>54.00</td><td>-17.83</td><td>38.23</td><td>40.42</td><td>21.93</td><td>64.41</td><td>0.00</td><td>300</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 10580.00	45.57	68.20	-22.63	55.41	37.60	17.75	65.19	0.00	--	--	PEAK	2 11990.40	51.42	74.00	-22.58	58.73	38.60	19.03	64.94	0.00	--	--	PEAK	3 15870.00	47.52	74.00	-26.48	49.59	40.43	21.91	64.41	0.00	300	0	PEAK	4 15870.00	36.17	54.00	-17.83	38.23	40.42	21.93	64.41	0.00	300	0
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10580.00	45.01	68.20	-23.19	54.85	37.60	17.75	65.19	0.00	--	--	PEAK																																																																																																																																																	
2 15870.00	47.10	74.00	-26.90	49.17	40.43	21.91	64.41	0.00	100	0	PEAK																																																																																																																																																	
3 15870.00	35.98	54.00	-18.02	38.05	40.42	21.92	64.41	0.00	100	0	AVERAGE																																																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																		
1 10580.00	45.57	68.20	-22.63	55.41	37.60	17.75	65.19	0.00	--	--	PEAK																																																																																																																																																	
2 11990.40	51.42	74.00	-22.58	58.73	38.60	19.03	64.94	0.00	--	--	PEAK																																																																																																																																																	
3 15870.00	47.52	74.00	-26.48	49.59	40.43	21.91	64.41	0.00	300	0	PEAK																																																																																																																																																	
4 15870.00	36.17	54.00	-17.83	38.23	40.42	21.93	64.41	0.00	300	0	AVERAGE																																																																																																																																																	







		19																																																																																																								
Mode		Band Edge - L																																																																																																								
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																																								
ANT		CDD 1S2T																																																																																																								
Pol.		Horizontal					Fundamental																																																																																																			
Peak																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5121.63</td><td>63.80</td><td>74.00</td><td>-10.20</td><td>47.43</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.63	63.80	74.00	-10.20	47.43	34.21	12.02	29.86	0.00	252	0 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>96.93</td><td>-----</td><td>-----</td><td>80.23</td><td>34.40</td><td>12.18</td><td>29.88</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	96.93	-----	-----	80.23	34.40	12.18	29.88	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5121.63	63.80	74.00	-10.20	47.43	34.21	12.02	29.86	0.00	252	0 PEAK																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5250.00	96.93	-----	-----	80.23	34.40	12.18	29.88	0.00	252	0 PEAK																																																																																															
Avg																																																																																																										
		<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5121.88</td><td>48.97</td><td>54.00</td><td>-5.03</td><td>32.60</td><td>34.21</td><td>12.02</td><td>29.86</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5121.88	48.97	54.00	-5.03	32.60	34.21	12.02	29.86	0.00	252	0 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>87.51</td><td>-----</td><td>-----</td><td>70.84</td><td>34.40</td><td>12.17</td><td>29.90</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></tbody></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5250.00	87.51	-----	-----	70.84	34.40	12.17	29.90	0.00	252
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5121.88	48.97	54.00	-5.03	32.60	34.21	12.02	29.86	0.00	252	0 AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																
1	5250.00	87.51	-----	-----	70.84	34.40	12.17	29.90	0.00	252	0 AVERAGE																																																																																															





Mode	19																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																					
ANT	CDD 1S2T																																																					
Pol.	Horizontal						Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5395.85</td><td>61.42</td><td>74.00</td><td>-12.58</td><td>44.38</td><td>34.58</td><td>12.25</td><td>29.79</td><td>0.00</td><td>252</td><td>0 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5395.85	61.42	74.00	-12.58	44.38	34.58	12.25	29.79	0.00	252	0 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5395.85	61.42	74.00	-12.58	44.38	34.58	12.25	29.79	0.00	252	0 PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.84</td><td>48.61</td><td>54.00</td><td>-5.39</td><td>31.80</td><td>34.43</td><td>12.21</td><td>29.83</td><td>0.00</td><td>252</td><td>0 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.84	48.61	54.00	-5.39	31.80	34.43	12.21	29.83	0.00	252	0 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5357.84	48.61	54.00	-5.39	31.80	34.43	12.21	29.83	0.00	252	0 AVERAGE																																											





Mode	19																																																																																																																												
	Band Edge - L																																																																																																																												
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																																																																												
ANT	CDD 1S2T																																																																																																																												
Pol.	Vertical						Fundamental																																																																																																																						
Peak																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5115.63</td><td>71.64</td><td>74.00</td><td>-2.36</td><td>55.25</td><td>34.24</td><td>12.01</td><td>29.86</td><td>0.00</td><td>143</td><td>255</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5115.63	71.64	74.00	-2.36	55.25	34.24	12.01	29.86	0.00	143	255	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>106.16</td><td>-----</td><td>-----</td><td>89.65</td><td>34.32</td><td>12.08</td><td>29.89</td><td>0.00</td><td>143</td><td>255</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5250.00	106.16	-----	-----	89.65	34.32	12.08	29.89	0.00	143	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5115.63	71.64	74.00	-2.36	55.25	34.24	12.01	29.86	0.00	143	255	PEAK																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																	
1	5250.00	106.16	-----	-----	89.65	34.32	12.08	29.89	0.00	143	255	PEAK																																																																																																																	
Avg																																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5112.88</td><td>53.87</td><td>54.00</td><td>-0.13</td><td>37.47</td><td>34.25</td><td>12.01</td><td>29.86</td><td>0.00</td><td>143</td><td>255</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	5112.88	53.87	54.00	-0.13	37.47	34.25	12.01	29.86	0.00	143	255	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="3">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5250.00</td><td>94.98</td><td>-----</td><td>-----</td><td>78.44</td><td>34.34</td><td>12.09</td><td>29.89</td><td>0.00</td><td>143</td><td>255</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark			Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	5250.00	94.98	-----	-----	78.44	34.34	12.09	29.89	0.00	143	255
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	5112.88	53.87	54.00	-0.13	37.47	34.25	12.01	29.86	0.00	143	255	AVERAGE																																																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																	
1	5250.00	94.98	-----	-----	78.44	34.34	12.09	29.89	0.00	143	255	AVERAGE																																																																																																																	







Mode	19																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																						
ANT	CDD 1S2T																																																						
Pol.	Vertical							Fundamental																																															
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.33</td><td>64.69</td><td>74.00</td><td>-9.31</td><td>47.67</td><td>34.57</td><td>12.24</td><td>29.79</td><td>0.00</td><td>143</td><td>255</td><td>PEAK</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.33	64.69	74.00	-9.31	47.67	34.57	12.24	29.79	0.00	143	255	PEAK	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5393.33	64.69	74.00	-9.31	47.67	34.57	12.24	29.79	0.00	143	255	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5357.63</td><td>52.66</td><td>54.00</td><td>-1.34</td><td>35.86</td><td>34.43</td><td>12.21</td><td>29.84</td><td>0.00</td><td>143</td><td>255</td><td>AVERAGE</td></tr></table>								Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5357.63	52.66	54.00	-1.34	35.86	34.43	12.21	29.84	0.00	143	255	AVERAGE	Blank			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5357.63	52.66	54.00	-1.34	35.86	34.43	12.21	29.84	0.00	143	255	AVERAGE																																											







		19																																																																													
Mode		Harmonic																																																																													
		U-NII-2A_5.25-5.35_802.11ax HE160_CH50_5250MHz																																																																													
ANT		CDD 1S2T																																																																													
Pol.		Horizontal																																																																													
Peak Avg																																																																															
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	44.71	68.20	-23.49	54.72	37.60	17.67	65.28	0.00	--	PEAK	2	15750.00	46.29	74.00	-27.71	48.49	40.35	21.82	64.37	0.00	--	PEAK																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	10500.00	44.71	68.20	-23.49	54.72	37.60	17.67	65.28	0.00	--	PEAK																																																																				
2	15750.00	46.29	74.00	-27.71	48.49	40.35	21.82	64.37	0.00	--	PEAK																																																																				
		Vertical																																																																													
																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>10500.00</td><td>45.19</td><td>68.20</td><td>-23.01</td><td>55.20</td><td>37.60</td><td>17.67</td><td>65.28</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11998.40</td><td>50.47</td><td>74.00</td><td>-23.53</td><td>57.78</td><td>38.60</td><td>19.03</td><td>64.94</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>15750.00</td><td>46.73</td><td>74.00</td><td>-27.27</td><td>48.93</td><td>40.35</td><td>21.82</td><td>64.37</td><td>0.00</td><td>--</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	10500.00	45.19	68.20	-23.01	55.20	37.60	17.67	65.28	0.00	--	PEAK	2	11998.40	50.47	74.00	-23.53	57.78	38.60	19.03	64.94	0.00	--	PEAK	3	15750.00	46.73	74.00	-27.27	48.93	40.35	21.82	64.37	0.00	--	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																							
Freq	Level	Line	Level	Factor	Loss	Factor	Factor		Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	10500.00	45.19	68.20	-23.01	55.20	37.60	17.67	65.28	0.00	--	PEAK																																																																				
2	11998.40	50.47	74.00	-23.53	57.78	38.60	19.03	64.94	0.00	--	PEAK																																																																				
3	15750.00	46.73	74.00	-27.27	48.93	40.35	21.82	64.37	0.00	--	PEAK																																																																				





		20																																																																																																													
Mode	Band Edge																																																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																														
ANT	CDD 1S2T																																																																																																														
Pol.	Horizontal					Fundamental																																																																																																									
Peak																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5409.71</td><td>60.03</td><td>74.00</td><td>-13.97</td><td>42.97</td><td>34.60</td><td>12.26</td><td>29.00</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5469.78</td><td>65.36</td><td>68.20</td><td>-2.84</td><td>48.35</td><td>34.56</td><td>12.34</td><td>29.09</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5409.71	60.03	74.00	-13.97	42.97	34.60	12.26	29.00	0.00	246	360	PEAK	2	5469.78	65.36	68.20	-2.84	48.35	34.56	12.34	29.09	0.00	246	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.64</td><td>-----</td><td>-----</td><td>94.68</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>246</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	111.64	-----	-----	94.68	34.52	12.37	29.93	0.00	246	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5409.71	60.03	74.00	-13.97	42.97	34.60	12.26	29.00	0.00	246	360	PEAK																																																																																																			
2	5469.78	65.36	68.20	-2.84	48.35	34.56	12.34	29.09	0.00	246	360	PEAK																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	111.64	-----	-----	94.68	34.52	12.37	29.93	0.00	246	360	PEAK																																																																																																			
Avg																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5426.15</td><td>47.63</td><td>54.00</td><td>-6.37</td><td>30.56</td><td>34.60</td><td>12.29</td><td>29.02</td><td>0.00</td><td>246</td><td>360</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5426.15	47.63	54.00	-6.37	30.56	34.60	12.29	29.02	0.00	246	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.61</td><td>-----</td><td>-----</td><td>85.65</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>246</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.61	-----	-----	85.65	34.52	12.37	29.93	0.00	246	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5426.15	47.63	54.00	-6.37	30.56	34.60	12.29	29.02	0.00	246	360	AVERAGE																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	5500.00	102.61	-----	-----	85.65	34.52	12.37	29.93	0.00	246	360	AVERAGE																																																																																																			







Mode	20																																																																																																												
	Band Edge																																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																												
ANT	CDD 1S2T																																																																																																												
Pol.	Vertical						Fundamental																																																																																																						
Peak																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5399.52</td><td>63.13</td><td>74.00</td><td>-10.87</td><td>46.06</td><td>34.60</td><td>12.25</td><td>29.78</td><td>0.00</td><td>174</td><td>81 PEAK</td></tr><tr><td>2</td><td>5469.08</td><td>67.51</td><td>68.20</td><td>-0.69</td><td>50.50</td><td>34.56</td><td>12.34</td><td>29.89</td><td>0.00</td><td>174</td><td>81 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5399.52	63.13	74.00	-10.87	46.06	34.60	12.25	29.78	0.00	174	81 PEAK	2	5469.08	67.51	68.20	-0.69	50.50	34.56	12.34	29.89	0.00	174	81 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>116.78</td><td>-----</td><td>-----</td><td>99.82</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>174</td><td>81 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	116.78	-----	-----	99.82	34.52	12.37	29.93	0.00	174	81 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5399.52	63.13	74.00	-10.87	46.06	34.60	12.25	29.78	0.00	174	81 PEAK																																																																																																		
2	5469.08	67.51	68.20	-0.69	50.50	34.56	12.34	29.89	0.00	174	81 PEAK																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	116.78	-----	-----	99.82	34.52	12.37	29.93	0.00	174	81 PEAK																																																																																																		
Avg																																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.09</td><td>50.74</td><td>54.00</td><td>-3.26</td><td>33.69</td><td>34.59</td><td>12.33</td><td>29.87</td><td>0.00</td><td>174</td><td>81 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5456.09	50.74	54.00	-3.26	33.69	34.59	12.33	29.87	0.00	174	81 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.11</td><td>-----</td><td>-----</td><td>91.15</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>174</td><td>81 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.11	-----	-----	91.15	34.52	12.37	29.93	0.00	174	81 AVERAGE												
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5456.09	50.74	54.00	-3.26	33.69	34.59	12.33	29.87	0.00	174	81 AVERAGE																																																																																																		
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																			
1	5500.00	108.11	-----	-----	91.15	34.52	12.37	29.93	0.00	174	81 AVERAGE																																																																																																		




Mode	20																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																																																
ANT	CDD 1S2T																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>46.24</td><td>74.00</td><td>-27.76</td><td>54.99</td><td>37.00</td><td>18.15</td><td>64.70</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 16500.00</td><td>56.58</td><td>68.20</td><td>-11.62</td><td>57.07</td><td>41.60</td><td>22.34</td><td>64.43</td><td>0.00</td><td>100</td><td>183 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	46.24	74.00	-27.76	54.99	37.00	18.15	64.70	0.00	--	-- PEAK	2 16500.00	56.58	68.20	-11.62	57.07	41.60	22.34	64.43	0.00	100	183 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11000.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>54.01</td><td>37.00</td><td>18.15</td><td>64.70</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>2 11994.73</td><td>50.83</td><td>74.00</td><td>-23.17</td><td>58.14</td><td>38.59</td><td>19.03</td><td>64.93</td><td>0.00</td><td>--</td><td>-- PEAK</td></tr><tr><td>3 16500.00</td><td>59.68</td><td>68.20</td><td>-8.52</td><td>60.21</td><td>41.58</td><td>22.33</td><td>64.44</td><td>0.00</td><td>128</td><td>243 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 11000.00	45.26	74.00	-28.74	54.01	37.00	18.15	64.70	0.00	--	-- PEAK	2 11994.73	50.83	74.00	-23.17	58.14	38.59	19.03	64.93	0.00	--	-- PEAK	3 16500.00	59.68	68.20	-8.52	60.21	41.58	22.33	64.44	0.00	128	243 PEAK
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 11000.00	46.24	74.00	-27.76	54.99	37.00	18.15	64.70	0.00	--	-- PEAK																																																																																																																							
2 16500.00	56.58	68.20	-11.62	57.07	41.60	22.34	64.43	0.00	100	183 PEAK																																																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1 11000.00	45.26	74.00	-28.74	54.01	37.00	18.15	64.70	0.00	--	-- PEAK																																																																																																																							
2 11994.73	50.83	74.00	-23.17	58.14	38.59	19.03	64.93	0.00	--	-- PEAK																																																																																																																							
3 16500.00	59.68	68.20	-8.52	60.21	41.58	22.33	64.44	0.00	128	243 PEAK																																																																																																																							







Mode	21																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5418.76</td><td>62.02</td><td>74.00</td><td>-11.98</td><td>44.95</td><td>34.60</td><td>12.28</td><td>29.81</td><td>0.00</td><td>254</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5465.37</td><td>59.74</td><td>68.20</td><td>-8.46</td><td>42.71</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>254</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.76	62.02	74.00	-11.98	44.95	34.60	12.28	29.81	0.00	254	360	PEAK	2	5465.37	59.74	68.20	-8.46	42.71	34.57	12.34	29.88	0.00	254	360	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>113.06</td><td>-----</td><td>-----</td><td>95.85</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>254</td><td>360</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	113.06	-----	-----	95.85	34.50	12.49	29.78	0.00	254	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5418.76	62.02	74.00	-11.98	44.95	34.60	12.28	29.81	0.00	254	360	PEAK																																																																																																				
2	5465.37	59.74	68.20	-8.46	42.71	34.57	12.34	29.88	0.00	254	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	113.06	-----	-----	95.85	34.50	12.49	29.78	0.00	254	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5418.30</td><td>50.05</td><td>54.00</td><td>-3.95</td><td>32.99</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>254</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5418.30	50.05	54.00	-3.95	32.99	34.60	12.27	29.81	0.00	254	360	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>104.61</td><td>-----</td><td>-----</td><td>87.40</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>254</td><td>360</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	104.61	-----	-----	87.40	34.50	12.49	29.78	0.00	254	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5418.30	50.05	54.00	-3.95	32.99	34.60	12.27	29.81	0.00	254	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	104.61	-----	-----	87.40	34.50	12.49	29.78	0.00	254	360	AVERAGE																																																																																																				




Mode	21																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.52</td><td>61.49</td><td>68.20</td><td>-6.71</td><td>44.05</td><td>34.67</td><td>12.69</td><td>29.92</td><td>0.00</td><td>254</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5733.52	61.49	68.20	-6.71	44.05	34.67	12.69	29.92	0.00	254	360	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5733.52	61.49	68.20	-6.71	44.05	34.67	12.69	29.92	0.00	254	360	PEAK																																												



Mode	21																																																																																																															
	Band Edge - L																																																																																																															
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Vertical						Fundamental																																																																																																									
Peak																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5417.60</td><td>65.06</td><td>74.00</td><td>-8.94</td><td>48.00</td><td>34.60</td><td>12.27</td><td>29.81</td><td>0.00</td><td>155</td><td>82</td><td>PEAK</td></tr><tr><td>2</td><td>5461.42</td><td>63.40</td><td>68.20</td><td>-4.80</td><td>46.37</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>155</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5417.60	65.06	74.00	-8.94	48.00	34.60	12.27	29.81	0.00	155	82	PEAK	2	5461.42	63.40	68.20	-4.80	46.37	34.58	12.33	29.88	0.00	155	82	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>119.54</td><td>-----</td><td>-----</td><td>102.33</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>155</td><td>82</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	119.54	-----	-----	102.33	34.50	12.49	29.78	0.00	155	82
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5417.60	65.06	74.00	-8.94	48.00	34.60	12.27	29.81	0.00	155	82	PEAK																																																																																																				
2	5461.42	63.40	68.20	-4.80	46.37	34.58	12.33	29.88	0.00	155	82	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	119.54	-----	-----	102.33	34.50	12.49	29.78	0.00	155	82	PEAK																																																																																																				
Avg																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5413.42</td><td>53.69</td><td>54.00</td><td>-0.31</td><td>36.62</td><td>34.60</td><td>12.27</td><td>29.80</td><td>0.00</td><td>155</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5413.42	53.69	54.00	-0.31	36.62	34.60	12.27	29.80	0.00	155	82	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5580.00</td><td>110.49</td><td>-----</td><td>-----</td><td>93.28</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>155</td><td>82</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	110.49	-----	-----	93.28	34.50	12.49	29.78	0.00	155	82	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5413.42	53.69	54.00	-0.31	36.62	34.60	12.27	29.80	0.00	155	82	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5580.00	110.49	-----	-----	93.28	34.50	12.49	29.78	0.00	155	82	AVERAGE																																																																																																				






Mode	21																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5737.93</td><td>64.39</td><td>68.20</td><td>-3.81</td><td>46.93</td><td>34.68</td><td>12.69</td><td>29.91</td><td>0.00</td><td>155</td><td>82</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5737.93	64.39	68.20	-3.81	46.93	34.68	12.69	29.91	0.00	155	82	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5737.93	64.39	68.20	-3.81	46.93	34.68	12.69	29.91	0.00	155	82	PEAK																																												






Mode	21																																																																																																																																										
	Harmonic																																																																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																																																										
ANT	CDD 1S2T																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg																																																																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.19</td><td>74.00</td><td>-28.81</td><td>53.45</td><td>37.96</td><td>18.29</td><td>64.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>58.50</td><td>68.20</td><td>-9.70</td><td>58.49</td><td>41.95</td><td>22.49</td><td>64.43</td><td>0.00</td><td>100</td><td>201</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	45.19	74.00	-28.81	53.45	37.96	18.29	64.51	0.00	--	--	PEAK	2	16740.00	58.50	68.20	-9.70	58.49	41.95	22.49	64.43	0.00	100	201	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.56</td><td>74.00</td><td>-28.44</td><td>53.82</td><td>37.96</td><td>18.29</td><td>64.51</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11983.73</td><td>51.93</td><td>74.00</td><td>-22.07</td><td>59.24</td><td>38.58</td><td>19.02</td><td>64.91</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16740.00</td><td>60.72</td><td>68.20</td><td>-7.48</td><td>60.71</td><td>41.95</td><td>22.49</td><td>64.43</td><td>0.00</td><td>140</td><td>243</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11160.00	45.56	74.00	-28.44	53.82	37.96	18.29	64.51	0.00	--	--	PEAK	2	11983.73	51.93	74.00	-22.07	59.24	38.58	19.02	64.91	0.00	--	--	PEAK	3	16740.00	60.72	68.20	-7.48	60.71	41.95	22.49	64.43	0.00	140	243
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																	
1	11160.00	45.19	74.00	-28.81	53.45	37.96	18.29	64.51	0.00	--	--	PEAK																																																																																																																															
2	16740.00	58.50	68.20	-9.70	58.49	41.95	22.49	64.43	0.00	100	201	PEAK																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	11160.00	45.56	74.00	-28.44	53.82	37.96	18.29	64.51	0.00	--	--	PEAK																																																																																																																															
2	11983.73	51.93	74.00	-22.07	59.24	38.58	19.02	64.91	0.00	--	--	PEAK																																																																																																																															
3	16740.00	60.72	68.20	-7.48	60.71	41.95	22.49	64.43	0.00	140	243	PEAK																																																																																																																															





Mode	22																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																													
ANT	CDD 1S2T																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5725.29</td><td>62.74</td><td>68.20</td><td>-5.46</td><td>45.35</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>250</td><td>360 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5725.29	62.74	68.20	-5.46	45.35	34.65	12.68	29.94	0.00	250	360 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>110.48</td><td>-----</td><td>-----</td><td>93.23</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>250</td><td>360 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	110.48	-----	-----	93.23	34.60	12.65	30.00	0.00	250
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5725.29	62.74	68.20	-5.46	45.35	34.65	12.68	29.94	0.00	250	360 PEAK																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	110.48	-----	-----	93.23	34.60	12.65	30.00	0.00	250	360 PEAK																																																																																				
Avg	Blank																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5700.00</td><td>101.43</td><td>-----</td><td>-----</td><td>84.18</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>250</td><td>360 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5700.00	101.43	-----	-----	84.18	34.60	12.65	30.00	0.00	250	360 AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1 5700.00	101.43	-----	-----	84.18	34.60	12.65	30.00	0.00	250	360 AVERAGE																																																																																				







Mode	22																																																																																																		
	Band Edge																																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																		
ANT	CDD 1S2T																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5725.76</td><td>65.91</td><td>68.20</td><td>-2.29</td><td>48.52</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>145</td><td>81</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.76	65.91	68.20	-2.29	48.52	34.65	12.68	29.94	0.00	145	81	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>116.20</td><td>-----</td><td>-----</td><td>98.95</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>145</td><td>81</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	116.20	-----	-----	98.95	34.60	12.65	30.00	0.00	145	81
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5725.76	65.91	68.20	-2.29	48.52	34.65	12.68	29.94	0.00	145	81	PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	116.20	-----	-----	98.95	34.60	12.65	30.00	0.00	145	81	PEAK																																																																																							
Avg	Blank																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>107.57</td><td>-----</td><td>-----</td><td>90.32</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>145</td><td>81</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	107.57	-----	-----	90.32	34.60	12.65	30.00	0.00	145	81	AVERAGE																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor			Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5700.00	107.57	-----	-----	90.32	34.60	12.65	30.00	0.00	145	81	AVERAGE																																																																																							







Mode	22																																																																																																																																																																			
	Harmonic																																																																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																																																																			
ANT	CDD 1S2T																																																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																																																													
Peak Avg																																																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>53.53</td><td>74.00</td><td>-20.47</td><td>61.26</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>295</td><td>170</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>40.55</td><td>54.00</td><td>-13.45</td><td>48.28</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>295</td><td>170</td><td>AVERAGE</td></tr><tr><td>3</td><td>17100.00</td><td>48.76</td><td>68.20</td><td>-19.44</td><td>48.95</td><td>41.40</td><td>22.74</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	53.53	74.00	-20.47	61.26	38.00	18.50	64.23	0.00	295	170	PEAK	2	11400.00	40.55	54.00	-13.45	48.28	38.00	18.50	64.23	0.00	295	170	AVERAGE	3	17100.00	48.76	68.20	-19.44	48.95	41.40	22.74	64.33	0.00	--	--	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11400.00</td><td>50.84</td><td>74.00</td><td>-23.16</td><td>58.57</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>100</td><td>278</td><td>PEAK</td></tr><tr><td>2</td><td>11400.00</td><td>39.94</td><td>54.00</td><td>-14.06</td><td>47.67</td><td>38.00</td><td>18.50</td><td>64.23</td><td>0.00</td><td>100</td><td>278</td><td>AVERAGE</td></tr><tr><td>3</td><td>11978.00</td><td>51.18</td><td>74.00</td><td>-22.82</td><td>58.49</td><td>38.58</td><td>19.01</td><td>64.90</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>4</td><td>17100.00</td><td>52.01</td><td>68.20</td><td>-16.19</td><td>52.21</td><td>41.40</td><td>22.73</td><td>64.33</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11400.00	50.84	74.00	-23.16	58.57	38.00	18.50	64.23	0.00	100	278	PEAK	2	11400.00	39.94	54.00	-14.06	47.67	38.00	18.50	64.23	0.00	100	278	AVERAGE	3	11978.00	51.18	74.00	-22.82	58.49	38.58	19.01	64.90	0.00	--	--	PEAK	4	17100.00	52.01	68.20	-16.19	52.21	41.40	22.73	64.33	0.00	--	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11400.00	53.53	74.00	-20.47	61.26	38.00	18.50	64.23	0.00	295	170	PEAK																																																																																																																																																								
2	11400.00	40.55	54.00	-13.45	48.28	38.00	18.50	64.23	0.00	295	170	AVERAGE																																																																																																																																																								
3	17100.00	48.76	68.20	-19.44	48.95	41.40	22.74	64.33	0.00	--	--	PEAK																																																																																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																																										
1	11400.00	50.84	74.00	-23.16	58.57	38.00	18.50	64.23	0.00	100	278	PEAK																																																																																																																																																								
2	11400.00	39.94	54.00	-14.06	47.67	38.00	18.50	64.23	0.00	100	278	AVERAGE																																																																																																																																																								
3	11978.00	51.18	74.00	-22.82	58.49	38.58	19.01	64.90	0.00	--	--	PEAK																																																																																																																																																								
4	17100.00	52.01	68.20	-16.19	52.21	41.40	22.73	64.33	0.00	--	--	PEAK																																																																																																																																																								





		23																																																																																																														
Mode	Band Edge																																																																																																															
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																															
ANT	CDD 1S2T																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																									
Peak																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5424.56</td><td>59.48</td><td>74.00</td><td>-14.52</td><td>42.42</td><td>34.60</td><td>12.28</td><td>29.82</td><td>0.00</td><td>248</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>5467.45</td><td>61.61</td><td>68.20</td><td>-6.59</td><td>44.59</td><td>34.57</td><td>12.34</td><td>29.89</td><td>0.00</td><td>248</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5424.56	59.48	74.00	-14.52	42.42	34.60	12.28	29.82	0.00	248	360	PEAK	2	5467.45	61.61	68.20	-6.59	44.59	34.57	12.34	29.89	0.00	248	360	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>112.66</td><td>-----</td><td>-----</td><td>95.70</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>248</td><td>360</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	112.66	-----	-----	95.70	34.52	12.37	29.93	0.00	248	360
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5424.56	59.48	74.00	-14.52	42.42	34.60	12.28	29.82	0.00	248	360	PEAK																																																																																																				
2	5467.45	61.61	68.20	-6.59	44.59	34.57	12.34	29.89	0.00	248	360	PEAK																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	112.66	-----	-----	95.70	34.52	12.37	29.93	0.00	248	360	PEAK																																																																																																				
Avg																																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.56</td><td>47.49</td><td>54.00</td><td>-6.51</td><td>30.46</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>248</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.56	47.49	54.00	-6.51	30.46	34.58	12.33	29.88	0.00	248	360	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.14</td><td>-----</td><td>-----</td><td>84.18</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>248</td><td>360</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.14	-----	-----	84.18	34.52	12.37	29.93	0.00	248	360	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5459.56	47.49	54.00	-6.51	30.46	34.58	12.33	29.88	0.00	248	360	AVERAGE																																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	5500.00	101.14	-----	-----	84.18	34.52	12.37	29.93	0.00	248	360	AVERAGE																																																																																																				





Mode	23																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																	
ANT	CDD 1S2T																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.60	63.68	74.00	-10.32	46.62	34.60	12.32	29.86	0.00	161	74 PEAK	2	5469.78	67.27	68.20	-0.93	50.26	34.56	12.34	29.89	0.00	161	74 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>119.19</td><td>-----</td><td>-----</td><td>102.23</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>161</td><td>74 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	119.19	-----	-----	102.23	34.52	12.37	29.93	0.00	161
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5449.60	63.68	74.00	-10.32	46.62	34.60	12.32	29.86	0.00	161	74 PEAK																																																																																							
2	5469.78	67.27	68.20	-0.93	50.26	34.56	12.34	29.89	0.00	161	74 PEAK																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	119.19	-----	-----	102.23	34.52	12.37	29.93	0.00	161	74 PEAK																																																																																							
Avg																																																																																																		
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.60	51.27	54.00	-2.73	34.22	34.59	12.32	29.86	0.00	161	74 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.40</td><td>-----</td><td>-----</td><td>91.44</td><td>34.52</td><td>12.37</td><td>29.93</td><td>0.00</td><td>161</td><td>74 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.40	-----	-----	91.44	34.52	12.37	29.93	0.00	161	74 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5452.60	51.27	54.00	-2.73	34.22	34.59	12.32	29.86	0.00	161	74 AVERAGE																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5500.00	108.40	-----	-----	91.44	34.52	12.37	29.93	0.00	161	74 AVERAGE																																																																																							




Mode	23																																																																																																																																																						
	Harmonic																																																																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_5500MHz																																																																																																																																																						
ANT	CDD 1S2T																																																																																																																																																						
Pol.	Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.10</td><td>74.00</td><td>-27.90</td><td>54.85</td><td>37.80</td><td>18.15</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11985.93</td><td>50.79</td><td>74.00</td><td>-23.21</td><td>58.10</td><td>38.59</td><td>19.02</td><td>64.92</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16500.00</td><td>58.17</td><td>68.20</td><td>-10.03</td><td>58.65</td><td>41.61</td><td>22.34</td><td>64.43</td><td>0.00</td><td>100</td><td>198</td><td>PEAK</td></tr></table> <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>45.83</td><td>74.00</td><td>-28.17</td><td>54.58</td><td>37.80</td><td>18.15</td><td>64.70</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11992.53</td><td>50.98</td><td>74.00</td><td>-23.02</td><td>58.30</td><td>38.59</td><td>19.02</td><td>64.93</td><td>0.00</td><td>--</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16500.00</td><td>62.65</td><td>68.20</td><td>-5.55</td><td>63.14</td><td>41.60</td><td>22.34</td><td>64.43</td><td>0.00</td><td>278</td><td>213</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	46.10	74.00	-27.90	54.85	37.80	18.15	64.70	0.00	--	--	PEAK	2	11985.93	50.79	74.00	-23.21	58.10	38.59	19.02	64.92	0.00	--	--	PEAK	3	16500.00	58.17	68.20	-10.03	58.65	41.61	22.34	64.43	0.00	100	198	PEAK		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11000.00	45.83	74.00	-28.17	54.58	37.80	18.15	64.70	0.00	--	--	PEAK	2	11992.53	50.98	74.00	-23.02	58.30	38.59	19.02	64.93	0.00	--	--	PEAK	3	16500.00	62.65	68.20	-5.55	63.14	41.60	22.34	64.43	0.00	278	213
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11000.00	46.10	74.00	-27.90	54.85	37.80	18.15	64.70	0.00	--	--	PEAK																																																																																																																																											
2	11985.93	50.79	74.00	-23.21	58.10	38.59	19.02	64.92	0.00	--	--	PEAK																																																																																																																																											
3	16500.00	58.17	68.20	-10.03	58.65	41.61	22.34	64.43	0.00	100	198	PEAK																																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	11000.00	45.83	74.00	-28.17	54.58	37.80	18.15	64.70	0.00	--	--	PEAK																																																																																																																																											
2	11992.53	50.98	74.00	-23.02	58.30	38.59	19.02	64.93	0.00	--	--	PEAK																																																																																																																																											
3	16500.00	62.65	68.20	-5.55	63.14	41.60	22.34	64.43	0.00	278	213	PEAK																																																																																																																																											







		24																																																																		
Mode		Band Edge - L																																																																		
		U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																		
ANT		CDD 1S2T																																																																		
Pol.		Fundamental																																																																		
Peak	Horizontal	Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.52</td><td>61.64</td><td>74.00</td><td>-12.36</td><td>44.57</td><td>34.60</td><td>12.27</td><td>29.80</td><td>0.00</td><td>309</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>5464.90</td><td>58.77</td><td>68.20</td><td>-9.43</td><td>41.74</td><td>34.57</td><td>12.34</td><td>29.88</td><td>0.00</td><td>309</td><td>26</td><td>PEAK</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5415.52	61.64	74.00	-12.36	44.57	34.60	12.27	29.80	0.00	309	26	PEAK	2	5464.90	58.77	68.20	-9.43	41.74	34.57	12.34	29.88	0.00	309	26
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5415.52	61.64	74.00	-12.36	44.57	34.60	12.27	29.80	0.00	309	26	PEAK																																																								
2	5464.90	58.77	68.20	-9.43	41.74	34.57	12.34	29.88	0.00	309	26	PEAK																																																								
Avg	Horizontal	Fundamental																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5423.40</td><td>49.14</td><td>54.00</td><td>-4.86</td><td>32.00</td><td>34.60</td><td>12.28</td><td>29.82</td><td>0.00</td><td>309</td><td>26</td><td>AVERAGE</td></tr></tbody></table>													Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5423.40	49.14	54.00	-4.86	32.00	34.60	12.28	29.82	0.00	309	26	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	5423.40	49.14	54.00	-4.86	32.00	34.60	12.28	29.82	0.00	309	26	AVERAGE																																																								




Mode	24																																																								
	Band Edge - R																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																								
ANT	CDD 1S2T																																																								
Pol.	Horizontal						Fundamental																																																		
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5729.46</td><td>61.23</td><td>68.20</td><td>-6.97</td><td>43.82</td><td>34.66</td><td>12.68</td><td>29.93</td><td>0.00</td><td>309</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5729.46	61.23	68.20	-6.97	43.82	34.66	12.68	29.93	0.00	309	26	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																															
1	5729.46	61.23	68.20	-6.97	43.82	34.66	12.68	29.93	0.00	309	26	PEAK																																													





		24																																																																																																																					
Mode		Band Edge - L																																																																																																																					
		U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																																																																					
ANT		CDD 1S2T																																																																																																																					
Pol.		Fundamental																																																																																																																					
Peak	Vertical																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5412.04</td><td>64.48</td><td>74.00</td><td>-9.52</td><td>47.41</td><td>34.60</td><td>12.27</td><td>29.00</td><td>0.00</td><td>160</td><td>92 PEAK</td></tr><tr><td>2</td><td>5461.42</td><td>62.42</td><td>68.20</td><td>-5.78</td><td>45.39</td><td>34.58</td><td>12.33</td><td>29.88</td><td>0.00</td><td>160</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5412.04	64.48	74.00	-9.52	47.41	34.60	12.27	29.00	0.00	160	92 PEAK	2	5461.42	62.42	68.20	-5.78	45.39	34.58	12.33	29.88	0.00	160	92 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>120.17</td><td>-----</td><td>-----</td><td>102.96</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>160</td><td>92 PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	120.17	-----	-----	102.96	34.50	12.49	29.78	0.00	160
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5412.04	64.48	74.00	-9.52	47.41	34.60	12.27	29.00	0.00	160	92 PEAK																																																																																																												
2	5461.42	62.42	68.20	-5.78	45.39	34.58	12.33	29.88	0.00	160	92 PEAK																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5580.00	120.17	-----	-----	102.96	34.50	12.49	29.78	0.00	160	92 PEAK																																																																																																												
Avg	Vertical																																																																																																																						
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5422.47</td><td>52.84</td><td>54.00</td><td>-1.16</td><td>35.78</td><td>34.60</td><td>12.28</td><td>29.82</td><td>0.00</td><td>160</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5422.47	52.84	54.00	-1.16	35.78	34.60	12.28	29.82	0.00	160	92 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>109.38</td><td>-----</td><td>-----</td><td>92.17</td><td>34.50</td><td>12.49</td><td>29.78</td><td>0.00</td><td>160</td><td>92 AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5580.00	109.38	-----	-----	92.17	34.50	12.49	29.78	0.00	160	92 AVERAGE											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5422.47	52.84	54.00	-1.16	35.78	34.60	12.28	29.82	0.00	160	92 AVERAGE																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																													
1	5580.00	109.38	-----	-----	92.17	34.50	12.49	29.78	0.00	160	92 AVERAGE																																																																																																												






Mode	24																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																							
ANT	CDD 1S2T																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.80</td><td>64.52</td><td>68.20</td><td>-3.68</td><td>47.07</td><td>34.67</td><td>12.69</td><td>29.91</td><td>0.00</td><td>160</td><td>92</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.80	64.52	68.20	-3.68	47.07	34.67	12.69	29.91	0.00	160	92	PEAK	Blank					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor	Factor			Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5734.80	64.52	68.20	-3.68	47.07	34.67	12.69	29.91	0.00	160	92	PEAK																																												






		24																																																																												
Mode		Harmonic																																																																												
		U-NII-2C_5.47-5.725_802.11ax HE20_CH116_5580MHz																																																																												
ANT		CDD 1S2T																																																																												
Pol.		Horizontal					Vertical																																																																							
Peak Avg																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.66</td><td>74.00</td><td>-28.34</td><td>53.92</td><td>37.96</td><td>18.29</td><td>64.51</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>16740.00</td><td>58.93</td><td>68.20</td><td>-9.27</td><td>58.92</td><td>41.95</td><td>22.49</td><td>64.43</td><td>0.00</td><td>223</td><td>303 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	45.66	74.00	-28.34	53.92	37.96	18.29	64.51	0.00	--	PEAK	2	16740.00	58.93	68.20	-9.27	58.92	41.95	22.49	64.43	0.00	223	303 PEAK												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	11160.00	45.66	74.00	-28.34	53.92	37.96	18.29	64.51	0.00	--	PEAK																																																																			
2	16740.00	58.93	68.20	-9.27	58.92	41.95	22.49	64.43	0.00	223	303 PEAK																																																																			
																																																																														
		<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11160.00</td><td>45.30</td><td>74.00</td><td>-28.70</td><td>53.56</td><td>37.96</td><td>18.29</td><td>64.51</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>2</td><td>11981.53</td><td>50.33</td><td>74.00</td><td>-23.67</td><td>57.65</td><td>38.58</td><td>19.01</td><td>64.91</td><td>0.00</td><td>--</td><td>PEAK</td></tr><tr><td>3</td><td>16740.00</td><td>62.00</td><td>68.20</td><td>-6.20</td><td>61.99</td><td>41.95</td><td>22.49</td><td>64.43</td><td>0.00</td><td>199</td><td>229 PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11160.00	45.30	74.00	-28.70	53.56	37.96	18.29	64.51	0.00	--	PEAK	2	11981.53	50.33	74.00	-23.67	57.65	38.58	19.01	64.91	0.00	--	PEAK	3	16740.00	62.00	68.20	-6.20	61.99	41.95	22.49	64.43	0.00	199	229 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	11160.00	45.30	74.00	-28.70	53.56	37.96	18.29	64.51	0.00	--	PEAK																																																																			
2	11981.53	50.33	74.00	-23.67	57.65	38.58	19.01	64.91	0.00	--	PEAK																																																																			
3	16740.00	62.00	68.20	-6.20	61.99	41.95	22.49	64.43	0.00	199	229 PEAK																																																																			



Mode	25																																																																																			
	Band Edge																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																			
ANT	CDD 1S2T																																																																																			
Pol.	Horizontal						Fundamental																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5727.50</td><td>65.29</td><td>68.20</td><td>-2.91</td><td>47.89</td><td>34.65</td><td>12.68</td><td>29.93</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5727.50	65.29	68.20	-2.91	47.89	34.65	12.68	29.93	0.00	 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>111.75</td><td>-----</td><td>-----</td><td>94.50</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	111.75	-----	-----	94.50	34.60	12.65	30.00	0.00
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																												
1 5727.50	65.29	68.20	-2.91	47.89	34.65	12.68	29.93	0.00																																																																												
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																												
1 5700.00	111.75	-----	-----	94.50	34.60	12.65	30.00	0.00																																																																												
Avg	Blank						 Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C(AVG) <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1 5700.00</td><td>100.97</td><td>-----</td><td>-----</td><td>83.72</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1 5700.00	100.97	-----	-----	83.72	34.60	12.65	30.00	0.00																																				
Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																												
1 5700.00	100.97	-----	-----	83.72	34.60	12.65	30.00	0.00																																																																												



Mode	25																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_5700MHz																																																																																									
ANT	CDD 1S2T																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5725.52</td><td>66.51</td><td>68.20</td><td>-1.69</td><td>49.12</td><td>34.65</td><td>12.68</td><td>29.94</td><td>0.00</td><td>165 103 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5725.52	66.51	68.20	-1.69	49.12	34.65	12.68	29.94	0.00	165 103 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>113.56</td><td>-----</td><td>-----</td><td>96.26</td><td>34.62</td><td>12.66</td><td>29.98</td><td>0.00</td><td>165 103 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5700.00	113.56	-----	-----	96.26	34.62	12.66	29.98	0.00
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1 5725.52	66.51	68.20	-1.69	49.12	34.65	12.68	29.94	0.00	165 103 PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1 5700.00	113.56	-----	-----	96.26	34.62	12.66	29.98	0.00	165 103 PEAK																																																																																	
Avg	Blank																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5700.00</td><td>97.63</td><td>-----</td><td>-----</td><td>80.38</td><td>34.60</td><td>12.65</td><td>30.00</td><td>0.00</td><td>165 103 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5700.00	97.63	-----	-----	80.38	34.60	12.65	30.00	0.00	165 103 AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																		
1 5700.00	97.63	-----	-----	80.38	34.60	12.65	30.00	0.00	165 103 AVERAGE																																																																																	