



|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 10:20 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5745MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5692.755        | 68.267                 | 30.241               | -31.592         | 99.859         | 38.026      | PK   |
| 2  |      | 5708.925        | 74.948                 | 36.769               | -32.753         | 107.701        | 38.179      | PK   |
| 3  |      | 5723.390        | 83.837                 | 45.644               | -34.694         | 118.530        | 38.193      | PK   |
| 4  | *    | 5742.475        | 107.627                | 69.582               | -14.573         | 122.200        | 38.045      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 10:24 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5689.305        | 56.063                 | 18.048               | -41.250         | 97.313         | 38.015      | PK   |
| 2  |      | 5713.085        | 62.830                 | 24.646               | -46.036         | 108.866        | 38.184      | PK   |
| 3  |      | 5721.900        | 68.855                 | 30.664               | -46.278         | 115.133        | 38.191      | PK   |
| 4  | *    | 5782.272        | 115.670                | 77.576               | -6.530          | 122.200        | 38.094      | PK   |
| 5  |      | 5851.460        | 66.846                 | 28.892               | -52.024         | 118.870        | 37.954      | PK   |
| 6  |      | 5860.070        | 65.692                 | 27.731               | -43.687         | 109.379        | 37.961      | PK   |
| 7  |      | 5883.850        | 58.277                 | 20.334               | -40.351         | 98.628         | 37.943      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 10:33 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5690.433        | 52.667                 | 14.650               | -45.479         | 98.146         | 38.017      | PK   |
| 2  |      | 5710.933        | 55.483                 | 17.301               | -52.781         | 108.264        | 38.182      | PK   |
| 3  |      | 5724.053        | 58.539                 | 20.346               | -61.502         | 120.042        | 38.193      | PK   |
| 4  | *    | 5780.223        | 107.821                | 69.722               | -14.379         | 122.200        | 38.099      | PK   |
| 5  |      | 5852.280        | 57.380                 | 19.425               | -59.621         | 117.000        | 37.955      | PK   |
| 6  |      | 5867.962        | 53.044                 | 15.098               | -54.125         | 107.168        | 37.946      | PK   |
| 7  |      | 5884.260        | 51.339                 | 13.393               | -46.985         | 98.324         | 37.946      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/07 - 10:42 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 8: Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5824.160        | 114.909                | 76.877               | -7.291          | 122.200        | 38.032      | PK   |
| 2  |      | 5851.280        | 82.816                 | 44.862               | -36.465         | 119.281        | 37.954      | PK   |
| 3  |      | 5851.280        | 82.816                 | 44.862               | -36.465         | 119.281        | 37.954      | PK   |
| 4  |      | 5863.160        | 78.971                 | 41.012               | -29.542         | 108.513        | 37.959      | PK   |
| 5  |      | 5885.600        | 68.203                 | 30.250               | -29.126         | 97.330         | 37.953      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 10:45 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 8:Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5822.560        | 106.801                | 68.776               | -15.399         | 122.200        | 38.025      | PK   |
| 2  |      | 5852.840        | 72.806                 | 34.851               | -42.918         | 115.724        | 37.955      | PK   |
| 3  |      | 5865.400        | 70.096                 | 32.143               | -37.790         | 107.886        | 37.953      | PK   |
| 4  |      | 5878.440        | 62.825                 | 24.908               | -39.820         | 102.644        | 37.917      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 10:57 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 53.179                 | 16.514               | -0.821          | 54.000         | 36.665      | AV   |
| 2  | *    | 5196.510        | 96.599                 | 60.050               | N/A             | N/A            | 36.549      | AV   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:04 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 65.273                 | 28.608               | -8.727          | 74.000         | 36.665      | PK   |
| 2  | *    | 5196.510        | 105.934                | 69.385               | N/A             | N/A            | 36.549      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:06 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 46.758                 | 10.093               | -7.242          | 54.000         | 36.665      | AV   |
| 2  | *    | 5186.215        | 90.492                 | 53.929               | N/A             | N/A            | 36.563      | AV   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:08 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 58.653                 | 21.988               | -15.347         | 74.000         | 36.665      | PK   |
| 2  | *    | 5195.800        | 100.114                | 63.564               | N/A             | N/A            | 36.550      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:11 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5304.450        | 96.267                 | 59.599               | N/A             | N/A            | 36.668      | AV   |
| 2  |      | 5350.000        | 52.218                 | 15.432               | -1.782          | 54.000         | 36.786      | AV   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:15 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5322.725        | 108.705                | 71.953               | N/A             | N/A            | 36.752      | PK   |
| 2  |      | 5350.000        | 70.154                 | 33.368               | -3.846          | 74.000         | 36.786      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:17 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5312.780        | 90.589                 | 53.896               | N/A             | N/A            | 36.693      | AV   |
| 2  |      | 5350.000        | 45.028                 | 8.242                | -8.972          | 54.000         | 36.786      | AV   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:19 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5311.335        | 101.242                | 64.554               | N/A             | N/A            | 36.688      | PK   |
| 2  |      | 5350.000        | 61.371                 | 24.585               | -12.629         | 74.000         | 36.786      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:22 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 52.818                 | 14.672               | -1.182          | 54.000         | 38.146      | AV   |
| 2  | *    | 5504.620        | 97.665                 | 59.560               | N/A             | N/A            | 38.105      | AV   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:27 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5459.890        | 73.631                 | 35.485               | -0.369          | 74.000         | 38.146      | PK   |
| 2  |      | 5460.000        | 69.441                 | 31.295               | -4.559          | 74.000         | 38.146      | PK   |
| 3  | *    | 5495.440        | 108.866                | 70.749               | N/A             | N/A            | 38.117      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:29 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 45.592                 | 7.446                | -8.408          | 54.000         | 38.146      | AV   |
| 2  | *    | 5515.600        | 90.166                 | 52.037               | N/A             | N/A            | 38.129      | AV   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:31 |
| Limit: FCC_Part15.209_RE(3m)                  | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 59.435                 | 21.289               | -14.565         | 74.000         | 38.146      | PK   |
| 2  | *    | 5513.350        | 102.996                | 64.872               | N/A             | N/A            | 38.124      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 11:34 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5755MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5691.305        | 81.121                 | 43.103               | -17.668         | 98.789         | 38.018      | PK   |
| 2  |      | 5710.025        | 92.319                 | 54.138               | -15.691         | 108.009        | 38.181      | PK   |
| 3  |      | 5722.440        | 94.767                 | 56.575               | -21.598         | 116.364        | 38.192      | PK   |
| 4  | *    | 5750.455        | 113.388                | 75.382               | -8.812          | 122.200        | 38.006      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 13:47 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5755MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5698.715        | 74.695                 | 36.612               | -29.559         | 104.253        | 38.083      | PK   |
| 2  |      | 5712.885        | 84.906                 | 46.723               | -23.904         | 108.810        | 38.183      | PK   |
| 3  |      | 5721.985        | 86.388                 | 48.197               | -28.939         | 115.327        | 38.191      | PK   |
| 4  | *    | 5745.255        | 106.024                | 67.994               | -16.176         | 122.200        | 38.030      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 13:49 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Vertical       |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5795MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5798.605        | 113.396                | 75.355               | -8.804          | 122.200        | 38.041      | PK   |
| 2  |      | 5850.985        | 81.252                 | 43.298               | -38.702         | 119.953        | 37.954      | PK   |
| 3  |      | 5861.110        | 78.563                 | 40.602               | -30.524         | 109.087        | 37.961      | PK   |
| 4  |      | 5878.592        | 72.957                 | 35.041               | -29.574         | 102.531        | 37.916      | PK   |

|                                               |                          |
|-----------------------------------------------|--------------------------|
| Engineer: Simon                               |                          |
| Site: AC5                                     | Time: 2017/11/07 - 13:53 |
| Limit: FCC 407 NEW                            | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)            | Polarity: Horizontal     |
| EUT: Wireless Access point                    | Power: AC 120V/60Hz      |
| Note: Mode 9:Transmit at 5795MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5798.808        | 104.421                | 66.381               | -17.779         | 122.200        | 38.040      | PK   |
| 2  |      | 5852.268        | 69.883                 | 31.928               | -47.145         | 117.028        | 37.955      | PK   |
| 3  |      | 5858.950        | 69.167                 | 31.207               | -40.526         | 109.692        | 37.960      | PK   |
| 4  |      | 5879.605        | 63.248                 | 25.329               | -38.532         | 101.779        | 37.919      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:15 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 53.333                 | 16.668               | -0.667          | 54.000         | 36.665      | AV   |
| 2  | *    | 5182.065        | 101.999                | 65.430               | N/A             | N/A            | 36.569      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 67.453                 | 30.788               | -6.547          | 74.000         | 36.665      | PK   |
| 2  | *    | 5177.925        | 110.241                | 73.633               | N/A             | N/A            | 36.608      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:26 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 47.491                 | 10.826               | -6.509          | 54.000         | 36.665      | AV   |
| 2  | *    | 5173.785        | 95.932                 | 59.285               | N/A             | N/A            | 36.647      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:28 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 61.641                 | 24.976               | -12.359         | 74.000         | 36.665      | PK   |
| 2  | *    | 5181.030        | 105.258                | 68.680               | N/A             | N/A            | 36.578      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:35 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5321.625        | 101.778                | 65.037               | N/A             | N/A            | 36.741      | AV   |
| 2  |      | 5350.000        | 52.914                 | 16.128               | -1.086          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:36 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5323.125        | 111.893                | 75.138               | N/A             | N/A            | 36.755      | PK   |
| 2  |      | 5350.000        | 68.214                 | 31.428               | -5.786          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:37 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5317.875        | 94.412                 | 57.704               | N/A             | N/A            | 36.708      | AV   |
| 2  |      | 5350.000        | 45.202                 | 8.416                | -8.798          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:39 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5323.200        | 105.828                | 69.072               | N/A             | N/A            | 36.756      | PK   |
| 2  |      | 5350.000        | 62.611                 | 25.825               | -11.389         | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 14:41 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 52.629                 | 14.483               | -1.371          | 54.000         | 38.146      | AV   |
| 2  | *    | 5502.560        | 103.126                | 65.019               | N/A             | N/A            | 38.107      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:08 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 72.280                 | 34.134               | -1.720          | 74.000         | 38.146      | PK   |
| 2  | *    | 5503.120        | 113.432                | 75.325               | N/A             | N/A            | 38.107      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:09 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 47.419                 | 9.273                | -6.581          | 54.000         | 38.146      | AV   |
| 2  | *    | 5502.960        | 95.790                 | 57.683               | N/A             | N/A            | 38.107      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:11 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 63.122                 | 24.976               | -10.878         | 74.000         | 38.146      | PK   |
| 2  | *    | 5503.040        | 107.061                | 68.954               | N/A             | N/A            | 38.107      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:14 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5745MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5688.685        | 73.906                 | 35.891               | -22.950         | 96.855         | 38.015      | PK   |
| 2  |      | 5708.870        | 80.604                 | 42.425               | -27.082         | 107.686        | 38.179      | PK   |
| 3  |      | 5721.520        | 88.965                 | 50.774               | -25.302         | 114.267        | 38.191      | PK   |
| 4  | *    | 5741.100        | 115.579                | 77.522               | -6.621          | 122.200        | 38.057      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:17 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5745MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5695.835        | 68.689                 | 30.634               | -33.441         | 102.130        | 38.055      | PK   |
| 2  |      | 5710.025        | 74.040                 | 35.859               | -33.970         | 108.009        | 38.181      | PK   |
| 3  |      | 5723.280        | 82.994                 | 44.801               | -35.286         | 118.280        | 38.193      | PK   |
| 4  | *    | 5740.000        | 108.608                | 70.541               | -13.592         | 122.200        | 38.067      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:19 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5694.737        | 57.724                 | 19.679               | -43.597         | 101.321        | 38.045      | PK   |
| 2  |      | 5711.752        | 62.202                 | 24.020               | -46.291         | 108.493        | 38.182      | PK   |
| 3  |      | 5724.053        | 69.192                 | 30.999               | -50.849         | 120.042        | 38.193      | PK   |
| 4  | *    | 5791.087        | 114.861                | 76.789               | -7.339          | 122.200        | 38.072      | PK   |
| 5  |      | 5852.280        | 62.726                 | 24.771               | -54.275         | 117.000        | 37.955      | PK   |
| 6  |      | 5865.400        | 60.638                 | 22.685               | -47.248         | 107.886        | 37.953      | PK   |
| 7  |      | 5878.315        | 55.664                 | 17.747               | -47.073         | 102.737        | 37.917      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:29 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5690.842        | 51.623                 | 13.606               | -46.824         | 98.447         | 38.017      | PK   |
| 2  |      | 5712.572        | 54.949                 | 16.766               | -53.773         | 108.722        | 38.183      | PK   |
| 3  |      | 5722.618        | 58.118                 | 19.926               | -58.652         | 116.770        | 38.192      | PK   |
| 4  | *    | 5778.172        | 106.676                | 68.572               | -15.524         | 122.200        | 38.104      | PK   |
| 5  |      | 5851.768        | 55.571                 | 17.617               | -62.597         | 118.168        | 37.954      | PK   |
| 6  |      | 5862.325        | 52.890                 | 14.929               | -55.857         | 108.747        | 37.961      | PK   |
| 7  |      | 5880.980        | 52.219                 | 14.292               | -48.540         | 100.758        | 37.927      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:31 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5818.320        | 114.352                | 76.345               | -7.848          | 122.200        | 38.007      | PK   |
| 2  |      | 5852.880        | 81.149                 | 43.194               | -34.483         | 115.632        | 37.955      | PK   |
| 3  |      | 5863.080        | 78.536                 | 40.577               | -29.999         | 108.535        | 37.959      | PK   |
| 4  |      | 5878.320        | 71.800                 | 33.883               | -30.934         | 102.733        | 37.917      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:34 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 10:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5817.760        | 106.131                | 68.127               | -16.069         | 122.200        | 38.004      | PK   |
| 2  |      | 5853.240        | 71.578                 | 33.623               | -43.233         | 114.812        | 37.955      | PK   |
| 3  |      | 5861.040        | 69.024                 | 31.063               | -40.083         | 109.107        | 37.961      | PK   |
| 4  |      | 5880.680        | 58.675                 | 20.750               | -42.306         | 100.981        | 37.925      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:50 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 53.549                 | 16.884               | -0.451          | 54.000         | 36.665      | AV   |
| 2  | *    | 5198.995        | 96.973                 | 60.427               | N/A             | N/A            | 36.546      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:55 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 67.713                 | 31.048               | -6.287          | 74.000         | 36.665      | PK   |
| 2  | *    | 5192.605        | 105.977                | 69.422               | N/A             | N/A            | 36.555      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:57 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 47.129                 | 10.464               | -6.871          | 54.000         | 36.665      | AV   |
| 2  | *    | 5195.800        | 91.171                 | 54.621               | N/A             | N/A            | 36.550      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 15:59 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 58.256                 | 21.591               | -15.744         | 74.000         | 36.665      | PK   |
| 2  | *    | 5205.385        | 100.002                | 63.384               | N/A             | N/A            | 36.618      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5314.990        | 98.862                 | 62.163               | N/A             | N/A            | 36.699      | AV   |
| 2  |      | 5350.000        | 52.709                 | 15.923               | -1.291          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:18 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5305.300        | 107.820                | 71.149               | N/A             | N/A            | 36.671      | PK   |
| 2  |      | 5350.000        | 68.942                 | 32.156               | -5.058          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:20 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5313.375        | 90.653                 | 53.959               | N/A             | N/A            | 36.694      | AV   |
| 2  |      | 5350.000        | 46.664                 | 9.878                | -7.336          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:22 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5316.690        | 101.531                | 64.827               | N/A             | N/A            | 36.704      | PK   |
| 2  |      | 5350.000        | 61.272                 | 24.486               | -12.728         | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 53.782                 | 15.636               | -0.218          | 54.000         | 38.146      | AV   |
| 2  | *    | 5505.430        | 97.963                 | 59.858               | N/A             | N/A            | 38.105      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:40 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 71.643                 | 33.497               | -2.357          | 74.000         | 38.146      | PK   |
| 2  | *    | 5515.240        | 109.623                | 71.495               | N/A             | N/A            | 38.128      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:54 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 47.675                 | 9.529                | -6.325          | 54.000         | 38.146      | AV   |
| 2  | *    | 5502.100        | 90.063                 | 51.955               | N/A             | N/A            | 38.108      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 16:56 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 62.936                 | 24.790               | -11.064         | 74.000         | 38.146      | PK   |
| 2  | *    | 5506.330        | 101.325                | 63.218               | N/A             | N/A            | 38.107      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:00 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5694.620        | 79.112                 | 41.068               | -22.123         | 101.234        | 38.044      | PK   |
| 2  |      | 5711.325        | 88.087                 | 49.905               | -20.286         | 108.373        | 38.182      | PK   |
| 3  |      | 5724.325        | 90.527                 | 52.333               | -30.135         | 120.662        | 38.194      | PK   |
| 4  | *    | 5740.120        | 112.469                | 74.403               | -9.731          | 122.200        | 38.066      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:03 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5698.065        | 72.125                 | 34.049               | -31.649         | 103.774        | 38.076      | PK   |
| 2  |      | 5709.180        | 78.412                 | 40.232               | -29.361         | 107.773        | 38.180      | PK   |
| 3  |      | 5722.310        | 81.807                 | 43.615               | -34.261         | 116.068        | 38.192      | PK   |
| 4  | *    | 5744.670        | 105.160                | 67.128               | -17.040         | 122.200        | 38.032      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:07 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5795MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5800.697        | 112.042                | 74.012               | -10.158         | 122.200        | 38.030      | PK   |
| 2  |      | 5852.808        | 75.652                 | 37.697               | -40.145         | 115.797        | 37.955      | PK   |
| 3  |      | 5859.018        | 74.771                 | 36.811               | -34.903         | 109.673        | 37.960      | PK   |
| 4  |      | 5879.470        | 67.846                 | 29.928               | -34.034         | 101.879        | 37.918      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:08 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 11:Transmit at 5795MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5798.065        | 104.115                | 66.072               | -18.085         | 122.200        | 38.043      | PK   |
| 2  |      | 5851.592        | 66.923                 | 28.969               | -51.646         | 118.569        | 37.954      | PK   |
| 3  |      | 5860.975        | 64.514                 | 26.553               | -44.611         | 109.125        | 37.961      | PK   |
| 4  |      | 5879.402        | 59.739                 | 21.822               | -42.191         | 101.930        | 37.917      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 52.597                 | 15.932               | -1.403          | 54.000         | 36.665      | AV   |
| 2  | *    | 5218.875        | 93.589                 | 56.852               | N/A             | N/A            | 36.737      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:17 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 63.884                 | 27.219               | -10.116         | 74.000         | 36.665      | PK   |
| 2  | *    | 5224.500        | 103.417                | 66.683               | N/A             | N/A            | 36.734      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:19 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 45.982                 | 9.317                | -8.018          | 54.000         | 36.665      | AV   |
| 2  | *    | 5221.125        | 87.588                 | 50.852               | N/A             | N/A            | 36.736      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:21 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 56.219                 | 19.554               | -17.781         | 74.000         | 36.665      | PK   |
| 2  | *    | 5226.375        | 97.190                 | 60.457               | N/A             | N/A            | 36.733      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:27 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5290MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5279.820        | 95.085                 | 58.338               | N/A             | N/A            | 36.747      | AV   |
| 2  |      | 5350.000        | 52.613                 | 15.827               | -1.387          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:27 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5290MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5305.545        | 105.303                | 68.632               | N/A             | N/A            | 36.671      | PK   |
| 2  |      | 5350.000        | 65.386                 | 28.600               | -8.614          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:29 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5290MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5295.675        | 86.674                 | 49.977               | N/A             | N/A            | 36.697      | AV   |
| 2  |      | 5350.000        | 43.962                 | 7.176                | -10.038         | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:31 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5290MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5306.490        | 98.571                 | 61.897               | N/A             | N/A            | 36.674      | PK   |
| 2  |      | 5350.000        | 56.989                 | 20.203               | -17.011         | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:33 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 53.204                 | 15.058               | -0.796          | 54.000         | 38.146      | AV   |
| 2  | *    | 5515.110        | 92.420                 | 54.292               | N/A             | N/A            | 38.128      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:35 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 65.712                 | 27.566               | -8.288          | 74.000         | 38.146      | PK   |
| 2  | *    | 5515.330        | 104.715                | 66.587               | N/A             | N/A            | 38.128      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:37 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 45.776                 | 7.630                | -8.224          | 54.000         | 38.146      | AV   |
| 2  | *    | 5517.750        | 85.397                 | 47.263               | N/A             | N/A            | 38.134      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:39 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 58.890                 | 20.744               | -15.110         | 74.000         | 38.146      | PK   |
| 2  | *    | 5513.570        | 96.949                 | 58.825               | N/A             | N/A            | 38.124      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:41 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5775MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5662.125        | 70.394                 | 32.195               | -6.809          | 77.202         | 38.199      | PK   |
| 2  |      | 5703.500        | 76.242                 | 38.114               | -29.940         | 106.181        | 38.128      | PK   |
| 3  |      | 5723.625        | 77.945                 | 39.752               | -41.121         | 119.066        | 38.193      | PK   |
| 4  |      | 5780.250        | 105.843                | 67.744               | -16.357         | 122.200        | 38.099      | PK   |
| 5  |      | 5851.375        | 71.554                 | 33.600               | -47.510         | 119.064        | 37.954      | PK   |
| 6  |      | 5869.625        | 72.295                 | 34.354               | -34.408         | 106.703        | 37.941      | PK   |
| 7  |      | 5890.250        | 63.874                 | 25.893               | -30.008         | 93.882         | 37.981      | PK   |


|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/07 - 17:44 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 12:Transmit at 5775MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5675.125        | 64.928                 | 26.932               | -21.905         | 86.833         | 37.996      | PK   |
| 2  |      | 5706.375        | 68.204                 | 30.049               | -38.783         | 106.987        | 38.155      | PK   |
| 3  |      | 5723.375        | 68.058                 | 29.865               | -50.438         | 118.496        | 38.193      | PK   |
| 4  |      | 5800.500        | 97.565                 | 59.534               | -24.635         | 122.200        | 38.031      | PK   |
| 5  |      | 5852.000        | 62.875                 | 24.921               | -54.763         | 117.639        | 37.954      | PK   |
| 6  |      | 5867.500        | 63.003                 | 25.056               | -44.295         | 107.298        | 37.947      | PK   |
| 7  |      | 5896.250        | 56.570                 | 18.557               | -32.867         | 89.437         | 38.013      | PK   |


**Beam-forming:**

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/22 - 17:23 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5180MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 52.592                 | 15.927               | -1.408          | 54.000         | 36.665      | AV   |
| 2  | *    | 5182.065        | 97.517                 | 60.948               | N/A             | N/A            | 36.569      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/22 - 17:24 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5180MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 68.551                 | 31.886               | -5.449          | 74.000         | 36.665      | PK   |
| 2  | *    | 5182.410        | 108.084                | 71.516               | N/A             | N/A            | 36.568      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/22 - 17:26 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5180MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 50.746                 | 14.081               | -3.254          | 54.000         | 36.665      | AV   |
| 2  | *    | 5175.510        | 95.745                 | 59.114               | N/A             | N/A            | 36.631      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/22 - 17:28 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5180MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 65.476                 | 28.811               | -8.524          | 74.000         | 36.665      | PK   |
| 2  | *    | 5176.545        | 104.105                | 67.484               | N/A             | N/A            | 36.621      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 09:49 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5320MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5323.125        | 96.740                 | 59.985               | N/A             | N/A            | 36.755      | AV   |
| 2  |      | 5350.000        | 52.688                 | 15.902               | -1.312          | 54.000         | 36.786      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 09:53 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5320MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5322.975        | 109.382                | 72.628               | N/A             | N/A            | 36.754      | PK   |
| 2  |      | 5350.000        | 71.352                 | 34.566               | -2.648          | 74.000         | 36.786      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 09:54 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5320MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5321.925        | 95.023                 | 58.279               | N/A             | N/A            | 36.744      | AV   |
| 2  |      | 5350.000        | 52.504                 | 15.718               | -1.496          | 54.000         | 36.786      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 09:57 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5320MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5323.725        | 105.933                | 69.172               | N/A             | N/A            | 36.761      | PK   |
| 2  |      | 5350.000        | 67.789                 | 31.003               | -6.211          | 74.000         | 36.786      | PK   |
| 3  |      | 5354.175        | 70.477                 | 33.719               | -3.523          | 74.000         | 36.758      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:08 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5500MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 52.623                 | 14.477               | -1.377          | 54.000         | 38.146      | AV   |
| 2  | *    | 5502.880        | 99.727                 | 61.620               | N/A             | N/A            | 38.107      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:08 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5500MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 68.108                 | 29.962               | -5.892          | 74.000         | 38.146      | PK   |
| 2  | *    | 5495.440        | 111.100                | 72.983               | N/A             | N/A            | 38.117      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:13 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5500MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 49.998                 | 11.852               | -4.002          | 54.000         | 38.146      | AV   |
| 2  | *    | 5492.480        | 94.461                 | 56.339               | N/A             | N/A            | 38.122      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:17 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5500MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 67.770                 | 29.624               | -6.230          | 74.000         | 38.146      | PK   |
| 2  | *    | 5503.840        | 106.022                | 67.916               | N/A             | N/A            | 38.106      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:21 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5745MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5693.525        | 74.537                 | 36.504               | -25.889         | 100.427        | 38.033      | PK   |
| 2  |      | 5708.155        | 79.420                 | 41.248               | -28.066         | 107.486        | 38.172      | PK   |
| 3  |      | 5723.005        | 90.644                 | 52.452               | -27.008         | 117.653        | 38.192      | PK   |
| 4  | *    | 5746.050        | 112.856                | 74.830               | -9.344          | 122.200        | 38.026      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:23 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5745MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5691.545        | 66.841                 | 28.823               | -32.125         | 98.966         | 38.018      | PK   |
| 2  |      | 5707.000        | 72.046                 | 33.885               | -35.116         | 107.162        | 38.161      | PK   |
| 3  |      | 5722.785        | 84.207                 | 46.015               | -32.944         | 117.151        | 38.192      | PK   |
| 4  | *    | 5746.710        | 107.199                | 69.176               | -15.001         | 122.200        | 38.023      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:27 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5691.150        | 54.139                 | 16.121               | -44.536         | 98.675         | 38.018      | PK   |
| 2  |      | 5704.885        | 58.277                 | 20.136               | -48.293         | 106.570        | 38.141      | PK   |
| 3  |      | 5722.208        | 61.893                 | 23.701               | -53.943         | 115.835        | 38.192      | PK   |
| 4  | *    | 5786.475        | 107.520                | 69.436               | -14.680         | 122.200        | 38.084      | PK   |
| 5  |      | 5851.768        | 61.174                 | 23.220               | -56.994         | 118.168        | 37.954      | PK   |
| 6  |      | 5870.320        | 54.711                 | 16.772               | -51.798         | 106.509        | 37.939      | PK   |
| 7  |      | 5879.647        | 53.097                 | 15.178               | -48.651         | 101.748        | 37.919      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:30 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5785MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5696.172        | 59.712                 | 21.653               | -42.667         | 102.379        | 38.059      | PK   |
| 2  |      | 5716.775        | 69.268                 | 31.081               | -40.630         | 109.898        | 38.187      | PK   |
| 3  |      | 5722.720        | 66.518                 | 28.326               | -50.485         | 117.003        | 38.192      | PK   |
| 4  | *    | 5781.042        | 113.567                | 75.470               | -8.633          | 122.200        | 38.097      | PK   |
| 5  |      | 5852.280        | 65.455                 | 27.500               | -51.546         | 117.000        | 37.955      | PK   |
| 6  |      | 5864.990        | 63.204                 | 25.250               | -44.797         | 108.000        | 37.954      | PK   |
| 7  |      | 5883.440        | 58.158                 | 20.217               | -40.775         | 98.932         | 37.941      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:34 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5830.480        | 113.419                | 75.385               | -8.781          | 122.200        | 38.034      | PK   |
| 2  |      | 5850.720        | 85.952                 | 47.999               | -34.605         | 120.558        | 37.953      | PK   |
| 3  |      | 5862.280        | 78.137                 | 40.176               | -30.622         | 108.759        | 37.961      | PK   |
| 4  |      | 5881.800        | 70.649                 | 32.718               | -29.500         | 100.150        | 37.931      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:39 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 13:Transmit at 5825MHz by 802.11n20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5826.120        | 108.764                | 70.723               | -13.436         | 122.200        | 38.041      | PK   |
| 2  |      | 5853.440        | 74.510                 | 36.555               | -39.845         | 114.356        | 37.955      | PK   |
| 3  |      | 5862.760        | 73.680                 | 35.720               | -34.945         | 108.625        | 37.960      | PK   |
| 4  |      | 5885.080        | 63.541                 | 25.591               | -34.174         | 97.716         | 37.950      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:42 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 52.851                 | 16.186               | -1.149          | 54.000         | 36.665      | AV   |
| 2  | *    | 5194.735        | 94.470                 | 57.918               | N/A             | N/A            | 36.552      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:49 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 65.525                 | 28.860               | -8.475          | 74.000         | 36.665      | PK   |
| 2  | *    | 5184.440        | 103.114                | 66.548               | N/A             | N/A            | 36.566      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:50 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 49.149                 | 12.484               | -4.851          | 54.000         | 36.665      | AV   |
| 2  | *    | 5203.610        | 90.693                 | 54.095               | N/A             | N/A            | 36.598      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 10:53 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5190MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 60.210                 | 23.545               | -13.790         | 74.000         | 36.665      | PK   |
| 2  | *    | 5182.665        | 98.870                 | 62.302               | N/A             | N/A            | 36.568      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:13 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5306.830        | 95.424                 | 58.749               | N/A             | N/A            | 36.675      | AV   |
| 2  |      | 5350.000        | 52.716                 | 15.930               | -1.284          | 54.000         | 36.786      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:16 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5304.705        | 106.077                | 69.408               | N/A             | N/A            | 36.669      | PK   |
| 2  |      | 5350.000        | 68.277                 | 31.491               | -5.723          | 74.000         | 36.786      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:17 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5308.190        | 90.710                 | 54.031               | N/A             | N/A            | 36.679      | AV   |
| 2  |      | 5350.000        | 48.640                 | 11.854               | -5.360          | 54.000         | 36.786      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:19 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5310MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5304.620        | 102.260                | 65.591               | N/A             | N/A            | 36.669      | PK   |
| 2  |      | 5350.000        | 62.760                 | 25.974               | -11.240         | 74.000         | 36.786      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:21 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 52.485                 | 14.339               | -1.515          | 54.000         | 38.146      | AV   |
| 2  | *    | 5505.340        | 95.377                 | 57.272               | N/A             | N/A            | 38.105      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:23 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 67.658                 | 29.512               | -6.342          | 74.000         | 38.146      | PK   |
| 2  | *    | 5518.210        | 107.306                | 69.171               | N/A             | N/A            | 38.135      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:25 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 46.856                 | 8.710                | -7.144          | 54.000         | 38.146      | AV   |
| 2  | *    | 5502.370        | 89.108                 | 51.000               | N/A             | N/A            | 38.108      | AV   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:26 |
| Limit: FCC_Part15.209_RE(3m)                   | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5510MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 62.717                 | 24.571               | -11.283         | 74.000         | 38.146      | PK   |
| 2  | *    | 5501.110        | 100.360                | 62.251               | N/A             | N/A            | 38.109      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:29 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5755MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5688.705        | 81.650                 | 43.635               | -15.221         | 96.870         | 38.015      | PK   |
| 2  |      | 5706.580        | 91.442                 | 53.285               | -15.602         | 107.045        | 38.157      | PK   |
| 3  |      | 5724.715        | 95.945                 | 57.751               | -25.606         | 121.550        | 38.194      | PK   |
| 4  | *    | 5751.820        | 111.843                | 73.843               | -10.357         | 122.200        | 38.000      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:32 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5755MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5695.530        | 75.224                 | 37.172               | -26.681         | 101.905        | 38.052      | PK   |
| 2  |      | 5712.690        | 85.958                 | 47.775               | -22.797         | 108.755        | 38.183      | PK   |
| 3  |      | 5722.440        | 88.768                 | 50.576               | -27.597         | 116.364        | 38.192      | PK   |
| 4  | *    | 5753.120        | 105.419                | 67.425               | -16.781         | 122.200        | 37.994      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:35 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Vertical       |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5795MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5798.740        | 111.224                | 73.184               | -10.976         | 122.200        | 38.040      | PK   |
| 2  |      | 5852.538        | 82.897                 | 44.942               | -33.515         | 116.412        | 37.955      | PK   |
| 3  |      | 5866.308        | 81.100                 | 43.150               | -26.531         | 107.631        | 37.950      | PK   |
| 4  |      | 5877.040        | 76.981                 | 39.061               | -26.703         | 103.684        | 37.920      | PK   |

|                                                |                          |
|------------------------------------------------|--------------------------|
| Engineer: Simon                                |                          |
| Site: AC5                                      | Time: 2017/11/23 - 11:36 |
| Limit: FCC 407 NEW                             | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)             | Polarity: Horizontal     |
| EUT: Wireless Access point                     | Power: AC 120V/60Hz      |
| Note: Mode 14:Transmit at 5795MHz by 802.11n40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5811.362        | 105.374                | 67.397               | -16.826         | 122.200        | 37.977      | PK   |
| 2  |      | 5853.685        | 77.230                 | 39.274               | -36.568         | 113.797        | 37.956      | PK   |
| 3  |      | 5866.105        | 75.647                 | 37.696               | -32.042         | 107.688        | 37.951      | PK   |
| 4  |      | 5877.445        | 70.220                 | 32.301               | -33.163         | 103.383        | 37.919      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:04 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 53.028                 | 16.363               | -0.972          | 54.000         | 36.665      | AV   |
| 2  | *    | 5182.410        | 96.855                 | 60.287               | N/A             | N/A            | 36.568      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:05 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 69.993                 | 33.328               | -4.007          | 74.000         | 36.665      | PK   |
| 2  | *    | 5176.890        | 108.253                | 71.635               | N/A             | N/A            | 36.618      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:07 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 52.039                 | 15.374               | -1.961          | 54.000         | 36.665      | AV   |
| 2  | *    | 5174.130        | 95.384                 | 58.740               | N/A             | N/A            | 36.644      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:09 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5180MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 65.826                 | 29.161               | -8.174          | 74.000         | 36.665      | PK   |
| 2  | *    | 5175.165        | 103.991                | 67.357               | N/A             | N/A            | 36.634      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:16 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5321.040        | 98.118                 | 61.382               | N/A             | N/A            | 36.736      | AV   |
| 2  |      | 5350.000        | 53.233                 | 16.447               | -0.767          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:19 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5323.040        | 109.420                | 72.665               | N/A             | N/A            | 36.755      | PK   |
| 2  |      | 5350.000        | 70.517                 | 33.731               | -3.483          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:20 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5322.160        | 94.707                 | 57.961               | N/A             | N/A            | 36.746      | AV   |
| 2  |      | 5350.000        | 51.706                 | 14.920               | -2.294          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:22 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5320MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5322.400        | 105.340                | 68.591               | N/A             | N/A            | 36.749      | PK   |
| 2  |      | 5350.000        | 66.244                 | 29.458               | -7.756          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:31 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 52.275                 | 14.129               | -1.725          | 54.000         | 38.146      | AV   |
| 2  | *    | 5503.595        | 101.621                | 63.515               | N/A             | N/A            | 38.106      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:31 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 68.122                 | 29.976               | -5.878          | 74.000         | 38.146      | PK   |
| 2  | *    | 5502.490        | 110.594                | 72.486               | N/A             | N/A            | 38.108      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:34 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 46.582                 | 8.436                | -7.418          | 54.000         | 38.146      | AV   |
| 2  | *    | 5502.490        | 93.786                 | 55.678               | N/A             | N/A            | 38.108      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:36 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5500MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 63.367                 | 25.221               | -10.633         | 74.000         | 38.146      | PK   |
| 2  | *    | 5501.300        | 104.620                | 66.511               | N/A             | N/A            | 38.109      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:39 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5745MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5697.485        | 75.615                 | 37.544               | -27.732         | 103.347        | 38.071      | PK   |
| 2  |      | 5709.420        | 77.736                 | 39.556               | -30.104         | 107.840        | 38.180      | PK   |
| 3  |      | 5724.105        | 92.979                 | 54.786               | -27.181         | 120.160        | 38.193      | PK   |
| 4  | *    | 5746.215        | 112.937                | 74.912               | -9.263          | 122.200        | 38.025      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:42 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5745MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5695.670        | 67.453                 | 29.399               | -34.556         | 102.009        | 38.054      | PK   |
| 2  |      | 5711.950        | 72.689                 | 34.506               | -35.860         | 108.548        | 38.183      | PK   |
| 3  |      | 5723.280        | 85.669                 | 47.476               | -32.611         | 118.280        | 38.193      | PK   |
| 4  | *    | 5742.530        | 107.817                | 69.773               | -14.383         | 122.200        | 38.044      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:45 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5696.480        | 60.531                 | 22.470               | -42.074         | 102.606        | 38.061      | PK   |
| 2  |      | 5714.417        | 66.493                 | 28.308               | -42.746         | 109.239        | 38.185      | PK   |
| 3  |      | 5724.053        | 70.698                 | 32.505               | -49.343         | 120.042        | 38.193      | PK   |
| 4  | *    | 5781.760        | 113.445                | 75.350               | -8.755          | 122.200        | 38.095      | PK   |
| 5  |      | 5852.792        | 67.619                 | 29.664               | -48.214         | 115.833        | 37.955      | PK   |
| 6  |      | 5863.760        | 65.103                 | 27.146               | -43.242         | 108.345        | 37.957      | PK   |
| 7  |      | 5880.877        | 57.177                 | 19.251               | -43.658         | 100.835        | 37.926      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:48 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5785MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5699.760        | 57.472                 | 19.380               | -47.551         | 105.023        | 38.092      | PK   |
| 2  |      | 5710.112        | 57.572                 | 19.391               | -50.462         | 108.034        | 38.181      | PK   |
| 3  |      | 5725.078        | 64.576                 | 26.382               | -57.624         | 122.200        | 38.194      | PK   |
| 4  | *    | 5790.882        | 107.828                | 69.755               | -14.372         | 122.200        | 38.073      | PK   |
| 5  |      | 5853.510        | 60.558                 | 22.602               | -53.639         | 114.196        | 37.956      | PK   |
| 6  |      | 5863.658        | 56.633                 | 18.676               | -51.740         | 108.373        | 37.957      | PK   |
| 7  |      | 5885.592        | 52.469                 | 14.516               | -44.866         | 97.336         | 37.953      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:50 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5826.880        | 113.833                | 75.789               | -8.367          | 122.200        | 38.044      | PK   |
| 2  |      | 5853.720        | 82.316                 | 44.360               | -31.402         | 113.717        | 37.956      | PK   |
| 3  |      | 5864.080        | 78.084                 | 40.128               | -30.171         | 108.255        | 37.956      | PK   |
| 4  |      | 5882.480        | 69.757                 | 31.822               | -29.888         | 99.645         | 37.935      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 14:53 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 15:Transmit at 5825MHz by 802.11ac20 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5828.400        | 109.209                | 71.162               | -12.991         | 122.200        | 38.047      | PK   |
| 2  |      | 5852.560        | 76.299                 | 38.344               | -40.063         | 116.362        | 37.955      | PK   |
| 3  |      | 5864.200        | 72.422                 | 34.466               | -35.800         | 108.222        | 37.956      | PK   |
| 4  |      | 5882.720        | 65.360                 | 27.423               | -34.107         | 99.467         | 37.937      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:03 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 52.333                 | 15.668               | -1.667          | 54.000         | 36.665      | AV   |
| 2  | *    | 5195.090        | 95.323                 | 58.772               | N/A             | N/A            | 36.551      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:06 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 65.622                 | 28.957               | -8.378          | 74.000         | 36.665      | PK   |
| 2  | *    | 5183.730        | 103.624                | 67.057               | N/A             | N/A            | 36.567      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:10 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 48.553                 | 11.888               | -5.447          | 54.000         | 36.665      | AV   |
| 2  | *    | 5184.440        | 90.474                 | 53.908               | N/A             | N/A            | 36.566      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:12 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5190MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 60.404                 | 23.739               | -13.596         | 74.000         | 36.665      | PK   |
| 2  | *    | 5194.735        | 99.459                 | 62.907               | N/A             | N/A            | 36.552      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:20 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5314.565        | 93.847                 | 57.149               | N/A             | N/A            | 36.698      | AV   |
| 2  |      | 5350.000        | 52.569                 | 15.783               | -1.431          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:20 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5315.330        | 106.513                | 69.813               | N/A             | N/A            | 36.700      | PK   |
| 2  |      | 5350.000        | 69.959                 | 33.173               | -4.041          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:22 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5306.320        | 91.603                 | 54.929               | N/A             | N/A            | 36.674      | AV   |
| 2  |      | 5350.000        | 50.664                 | 13.878               | -3.336          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:25 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5310MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5304.535        | 102.214                | 65.546               | N/A             | N/A            | 36.668      | PK   |
| 2  |      | 5350.000        | 65.008                 | 28.222               | -8.992          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:38 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 52.792                 | 14.646               | -1.208          | 54.000         | 38.146      | AV   |
| 2  | *    | 5504.170        | 96.639                 | 58.534               | N/A             | N/A            | 38.105      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:38 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 68.700                 | 30.554               | -5.300          | 74.000         | 38.146      | PK   |
| 2  | *    | 5506.150        | 106.592                | 68.485               | N/A             | N/A            | 38.107      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:40 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 46.592                 | 8.446                | -7.408          | 54.000         | 38.146      | AV   |
| 2  | *    | 5502.280        | 88.563                 | 50.455               | N/A             | N/A            | 38.108      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:42 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5510MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 60.709                 | 22.563               | -13.291         | 74.000         | 38.146      | PK   |
| 2  | *    | 5503.000        | 100.444                | 62.337               | N/A             | N/A            | 38.107      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:45 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5696.765        | 81.462                 | 43.398               | -21.354         | 102.816        | 38.064      | PK   |
| 2  |      | 5707.295        | 90.984                 | 52.820               | -16.261         | 107.245        | 38.164      | PK   |
| 3  |      | 5722.635        | 93.923                 | 55.731               | -22.886         | 116.809        | 38.192      | PK   |
| 4  | *    | 5758.125        | 111.306                | 73.335               | -10.894         | 122.200        | 37.971      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:50 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5755MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5697.025        | 75.590                 | 37.523               | -27.418         | 103.008        | 38.067      | PK   |
| 2  |      | 5710.740        | 85.278                 | 47.096               | -22.932         | 108.210        | 38.182      | PK   |
| 3  |      | 5723.155        | 87.542                 | 49.350               | -30.452         | 117.995        | 38.192      | PK   |
| 4  | *    | 5757.215        | 105.365                | 67.389               | -16.835         | 122.200        | 37.976      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:54 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5795MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5803.263        | 111.468                | 73.452               | -10.732         | 122.200        | 38.016      | PK   |
| 2  |      | 5854.292        | 81.665                 | 43.709               | -30.749         | 112.414        | 37.956      | PK   |
| 3  |      | 5862.865        | 80.577                 | 42.617               | -28.019         | 108.596        | 37.960      | PK   |
| 4  |      | 5876.500        | 77.477                 | 39.555               | -26.609         | 104.085        | 37.922      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 15:56 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 16:Transmit at 5795MHz by 802.11ac40 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5789.897        | 106.012                | 67.937               | -16.188         | 122.200        | 38.075      | PK   |
| 2  |      | 5853.482        | 76.022                 | 38.067               | -38.238         | 114.260        | 37.955      | PK   |
| 3  |      | 5863.810        | 74.295                 | 36.338               | -34.036         | 108.331        | 37.957      | PK   |
| 4  |      | 5875.555        | 70.981                 | 33.056               | -33.807         | 104.788        | 37.925      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:06 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 52.518                 | 15.853               | -1.482          | 54.000         | 36.665      | AV   |
| 2  | *    | 5221.125        | 90.914                 | 54.178               | N/A             | N/A            | 36.736      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:08 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 64.040                 | 27.375               | -9.960          | 74.000         | 36.665      | PK   |
| 2  | *    | 5224.875        | 102.065                | 65.331               | N/A             | N/A            | 36.734      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:08 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 50.465                 | 13.800               | -3.535          | 54.000         | 36.665      | AV   |
| 2  | *    | 5226.000        | 87.964                 | 51.231               | N/A             | N/A            | 36.733      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:13 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5210MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5150.000        | 57.677                 | 21.012               | -16.323         | 74.000         | 36.665      | PK   |
| 2  | *    | 5207.625        | 96.280                 | 59.636               | N/A             | N/A            | 36.644      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:45 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5290MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5275.935        | 91.692                 | 54.980               | N/A             | N/A            | 36.712      | AV   |
| 2  |      | 5350.000        | 52.672                 | 15.886               | -1.328          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:45 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5290MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5298.825        | 102.888                | 66.214               | N/A             | N/A            | 36.674      | PK   |
| 2  |      | 5350.000        | 66.447                 | 29.661               | -7.553          | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:49 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5290MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5294.625        | 86.423                 | 49.718               | N/A             | N/A            | 36.705      | AV   |
| 2  |      | 5350.000        | 47.403                 | 10.617               | -6.597          | 54.000         | 36.786      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 16:54 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5290MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5304.810        | 99.470                 | 62.801               | N/A             | N/A            | 36.669      | PK   |
| 2  |      | 5350.000        | 61.564                 | 24.778               | -12.436         | 74.000         | 36.786      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 17:36 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 53.309                 | 15.163               | -0.691          | 54.000         | 38.146      | AV   |
| 2  | *    | 5515.990        | 89.033                 | 50.903               | N/A             | N/A            | 38.130      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 17:37 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 69.899                 | 31.753               | -4.101          | 74.000         | 38.146      | PK   |
| 2  | *    | 5516.870        | 103.434                | 65.302               | N/A             | N/A            | 38.132      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 17:38 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 50.311                 | 12.165               | -3.689          | 54.000         | 38.146      | AV   |
| 2  | *    | 5518.960        | 84.578                 | 46.441               | N/A             | N/A            | 38.137      | AV   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 17:43 |
| Limit: FCC_Part15.209_RE(3m)                    | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5530MHz by 802.11ac80 |                          |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5460.000        | 61.653                 | 23.507               | -12.347         | 74.000         | 38.146      | PK   |
| 2  | *    | 5517.860        | 96.612                 | 58.478               | N/A             | N/A            | 38.134      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 17:46 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Vertical       |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5775MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  |      | 5684.375        | 69.291                 | 31.282               | -24.382         | 93.672         | 38.009      | PK   |
| 2  |      | 5715.625        | 72.731                 | 34.545               | -36.846         | 109.577        | 38.186      | PK   |
| 3  |      | 5723.500        | 74.000                 | 35.807               | -44.781         | 118.781        | 38.193      | PK   |
| 4  | *    | 5778.750        | 110.402                | 72.299               | -11.798         | 122.200        | 38.103      | PK   |
| 5  |      | 5853.625        | 72.657                 | 34.701               | -41.277         | 113.934        | 37.956      | PK   |
| 6  |      | 5858.750        | 72.094                 | 34.134               | -37.655         | 109.749        | 37.960      | PK   |
| 7  |      | 5882.375        | 66.741                 | 28.806               | -32.982         | 99.723         | 37.935      | PK   |

|                                                 |                          |
|-------------------------------------------------|--------------------------|
| Engineer: Simon                                 |                          |
| Site: AC5                                       | Time: 2017/11/23 - 17:52 |
| Limit: FCC 407 NEW                              | Margin: 0                |
| Probe: Horn_3117_00167055(1-18GHz)              | Polarity: Horizontal     |
| EUT: Wireless Access point                      | Power: AC 120V/60Hz      |
| Note: Mode 17:Transmit at 5775MHz by 802.11ac80 |                          |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1  | *    | 5662.250        | 63.201                 | 25.004               | -14.094         | 77.295         | 38.197      | PK   |
| 2  |      | 5708.125        | 65.587                 | 27.415               | -41.891         | 107.477        | 38.172      | PK   |
| 3  |      | 5722.625        | 64.382                 | 26.190               | -52.404         | 116.786        | 38.192      | PK   |
| 4  |      | 5761.250        | 97.691                 | 59.717               | -24.509         | 122.200        | 37.974      | PK   |
| 5  |      | 5853.875        | 68.032                 | 30.076               | -45.332         | 113.364        | 37.956      | PK   |
| 6  |      | 5868.875        | 64.617                 | 26.674               | -42.296         | 106.913        | 37.943      | PK   |
| 7  |      | 5889.250        | 57.516                 | 19.541               | -37.107         | 94.623         | 37.975      | PK   |

## 8. Antenna Requirement

### 8.1. Limit

| Antenna Requirement Limit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <p>An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator shall be considered sufficient to comply with the provisions of this section. The manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited. This requirement does not apply to carrier current devices or to devices operated under the provisions of §15.211, §15.213, §15.217, §15.219, or §15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with §15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.</p> |  |

### 8.2. Antenna Connector Construction

| Antenna Connector Construction                                                             |                                                                  |
|--------------------------------------------------------------------------------------------|------------------------------------------------------------------|
| <input type="checkbox"/>                                                                   | The use of a permanently attached antenna                        |
| <input type="checkbox"/>                                                                   | The antenna use of a unique coupling to the intentional radiator |
| <input checked="" type="checkbox"/>                                                        | The use of a nonstandard antenna jack or electrical connector    |
| Please refer to the attached document "Internal Photograph" to show the antenna connector. |                                                                  |

\_\_\_\_\_ The End \_\_\_\_\_