









LINE IN MAX LEVEL=+6dBV
Analog Input Inpedance 16K Ohm



Title		
Audio_in		
Size	Document Number	Rev
B	<Doc>	EPP
Date:	Wednesday, September 14, 2022	Sheet 1 of 9





Title			Volume
Size	A3	Document Number	<Doc>
Date:	Wednesday, September 14, 2022	Sheet	2 of 9
		Rev	EPP





TRANS
3E0833700A AX-501,UD-501 TRANS
0.2A +-15V OUTPUT
Input Mulchi 100V-230V

From AI-505 Trans



Title		
For Power_Amp		
Size	Document Number	Rev
A4	<Doc>	EPP
Date:	Wednesday, September 14, 2022	Sheet 3 of 9







for BT FW Update
(SPI)
CSR DEV-SYS-1808-1A
USB-SPI Converter

Title		
Bluetooth		
Size	Document Number	Rev
A3	<Doc>	EPP
Date:	Wednesday, September 14, 2022	
Sheet	6	of 9


RESET / DCDC out




POWER IN



P=1.27mm fai=0.85 D



Title				
USB				
Size A2	Document Number <Doc>			Rev EPP
Date:	Wednesday, September 14, 2022		Sheet	7 of 9



For AI-505 & A-R750


For HDMI

For PCB INPUT SEL



FOR VOLUME

Title			
CPU			
Size	Document Number	Rev	
A2	<Doc>	EPP	
Date:	Wednesday, September 14, 2022	Sheet	8 of 9

AC 100V-240V IN



AC Primary side



Title		
AC_IN		
Size	Document Number	Rev
A4	<Doc>	EPP
Date:	Wednesday, September 14, 2022	Sheet 9 of 9