

EMC-TRF-03 Rev 1 0 Report No.: GZCR220500064002R1

Page: 1 of 12

FCC ID:2AFHW-VSC725

RF Exposure Report

Application No.:

Applicant: INNOVATIVE TECHNOLOGY ELECTRONICS LLC

Address of Applicant: 3513 Brighton Blvd Suite 570 Denver Colorado 80216 United States

SHENZHEN ANTEXIN TECHNOLOGY CO., LTD Manufacturer:

5th Floor Bldg 4, Fuxingda Industrial Park Pingshan District Shenzhen. Address of Manufacturer:

China 518118

Factory: SHENZHEN ANTEXIN TECHNOLOGY CO., LTD

5th Floor Bldg 4, Fuxingda Industrial Park Pingshan District Shenzhen, Address of Factory:

China 518118

Equipment Under Test (EUT):

EUT Name: Portable Bluetooth Turntable

Model No.:

VSC-725SB, VSC-725SB-BAS, VSC-725SB-GRA, VSC-725SB-LBL, VSC-725SB-POR, VSC-725SB-GRA-INT, VSC-725SB-LBL-INT, VSC-725SBxxxx (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit), VSC-725SBxxxxyyyy (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit; and where "y" can be A-Z and means

regional certification)

Please refer to section 3 of this report which indicates which model was

actually tested and which were electrically identical.

Trade Mark:

FCC Rules 47 CFR §2.1091 Standard(s):

KDB 447498 D04 interim General RF Exposure Guidance v01

Date of Receipt: 2022-05-16

Date of Test: 2022-05-17 to 2022-06-07

Date of Issue: 2022-07-26

Test Result: Pass*

* In the configuration tested, the EUT complied with the standards specified above

This report supersedes our previous report GZCR220500064002, issued on 2022-06-07, which is hereby deemed null and void.

Kobe Jian **EMC Laboratory Manager**



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing (nespection report & certificate, please contact us at telephone: (86-75) 8307 1443.

No.198 Kezhu Road, Scientech Park, Quangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 2 of 12

| | Revision Record | | | | | | | |
|---------|-----------------|------------|----------|--------------------------------------|--|--|--|--|
| Version | Chapter | Date | Modifier | Remark | | | | |
| 01 | | 2022-06-07 | | Original | | | | |
| 02 | | 2022-07-26 | | Updated the information of applicant | | | | |
| | | | | | | | | |

| Authorized for issue by: | | |
|--------------------------|---------------------------|---|
| | Cof Vlu | |
| | Curry Wu/Project Engineer | - |
| | Riday Liu | |
| | Ricky Liu/Reviewer | - |

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or errail: CN.Doccheck@sgs.com

New 186 febra Rod, Scientle/PR (algorithous Acardonus Development Distric, Guarghou, China 510663).

186-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn.

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page

Page: 3 of 12

1 Contents

| i age | | |
|-------|--|---|
| 3 | CONTENTS | 1 |
| 4 | GENERAL INFORMATION | 2 |
| 4 | 2.1 GENERAL DESCRIPTION OF E.U.T. | |
| 4 | 2.2 DETAILS OF E.U.T. | |
| 6 | 2.3 SEPARATION DISTANCE | |
| 7 | 2.4 TEST LOCATION | |
| 7 | 2.5 TEST FACILITY | |
| 8 | FCC RADIOFREQUENCY RADIATION EXPOSURE LIMITS | 3 |
| 8 | 3.1 BLANKET 1 MW BLANKET EXEMPTION | |
| 8 | 3.2 MPE-BASED EXEMPTION | |
| 9 | 3.3 SAR-BASED EXEMPTION | |
| 12 | MEASUREMENT AND CALCULATION | 4 |
| 12 | 4.1 MAXIMUM TRANSMIT POWER | |
| 12 | 4.2 RF EXPOSURE CALCULATION | |



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 4 of 12

2 General Information

2.1 General Description of E.U.T.

| | ☐ Portable device |
|---------------|-------------------|
| Product Type: | |
| | ☐ Fixed device |

2.2 Details of E.U.T.

| Power Supply: | Adapter Model:GKYZB0150120UL |
|----------------------|---|
| | Input:AC100-240V 50/60Hz 0.5A Max |
| | Output:DC12V 1500mA |
| Cable(s): | DC Cable:150cm unshielded |
| Bluetooth Version: | V5.2 |
| Operation Frequency: | 2402MHz to 2480MHz |
| Modulation Type: | GFSK, Pi/4DQPSK, 8DPSK |
| Channel Spacing: | 1MHz |
| Number of Channels: | 79 |
| Antenna Type: | Monopole Antenna |
| Antenna Gain: | 0.5dBi declared by applicant |
| | Cable(s): Bluetooth Version: Operation Frequency: Modulation Type: Channel Spacing: Number of Channels: Antenna Type: |



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification in and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck-Rosus.com

|Mo.1916atu] Nota (Sciented Park, Guargariou Etonomick Technology Development District, Guargariou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 5 of 12

Declaration of EUT Family Grouping:

Model No.: VSC-725SB, VSC-725SB-BAS, VSC-725SB-GRA, VSC-725SB-LBL, VSC-725SB-POR, VSC-725SB-GRA-INT, VSC-725SB-LBL-INT,

VSC-725SBxxxx (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit), VSC-725SBxxxxyyyy (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit; and where "y" can be A-Z and means regional certification)

Only the model VSC-725SB was tested, since according to the declaration from the applicant, the electrical circuit design, layout, components used, internal wiring and functions were identical for the above models, with only difference on model No., brand name for trading purpose. Details as below.

1. Basic model: VSC-725SB

Alternative model: VSC-725SB-BAS, VSC-725SB-GRA, VSC-725SB-LBL, VSC-725SB-POR, VSC-725SB-GRA-INT, VSC-725SB-LBL-INT, VSC-725SBxxxx (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit), VSC-725SBxxxxyyyy (where "x" can be 0-9, A-Z, "-" or blank and means color code of unit; and where "y" can be A-Z and means regional certification) Brand Name: Victrola, Innovative Technology

2. Brand Name **VICTROLA** and Innovative Technology can be used for all the models.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condi



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 6 of 12

2.3 Separation Distance

Minimum test separation distance: 20cm

Remark: This minimum test separation distance is determined by the smallest distance from the antenna and radiating structures or outer surface of the device, according to the host form factor, exposure conditions and platform requirements, to any part of the body or extremity of a user or bystander.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/en/Terms-and-Conditions/Terms-and-Con

No.18 Kezhu Road, Sciented Park, Ganaghro Economic & Technology Development District, Guangshou, China 510663 t (86–20) 82155555 f (86–20) 82075058 www.sgsgroup.com.cn 中国 · 广州 · 经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 7 of 12

2.4 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou Branch EMC Laboratory,

198 Kezhu Road, Scientech Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663

Tel: +86 20 82155555 Fax: +86 20 82075059

No tests were sub-contracted.

2.5 Test Facility

The facility is recognized, certified, or accredited by the following organizations:

NVLAP (Lab Code: 200611-0)

SGS-CSTC Standards Technical Services Co., Ltd., Guangzhou EMC Laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP/NIST). NVLAP Code: 200611-0. The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.

ACMA

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory can also perform testing for the Australian/New Zealand Regulatory Compliance Mark (RCM).

• SGS UK(Certificate No.: 32), SGS-TUV SAARLAND and SGS-FIMKO

Have approved SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory as a supplier of EMC TESTING SERVICES and SAFETY TESTING SERVICES.

• CNAS (Lab Code: L0167)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been assessed and in compliance with CNAS-CL01:2018 accreditation criteria for testing laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of Testing Laboratories.

• FCC Recognized Accredited Test Firm(Registration No.: 486818)

SGS-CSTC Standards Technical Services Co., Ltd., EMC Laboratory has been accredited and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Designation Number: CN5016, Test Firm Registration Number: 486818.

• ISED (Registration No.: 4620B, CAB identifier: CN0052)

SGS-CSTC Standards Technical Services Co., Ltd., has been registered by Innovation Science and Economic Development Canada for Wireless Device Testing laboratories to test to Canadian radio equipment requirements. Registration No. 4620B, CAB identifier: CN0052.

VCCI (Registration No.: R-12460, C-12584, G-20107 and T-11179)

The 10m Semi-anechoic chamber, 966 Anechoic Chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-12460, C-12584, G-20107 and T-11179 respectively.

• CBTL (Lab Code: TL129)

SGS-CSTC Standards Technical Services Co., Ltd., E&E Laboratory has been assessed and fully comply with the requirements of ISO/IEC 17025:2017, the Basic Rules, IECEE 01 and Rules of procedure IECEE 02, and the relevant IECEE CB-Scheme Operational documents.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification in and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CND.Doccheck-&cgs.com

. INn 198 Kearlu Road, Skentech Park, Quangzhou Exoronic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 · 广州 · 经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 8 of 12

3 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

3.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

3.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of $\S1.1307(b)(1)(i)(C)$] to support an exemption from further evaluation from 300 kHz through 100 GHz.

Table B.1—Thresholds For Single RF Sources Subject to Routine Environmental Evaluation

| RF Source Frequency | | | Minimum Distance | | | Threshold ERP |
|---------------------|---|--------------------|--------------------|---|---------------------|--------------------------------------|
| <i>f</i> ∟ MHz | | f _H MHz | $\lambda_L / 2\pi$ | | λ _H / 2π | W |
| 0.3 | _ | 1.34 | 159 m | _ | 35.6 m | 1,920 R ² |
| 1.34 | _ | 30 | 35.6 m | _ | 1.6 m | 3,450 R ² /f ² |
| 30 | _ | 300 | 1.6 m | _ | 159 mm | 3.83 R ² |
| 300 | _ | 1,500 | 159 mm | _ | 31.8 mm | 0.0128 R ² f |
| 1,500 | _ | 100,000 | 31.8 mm | _ | 0.5 mm | 19.2R ² |

Subscripts L and H are low and high; λ is wavelength.

From §1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are based on the general population MPE limits with a single perfect reflection, outside of the reactive near-field, and in the main beam of the radiator.

Unoversity of the state of the

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulless textent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, besecontact us at telephone: (86-755) 8307 1443.

No.(18) Kartu Road, Colented Park, Guargirdu Economic & Technology Development Distrid, Guarguhou, Chine 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 9 of 12

For mobile devices that are not exempt per Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in §1.1310 is necessary if the ERP of the device is greater than *ERP*_{20cm} in Formula (B.1) [repeated from §2.1091(c)(1); also in §1.1307(b)(1)(i)(B)].

$$P_{\text{th }}(\text{mW}) = ERP_{20 \text{ cm}}(\text{mW}) = \begin{cases} 2040f & 0.3 \text{ GHz} \le f < 1.5 \text{ GHz} \\ \\ 3060 & 1.5 \text{ GHz} \le f \le 6 \text{ GHz} \end{cases}$$
(B. 1)

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

| Limit calculation | | | | | | | | |
|---|------|--------|-------|--|--|--|--|--|
| Frequency range Frequency(MHz) $R(N2\pi)(m)$ Threshold ERP(W) | | | | | | | | |
| 300~1500MHz | 915 | 0.0522 | 0.032 | | | | | |
| 1500~100000MHz | 2480 | 0.0193 | 0.007 | | | | | |

3.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.

The SAR-based exemption formula of $\S1.1307(b)(3)(i)(B)$, repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold P_{th} (mW).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at https://www.sgs.com/en/Terms-and-Conditions/Terms-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing /inspection report & certificate, besecontact us at telephone: (86-755) 8307 1443.

1. No.198 Kathu Road, Skentech Park, Quangràou Exponnenic & Technology Development District, Quanguhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 · 广州 · 经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 10 of 12

This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by Formula (B.2).

$$P_{\text{th}} \text{ (mW)} = \begin{cases} ERP_{20 \text{ cm}} (d/20 \text{ cm})^x & d \le 20 \text{ cm} \\ ERP_{20 \text{ cm}} & 20 \text{ cm} < d \le 40 \text{ cm} \end{cases}$$
(B. 2)

where

$$x = -\log_{10}\left(\frac{60}{ERP_{20\,\mathrm{cm}}\sqrt{f}}\right)$$

and f is in GHz, d is the separation distance (cm), and ERP_{20cm} is per Formula (B.1).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Cond

... Mo.18/8/Kembu Road, Colerated Park, Garaghou Economic & Technology Development District, Guargahou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 11 of 12

Example values shown in Table B.2 are for illustration only.

Table B.2—Example Power Thresholds (mW)

| Table biz—Example Fower Tillesholds (IIIW) | | | | | | | | | | |
|--|----|----|----|-----|---------|--------|-----|-----|-----|-----|
| Frequency | | | | | Distanc | ce(mm) | | | | |
| (MHz) | 5 | 10 | 15 | 20 | 25 | 30 | 35 | 40 | 45 | 50 |
| 300 | 39 | 65 | 88 | 110 | 129 | 148 | 166 | 184 | 201 | 217 |
| 450 | 22 | 44 | 67 | 89 | 112 | 135 | 158 | 180 | 203 | 226 |
| 835 | 9 | 25 | 44 | 66 | 90 | 116 | 145 | 175 | 207 | 240 |
| 1900 | 3 | 12 | 26 | 44 | 66 | 92 | 122 | 157 | 195 | 236 |
| 2450 | 3 | 10 | 22 | 38 | 59 | 83 | 111 | 143 | 179 | 219 |
| 3600 | 2 | 8 | 18 | 32 | 49 | 71 | 96 | 125 | 158 | 195 |
| 5800 | 1 | 6 | 14 | 25 | 40 | 58 | 80 | 106 | 136 | 169 |

| Limit calculation | | | | | | | |
|---|-------|-------|-----|-------|--|--|--|
| Frequency range(GHz) Frequency(GHz) X Distance(cm) Pth (mW) | | | | | | | |
| 0.3~1.5 | 0.915 | 1.474 | 0.5 | 8.133 | | | |
| 1.5~6 2.48 1.905 0.5 2.717 | | | | | | | |



邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com



EMC-TRF-03 Rev 1.0

Report No.: GZCR220500064002R1

Page: 12 of 12

4 Measurement and Calculation

4.1 Maximum transmit power

The Power Data is based on the RF Test Report GZCR220500064001R1.

The best case gain of the antenna is 0.5dBi.

| Test Mode | Test Channel | Conduct power (including Tune-up tolerance) (dBm) | E.I.R.P (dBm) | E.I.R.P (mW) |
|-----------|--------------|---|---------------|--------------|
| ВТ | 2402 | 3.66 | 4.16 | 2.61 |
| ВТ | 2441 | 2.3 | 2.8 | 1.91 |
| ВТ | 2480 | 1.0 | 1.5 | 1.41 |

4.2 RF Exposure Calculation

The Max E.I.R.P is 2.61mW.

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

| | Evaluation method | Exempt Limit(mW) | Verdict |
|-------------|---------------------------------|------------------|---------|
| | Blanket 1 mW Blanket Exemption | 1mW | N/A |
| | MPE-based Exemption(ERP) | 7mW(ERP) | N/A |
| \boxtimes | SAR-based Exemption(P_{th}) | 3060mW | Yes |

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report.

-- End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.ags.com/en/Terms-and-Conditions.agax and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.ags.com/en/Terms-and-Conditions/Terms-and-Con

No.198(zdzh.trad, ScientechPark, Garagrhou Ectormick Technology Development District, Guangzhou, Chira 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn 中国 - 广州 · 经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com