



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: wireless Bluetooth headphones

Test Model: JX116B

Environmental Conditions

Temperature:	23.8°C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Jay Luo
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.1 -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	Ant1	0.944	N/A	Pass
NVNT	1-DH5	2441	Ant1	0.945	N/A	Pass
NVNT	1-DH5	2480	Ant1	0.947	N/A	Pass
NVNT	2-DH5	2402	Ant1	1.268	N/A	Pass
NVNT	2-DH5	2441	Ant1	1.288	N/A	Pass
NVNT	2-DH5	2480	Ant1	1.326	N/A	Pass
NVNT	3-DH5	2402	Ant1	1.288	N/A	Pass
NVNT	3-DH5	2441	Ant1	1.285	N/A	Pass
NVNT	3-DH5	2480	Ant1	1.294	N/A	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz Ant1




-20dB Bandwidth NVNT 1-DH5 2441MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



-20dB Bandwidth NVNT 1-DH5 2480MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2402MHz Ant1






-20dB Bandwidth NVNT 2-DH5 2441MHz Ant1




-20dB Bandwidth NVNT 2-DH5 2480MHz Ant1







-20dB Bandwidth NVNT 3-DH5 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH5 2441MHz Ant1







A.2 Maximum Peak Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	Ant1	-1.29	21	Pass
NVNT	1-DH5	2441	Ant1	-1.07	21	Pass
NVNT	1-DH5	2480	Ant1	-1.94	21	Pass
NVNT	2-DH5	2402	Ant1	0.34	21	Pass
NVNT	2-DH5	2441	Ant1	0.71	21	Pass
NVNT	2-DH5	2480	Ant1	-0.31	21	Pass
NVNT	3-DH5	2402	Ant1	0.81	21	Pass
NVNT	3-DH5	2441	Ant1	0.99	21	Pass
NVNT	3-DH5	2480	Ant1	-0.01	21	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Power NVNT 1-DH5 2402MHz Ant1




Power NVNT 1-DH5 2441MHz Ant1






Power NVNT 1-DH5 2480MHz Ant1




Power NVNT 2-DH5 2402MHz Ant1






Power NVNT 2-DH5 2441MHz Ant1




Power NVNT 2-DH5 2480MHz Ant1







Power NVNT 3-DH5 2402MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	Ant1	2402.058	2403.168	1.340	0.629	Pass
NVNT	2-DH5	Ant1	2402.024	2403.034	1.002	0.845	Pass
NVNT	3-DH5	Ant1	2402.002	2403.024	1.014	0.859	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

CFS NVNT 1-DH5 2402MHz Ant1



CFS NVNT 2-DH5 2402MHz Ant1







A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	Ant1	2.91	302.64	104	31600	400	Pass
NVNT	2-DH5	2402	Ant1	2.899	292.799	101	31600	400	Pass
NVNT	3-DH5	2402	Ant1	2.897	336.052	116	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs



Dwell NVNT 1-DH5 2402MHz Ant1 One Burst



Dwell NVNT 1-DH5 2402MHz Ant1 Accumulated









A.5 Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	Ant1	79	15	Pass
NVNT	2-DH5	Ant1	79	15	Pass
NVNT	3-DH5	Ant1	79	15	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity





Test Graphs

Hopping No. NVNT 1-DH5 2402MHz Ant1



Hopping No. NVNT 2-DH5 2402MHz Ant1







A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	-55.09	-20	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	-54.19	-20	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	-52.45	-20	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	-51.73	-20	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	-52.09	-20	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	-55.1	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz Ant1 No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz Ant1 No-Hopping Emission










Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH5 2402MHz Ant1 No-Hopping Emission











Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz Ant1 No-Hopping Emission





(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-52.23	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-53.38	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-50.63	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-54	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-51.74	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-52.28	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz Ant1 Hopping Emission










Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission










Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission







A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-53.2	-20	Pass
NVNT	1-DH5	2441	Ant1	-54.49	-20	Pass
NVNT	1-DH5	2480	Ant1	-53.1	-20	Pass
NVNT	2-DH5	2402	Ant1	-53.11	-20	Pass
NVNT	2-DH5	2441	Ant1	-49.79	-20	Pass
NVNT	2-DH5	2480	Ant1	-52.34	-20	Pass
NVNT	3-DH5	2402	Ant1	-40.98	-20	Pass
NVNT	3-DH5	2441	Ant1	-53.49	-20	Pass
NVNT	3-DH5	2480	Ant1	-51.54	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 1-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Ref




Tx. Spurious NVNT 2-DH5 2480MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2402MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Ref




Tx. Spurious NVNT 3-DH5 2441MHz Ant1 Emission






Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH5 2480MHz Ant1 Emission





A.8 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH5	2402	Ant1	77.6	1.1	0.34
NVNT	1-DH5	2441	Ant1	77.63	1.1	0.34
NVNT	1-DH5	2480	Ant1	77.6	1.1	0.34
NVNT	2-DH5	2402	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	2-DH5	2480	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2402	Ant1	77.33	1.12	0.34
NVNT	3-DH5	2441	Ant1	77.28	1.12	0.35
NVNT	3-DH5	2480	Ant1	77.28	1.12	0.35




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT 1-DH5 2402MHz Ant1




Duty Cycle NVNT 1-DH5 2441MHz Ant1






Duty Cycle NVNT 1-DH5 2480MHz Ant1




Duty Cycle NVNT 2-DH5 2402MHz Ant1






Duty Cycle NVNT 2-DH5 2441MHz Ant1




Duty Cycle NVNT 2-DH5 2480MHz Ant1




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Duty Cycle NVNT 3-DH5 2402MHz Ant1



Duty Cycle NVNT 3-DH5 2441MHz Ant1







A.9 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-50.62	2	-	46.64	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2310	-59.08	2	1.1	39.28	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2377.104	-47.05	2	-	50.21	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2388.624	-57.71	2	1.1	40.65	Average	54	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-50.17	2	-	47.09	Peak	74	Pass
NVNT	1-DH5	2402	Ant1	No-Hopping	2390	-58.55	2	1.1	39.81	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-51.39	2	-	45.87	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2483.5	-57.91	2	1.1	40.45	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2484.232	-45.93	2	-	51.33	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2491.768	-57.12	2	1.1	41.24	Average	54	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-51.68	2	-	45.58	Peak	74	Pass
NVNT	1-DH5	2480	Ant1	No-Hopping	2500	-58.27	2	1.1	40.09	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-51.96	2	-	45.3	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2310	-58.63	2	1.12	39.75	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2328.336	-46.9	2	-	50.36	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2374.128	-57.6	2	1.12	40.78	Average	54	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-50.05	2	-	47.21	Peak	74	Pass
NVNT	2-DH5	2402	Ant1	No-Hopping	2390	-58.51	2	1.12	39.87	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-49.36	2	-	47.9	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.5	-57.9	2	1.12	40.48	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2483.656	-47.05	2	-	50.21	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2499.04	-57.06	2	1.12	41.32	Average	54	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-51.46	2	-	45.8	Peak	74	Pass
NVNT	2-DH5	2480	Ant1	No-Hopping	2500	-57.74	2	1.12	40.64	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-50.17	2	-	47.09	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2310	-58.06	2	1.12	40.32	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2349.36	-47.96	2	-	49.3	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2338.128	-57.58	2	1.12	40.8	Average	54	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-51.42	2	-	45.84	Peak	74	Pass
NVNT	3-DH5	2402	Ant1	No-Hopping	2390	-58.41	2	1.12	39.97	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-50.05	2	-	47.21	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2483.5	-58.03	2	1.12	40.35	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2495.92	-47.01	2	-	50.25	Peak	74	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2486.2	-56.97	2	1.12	41.41	Average	54	Pass
NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-49.11	2	-	48.15	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



NVNT	3-DH5	2480	Ant1	No-Hopping	2500	-58.1	2	1.12	40.28	Average	54	Pass
------	-------	------	------	------------	------	-------	---	------	-------	---------	----	------




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz Ant1 No-Hopping Average




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street,
Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity







Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Peak





Restrict Band NVNT 1-DH5 2480MHz Ant1 No-Hopping Average












Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz Ant1 No-Hopping Average

