

## GENERAL TOLERANCE

	G	H	J	K	L
~ 8	±0.1	±0.1	±0.2	±0.3	±0.4
8up ~ 25	±0.15	±0.15	±0.3	±0.3	±0.6
25up ~ 80	±0.2	±0.25	±0.4	±0.5	±0.8
80up ~ 250	±0.3	±0.4	±0.6	±0.8	±1.2
250over	±0.6	±0.8	±1.0	±1.5	±2.0

DO NOT SCALE DRAWING

⚠ BEFORE REVISION

## UNIDEN AMERICA CORPORATION

MODEL: PC78LTXFM

FCC ID: AMWUT434

IC: 513C-UT434

MADE IN VIETNAM

SERIAL

NO.:

XXXXXXXXXX

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:

- (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND  
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION.

## UNIDEN AMERICA CORPORATION

MODEL: PC78LTXFM

FCC ID: AMWUT434

MADE IN VIETNAM

SERIAL

NO.:

XXXXXXXXXX

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES. OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITIONS:

- (1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND  
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED, INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRE OPERATION.

## INDICATION OF SERIAL NO.

XXXXXXXXXX

SEE NOTE.6

6 FIGURES

SERIAL No. 000001~999999

STARTS FROM 000001 EVERY YEAR

SEE NOTE.6

COUNTRY CODE

VIETNAM---8, CHINA---4

SEE NOTE.6

THE END OF A.D.(YEAR)

EX: 2011---1

2012---2

2020---0

## CAUTION:

MATERIAL MUST BE MET DIRECTIVE 94/62/EC AS FOLLOWS:

THE FOLLOWING SUBSTANCE TOTAL CONTENTS SHOULD BE LESS THAN 100ppm

(1) Cadmium and Cadmium Compounds

(2) Hexavalent Chromium Compounds

(3) Lead and Lead Compounds

(4) Mercury and Mercury Compounds

MATERIAL MUST BE MET DIRECTIVE 2002/95/EC(RoHS) AS FOLLOWS

THE FOLLOWING SUBSTANCE EACH CONTENT SHOULD BE LESS THAN 1000ppm

(5) Polybrominated Biphenyls(PBBs)

(6) Polybrominated Diphenyl ethers(PBDEs)

At the time of parts approval request you have to prove and guarantee that the material comply with the above requirement by attaching SAMPLE and 'GREEN PROCUREMENT BASIC INFORMATION SURVEY (CHEMICAL SUBSTANCES) TABLE'. When material is changed after parts approval, it is necessary to do some thing again.

## NOTE

1. MATERIAL : POLYESTER TACK FORM(MATT) SILVER t=0.05  
UL RECOGNIZED COMPONENT UNDER THE CATEGORY OF MARKING AND LABELING SYSTEMS (PGDQ2)
2. PRINT COLOR : BLACK (LETTERS)  
SILVER (BACKGROUND)
3. ARTWORK : D37637 ~~D37634~~
4. LAMINATE : POLYPROPYLENE(MATT) or PET(MATT) CLEAR t=0.025mm
5. ADHESIVE STRENGTH : MORE THAN 1000g/25mm<sup>2</sup> (180° PEEL OFF TEST)
6. SERIAL NO. : MUST BE FOLLOWED PURCHASE OFFICIAL INFORMATION (SERIAL NO. IS DECIDED BY PC DEPARTMENT.)

UL 指定材料

納品時添付材料証明書

UL ONLY

SUPPLY COPY OF MATERIAL

IDENTIFICATION SHEET

要厳守注記

CAUTION: Approval sample must be submitted for Uniden(ENG) approval.  
Using any materials in this drawing before Uniden(ENG) approval is prohibited.

△									
△									
△ 1	CHANGE ARTWORK (DELETE IC-No.)	KURIH Nov.24'21	EBASHI Nov.24'21						
REV.MARK	CONTENS	REVISED	CHECKED	APPV'D	APPROVED BY	CHECKED BY	DESIGNED BY	DRAWN BY	
DRAWING ISSUE STAMP		ENG'G. DIM. REQMT. FOR UNIDEN IQC INSP		YES NO	EBASHI Nov.19'21	KURIH Nov.19'21		KURIH Nov.19'21	
出図 DRAWING ISSUE Uniden		ANGLE ⊙	UNITS mm	TOLERANCE	SCALE 2:1	MODEL UT434Z		PARTS NAME LABEL ID	
ISSUE DATE : 2021.11.26		MOLD CAVITIES pcs	TOOL CODE		BASIC MODEL	BASIC PARTS CODE		PARTS CODE PLD112208ZZ	