SKY
DEVICES
Li-ion Battery
Model: Platinum UNO
Voltage: DC 3.7V
Capacity: 2500mAh 9.25Wh
Caution
• Use the authorized charger only
• Never disassemble by yourself
• Never short-circuit the battery
• Dispose of the battery properly
Designed in the USA.
Manufactured in PRC to Sky Devices Specifications

SKY
DEVICES
DESIGNED IN THE U.S.A.
PREMIUM QUALITY

SKY
2G 850/900/1800/1900
3G 850/1700/1900/2100
Model: Platinum UNO
IMEI1:354583109999989
IMEI2:354583109999990
SN:SKYUNO1811999994
Power Input : 5V DC/ 1A
Battery : 3.7V/ 2500mAh
FCC ID: 2ABOSSKYPLATUNO
Designed in the USA
Manufactured in PRC to Sky Devices Specifications

SKY
2G 850/900/1800/1900
3G 850/1700/1900/2100
Model: Platinum UNO
IMEI1:354583109999989
IMEI2:354583109999990
SN:SKYUNO1811999994
Power Input : 5V DC/ 1A
Battery : 3.7V/ 2500mAh
FCC ID: 2ABOSSKYPLATUNO
Designed in the USA
Manufactured in PRC to Sky Devices Specifications


mm


mm




+KEC-
←MOT- SMI2
V-CO P
SMI1
NTC
HS 1 27V
GND


60 50 40 30 20 10 mm
10 20 30 40 50 60 70 80


60 50 40 30 20 10 mm
10 20 30 40 50 60 70 80


+REC-
WIFI/GPS
←MOT- SMI2
SMI1
NTC
V-COIP
mm


+REC-
WIFI/GPS
←MOT- SMI2
SMI1
NTC
V-COIP
mm


MEDIATEK
ARM
MT6580A
DP DM VCH
OTG
50 40 30 20 10 mm


100 90 80 70 60 50 40 30 20 10 mm



------End of report------