

Table of Contents

1. -6dB Bandwidth 2

2. 99% Occupied Bandwidth 4

3. Duty Cycle 6

4. Peak Output Power8

5. Power Spectral Density10

6. Bandedge12

7. Spurious Emission14

FCC Part 15.247 Test Data

1. -6dB Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	-6dB BW(kHz)	limit(kHz)	Result
NVNT	ANT1	1Mbps	2402.00	532.56	500	Pass
NVNT	ANT1	1Mbps	2440.00	516.35	500	Pass
NVNT	ANT1	1Mbps	2480.00	515.28	500	Pass

-6dB_Bandwidth_NVNT_ANT1_1Mbps_2402



-6dB_Bandwidth_NVNT_ANT1_1Mbps_2440



-6dB_Bandwidth_NVNT_ANT1_1Mbps_2480



2. 99% Occupied Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	99% BW (MHz)
NVNT	ANT1	1Mbps	2402.00	1.030
NVNT	ANT1	1Mbps	2440.00	1.029
NVNT	ANT1	1Mbps	2480.00	1.025





99% Occupied Bandwidth NVNT ANT1 1Mbps 2480




3. Duty Cycle

Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1Mbps	2402.00	19.35	7.13
NVNT	ANT1	1Mbps	2440.00	18.75	7.27
NVNT	ANT1	1Mbps	2480.00	22.58	6.46





Duty Cycle_NVNT_ANT1_1Mbps_2480



4. Peak Output Power

Condition	Antenna	Rate	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1Mbps	2402.00	-1.74	0.67	1000	Pass
NVNT	ANT1	1Mbps	2440.00	-0.92	0.81	1000	Pass
NVNT	ANT1	1Mbps	2480.00	-1.06	0.78	1000	Pass




Peak_Output_Power_NVNT_ANT1_1Mbps_2480




5. Power Spectral Density

Condition	Antenna	Rate	Frequency (MHz)	Power Spectral Density(dBm/3kHz)	Limit(dBm/3kHz)	Result
NVNT	ANT1	1Mbps	2402.00	-20.61	8	Pass
NVNT	ANT1	1Mbps	2440.00	-20.67	8	Pass
NVNT	ANT1	1Mbps	2480.00	-20.92	8	Pass




Power_Spectral_Density_NVNT_ANT1_1Mbps_2480




6. Bandedge

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq(MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	2399.965	-1.906	-51.063	-21.906	Pass
NVNT	ANT1	1Mbps	2480.00	2483.525	-1.244	-57.403	-21.244	Pass





2_Bandedge_NVNT_ANT1_1Mbps_2480




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	-1.906	-48.081	-21.906	Pass
NVNT	ANT1	1Mbps	2440.00	-1.142	-48.162	-21.142	Pass
NVNT	ANT1	1Mbps	2480.00	-1.244	-46.430	-21.244	Pass

1_Reference_Level_NVNT_ANT1_1Mbps_2402




2_Spurious Emission_NVNT_ANT1_1Mbps_2402



1_Reference_Level_NVNT_ANT1_1Mbps_2440



2_Spurious_Emission_NVNT_ANT1_1Mbps_2440



1_Reference_Level_NVNT_ANT1_1Mbps_2480



2_Spurious_Emission_NVNT_ANT1_1Mbps_2480

