

EUT - Front View



EUT - Rear View



EUT - Top View



EUT - Bottom View



EUT - Left View



EUT - Right View



Annex B.ii. Photograph: EUT Internal Photo

Cover Off - Top View 1




Cover Off - Top View 2




A black rectangular battery with the Blu logo and the text 'BOLD LIKE US' printed on its surface. The battery is positioned next to a ruler for scale, showing it is approximately 100mm long and 20mm high. The ruler has markings in millimeters and centimeters. The background is a blue textured surface.

A black BLU C724211360L battery is shown next to a ruler. The battery has the following text: **BLU**
BOLD LIKE US
C724211360L
3600 mAh | 13.32 Wh
3.7V=Li-ion BATTERY | 3.7V=Li-ion BATERIA
3.7V=Li-ion BATERIA | 3.7V=Li-ion BATTERY
Below the text are several icons: NOM, NYCE, a recycling symbol, a crossed-out trash can, and a row of six crossed-out symbols (mercury, lead, cadmium, nickel, lithium, and another). At the bottom is a barcode and the text: S/N: WWGH11170008490
Made In China | Hecho en China
Fabricado Na China | Fabriqué en Chine
A ruler is placed vertically to the left of the battery, showing markings from 10 to 80 mm. Another ruler is placed horizontally at the bottom, showing markings from 10 to 100 mm.


Mainboard with Shielding – Front View




Mainboard without Shielding – Front View




Mainboard with Shielding – Rear View




Mainboard without Shielding – Rear View



LCD – Front View




LCD – Rear View



GSM/PCS - Antenna View



BT - Antenna View




Annex B.iii. Photograph: Test Setup Photo




Conducted Emissions Test Setup Front View



Conducted Emissions Test Setup Side View



Radiated Spurious Emissions Test Setup Below 1GHz




Radiated Spurious Emissions Test Setup Above
1GHz


Annex C. TEST SETUP AND SUPPORTING EQUIPMENT

Annex C.ii. TEST SET UP BLOCK


Block Configuration Diagram for AC Line Conducted Emissions



Block Configuration Diagram for Radiated Emissions (Below 1GHz) .



Block Configuration Diagram for Radiated Emissions (Above 1GHz) .



Annex C. ii. SUPPORTING EQUIPMENT DESCRIPTION

The following is a description of supporting equipment and details of cables used with the EUT.

Supporting Equipment:

Manufacturer	Equipment Description	Model	Serial No
BLU Products, Inc.	Adapter	US-WW-1003	N/A
BLU Products, Inc.	headset	FLASH 2.4	N/A
Agilent	Wireless Connectivity Test Set	N4010A	N/A
OEM	omnidirectional antenna	AntSuck	N/A

Supporting Cable:

Cable type	Shield Type	Ferrite Core	Length	Serial No
USB Cable	Un-shielding	No	0.8m	N/A

Annex D. User Manual / Block Diagram / Schematics / Partlist

Please see the attachment

Annex E. DECLARATION OF SIMILARITY

N/A