



SAR TEST REPORT

No. I21Z60727-SEM06

For

BLU Products, Inc.

Smart Phone

Model name: B140DL

With

Hardware Version: V1.0

Software Version: BLU_B140DL_V11.0.01.05.01.04_FSec

FCC ID: YHLBLUB140DL

Issued Date: 2021-6-19

Note:

The test results in this test report relate only to the devices specified in this report. This report shall not be reproduced except in full without the written approval of CTTL.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the U.S. Government.

Test Laboratory:

CTTL, Telecommunication Technology Labs, CAICT


No. 51, Xueyuan Road, Haidian District, Beijing, P. R. China 100191.

Tel: +86(0)10-62304633-2512, Fax: +86(0)10-62304633-2504


Email: ctl_terminals@caict.ac.cn, website: www.caict.ac.cn




Picture 1: Constituents of the sample



Picture 2: Left Head Touch Cheek Position



Picture 3: Left Head Tilt 15° Position




Picture 4: Right Head Touch Cheek Position




Picture 5: Right Head Tilt 15° Position

Test positions for body:

The Body SAR is tested at the following 12 test positions all with the distance =0/10/15mm between the EUT and the phantom bottom:



Picture 6: Front 10mm



Picture 7: Front 15mm



Picture 8: Rear 10mm



Picture 9: Rear 15mm




Picture 10: Rear 0mm




Picture 11: Left 10mm




Picture 12: Right 10mm




Picture 13: Top 10mm



Picture 14: Bottom 10mm



Picture 15: Bottom 0mm



Picture 16: Rear with headset 10mm



Picture 17: Bottom with headset 10mm