


#### **Test Data**

### **Maximum Conducted Output Power**

Condition	Mode	Frequency	Antenna	Conducted Power	Duty Factor	Total Power	Limit	Verdict
		(MHz)		(dBm)	(dB)	(dBm)	(dBm)	
NVNT	BLE	2402	Ant1	11.42	0	11.42	30	Pass
NVNT	BLE	2442	Ant1	14.17	0	14.17	30	Pass
NVNT	BLE	2480	Ant1	13.817	0	13.817	30	Pass












#### -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	BLE	2402	Ant1	0.698	0.5	Pass
NVNT	BLE	2442	Ant1	0.701	0.5	Pass
NVNT	BLE	2480	Ant1	0.694	0.5	Pass











# **Occupied Channel Bandwidth**

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	
NVNT	BLE	2402	Ant1	1.032870324	
NVNT	BLE	2442	Ant1	1.032439558	
NVNT	BLE	2480	Ant1	1.031076955	












# **Maximum Power Spectral Density Level**

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	BLE	2402	Ant1	-4.062	8	Pass
NVNT	BLE	2442	Ant1	-1.176	8	Pass
NVNT	BLE	2480	Ant1	-1.594	8	Pass












### **Band Edge**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-64.76	-20	Pass
NVNT	BLE	2480	Ant1	-56.65	-20	Pass











# **Conducted RF Spurious Emission**

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	BLE	2402	Ant1	-51.87	-20	Pass
NVNT	BLE	2442	Ant1	-56.26	-20	Pass
NVNT	BLE	2480	Ant1	-57.59	-20	Pass



