





FR1 n77 / 80MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 80MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 80MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB



FR1 n77 / 80MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n77 / 90MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n77 / 90MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB


Highest Band Edge / Full RB






FR1 n77 / 90MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 90MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 100MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n77 / 100MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n77 / 100MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n77 / 10MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n77 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0013	PASS
40	Normal Voltage	0.0024	
30	Normal Voltage	0.0032	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0005	
0	Normal Voltage	0.0022	
-10	Normal Voltage	0.0013	
-20	Normal Voltage	0.0049	
-30	Normal Voltage	0.0020	
20	Maximum Voltage	0.0021	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0028	

Note:

1. Normal Voltage = 3.3 V. ; Battery End Point (BEP) = 3.135 V. ; Maximum Voltage = 4.4 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Part	Band	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
4	Part 22H	NR SA n5	L	1650	-41.62	RMS	25.00	-23.95	0.52	-95.23	52.04	-13.00	-28.62	V	0
4	Part 24E	NR SA n25	M	7459	-43.53	RMS	36.28	-16.79	0.42	-95.23	31.79	-13.00	-30.53	H	0
5	Part 24E	EN-DC B14+n2	M	7485	-44.38	RMS	36.23	-16.78	0.44	-95.23	30.96	-13.00	-31.38	H	0+2
1	Part 27Q	NR SA n77	H	13848	-34.18	RMS	40.50	-11.92	0.42	-95.23	32.05	-13.00	-21.18	V	0
2	Part 27Q	NR SA n77	M	13827	-33.80	RMS	40.50	-11.94	0.42	-95.23	32.45	-13.00	-20.80	H	1
3	Part 27Q	NR SA n77	M	13826	-33.32	RMS	40.50	-11.94	0.42	-95.23	32.93	-13.00	-20.32	H	2
4	Part 27Q	NR SA n77	L	13803	-32.54	RMS	40.50	-11.95	0.42	-95.23	33.72	-13.00	-19.54	H	3
5	Part 27Q	NR SA n77	M	13827	-33.90	RMS	40.50	-11.94	0.42	-95.23	32.35	-13.00	-20.90	H	0+2
6	Part 27Q	NR SA n77	H	13847	-33.80	RMS	40.54	-11.91	0.42	-95.23	32.38	-13.00	-20.80	H	1+3
1	Part 27O	NR SA n77	L	14805	-33.95	RMS	40.19	-11.10	0.50	-95.23	31.69	-13.00	-20.95	H	0
2	Part 27O	NR SA n77	L	14805	-32.25	RMS	40.19	-11.10	0.50	-95.23	33.39	-13.00	-19.25	V	1
3	Part 27O	NR SA n77	L	14805	-32.99	RMS	40.19	-11.10	0.50	-95.23	32.65	-13.00	-19.99	V	2
4	Part 27O	NR SA n77	L	14805	-32.66	RMS	40.19	-11.10	0.50	-95.23	32.98	-13.00	-19.66	V	3
5	Part 27O	NR SA n77	L	14805	-33.31	RMS	40.19	-11.10	0.50	-95.23	32.33	-13.00	-20.31	V	0+2
6	Part 27O	NR SA n77	L	14805	-33.60	RMS	40.19	-11.10	0.50	-95.23	32.04	-13.00	-20.60	H	1+3
2	Part 27N	NR SA n71	M	1343	-39.88	RMS	25.60	-25.48	0.82	-95.23	54.41	-13.00	-26.88	V	0
3	Part 27D	NR SA n30	H	9242	-56.83	RMS	37.80	-50.91	0.56	-95.23	50.95	-40.00	-16.83	V	0
4	Part 27L	NR SA n66	H	6969	-45.17	RMS	35.80	-17.12	0.38	-95.23	31.00	-13.00	-32.17	H	0
5	Part 27L	EN-DC B13+n66	M	6915	-45.44	RMS	35.80	-17.07	0.39	-95.23	30.67	-13.00	-32.44	V	2+0
7	Part 27M	NR SA n7	M	10051	-56.63	RMS	38.30	-50.94	0.34	-95.23	50.90	-25.00	-31.63	V	0
8	Part 27M	NR SA n41	M	10170	-56.53	RMS	38.44	-50.74	0.34	-95.23	50.66	-25.00	-31.53	V	0
9	Part 27M	NR SA n41	M	10170	-55.57	RMS	38.44	-50.74	0.34	-95.23	51.62	-25.00	-30.57	V	1
10	Part 27M	NR SA n41	M	10177	-55.56	RMS	38.45	-50.73	0.34	-95.23	51.61	-25.00	-30.56	H	2
11	Part 27M	NR SA n41	M	10177	-55.49	RMS	38.45	-50.73	0.34	-95.23	51.68	-25.00	-30.49	H	3
12	Part 27M	NR SA n41	H	10365	-56.35	RMS	38.60	-50.41	0.35	-95.23	50.34	-25.00	-31.35	H	0+2
13	Part 27M	NR SA n41	H	10365	-56.02	RMS	38.60	-50.41	0.35	-95.23	50.67	-25.00	-31.02	V	0+1
14	Part 27M	NR SA n41	M	10177	-56.15	RMS	38.45	-50.73	0.34	-95.23	51.02	-25.00	-31.15	V	0+3
15	Part 27M	NR SA n41	M	10177	-55.34	RMS	38.45	-50.73	0.34	-95.23	51.83	-25.00	-30.34	H	1+2
16	Part 27M	NR SA n41	M	10177	-55.98	RMS	38.45	-50.73	0.34	-95.23	51.19	-25.00	-30.98	V	2+0
17	Part 27M	NR SA n41	M	10177	-56.15	RMS	38.45	-50.73	0.34	-95.23	51.02	-25.00	-31.15	V	3+2




Ant. 0

Part 22H Mode 4


NR SA n5 20M Ch166800 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n5 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-44.45	RMS	25.00	-23.95	0.52	-95.23	49.21	-13.00	-31.45	Horizontal
2	2475.00	-57.83	RMS	27.65	-22.24	0.33	-95.23	31.66	-13.00	-44.83	Horizontal
3	3301.00	-54.89	RMS	29.60	-20.78	0.26	-95.23	31.26	-13.00	-41.89	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n5 20M Ch166800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1650.00	-41.62	RMS	25.00	-23.95	0.52	-95.23	52.04	-13.00	-28.62	Vertical
2	2475.00	-57.76	RMS	27.65	-22.24	0.33	-95.23	31.73	-13.00	-44.76	Vertical
3	3301.00	-54.41	RMS	29.60	-20.78	0.26	-95.23	31.74	-13.00	-41.41	Vertical




Ant. 0

Part 22H Mode 4


NR SA n5 20M Ch167300 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-44.51	RMS	25.00	-23.93	0.52	-95.23	49.13	-13.00	-31.51	Horizontal
2	2483.00	-57.97	RMS	27.70	-22.24	0.33	-95.23	31.47	-13.00	-44.97	Horizontal
3	3312.00	-55.39	RMS	29.60	-20.76	0.26	-95.23	30.74	-13.00	-42.39	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-41.65	RMS	25.00	-23.93	0.52	-95.23	51.99	-13.00	-28.65	Vertical
2	2483.00	-58.28	RMS	27.70	-22.24	0.33	-95.23	31.16	-13.00	-45.28	Vertical
3	3312.00	-55.58	RMS	29.60	-20.76	0.26	-95.23	30.55	-13.00	-42.58	Vertical




Ant. 0

Part 22H Mode 4


NR SA n5 20M Ch167800 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n5 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-44.52	RMS	25.00	-23.92	0.52	-95.23	49.11	-13.00	-31.52	Horizontal
2	2490.00	-57.97	RMS	27.70	-22.25	0.33	-95.23	31.47	-13.00	-44.97	Horizontal
3	3321.00	-54.95	RMS	29.60	-20.74	0.26	-95.23	31.16	-13.00	-41.95	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n5 20M Ch167800 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1660.00	-43.74	RMS	25.00	-23.92	0.52	-95.23	49.89	-13.00	-30.74	Vertical
2	2490.00	-57.97	RMS	27.70	-22.25	0.33	-95.23	31.47	-13.00	-44.97	Vertical
3	3321.00	-55.03	RMS	29.60	-20.74	0.26	-95.23	31.08	-13.00	-42.03	Vertical




Ant. 0


Part 24E Mode 4

NR SA n25 40M Ch374000 1RB1 BPSK

L



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	3705.00	-53.92	RMS	29.63	-20.12	0.81	-95.23	30.99	-13.00	-40.92	Horizontal
2	5556.00	-50.02	RMS	32.80	-17.56	0.39	-95.23	29.58	-13.00	-37.02	Horizontal
3	7409.00	-44.19	RMS	36.38	-16.79	0.38	-95.23	31.07	-13.00	-31.19	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	3704.00	-53.85	RMS	29.62	-20.12	0.81	-95.23	31.07	-13.00	-40.85	Vertical
2	5556.00	-50.16	RMS	32.80	-17.56	0.39	-95.23	29.44	-13.00	-37.16	Vertical
3	7410.00	-44.47	RMS	36.38	-16.79	0.38	-95.23	30.79	-13.00	-31.47	Vertical




Ant. 0

Part 24E Mode 4

NR SA n25 40M Ch376500 1RB1 BPSK

M




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: SA n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	3729.00	-53.18	RMS	29.77	-20.04	0.78	-95.23	31.54	-13.00	-40.18	Horizontal
2	5594.00	-48.65	RMS	32.80	-17.53	0.39	-95.23	30.92	-13.00	-35.65	Horizontal
3	7459.00	-43.53	RMS	36.28	-16.79	0.42	-95.23	31.79	-13.00	-30.53	Horizontal



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: SA n25 40M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	3729.00	-53.16	RMS	29.77	-20.04	0.78	-95.23	31.56	-13.00	-40.16	Vertical
2	5594.00	-49.27	RMS	32.80	-17.53	0.39	-95.23	30.30	-13.00	-36.27	Vertical
3	7455.00	-44.13	RMS	36.29	-16.79	0.42	-95.23	31.18	-13.00	-31.13	Vertical




Ant. 0


Part 24E Mode 4

NR SA n25 40M Ch379000 1RB1 BPSK

H



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3754.00	-53.02	RMS	29.93	-19.96	0.76	-95.23	31.48	-13.00	-40.02	Horizontal
2	5631.00	-49.57	RMS	32.92	-17.50	0.39	-95.23	29.85	-13.00	-36.57	Horizontal
3	7509.00	-44.86	RMS	36.16	-16.76	0.46	-95.23	30.51	-13.00	-31.86	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3754.00	-53.46	RMS	29.93	-19.96	0.76	-95.23	31.04	-13.00	-40.46	Vertical
2	5631.00	-49.24	RMS	32.92	-17.50	0.39	-95.23	30.18	-13.00	-36.24	Vertical
3	7509.00	-44.47	RMS	36.16	-16.76	0.46	-95.23	30.90	-13.00	-31.47	Vertical




Ant. 0+ Ant. 2

Part 24E Mode 5


EN-DC B14+n2 Ch23305 + Ch372000

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 14 5M Ch 23305 1RB0 QPSK
: SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	3705.00	-54.27	RMS	29.63	-20.12	0.81	-95.23	30.64	-13.00	-41.27	Horizontal		
2	5550.00	-49.95	RMS	32.80	-17.57	0.39	-95.23	29.66	-13.00	-36.95	Horizontal		
3	7410.00	-44.54	RMS	36.38	-16.79	0.38	-95.23	30.72	-13.00	-31.54	Horizontal		



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 14 5M Ch 23305 1RB0 QPSK
: SA n2 20M Ch372000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	3705.00	-53.84	RMS	29.63	-20.12	0.81	-95.23	31.07	-13.00	-40.84	Vertical		
2	5550.00	-50.40	RMS	32.80	-17.57	0.39	-95.23	29.21	-13.00	-37.40	Vertical		
3	7410.00	-44.74	RMS	36.38	-16.79	0.38	-95.23	30.52	-13.00	-31.74	Vertical		




Ant. 0+ Ant. 2

Part 24E Mode 5


EN-DC B14+n2 Ch23330 + Ch376000

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 14 5M Ch 23330 1RB0 QPSK
: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3735.00	-53.40	RMS	29.81	-20.02	0.78	-95.23	31.26	-13.00	-40.40	Horizontal
2	5610.00	-49.38	RMS	32.84	-17.51	0.39	-95.23	30.13	-13.00	-36.38	Horizontal
3	7485.00	-44.38	RMS	36.23	-16.78	0.44	-95.23	30.96	-13.00	-31.38	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 14 5M Ch 23330 1RB0 QPSK
: SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3735.00	-53.82	RMS	29.81	-20.02	0.78	-95.23	30.84	-13.00	-40.82	Vertical
2	5610.00	-49.79	RMS	32.84	-17.51	0.39	-95.23	29.72	-13.00	-36.79	Vertical
3	7485.00	-44.48	RMS	36.23	-16.78	0.44	-95.23	30.86	-13.00	-31.48	Vertical




Ant. 0+ Ant. 2

Part 24E Mode 5


EN-DC B14+n2 Ch23355 + Ch380000

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: LTE Band 14 5M Ch 23355 1RB0 QPSK
: SA n2 20M Ch380000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3780.00	-53.50	RMS	30.14	-19.88	0.74	-95.23	30.73	-13.00	-40.50	Horizontal
2	5670.00	-49.52	RMS	33.16	-17.48	0.39	-95.23	29.64	-13.00	-36.52	Horizontal
3	7560.00	-45.02	RMS	36.02	-16.67	0.51	-95.23	30.35	-13.00	-32.02	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: LTE Band 14 5M Ch 23355 1RB0 QPSK
: SA n2 20M Ch380000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3780.00	-53.77	RMS	30.14	-19.88	0.74	-95.23	30.46	-13.00	-40.77	Vertical
2	5670.00	-49.06	RMS	33.16	-17.48	0.39	-95.23	30.10	-13.00	-36.06	Vertical
3	7560.00	-44.64	RMS	36.02	-16.67	0.51	-95.23	30.73	-13.00	-31.64	Vertical




Ant. 0

Part 27Q Mode 1


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6907.50	-43.63	RMS	35.80	-17.07	1.25	-95.23	31.62	-13.00	-30.63	Horizontal	
2	10350.00	-39.43	RMS	38.60	-13.79	0.45	-95.23	30.54	-13.00	-26.43	Horizontal	
3	13803.75	-34.43	RMS	40.50	-11.95	0.42	-95.23	31.83	-13.00	-21.43	Horizontal	



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	6907.50	-42.80	RMS	35.80	-17.07	1.25	-95.23	32.45	-13.00	-29.80	Vertical	
2	10350.00	-39.39	RMS	38.60	-13.79	0.45	-95.23	30.58	-13.00	-26.39	Vertical	
3	13803.75	-34.57	RMS	40.50	-11.95	0.42	-95.23	31.69	-13.00	-21.57	Vertical	




Ant. 0


Part 27Q Mode 1

NR SA n77 90M Ch633332 1RB1 BPSK

M



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6918.75	-43.37	RMS	35.80	-17.08	1.26	-95.23	31.88	-13.00	-30.37	Horizontal
2	10372.50	-39.75	RMS	38.60	-13.78	0.45	-95.23	30.21	-13.00	-26.75	Horizontal
3	13826.25	-34.50	RMS	40.50	-11.94	0.42	-95.23	31.75	-13.00	-21.50	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6918.75	-41.38	RMS	35.80	-17.08	1.26	-95.23	33.87	-13.00	-28.38	Vertical
2	10372.50	-39.70	RMS	38.60	-13.78	0.45	-95.23	30.26	-13.00	-26.70	Vertical
3	13826.25	-34.37	RMS	40.50	-11.94	0.42	-95.23	31.88	-13.00	-21.37	Vertical




Ant. 0


Part 27Q Mode 1

NR SA n77 90M Ch633666 1RB1 BPSK

H



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6930.00	-43.32	RMS	35.80	-17.09	1.27	-95.23	31.93	-13.00	-30.32	Horizontal
2	10383.75	-39.77	RMS	38.60	-13.78	0.45	-95.23	30.19	-13.00	-26.77	Horizontal
3	13848.75	-34.27	RMS	40.50	-11.92	0.42	-95.23	31.96	-13.00	-21.27	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6930.00	-39.98	RMS	35.80	-17.09	1.27	-95.23	35.27	-13.00	-26.98	Vertical
2	10383.75	-39.38	RMS	38.60	-13.78	0.45	-95.23	30.58	-13.00	-26.38	Vertical
3	13848.75	-34.18	RMS	40.50	-11.92	0.42	-95.23	32.05	-13.00	-21.18	Vertical




Ant. 1


Part 27Q Mode 2

NR SA n77 90M Ch633000 1RB1 BPSK

L



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6903.00	-44.70	RMS	35.80	-17.06	1.25	-95.23	30.54	-13.00	-31.70	Horizontal
2	10355.00	-39.18	RMS	38.60	-13.79	0.45	-95.23	30.79	-13.00	-26.18	Horizontal
3	13807.00	-34.41	RMS	40.50	-11.95	0.42	-95.23	31.85	-13.00	-21.41	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6903.00	-44.58	RMS	35.80	-17.06	1.25	-95.23	30.66	-13.00	-31.58	Vertical
2	10355.00	-39.28	RMS	38.60	-13.79	0.45	-95.23	30.69	-13.00	-26.28	Vertical
3	13807.00	-34.38	RMS	40.50	-11.95	0.42	-95.23	31.88	-13.00	-21.38	Vertical




Ant. 1

Part 27Q Mode 2


NR SA n77 90M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.27	RMS		35.80	-17.07	1.26	-95.23	30.97	-13.00	-31.27	Horizontal
2	10370.00	-39.43	RMS		38.60	-13.78	0.45	-95.23	30.53	-13.00	-26.43	Horizontal
3	13827.00	-33.80	RMS		40.50	-11.94	0.42	-95.23	32.45	-13.00	-20.80	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.08	RMS		35.80	-17.07	1.26	-95.23	31.16	-13.00	-31.08	Vertical
2	10370.00	-39.34	RMS		38.60	-13.78	0.45	-95.23	30.62	-13.00	-26.34	Vertical
3	13827.00	-34.11	RMS		40.50	-11.94	0.42	-95.23	32.14	-13.00	-21.11	Vertical




Ant. 1

Part 27Q Mode 2

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	6923.00	-44.51	RMS	35.80	-17.08	1.27	-95.23	30.73	-13.00	-31.51	Horizontal		
2	10385.00	-39.46	RMS	38.60	-13.78	0.45	-95.23	30.50	-13.00	-26.46	Horizontal		
3	13847.00	-34.11	RMS	40.50	-11.92	0.42	-95.23	32.12	-13.00	-21.11	Horizontal		



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	6923.00	-44.45	RMS	35.80	-17.08	1.27	-95.23	30.79	-13.00	-31.45	Vertical		
2	10385.00	-39.41	RMS	38.60	-13.78	0.45	-95.23	30.55	-13.00	-26.41	Vertical		
3	13847.00	-34.17	RMS	40.50	-11.92	0.42	-95.23	32.06	-13.00	-21.17	Vertical		




Ant. 2


Part 27Q Mode 3

NR SA n77 90M Ch633000 1RB1 BPSK

L



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6907.50	-43.58	RMS	35.80	-17.07	1.25	-95.23	31.67	-13.00	-30.58	Horizontal
2	10350.00	-38.41	RMS	38.60	-13.79	0.45	-95.23	31.56	-13.00	-25.41	Horizontal
3	13803.75	-33.48	RMS	40.50	-11.95	0.42	-95.23	32.78	-13.00	-20.48	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6907.50	-43.69	RMS	35.80	-17.07	1.25	-95.23	31.56	-13.00	-30.69	Vertical
2	10350.00	-38.18	RMS	38.60	-13.79	0.45	-95.23	31.79	-13.00	-25.18	Vertical
3	13803.75	-33.35	RMS	40.50	-11.95	0.42	-95.23	32.91	-13.00	-20.35	Vertical




Ant. 2

Part 27Q Mode 3


NR SA n77 90M Ch633332 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g	dBm		
1	6907.50	-43.50	RMS	35.80	-17.07	1.25	-95.23	31.75	-13.00	-30.50 Horizontal
2	10372.50	-38.80	RMS	38.60	-13.78	0.45	-95.23	31.16	-13.00	-25.80 Horizontal
3	13826.25	-33.32	RMS	40.50	-11.94	0.42	-95.23	32.93	-13.00	-20.32 Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633332 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g	dBm		
1	6907.50	-43.82	RMS	35.80	-17.07	1.25	-95.23	31.43	-13.00	-30.82 Vertical
2	10372.50	-38.60	RMS	38.60	-13.78	0.45	-95.23	31.36	-13.00	-25.60 Vertical
3	13826.25	-33.37	RMS	40.50	-11.94	0.42	-95.23	32.88	-13.00	-20.37 Vertical




Ant. 2

Part 27Q Mode 3


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	6918.75	-43.57	RMS	35.80	-17.08	1.26	-95.23	31.68	-13.00	-30.57	Horizontal		
2	10383.75	-38.53	RMS	38.60	-13.78	0.45	-95.23	31.43	-13.00	-25.53	Horizontal		
3	13848.75	-33.46	RMS	40.50	-11.92	0.42	-95.23	32.77	-13.00	-20.46	Horizontal		



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	6918.75	-43.29	RMS	35.80	-17.08	1.26	-95.23	31.96	-13.00	-30.29	Vertical		
2	10383.75	-38.62	RMS	38.60	-13.78	0.45	-95.23	31.34	-13.00	-25.62	Vertical		
3	13848.75	-33.48	RMS	40.50	-11.92	0.42	-95.23	32.75	-13.00	-20.48	Vertical		




Ant. 3


Part 27Q Mode 4

NR SA n77 90M Ch633000 1RB1 BPSK

L



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6907.50	-43.30	RMS	35.80	-17.07	1.25	-95.23	31.95	-13.00	-30.30	Horizontal
2	10350.00	-38.51	RMS	38.60	-13.79	0.45	-95.23	31.46	-13.00	-25.51	Horizontal
3	13803.75	-32.54	RMS	40.50	-11.95	0.42	-95.23	33.72	-13.00	-19.54	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm						dBuV	dBm	dB	
1	6907.50	-42.91	RMS	35.80	-17.07	1.25	-95.23	32.34	-13.00	-29.91	Vertical
2	10350.00	-38.31	RMS	38.60	-13.79	0.45	-95.23	31.66	-13.00	-25.31	Vertical
3	13803.75	-33.58	RMS	40.50	-11.95	0.42	-95.23	32.68	-13.00	-20.58	Vertical




Ant. 3


Part 27Q Mode 4

NR SA n77 90M Ch633332 1RB1 BPSK

M



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6907.50	-43.36	RMS	35.80	-17.07	1.25	-95.23	31.89	-13.00	-30.36	Horizontal
2	10372.50	-38.58	RMS	38.60	-13.78	0.45	-95.23	31.38	-13.00	-25.58	Horizontal
3	13826.25	-33.64	RMS	40.50	-11.94	0.42	-95.23	32.61	-13.00	-20.64	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	6907.50	-43.76	RMS	35.80	-17.07	1.25	-95.23	31.49	-13.00	-30.76	Vertical
2	10372.50	-38.77	RMS	38.60	-13.78	0.45	-95.23	31.19	-13.00	-25.77	Vertical
3	13826.25	-33.19	RMS	40.50	-11.94	0.42	-95.23	33.06	-13.00	-20.19	Vertical




Ant. 3

Part 27Q Mode 4

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

NR SA n77 70M Ch663666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	6918.75	-43.41	RMS	35.80	-17.08	1.26	-95.23	31.84	-13.00	-30.41	Horizontal	
2	10383.75	-38.31	RMS	38.60	-13.78	0.45	-95.23	31.65	-13.00	-25.31	Horizontal	
3	13848.75	-33.16	RMS	40.50	-11.92	0.42	-95.23	33.07	-13.00	-20.16	Horizontal	



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

NR SA n77 70M Ch663666 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	6918.75	-43.23	RMS	35.80	-17.08	1.26	-95.23	32.02	-13.00	-30.23	Vertical	
2	10383.75	-38.39	RMS	38.60	-13.78	0.45	-95.23	31.57	-13.00	-25.39	Vertical	
3	13848.75	-33.32	RMS	40.50	-11.92	0.42	-95.23	32.91	-13.00	-20.32	Vertical	




MIMO <Ant. 0+2>

Part 27Q Mode 5


NR SA n77 90M Ch633000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	6903.00	-44.68	RMS	35.80	-17.06	1.25	-95.23	30.56	-13.00	-31.68	Horizontal
2	10355.00	-39.15	RMS	38.60	-13.79	0.45	-95.23	30.82	-13.00	-26.15	Horizontal
3	13807.00	-34.36	RMS	40.50	-11.95	0.42	-95.23	31.90	-13.00	-21.36	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	6903.00	-44.38	RMS	35.80	-17.06	1.25	-95.23	30.86	-13.00	-31.38	Vertical
2	10355.00	-39.49	RMS	38.60	-13.79	0.45	-95.23	30.48	-13.00	-26.49	Vertical
3	13807.00	-34.26	RMS	40.50	-11.95	0.42	-95.23	32.00	-13.00	-21.26	Vertical




MIMO <Ant. 0+2>


Part 27Q Mode 5

NR SA n77 90M Ch633332 1RB1 BPSK

M



	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	6913.00	-44.20	RMS	35.80	-17.07	1.26	-95.23	31.04	-13.00	-31.20	Horizontal
2	10370.00	-39.25	RMS	38.60	-13.78	0.45	-95.23	30.71	-13.00	-26.25	Horizontal
3	13827.00	-33.90	RMS	40.50	-11.94	0.42	-95.23	32.35	-13.00	-20.90	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6913.00	-44.16	RMS	35.80	-17.07	1.26	-95.23	31.08	-13.00	-31.16	Vertical
2	10370.00	-39.41	RMS	38.60	-13.78	0.45	-95.23	30.55	-13.00	-26.41	Vertical
3	13827.00	-34.11	RMS	40.50	-11.94	0.42	-95.23	32.14	-13.00	-21.11	Vertical




MIMO <Ant. 0+2>

Part 27Q Mode 5

NR SA n77 90M Ch633666 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-44.27	RMS	35.80	-17.08	1.27	-95.23	30.97	-13.00	-31.27	Horizontal
2	10385.00	-39.33	RMS	38.60	-13.78	0.45	-95.23	30.63	-13.00	-26.33	Horizontal
3	13847.00	-34.15	RMS	40.50	-11.92	0.42	-95.23	32.08	-13.00	-21.15	Horizontal



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 90M Ch633666 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6923.00	-43.87	RMS	35.80	-17.08	1.27	-95.23	31.37	-13.00	-30.87	Vertical
2	10385.00	-39.22	RMS	38.60	-13.78	0.45	-95.23	30.74	-13.00	-26.22	Vertical
3	13847.00	-33.94	RMS	40.50	-11.92	0.42	-95.23	32.29	-13.00	-20.94	Vertical




MIMO <Ant. 1+3>

Part 27Q Mode 6

NR SA n77 90M Ch633000 1RB1 BPSK

L




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 90M Ch633000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol	
	MHz	dBm		Factor	1		dB	dBuV			dBm
1	6907.50	-44.55	RMS	35.80	-17.07	1.25	-95.23	0.00	-13.00	-31.55	Horizontal
2	10350.00	-39.55	RMS	38.60	-13.79	0.45	-95.23	30.42	-13.00	-26.55	Horizontal
3	13803.75	-34.28	RMS	40.50	-11.95	0.42	-95.23	31.98	-13.00	-21.28	Horizontal



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 90M Ch633000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6907.50	-44.48	RMS	35.80	-17.07	1.25	-95.23	30.77	-13.00	-31.48	Vertical
2	10350.00	-39.29	RMS	38.60	-13.79	0.45	-95.23	30.68	-13.00	-26.29	Vertical
3	13803.75	-34.37	RMS	40.50	-11.95	0.42	-95.23	31.89	-13.00	-21.37	Vertical




MIMO <Ant. 1+3>


Part 27Q Mode 6

NR SA n77 90M Ch633332 1RB1 BPSK

M



	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	6907.50	-44.64	RMS	35.80	-17.07	1.25	-95.23	30.61	-13.00	-31.64	Horizontal
2	10372.50	-39.52	RMS	38.60	-13.78	0.45	-95.23	30.44	-13.00	-26.52	Horizontal
3	13826.25	-34.08	RMS	40.50	-11.94	0.42	-95.23	32.17	-13.00	-21.08	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb l	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6907.50	-44.18	RMS	35.80	-17.07	1.25	-95.23	31.07	-13.00	-31.18	Vertical
2	10372.50	-39.25	RMS	38.60	-13.78	0.45	-95.23	30.71	-13.00	-26.25	Vertical
3	13826.25	-34.05	RMS	40.50	-11.94	0.42	-95.23	32.20	-13.00	-21.05	Vertical




MIMO <Ant. 1+3>

Part 27Q Mode 6


NR SA n77 90M Ch633666 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 90M Ch633666 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	6923.00	-44.18	RMS	35.80	-17.08	1.26	-95.23	31.07	-13.00	-31.18	Horizontal		
2	10385.00	-39.01	RMS	38.60	-13.77	0.45	-95.23	30.94	-13.00	-26.01	Horizontal		
3	13847.00	-33.80	RMS	40.54	-11.91	0.42	-95.23	32.38	-13.00	-20.80	Horizontal		



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 90M Ch633666 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	6923.00	-44.06	RMS	35.80	-17.08	1.26	-95.23	31.19	-13.00	-31.06	Vertical		
2	10385.00	-38.97	RMS	38.60	-13.77	0.45	-95.23	30.98	-13.00	-25.97	Vertical		
3	13847.00	-33.84	RMS	40.54	-11.91	0.42	-95.23	32.34	-13.00	-20.84	Vertical		




Ant. 0


Part 270 Mode 1

NR SA n77 100M Ch650000 1RB1 BPSK

L



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7402.50	-42.17	RMS	36.40	-16.80	0.90	-95.23	32.56	-13.00	-29.17	Horizontal
2	11103.75	-38.65	RMS	38.70	-13.33	0.44	-95.23	30.77	-13.00	-25.65	Horizontal
3	14805.00	-33.95	RMS	40.19	-11.10	0.50	-95.23	31.69	-13.00	-20.95	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7402.50	-40.56	RMS	36.40	-16.80	0.90	-95.23	34.17	-13.00	-27.56	Vertical
2	11103.75	-38.74	RMS	38.70	-13.33	0.44	-95.23	30.68	-13.00	-25.74	Vertical
3	14805.00	-34.09	RMS	40.19	-11.10	0.50	-95.23	31.55	-13.00	-21.09	Vertical




Ant. 0

Part 270 Mode 1


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7582.50	-43.93	RMS	36.06	-16.63	0.98	-95.23	30.89	-13.00	-30.93	Horizontal
2	11373.75	-37.72	RMS	39.00	-13.16	0.44	-95.23	31.23	-13.00	-24.72	Horizontal
3	15165.00	-34.86	RMS	39.07	-10.78	0.54	-95.23	31.54	-13.00	-21.86	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7582.50	-43.27	RMS	36.06	-16.63	0.98	-95.23	31.55	-13.00	-30.27	Vertical
2	11373.75	-37.80	RMS	39.00	-13.16	0.44	-95.23	31.15	-13.00	-24.80	Vertical
3	15165.00	-34.66	RMS	39.07	-10.78	0.54	-95.23	31.74	-13.00	-21.66	Vertical




Ant. 0

Part 270 Mode 1

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	7762.50	-44.01	RMS	36.47	-16.45	0.88	-95.23	30.31	-13.00	-31.01	Horizontal
2	11643.75	-38.40	RMS	38.31	-13.01	0.44	-95.23	31.09	-13.00	-25.40	Horizontal
3	15525.00	-36.30	RMS	37.80	-10.74	0.58	-95.23	31.29	-13.00	-23.30	Horizontal



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm						g			
1	7762.50	-43.68	RMS	36.47	-16.45	0.88	-95.23	30.64	-13.00	-30.68	Vertical
2	11643.75	-38.51	RMS	38.31	-13.01	0.44	-95.23	30.98	-13.00	-25.51	Vertical
3	15525.00	-36.34	RMS	37.80	-10.74	0.58	-95.23	31.25	-13.00	-23.34	Vertical




Ant. 1

Part 270 Mode 2


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	7402.50	-43.05	RMS	36.40	-16.80	0.90	-95.23	31.68	-13.00	-30.05	Horizontal		
2	11103.75	-37.61	RMS	38.70	-13.33	0.44	-95.23	31.81	-13.00	-24.61	Horizontal		
3	14805.00	-32.61	RMS	40.19	-11.10	0.50	-95.23	33.03	-13.00	-19.61	Horizontal		



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBm	dB		
1	7402.50	-42.42	RMS	36.40	-16.80	0.90	-95.23	32.31	-13.00	-29.42	Vertical		
2	11103.75	-37.47	RMS	38.70	-13.33	0.44	-95.23	31.95	-13.00	-24.47	Vertical		
3	14805.00	-32.25	RMS	40.19	-11.10	0.50	-95.23	33.39	-13.00	-19.25	Vertical		




Ant. 1

Part 270 Mode 2


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7582.50	-43.01	RMS	36.06	-16.63	0.98	-95.23	-95.23	31.81	-13.00	-30.01	Horizontal
2	11373.75	-36.55	RMS	39.00	-13.16	0.44	-95.23	-95.23	32.40	-13.00	-23.55	Horizontal
3	15165.00	-33.60	RMS	39.07	-10.78	0.54	-95.23	-95.23	32.80	-13.00	-20.60	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7582.50	-42.11	RMS	36.06	-16.63	0.98	-95.23	-95.23	32.71	-13.00	-29.11	Vertical
2	11373.75	-36.57	RMS	39.00	-13.16	0.44	-95.23	-95.23	32.38	-13.00	-23.57	Vertical
3	15165.00	-33.53	RMS	39.07	-10.78	0.54	-95.23	-95.23	32.87	-13.00	-20.53	Vertical




Ant. 1


Part 270 Mode 2

NR SA n77 100M Ch662000 1RB1 BPSK

H



	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7762.50	-42.53	RMS	36.47	-16.45	0.88	-95.23	31.79	-13.00	-29.53	Horizontal
2	11643.75	-37.01	RMS	38.31	-13.01	0.44	-95.23	32.48	-13.00	-24.01	Horizontal
3	15525.00	-35.01	RMS	37.80	-10.74	0.58	-95.23	32.58	-13.00	-22.01	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dBuV	dBm	dB	
1	7762.50	-41.67	RMS	36.47	-16.45	0.88	-95.23	32.65	-13.00	-28.67	Vertical
2	11643.75	-37.26	RMS	38.31	-13.01	0.44	-95.23	32.23	-13.00	-24.26	Vertical
3	15525.00	-35.36	RMS	37.80	-10.74	0.58	-95.23	32.23	-13.00	-22.36	Vertical




Ant. 2

Part 270 Mode 3


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.50	-43.16	RMS	36.40	-16.80	0.90	-95.23	-44.32	-13.00	-30.16	Horizontal
2	11103.75	-37.55	RMS	38.70	-13.33	0.44	-95.23	31.87	-13.00	-24.55	Horizontal
3	14805.00	-33.08	RMS	40.19	-11.10	0.50	-95.23	32.56	-13.00	-20.08	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.50	-42.18	RMS	36.40	-16.80	0.90	-95.23	32.55	-13.00	-29.18	Vertical
2	11103.75	-37.16	RMS	38.70	-13.33	0.44	-95.23	32.26	-13.00	-24.16	Vertical
3	14805.00	-32.99	RMS	40.19	-11.10	0.50	-95.23	32.65	-13.00	-19.99	Vertical




Ant. 2

Part 270 Mode 3


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7582.50	-43.00	RMS	36.06	-16.63	0.98	-95.23	31.82	-13.00	-30.00	Horizontal
2	11373.75	-36.72	RMS	39.00	-13.16	0.44	-95.23	32.23	-13.00	-23.72	Horizontal
3	15165.00	-33.72	RMS	39.07	-10.78	0.54	-95.23	32.68	-13.00	-20.72	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7582.50	-41.68	RMS	36.06	-16.63	0.98	-95.23	33.14	-13.00	-28.68	Vertical
2	11373.75	-36.66	RMS	39.00	-13.16	0.44	-95.23	32.29	-13.00	-23.66	Vertical
3	15165.00	-33.67	RMS	39.07	-10.78	0.54	-95.23	32.73	-13.00	-20.67	Vertical




Ant. 2

Part 270 Mode 3

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7762.50	-42.56	RMS	36.47	-16.45	0.88	-95.23	-95.23	31.76	-13.00	-29.56	Horizontal
2	11643.75	-37.19	RMS	38.31	-13.01	0.44	-95.23	-95.23	32.30	-13.00	-24.19	Horizontal
3	15525.00	-34.81	RMS	37.80	-10.74	0.58	-95.23	-95.23	32.78	-13.00	-21.81	Horizontal



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7762.50	-41.30	RMS	36.47	-16.45	0.88	-95.23	-95.23	33.02	-13.00	-28.30	Vertical
2	11643.75	-37.06	RMS	38.31	-13.01	0.44	-95.23	-95.23	32.43	-13.00	-24.06	Vertical
3	15525.00	-34.96	RMS	37.80	-10.74	0.58	-95.23	-95.23	32.63	-13.00	-21.96	Vertical




Ant. 3

Part 270 Mode 4


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.00	-36.16	RMS	36.40	-16.80	0.90	-95.23	0.00	-13.00	-23.16	Horizontal	
2	11103.00	-37.29	RMS	38.70	-13.33	0.44	-95.23	32.13	-13.00	-24.29	Horizontal	
3	14805.00	-32.79	RMS	40.19	-11.10	0.50	-95.23	32.85	-13.00	-19.79	Horizontal	



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7402.00	-33.50	RMS	36.40	-16.80	0.90	-95.23	41.23	-13.00	-20.50	Vertical	
2	11103.00	-37.16	RMS	38.70	-13.33	0.44	-95.23	32.26	-13.00	-24.16	Vertical	
3	14805.00	-32.66	RMS	40.19	-11.10	0.50	-95.23	32.98	-13.00	-19.66	Vertical	




Ant. 3

Part 270 Mode 4


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7582.00	-43.19	RMS	36.06	-16.63	0.98	-95.23	-95.23	31.63	-13.00	-30.19	Horizontal
2	11373.00	-36.65	RMS	39.00	-13.16	0.44	-95.23	-95.23	32.30	-13.00	-23.65	Horizontal
3	15165.00	-33.68	RMS	39.07	-10.78	0.54	-95.23	-95.23	32.72	-13.00	-20.68	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	7582.00	-42.84	RMS	36.06	-16.63	0.98	-95.23	-95.23	31.98	-13.00	-29.84	Vertical
2	11373.00	-36.75	RMS	39.00	-13.16	0.44	-95.23	-95.23	32.20	-13.00	-23.75	Vertical
3	15165.00	-33.53	RMS	39.07	-10.78	0.54	-95.23	-95.23	32.87	-13.00	-20.53	Vertical




Ant. 3

Part 270 Mode 4

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7762.00	-41.83	RMS	36.47	-16.45	0.88	-95.23	32.50	-13.00	-28.83	Horizontal		
2	11643.00	-37.10	RMS	38.31	-13.01	0.44	-95.23	32.39	-13.00	-24.10	Horizontal		
3	15525.00	-34.70	RMS	37.80	-10.74	0.58	-95.23	32.89	-13.00	-21.70	Horizontal		



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch662000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	7762.00	-40.83	RMS	36.47	-16.45	0.88	-95.23	33.50	-13.00	-27.83	Vertical		
2	11643.00	-37.15	RMS	38.31	-13.01	0.44	-95.23	32.34	-13.00	-24.15	Vertical		
3	15525.00	-34.81	RMS	37.80	-10.74	0.58	-95.23	32.78	-13.00	-21.81	Vertical		




MIMO <Ant. 0+2>

Part 270 Mode 5

NR SA n77 100M Ch650000 1RB1 BPSK

L




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	7402.00	-43.31	RMS	36.40	-16.80	0.90	-95.23	31.42	-13.00	-30.31	Horizontal
2	11103.00	-37.78	RMS	38.70	-13.33	0.44	-95.23	31.64	-13.00	-24.78	Horizontal
3	14805.00	-33.42	RMS	40.19	-11.10	0.50	-95.23	32.22	-13.00	-20.42	Horizontal



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	7402.00	-43.60	RMS	36.40	-16.80	0.90	-95.23	31.13	-13.00	-30.60	Vertical
2	11103.00	-37.84	RMS	38.70	-13.33	0.44	-95.23	31.58	-13.00	-24.84	Vertical
3	14805.00	-33.31	RMS	40.19	-11.10	0.50	-95.23	32.33	-13.00	-20.31	Vertical




MIMO <Ant. 0+2>

Part 270 Mode 5


NR SA n77 100M Ch656000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-43.63	RMS	36.06	-16.63	0.98	-95.23	31.19	-13.00	-30.63	Horizontal
2	11373.00	-36.78	RMS	39.00	-13.16	0.44	-95.23	32.17	-13.00	-23.78	Horizontal
3	15165.00	-33.86	RMS	39.07	-10.78	0.54	-95.23	32.54	-13.00	-20.86	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7582.00	-43.46	RMS	36.06	-16.63	0.98	-95.23	31.36	-13.00	-30.46	Vertical
2	11373.00	-37.22	RMS	39.00	-13.16	0.44	-95.23	31.73	-13.00	-24.22	Vertical
3	15165.00	-33.93	RMS	39.07	-10.78	0.54	-95.23	32.47	-13.00	-20.93	Vertical




MIMO <Ant. 0+2>

Part 270 Mode 5

NR SA n77 100M Ch662000 1RB1 BPSK

H




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	7762.00	-43.29	RMS	36.47	-16.45	0.88	-95.23	-95.23	31.04	-13.00	-30.29	Horizontal	
2	11643.00	-37.76	RMS	38.31	-13.01	0.44	-95.23	-95.23	31.73	-13.00	-24.76	Horizontal	
3	15525.00	-35.29	RMS	37.80	-10.74	0.58	-95.23	-95.23	32.30	-13.00	-22.29	Horizontal	



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch662000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit		Margin	Pol
					dB/m	dB				dBuV	dBm	dB	
1	7762.00	-43.00	RMS	36.47	-16.45	0.88	-95.23	-95.23	31.33	-13.00	-30.00	Vertical	
2	11643.00	-37.56	RMS	38.31	-13.01	0.44	-95.23	-95.23	31.93	-13.00	-24.56	Vertical	
3	15525.00	-35.42	RMS	37.80	-10.74	0.58	-95.23	-95.23	32.17	-13.00	-22.42	Vertical	




MIMO <Ant. 1+3>

Part 270 Mode 6


NR SA n77 100M Ch650000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Horizontal
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.50	-43.88	RMS	36.40	-16.80	0.90	-95.23	0.00	-13.00	-30.88	Horizontal
2	11103.75	-37.75	RMS	38.70	-13.33	0.44	-95.23	31.67	-13.00	-24.75	Horizontal
3	14805.00	-33.60	RMS	40.19	-11.10	0.50	-95.23	32.04	-13.00	-20.60	Horizontal



Site : 03CH16-HY
Condition: -13 1m SHF_00993_231124 Vertical
: NR n77 100M Ch650000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7402.50	-43.48	RMS	36.40	-16.80	0.90	-95.23	31.25	-13.00	-30.48	Vertical
2	11103.75	-38.26	RMS	38.70	-13.33	0.44	-95.23	31.16	-13.00	-25.26	Vertical
3	14805.00	-33.98	RMS	40.19	-11.10	0.50	-95.23	31.66	-13.00	-20.98	Vertical




MIMO <Ant. 1+3>

Part 270 Mode 6

NR SA n77 100M Ch656000 1RB1 BPSK

M




Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Horizontal

: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7582.50	-43.84	RMS	36.06	-16.63	0.98	-95.23	30.98	-13.00	-30.84	Horizontal
2	11373.75	-37.52	RMS	39.00	-13.16	0.44	-95.23	31.43	-13.00	-24.52	Horizontal
3	15165.00	-34.51	RMS	39.07	-10.78	0.54	-95.23	31.89	-13.00	-21.51	Horizontal



Site : 03CH16-HY

Condition: -13 1m SHF_00993_231124 Vertical

: NR n77 100M Ch656000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	7582.50	-44.07	RMS	36.06	-16.63	0.98	-95.23	30.75	-13.00	-31.07	Vertical
2	11373.75	-37.55	RMS	39.00	-13.16	0.44	-95.23	31.40	-13.00	-24.55	Vertical
3	15165.00	-34.45	RMS	39.07	-10.78	0.54	-95.23	31.95	-13.00	-21.45	Vertical




MIMO <Ant. 1+3>


Part 270 Mode 6

NR SA n77 100M Ch662000 1RB1 BPSK

H



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	7762.50	-43.66	RMS	36.47	-16.45	0.88	-95.23	30.66	-13.00	-30.66	Horizontal
2	11643.75	-38.29	RMS	38.31	-13.01	0.44	-95.23	31.20	-13.00	-25.29	Horizontal
3	15525.00	-35.85	RMS	37.80	-10.74	0.58	-95.23	31.74	-13.00	-22.85	Horizontal



	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	7762.50	-43.33	RMS	36.47	-16.45	0.88	-95.23	30.99	-13.00	-30.33	Vertical
2	11643.75	-38.14	RMS	38.31	-13.01	0.44	-95.23	31.35	-13.00	-25.14	Vertical
3	15525.00	-35.87	RMS	37.80	-10.74	0.58	-95.23	31.72	-13.00	-22.87	Vertical




Ant. 0

Part 27N Mode 2

NR SA n71 20M Ch134600 1RB1 BPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-1522_240328 Horizontal

: SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-44.86	RMS	25.62	-25.58	0.85	-95.23	49.48	-13.00	-31.86	Horizontal
2	1992.00	-45.60	RMS	26.50	-23.00	0.39	-95.23	45.74	-13.00	-32.60	Horizontal
3	2657.00	-56.77	RMS	28.10	-21.94	0.33	-95.23	31.97	-13.00	-43.77	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-1522_240328 Vertical

: SA n71 20M Ch134600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1328.00	-51.35	RMS	25.62	-25.58	0.85	-95.23	42.99	-13.00	-38.35	Vertical
2	1992.00	-46.17	RMS	26.50	-23.00	0.39	-95.23	45.17	-13.00	-33.17	Vertical
3	2657.00	-56.63	RMS	28.10	-21.94	0.33	-95.23	32.11	-13.00	-43.63	Vertical




Ant. 0

Part 27N Mode 2


NR SA n71 20M Ch136100 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-40.36	RMS	25.60	-25.48	0.82	-95.23	53.93	-13.00	-27.36	Horizontal
2	2015.00	-46.50	RMS	26.60	-22.95	0.38	-95.23	44.70	-13.00	-33.50	Horizontal
3	2687.00	-57.26	RMS	28.16	-21.88	0.33	-95.23	31.36	-13.00	-44.26	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-39.88	RMS	25.60	-25.48	0.82	-95.23	54.41	-13.00	-26.88	Vertical
2	2015.00	-44.02	RMS	26.60	-22.95	0.38	-95.23	47.18	-13.00	-31.02	Vertical
3	2687.00	-56.89	RMS	28.16	-21.88	0.33	-95.23	31.73	-13.00	-43.89	Vertical




Ant. 0

Part 27N Mode 2


NR SA n71 20M Ch137600 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb 1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-43.20	RMS	25.51	-25.38	0.79	-95.23	51.11	-13.00	-30.20	Horizontal
2	2038.00	-48.97	RMS	26.98	-22.91	0.38	-95.23	41.81	-13.00	-35.97	Horizontal
3	2717.00	-56.99	RMS	28.27	-21.83	0.33	-95.23	31.47	-13.00	-43.99	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n71 20M Ch137600 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb 1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1359.00	-46.26	RMS	25.51	-25.38	0.79	-95.23	48.05	-13.00	-33.26	Vertical
2	2038.00	-52.41	RMS	26.98	-22.91	0.38	-95.23	38.37	-13.00	-39.41	Vertical
3	2717.00	-56.90	RMS	28.27	-21.83	0.33	-95.23	31.56	-13.00	-43.90	Vertical




Ant. 0

Part 27D Mode 3

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH16-HY

Condition: -40 1m SHF_00993_231124 Horizontal

: NR SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4611.00	-64.67	RMS	31.64	-55.82	0.51	-95.23	0.00	-40.00	-24.67	Horizontal
2	6917.00	-60.51	RMS	35.80	-52.38	0.39	-95.23	50.91	-40.00	-20.51	Horizontal
3	9222.00	-57.24	RMS	37.80	-50.91	0.58	-95.23	50.52	-40.00	-17.24	Horizontal



Site : 03CH16-HY

Condition: -40 1m SHF_00993_231124 Vertical

: NR SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	4611.00	-60.72	RMS	31.64	-55.82	0.51	-95.23	58.18	-40.00	-20.72	Vertical
2	6917.00	-60.54	RMS	35.80	-52.38	0.39	-95.23	50.88	-40.00	-20.54	Vertical
3	9222.00	-57.31	RMS	37.80	-50.91	0.58	-95.23	50.45	-40.00	-17.31	Vertical




Ant. 0

Part 27D Mode 3

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH16-HY

Condition: -40 1m SHF_00993_231124 Horizontal

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-64.80	RMS	31.66	-55.81	0.50	-95.23	54.08	-40.00	-24.80	Horizontal
2	6924.00	-60.85	RMS	35.80	-52.39	0.39	-95.23	50.58	-40.00	-20.85	Horizontal
3	9232.00	-56.91	RMS	37.80	-50.91	0.57	-95.23	50.86	-40.00	-16.91	Horizontal



Site : 03CH16-HY

Condition: -40 1m SHF_00993_231124 Vertical

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4616.00	-62.49	RMS	31.66	-55.81	0.50	-95.23	56.39	-40.00	-22.49	Vertical
2	6924.00	-60.84	RMS	35.80	-52.39	0.39	-95.23	50.59	-40.00	-20.84	Vertical
3	9232.00	-56.98	RMS	37.80	-50.91	0.57	-95.23	50.79	-40.00	-16.98	Vertical




Ant. 0

Part 27D Mode 3


NR SA n30 5M Ch462500 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -40 1m SHF_00993_231124 Horizontal
: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm	dB	
1	4621.00	-64.88	RMS	31.68	-55.80	0.50	-95.23	53.97	-40.00	-24.88	Horizontal
2	6932.00	-60.41	RMS	35.80	-52.39	0.38	-95.23	51.03	-40.00	-20.41	Horizontal
3	9242.00	-56.88	RMS	37.80	-50.91	0.56	-95.23	50.90	-40.00	-16.88	Horizontal



Site : 03CH16-HY
Condition: -40 1m SHF_00993_231124 Vertical
: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm	dB	
1	4621.00	-62.10	RMS	31.68	-55.80	0.50	-95.23	56.75	-40.00	-22.10	Vertical
2	6932.00	-60.65	RMS	35.80	-52.39	0.38	-95.23	50.79	-40.00	-20.65	Vertical
3	9242.00	-56.83	RMS	37.80	-50.91	0.56	-95.23	50.95	-40.00	-16.83	Vertical




Ant. 0

Part 27L Mode 4

NR SA n66 40M Ch346000 1RB1 BPSK

L




Site : 03CH16-HY

Condition: -13 3m 9120D-1522_240328 Horizontal

: SA n66 20M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3424.00	-54.20	RMS	29.45	-20.57	0.91	-95.23	31.24	-13.00	-41.20	Horizontal
2	5136.00	-49.59	RMS	32.97	-18.06	0.46	-95.23	30.27	-13.00	-36.59	Horizontal
3	6849.00	-45.51	RMS	35.70	-17.02	0.40	-95.23	30.64	-13.00	-32.51	Horizontal



Site : 03CH16-HY

Condition: -13 3m 9120D-1522_240328 Vertical

: SA n66 20M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3424.00	-54.17	RMS	29.45	-20.57	0.91	-95.23	31.27	-13.00	-41.17	Vertical
2	5136.00	-49.43	RMS	32.97	-18.06	0.46	-95.23	30.43	-13.00	-36.43	Vertical
3	6849.00	-45.54	RMS	35.70	-17.02	0.40	-95.23	30.61	-13.00	-32.54	Vertical




Ant. 0

Part 27L Mode 4


NR SA n66 40M Ch349000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-54.44	RMS	29.40	-20.52	0.91	-95.23	31.00	-13.00	-41.44	Horizontal
2	5181.00	-49.91	RMS	33.00	-18.01	0.46	-95.23	29.87	-13.00	-36.91	Horizontal
3	6909.00	-45.40	RMS	35.80	-17.07	0.39	-95.23	30.71	-13.00	-32.40	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3454.00	-54.58	RMS	29.40	-20.52	0.91	-95.23	30.86	-13.00	-41.58	Vertical
2	5181.00	-50.10	RMS	33.00	-18.01	0.46	-95.23	29.68	-13.00	-37.10	Vertical
3	6909.00	-45.59	RMS	35.80	-17.07	0.39	-95.23	30.52	-13.00	-32.59	Vertical




Ant. 0

Part 27L Mode 4


NR SA n66 40M Ch352000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3484.00	-54.43	RMS		29.40	-20.47	0.91	-95.23	30.96	-13.00	-41.43 Horizontal
2	5226.00	-50.34	RMS		32.95	-17.96	0.45	-95.23	29.45	-13.00	-37.34 Horizontal
3	6969.00	-45.17	RMS		35.80	-17.12	0.38	-95.23	31.00	-13.00	-32.17 Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3484.00	-54.44	RMS		29.40	-20.47	0.91	-95.23	30.95	-13.00	-41.44 Vertical
2	5226.00	-50.13	RMS		32.95	-17.96	0.45	-95.23	29.66	-13.00	-37.13 Vertical
3	6969.00	-45.37	RMS		35.80	-17.12	0.38	-95.23	30.80	-13.00	-32.37 Vertical




Ant. 2+ Ant. 0

Part 27L Mode 5


EN-DC B13+n66 Ch23205 + Ch346000

L



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 13 5M Ch23205 1RB0 QPSK
: SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3420.00	-54.24	RMS	29.46	-20.58	0.91	-95.23	0.00	-13.00	-41.24	Horizontal
2	5130.00	-50.07	RMS	32.96	-18.07	0.46	-95.23	29.81	-13.00	-37.07	Horizontal
3	6855.00	-45.46	RMS	35.71	-17.02	0.40	-95.23	30.68	-13.00	-32.46	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 13 5M Ch23205 1RB0 QPSK
: SA n66 40M Ch346000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3420.00	-54.03	RMS	29.46	-20.58	0.91	-95.23	31.41	-13.00	-41.03	Vertical
2	5130.00	-49.79	RMS	32.96	-18.07	0.46	-95.23	30.09	-13.00	-36.79	Vertical
3	6855.00	-45.99	RMS	35.71	-17.02	0.40	-95.23	30.15	-13.00	-32.99	Vertical




Ant. 2+ Ant. 0

Part 27L Mode 5


EN-DC B13+n66 Ch23230 + Ch349000

M



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 13 5M Ch23230 1RB0 QPSK
: SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-54.31	RMS	29.40	-20.53	0.91	-95.23	31.14	-13.00	-41.31	Horizontal
2	5175.00	-50.08	RMS	33.00	-18.02	0.46	-95.23	29.71	-13.00	-37.08	Horizontal
3	6915.00	-45.60	RMS	35.80	-17.07	0.39	-95.23	30.51	-13.00	-32.60	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 13 5M Ch23230 1RB0 QPSK
: SA n66 40M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3450.00	-54.67	RMS	29.40	-20.53	0.91	-95.23	30.78	-13.00	-41.67	Vertical
2	5175.00	-50.18	RMS	33.00	-18.02	0.46	-95.23	29.61	-13.00	-37.18	Vertical
3	6915.00	-45.44	RMS	35.80	-17.07	0.39	-95.23	30.67	-13.00	-32.44	Vertical




Ant. 2+ Ant. 0

Part 27L Mode 5


EN-DC B13+n66 Ch23255 + Ch352000

H



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Horizontal
: LTE Band 13 5M Ch23255 1RB0 QPSK
: SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3480.00	-54.60	RMS	29.40	-20.47	0.91	-95.23	30.79	-13.00	-41.60	Horizontal
2	5220.00	-50.51	RMS	32.96	-17.97	0.45	-95.23	29.28	-13.00	-37.51	Horizontal
3	6975.00	-45.64	RMS	35.80	-17.13	0.38	-95.23	30.54	-13.00	-32.64	Horizontal



Site : 03CH16-HY
Condition: -13 3m 9120D-1522_240328 Vertical
: LTE Band 13 5M Ch23255 1RB0 QPSK
: SA n66 40M Ch352000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	3480.00	-54.75	RMS	29.40	-20.47	0.91	-95.23	30.64	-13.00	-41.75	Vertical
2	5220.00	-50.11	RMS	32.96	-17.97	0.45	-95.23	29.68	-13.00	-37.11	Vertical
3	6975.00	-45.56	RMS	35.80	-17.13	0.38	-95.23	30.62	-13.00	-32.56	Vertical




Ant. 0

Part 27M Mode 7


NR SA n7 50M Ch505000 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n7 50M Ch505000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit dBm	Margin dB	Pol
				Factor	1	EIRPCF					
1	5005.00	-63.16	RMS	33.08	-54.60	0.45	-95.23	53.14	-25.00	-38.16	Horizontal
2	7508.00	-60.01	RMS	36.17	-51.96	0.46	-95.23	50.55	-25.00	-35.01	Horizontal
3	10011.00	-57.42	RMS	38.14	-51.00	0.34	-95.23	50.33	-25.00	-32.42	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n7 50M Ch505000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit dBm	Margin dB	Pol
				Factor	1	EIRPCF					
1	5005.00	-63.07	RMS	33.08	-54.60	0.45	-95.23	53.23	-25.00	-38.07	Vertical
2	7508.00	-59.80	RMS	36.17	-51.96	0.46	-95.23	50.76	-25.00	-34.80	Vertical
3	10011.00	-57.15	RMS	38.14	-51.00	0.34	-95.23	50.60	-25.00	-32.15	Vertical




Ant. 0

Part 27M Mode 7


NR SA n7 50M Ch507000 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n7 50M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm	dB	
1	5025.00	-63.22	RMS	33.00	-54.57	0.45	-95.23	53.13	-25.00	-38.22	Horizontal
2	7538.00	-59.58	RMS	36.05	-51.91	0.49	-95.23	51.02	-25.00	-34.58	Horizontal
3	10051.00	-56.64	RMS	38.30	-50.94	0.34	-95.23	50.89	-25.00	-31.64	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n7 50M Ch507000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm	dB	
1	5025.00	-63.38	RMS	33.00	-54.57	0.45	-95.23	52.97	-25.00	-38.38	Vertical
2	7538.00	-59.84	RMS	36.05	-51.91	0.49	-95.23	50.76	-25.00	-34.84	Vertical
3	10051.00	-56.63	RMS	38.30	-50.94	0.34	-95.23	50.90	-25.00	-31.63	Vertical




Ant. 0

Part 27M Mode 7


NR SA n7 50M Ch509000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n7 50M Ch509000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm	dB	
1	5045.00	-63.21	RMS	32.92	-54.54	0.45	-95.23	53.19	-25.00	-38.21	Horizontal
2	7568.00	-60.12	RMS	36.04	-51.87	0.51	-95.23	50.43	-25.00	-35.12	Horizontal
3	10091.00	-56.91	RMS	38.22	-50.87	0.34	-95.23	50.63	-25.00	-31.91	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n7 50M Ch509000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm	dB	
1	5045.00	-63.05	RMS	32.92	-54.54	0.45	-95.23	53.35	-25.00	-38.05	Vertical
2	7568.00	-59.93	RMS	36.04	-51.87	0.51	-95.23	50.62	-25.00	-34.93	Vertical
3	10091.00	-57.00	RMS	38.22	-50.87	0.34	-95.23	50.54	-25.00	-32.00	Vertical




Ant. 0

Part 27M Mode 8


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	4995.00	-62.74	RMS	33.09	-54.63	0.45	-95.23	53.58	-25.00	-37.74	Horizontal
2	7485.00	-59.34	RMS	36.23	-51.97	0.44	-95.23	51.19	-25.00	-34.34	Horizontal
3	9990.00	-57.15	RMS	38.06	-51.01	0.35	-95.23	50.68	-25.00	-32.15	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	4995.00	-62.34	RMS	33.09	-54.63	0.45	-95.23	53.98	-25.00	-37.34	Vertical
2	7485.00	-59.82	RMS	36.23	-51.97	0.44	-95.23	50.71	-25.00	-34.82	Vertical
3	9990.00	-56.96	RMS	38.06	-51.01	0.35	-95.23	50.87	-25.00	-31.96	Vertical




Ant. 0


Part 27M Mode 8

NR SA n41 100M Ch518598 1RB1 BPSK

M



	Freq Level		Detector	Ant Amp\Cb Filter				Readin Limit		Margin	Pol
	MHz	dBm		Factor	1	EIRPCF		g	dBm		
1	5100.00	-61.81	RMS	32.90	-54.46	0.46	-95.23	54.52	-25.00	-36.81	Horizontal
2	7635.00	-58.54	RMS	36.17	-51.81	0.52	-95.23	51.81	-25.00	-33.54	Horizontal
3	10170.00	-56.65	RMS	38.44	-50.74	0.34	-95.23	50.54	-25.00	-31.65	Horizontal



	Freq Level		Detector	Ant Amp\Cb Filter				Readin Limit		Margin	Pol
	MHz	dBm		Factor	1	EIRPCF		g	dBm		
1	5100.00	-58.94	RMS	32.90	-54.46	0.46	-95.23	57.39	-25.00	-33.94	Vertical
2	7635.00	-59.21	RMS	36.17	-51.81	0.52	-95.23	51.14	-25.00	-34.21	Vertical
3	10170.00	-56.53	RMS	38.44	-50.74	0.34	-95.23	50.66	-25.00	-31.53	Vertical




Ant. 0

Part 27M Mode 8


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g			
1	5190.00	-61.76	RMS	33.00	-54.32	0.46	-95.23	54.33	-25.00	-36.76 Horizontal
2	7770.00	-59.40	RMS	36.52	-51.74	0.45	-95.23	50.60	-25.00	-34.40 Horizontal
3	10365.00	-56.82	RMS	38.60	-50.41	0.35	-95.23	49.87	-25.00	-31.82 Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch528000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	1		g			
1	5190.00	-60.65	RMS	33.00	-54.32	0.46	-95.23	55.44	-25.00	-35.65 Vertical
2	7770.00	-59.07	RMS	36.52	-51.74	0.45	-95.23	50.93	-25.00	-34.07 Vertical
3	10365.00	-56.84	RMS	38.60	-50.41	0.35	-95.23	49.85	-25.00	-31.84 Vertical




Ant. 1

Part 27M Mode 9

NR SA n41 100M Ch509202 1RB1 BPSK

L




Site : 03CH16-HY

Condition: -25 1m SHF_00993_231124 Horizontal

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-62.50	RMS	33.09	-54.63	0.45	-95.23	53.82	-25.00	-37.50	Horizontal
2	7492.00	-59.42	RMS	36.22	-51.97	0.45	-95.23	51.11	-25.00	-34.42	Horizontal
3	9989.00	-56.59	RMS	38.06	-51.01	0.35	-95.23	51.24	-25.00	-31.59	Horizontal



Site : 03CH16-HY

Condition: -25 1m SHF_00993_231124 Vertical

: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-62.26	RMS	33.09	-54.63	0.45	-95.23	54.06	-25.00	-37.26	Vertical
2	7492.00	-59.26	RMS	36.22	-51.97	0.45	-95.23	51.27	-25.00	-34.26	Vertical
3	9989.00	-55.72	RMS	38.06	-51.01	0.35	-95.23	52.11	-25.00	-30.72	Vertical




Ant. 1

Part 27M Mode 9

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH16-HY

Condition: -25 1m SHF_00993_231124 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		dBuV	dBm	dB	
1	5088.00	-62.66	RMS	32.90	-54.47	0.45	-95.23	53.69	-25.00	-37.66	Horizontal		
2	7632.00	-58.36	RMS	36.16	-51.81	0.52	-95.23	52.00	-25.00	-33.36	Horizontal		
3	10170.00	-55.75	RMS	38.44	-50.74	0.34	-95.23	51.44	-25.00	-30.75	Horizontal		



Site : 03CH16-HY

Condition: -25 1m SHF_00993_231124 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		dBuV	dBm	dB	
1	5088.00	-62.87	RMS	32.90	-54.47	0.45	-95.23	53.48	-25.00	-37.87	Vertical		
2	7632.00	-58.23	RMS	36.16	-51.81	0.52	-95.23	52.13	-25.00	-33.23	Vertical		
3	10170.00	-55.57	RMS	38.44	-50.74	0.34	-95.23	51.62	-25.00	-30.57	Vertical		




Ant. 1

Part 27M Mode 9


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-62.69	RMS	33.00	-54.33	0.46	-95.23	53.41	-25.00	-37.69	Horizontal	
2	7773.00	-58.23	RMS	36.54	-51.74	0.44	-95.23	51.76	-25.00	-33.23	Horizontal	
3	10365.00	-55.97	RMS	38.60	-50.41	0.35	-95.23	50.72	-25.00	-30.97	Horizontal	



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-62.80	RMS	33.00	-54.33	0.46	-95.23	53.30	-25.00	-37.80	Vertical	
2	7773.00	-58.09	RMS	36.54	-51.74	0.44	-95.23	51.90	-25.00	-33.09	Vertical	
3	10365.00	-55.79	RMS	38.60	-50.41	0.35	-95.23	50.90	-25.00	-30.79	Vertical	




Ant. 2

Part 27M Mode 10


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-62.91	RMS	33.09	-54.63	0.45	-95.23	53.41	-25.00	-37.91	Horizontal
2	7492.00	-59.27	RMS	36.22	-51.97	0.45	-95.23	51.26	-25.00	-34.27	Horizontal
3	9989.00	-56.37	RMS	38.06	-51.01	0.35	-95.23	51.46	-25.00	-31.37	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-61.71	RMS	33.09	-54.63	0.45	-95.23	54.61	-25.00	-36.71	Vertical
2	7492.00	-59.45	RMS	36.22	-51.97	0.45	-95.23	51.08	-25.00	-34.45	Vertical
3	9989.00	-56.64	RMS	38.06	-51.01	0.35	-95.23	51.19	-25.00	-31.64	Vertical




Ant. 2

Part 27M Mode 10


NR SA n41 100M Ch518598 1RB1 BPSK

M



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-62.55	RMS	32.90	-54.47	0.45	-95.23	53.80	-25.00	-37.55	Horizontal
2	7632.00	-58.24	RMS	36.16	-51.81	0.52	-95.23	52.12	-25.00	-33.24	Horizontal
3	10177.00	-55.56	RMS	38.45	-50.73	0.34	-95.23	51.61	-25.00	-30.56	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5088.00	-62.48	RMS	32.90	-54.47	0.45	-95.23	53.87	-25.00	-37.48	Vertical
2	7632.00	-58.18	RMS	36.16	-51.81	0.52	-95.23	52.18	-25.00	-33.18	Vertical
3	10177.00	-55.82	RMS	38.45	-50.73	0.34	-95.23	51.35	-25.00	-30.82	Vertical




Ant. 2


Part 27M Mode 10

NR SA n41 100M Ch528000 1RB1 BPSK

H



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-62.48	RMS	33.00	-54.33	0.46	-95.23	53.62	-25.00	-37.48	Horizontal
2	7773.00	-58.06	RMS	36.54	-51.74	0.44	-95.23	51.93	-25.00	-33.06	Horizontal
3	10365.00	-55.82	RMS	38.60	-50.41	0.35	-95.23	50.87	-25.00	-30.82	Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-62.87	RMS	33.00	-54.33	0.46	-95.23	53.23	-25.00	-37.87	Vertical
2	7773.00	-58.14	RMS	36.54	-51.74	0.44	-95.23	51.85	-25.00	-33.14	Vertical
3	10365.00	-55.75	RMS	38.60	-50.41	0.35	-95.23	50.94	-25.00	-30.75	Vertical




Ant. 3

Part 27M Mode 11


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-62.40	RMS	33.09	-54.63	0.45	-95.23	0.00	-25.00	-37.40	Horizontal
2	7492.00	-59.17	RMS	36.22	-51.97	0.45	-95.23	51.36	-25.00	-34.17	Horizontal
3	9989.00	-56.36	RMS	38.06	-51.01	0.35	-95.23	51.47	-25.00	-31.36	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-61.71	RMS	33.09	-54.63	0.45	-95.23	54.61	-25.00	-36.71	Vertical
2	7492.00	-59.38	RMS	36.22	-51.97	0.45	-95.23	51.15	-25.00	-34.38	Vertical
3	9989.00	-56.58	RMS	38.06	-51.01	0.35	-95.23	51.25	-25.00	-31.58	Vertical




Ant. 3

Part 27M Mode 11

NR SA n41 100M Ch518598 1RB1 BPSK

M




Site : 03CH16-HY

Condition: -25 1m SHF_00993_231124 Horizontal

: SA n41 100M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit dBm	Margin dB	Pol
				Factor	1	EIRPCF					
1	5088.00	-62.65	RMS	32.90	-54.47	0.45	-95.23	53.70	-25.00	-37.65	Horizontal
2	7632.00	-58.40	RMS	36.16	-51.81	0.52	-95.23	51.96	-25.00	-33.40	Horizontal
3	10177.00	-55.49	RMS	38.45	-50.73	0.34	-95.23	51.68	-25.00	-30.49	Horizontal



Site : 03CH16-HY

Condition: -25 1m SHF_00993_231124 Vertical

: SA n41 100M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter				Readin g	Limit dBm	Margin dB	Pol
				Factor	1	EIRPCF					
1	5088.00	-62.49	RMS	32.90	-54.47	0.45	-95.23	53.86	-25.00	-37.49	Vertical
2	7632.00	-58.28	RMS	36.16	-51.81	0.52	-95.23	52.08	-25.00	-33.28	Vertical
3	10177.00	-55.69	RMS	38.45	-50.73	0.34	-95.23	51.48	-25.00	-30.69	Vertical




Ant. 3

Part 27M Mode 11


NR SA n41 100M Ch528000 1RB1 BPSK

H



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-62.68	RMS	33.00	-54.33	0.46	-95.23	53.42	-25.00	-37.68	Horizontal
2	7773.00	-58.33	RMS	36.54	-51.74	0.44	-95.23	51.66	-25.00	-33.33	Horizontal
3	10365.00	-55.82	RMS	38.60	-50.41	0.35	-95.23	50.87	-25.00	-30.82	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch528000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5182.00	-62.70	RMS	33.00	-54.33	0.46	-95.23	53.40	-25.00	-37.70	Vertical
2	7773.00	-58.12	RMS	36.54	-51.74	0.44	-95.23	51.87	-25.00	-33.12	Vertical
3	10365.00	-55.54	RMS	38.60	-50.41	0.35	-95.23	51.15	-25.00	-30.54	Vertical




MIMO <Ant. 0+2>

Part 27M Mode 12


NR SA n41 100M Ch509202 1RB1 BPSK

L



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Horizontal
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-63.02	RMS	33.09	-54.63	0.45	-95.23	53.30	-25.00	-38.02	Horizontal
2	7485.00	-60.23	RMS	36.23	-51.97	0.44	-95.23	50.30	-25.00	-35.23	Horizontal
3	9990.00	-57.27	RMS	38.06	-51.01	0.35	-95.23	50.56	-25.00	-32.27	Horizontal



Site : 03CH16-HY
Condition: -25 1m SHF_00993_231124 Vertical
: SA n41 100M Ch509202 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter				Readin	Limit	Margin	Pol
				Factor	1	EIRPCF	g				
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4995.00	-61.98	RMS	33.09	-54.63	0.45	-95.23	54.34	-25.00	-36.98	Vertical
2	7485.00	-60.01	RMS	36.23	-51.97	0.44	-95.23	50.52	-25.00	-35.01	Vertical
3	9990.00	-57.32	RMS	38.06	-51.01	0.35	-95.23	50.51	-25.00	-32.32	Vertical