### Part 90R Application Checklist Public Safety Bands: 764-776 MHz and 794-806 MHz

# 1. Explanation of which Narrowband or Wideband channel segments the device is capable of supporting from those listed in 90.531(b), and 90.531(c).

- For Narrowband segments:

- For Wideband segments:

d) Is the device capable of operating on Interoperability channels listed in 90.531(c)(1)?...... No, Max Channel Size is 25 kHz

#### 2. Statement regarding the modulation capabilities of the device:

Does the device support digital Voice only, Data only, or both [see 90.547]? ...... N/A (applies to mobile / portable devices)
 Does the device support analog voice operation [see 90.535(a)]? ... No, Dig Mod Only

a) Designed for Data ONLY Operation on Nationwide, General Use or State channels - Must be capable of operating on the data interoperability channels listed in 90.531(b)(1)(i).

b) Designed for Voice ONLY Operation on Nationwide, General Use or State channels -Must be capable of operating on the nationwide and calling only interoperability channels listed in 90.531(b)(1) and (b)(1)(ii), but do not have to operate on data only channels listed in 90.531(b)(1)(i).

c) Designed for BOTH Voice and Data Operation on Nationwide, General Use or State channels - Must be capable of operating on all nationwide interoperability channels including data only and calling only channels listed in 90.531(b)(1), (b)(1)(i), and (b)(1)(i).

d) Designed for Low Power ONLY Operation on Regional/Itinerant channels – Must operate ONLY on the data/voice channels listed in 90.531(b)(3) or (b)(4).

#### 

a) Designed for Data ONLY Operation on Nationwide Interoperability channels – Must operate on the wideband data interoperability channels listed in 90.531(c)(1).

### Part 90R Application Checklist Public Safety Bands: 764-776 MHz and 794-806 MHz

## - Data Operation on General Use, State, or Nationwide Data Interoperability channels:

g) Emission limitation (ACP) compliance for each combination of channel bandwidth and modulation for all band plans - 90.543.
h) Attestation of data rate efficiency compliance for General Use and State channels only - 90.535(b).
Min Data Rate is 9.6 kbps in 12.5 kHz Channel
i) Attestation of operation on Nationwide Data Interoperability channels listed in 90.531(b)(1)(i) only – 90.547....
For Data Only devices, attestation to 90.547(a)(2).
N/A
j) Attestation of compliance to Project 25 Data Overview (ANSI 102) standards for operation on data interoperability channels listed in 90.531(b)(1)(i) only - 90.548(a)(2).
k) Frequency stability compliance for all band plans - 90.539(a) & (c).
Exhibit E1-5
l) Transmitting power compliance for all band plans - 90.541(b) & (c).

n) Attestation of low power ONLY operation on Low Power Regional/Itinerant channels listed in 90.531(b)(3)&(b)(4) - 90.541(b)&(c).

- For Low Power Only devices, attestation to 90.547(a)(1).

o) Attestation of data rate efficiency compliance for (non-voice) data capable devices operating on Low Power Regional/Itinerant channels only - 90.535(b). [*data efficiency applies to all (non-voice) narrowband channels*]

p) Frequency stability compliance for all band plans - 90.539(c).

q) Transmitting power compliance for all band plans - 90.541(d).

### Part 90R Application Checklist Public Safety Bands: 764-776 MHz and 794-806 MHz

a) Emission limitation (ACP) compliance for each combination of channel bandwidth and modulation for all band plans - 90.543.

b) Attestation of data rate efficiency compliance for wideband data channels listed in 90.531(c) - 90.535(c). [*data efficiency applies to all (non-voice) wideband channels*]

c) Attestation of Data Interoperability Channel operation for wideband data interoperability channels listed in 90.531(c)(1) only.

d) (future) Attestation of compliance to Wideband Data (ANSI 902) standards - for data interoperability channels listed in 90.531(c)(1) only - 90.548(??).

e) Frequency stability compliance for all band plans - 90.539.

f) Transmitting power compliance for all band plans - 90.541.

#### 7. All devices – other applicable sections of Part 90, Sub-Part I – Technical Requirements (90.201 – 90.219) ..... Exhibit E

**8.** Encryption – optional, but must conform to standard if included:...... N/A a) Attestation of compliance with 90.553(a) & (b) if encryption is included - allowed on all channels except nationwide calling only interoperability channels - user must be able to disable encryption

- includes Project 25 encryption protocol listed in 90.553(b)

Date	Rev.	Description
11/17/2005	1.1	Initial Form