


Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5550MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11100.00	33.59	-0.04	33.55	74.00	-40.45	peak		
2	*	11100.00	21.05	-0.04	21.01	54.00	-32.99	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5670MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11340.00	33.11	0.49	33.60	74.00	-40.40	peak		
2	*	11340.00	20.77	0.49	21.26	54.00	-32.74	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5670MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11340.00	33.32	0.49	33.81	74.00	-40.19	peak		
2	*	11340.00	20.89	0.49	21.38	54.00	-32.62	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5755MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Antenna Height cm	Table Degree degree	Comment
1		11510.00	34.02	0.83	34.85	74.00	-39.15	peak		
2	*	11510.00	21.11	0.83	21.94	54.00	-32.06	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5755MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11510.00	33.61	0.83	34.44	74.00	-39.56	peak		
2	*	11510.00	21.19	0.83	22.02	54.00	-31.98	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5795MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11590.00	33.40	0.84	34.24	74.00	-39.76			peak
2	*	11590.00	20.64	0.84	21.48	54.00	-32.52			AVG

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5795MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Antenna Height cm	Table Degree degree	Comment
1		11590.00	32.95	0.84	33.79	74.00	-40.21	peak		
2	*	11590.00	20.70	0.84	21.54	54.00	-32.46	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5210MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.00	32.68	-0.54	32.14	68.20	-36.06	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5210MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10420.00	31.53	-0.54	30.99	68.20	-37.21	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5290MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.00	32.28	-0.42	31.86	68.20	-36.34	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5290MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.00	32.07	-0.42	31.65	68.20	-36.55	peak		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5530MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11060.00	33.31	-0.13	33.18	74.00	-40.82	peak		
2	*	11060.00	21.06	-0.13	20.93	54.00	-33.07	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5530MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11060.00	32.61	-0.13	32.48	74.00	-41.52	peak		
2	*	11060.00	22.11	-0.13	21.98	54.00	-32.02	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5610MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Margin dB	Antenna Height cm	Table Degree	Comment
1		11220.00	31.08	0.22	31.30	74.00	-42.70	peak		
2	*	11220.00	20.59	0.22	20.81	54.00	-33.19	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5610MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11220.00	31.63	0.22	31.85	74.00	-42.15	peak		
2	*	11220.00	20.68	0.22	20.90	54.00	-33.10	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5775MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11550.00	33.14	0.84	33.98	74.00	-40.02	peak		
2	*	11550.00	21.10	0.84	21.94	54.00	-32.06	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5775MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11550.00	33.37	0.84	34.21	74.00	-39.79	peak		
2	*	11550.00	21.18	0.84	22.02	54.00	-31.98	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Straddle channel:

Test Mode	IEEE 802.11a	Test Date	2024/6/11
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11440.00	33.03	0.70	33.73	74.00	-40.27	peak		
2	*	11440.00	21.34	0.70	22.04	54.00	-31.96	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11a	Test Date	2024/6/11
Test Frequency	5720MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11440.00	33.78	0.70	34.48	74.00	-39.52	peak		
2	*	11440.00	21.32	0.70	22.02	54.00	-31.98	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2024/6/11
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11440.00	32.19	0.70	32.89	74.00	-41.11	peak		
2	*	11440.00	21.02	0.70	21.72	54.00	-32.28	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT20)	Test Date	2024/6/11
Test Frequency	5720MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11440.00	33.73	0.70	34.43	74.00	-39.57	peak		
2	*	11440.00	21.18	0.70	21.88	54.00	-32.12	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2024/6/11
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11420.00	31.91	0.66	32.57	74.00	-41.43	peak		
2	*	11420.00	21.89	0.66	22.55	54.00	-31.45	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT40)	Test Date	2024/6/11
Test Frequency	5710MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11420.00	33.57	0.66	34.23	74.00	-39.77	peak		
2	*	11420.00	22.23	0.66	22.89	54.00	-31.11	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2024/6/11
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading	Correct	Measure-	Limit	Margin	Antenna	Table	
		MHz	Level	Factor	ment			Height	Degree	
			dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11380.00	33.34	0.56	33.90	74.00	-40.10	peak		
2	*	11380.00	22.09	0.56	22.65	54.00	-31.35	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ac (VHT80)	Test Date	2024/6/11
Test Frequency	5690MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11380.00	33.09	0.56	33.65	74.00	-40.35	peak		
2	*	11380.00	22.10	0.56	22.66	54.00	-31.34	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE20)	Test Date	2024/6/11
Test Frequency	5720MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11440.00	33.81	0.70	34.51	74.00	-39.49	peak		
2	*	11440.00	20.89	0.70	21.59	54.00	-32.41	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE20)	Test Date	2024/6/11
Test Frequency	5720MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11440.00	34.22	0.70	34.92	74.00	-39.08	peak		
2	*	11440.00	20.85	0.70	21.55	54.00	-32.45	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5710MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11420.00	33.22	0.66	33.88	74.00	-40.12	peak		
2	*	11420.00	21.14	0.66	21.80	54.00	-32.20	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE40)	Test Date	2024/6/12
Test Frequency	5710MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		11420.00	33.41	0.66	34.07	74.00	-39.93	peak		
2	*	11420.00	21.25	0.66	21.91	54.00	-32.09	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5690MHz	Polarization	Vertical
Temp	25°C	Hum.	65%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11380.00	31.33	0.56	31.89	74.00	-42.11	peak		
2	*	11380.00	21.39	0.56	21.95	54.00	-32.05	AVG		

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE80)	Test Date	2024/6/12
Test Frequency	5690MHz	Polarization	Horizontal
Temp	25°C	Hum.	65%



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Margin	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		11380.00	32.86	0.56	33.42	74.00	-40.58	peak		
2	*	11380.00	21.38	0.56	21.94	54.00	-32.06	AVG		

REMARKS:


- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.

APPENDIX E BANDWIDTH

Test Mode	UNII-1_ IEEE 802.11a
-----------	----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	18.590	16.300
40	5200	18.490	16.300
48	5240	18.550	16.300

CH36




Date: 31.MAY.2024 22:09:21

CH40
26 dB Bandwidth




Date: 31.MAY.2024 22:10:35

CH48




Date: 31.MAY.2024 22:11:46


99 % Occupied Bandwidth



Date: 31.MAY.2024 22:08:52



Date: 31.MAY.2024 22:10:05




Date: 31.MAY.2024 22:11:15


Test Mode	UNII-1_ IEEE 802.11ac (VHT20)
-----------	-------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	19.750	17.400
40	5200	19.750	17.400
48	5240	19.850	17.400

CH36




Date: 31.MAY.2024 22:31:02

CH40
26 dB Bandwidth



Date: 31.MAY.2024 22:32:04

CH48




Date: 31.MAY.2024 22:33:13


99 % Occupied Bandwidth



Date: 31.MAY.2024 22:33:34



Date: 31.MAY.2024 22:33:34




Date: 31.MAY.2024 22:32:45

Test Mode	UNII-1_ IEEE 802.11ac (VHT40)
-----------	-------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	38.409	35.800
46	5230	38.590	35.800

CH38




Date: 31.MAY.2024 23:22:36

CH46
26 dB Bandwidth




Date: 31.MAY.2024 23:24:06

99 % Occupied Bandwidth



Date: 31.MAY.2024 23:21:54




Date: 31.MAY.2024 23:23:21

Test Mode	UNII-1_ IEEE 802.11ac (VHT80)
-----------	-------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	80.000	74.800

CH42 26 dB Bandwidth



Date: 31.MAY.2024 23:37:52

99 % Occupied Bandwidth




Date: 31.MAY.2024 23:37:13

Test Mode	UNII-1_ IEEE 802.11ax (HE20)
-----------	------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
36	5180	20.450	18.800
40	5200	20.450	18.800
48	5240	20.500	18.700

CH36




Date: 3.JUN.2024 11:44:41

CH40
26 dB Bandwidth




Date: 3.JUN.2024 11:45:54

CH48




Date: 3.JUN.2024 11:46:58


99 % Occupied Bandwidth



Date: 3.JUN.2024 11:44:12



Date: 3.JUN.2024 11:45:25




Date: 3.JUN.2024 11:46:30

Test Mode	UNII-1_ IEEE 802.11ax (HE40)
-----------	------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
38	5190	39.700	37.600
46	5230	39.800	37.400

CH38




Date: 3.JUN.2024 12:03:39

CH46
26 dB Bandwidth




Date: 3.JUN.2024 12:05:00

99 % Occupied Bandwidth



Date: 3.JUN.2024 12:02:59




Date: 3.JUN.2024 12:04:22

Test Mode	UNII-1_ IEEE 802.11ax (HE80)
-----------	------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
42	5210	81.800	76.800

CH42 26 dB Bandwidth



Date: 3..JUN.2024 12:24:39

99 % Occupied Bandwidth




Date: 3..JUN.2024 12:24:02


Test Mode	UNII-2A_ IEEE 802.11a
-----------	-----------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	18.550	16.300
60	5300	18.600	16.300
64	5320	18.650	16.300

CH52




Date: 31.MAY.2024 22:13:01

CH60
26 dB Bandwidth



Date: 31.MAY.2024 22:14:12

CH64




Date: 31.MAY.2024 22:15:22


99 % Occupied Bandwidth



Date: 31.MAY.2024 22:12:32



Date: 31.MAY.2024 22:13:42




Date: 31.MAY.2024 22:14:52


Test Mode	UNII-2A_ IEEE 802.11ac (VHT20)
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	19.800	17.400
60	5300	19.509	17.400
64	5320	19.850	17.400

CH52




Date: 31.MAY.2024 22:14:32

CH60
26 dB Bandwidth



Date: 31.MAY.2024 22:15:48

CH64




Date: 31.MAY.2024 22:18:25


99 % Occupied Bandwidth



Date: 31.MAY.2024 22:14:03



Date: 31.MAY.2024 22:15:17




Date: 31.MAY.2024 22:17:57

Test Mode	UNII-2A_ IEEE 802.11ac (VHT40)
-----------	--------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	38.390	36.000
62	5310	38.609	36.000

CH54




Date: 31.MAY.2024 23:25:39

CH62
26 dB Bandwidth




Date: 31.MAY.2024 23:27:14

99 % Occupied Bandwidth




Date: 31.MAY.2024 23:24:54




Date: 31.MAY.2024 23:26:31

Test Mode	UNII-2A_ IEEE 802.11ac (VHT80)
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	80.200	74.800



Date: 31.MAY.2024 23:39:37




Date: 31.MAY.2024 23:38:55


Test Mode	UNII-2A_ IEEE 802.11ax (HE20)
-----------	-------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
52	5260	20.500	18.800
60	5300	20.400	18.700
64	5320	20.390	18.800

CH52




Date: 3.JUN.2024 11:48:09

CH60
26 dB Bandwidth



Date: 3.JUN.2024 11:49:42

CH64




Date: 3.JUN.2024 11:51:06


99 % Occupied Bandwidth



Date: 3.JUN.2024 11:47:40



Date: 3.JUN.2024 11:48:58




Date: 3.JUN.2024 11:50:17

Test Mode	UNII-2A_ IEEE 802.11ax (HE40)
-----------	-------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
54	5270	39.800	37.400
62	5310	39.700	37.400

CH54




Date: 3.JUN.2024 12:06:25

CH62
26 dB Bandwidth




Date: 3.JUN.2024 12:08:01

99 % Occupied Bandwidth



Date: 3.JUN.2024 12:05:44




Date: 3.JUN.2024 12:07:15

Test Mode	UNII-2A_ IEEE 802.11ax (HE80)
-----------	-------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
58	5290	81.800	76.800

CH58 26 dB Bandwidth



Date: 3.JUN.2024 12:25:57

99 % Occupied Bandwidth




Date: 3.JUN.2024 12:25:19

Test Mode	UNII-2C_ IEEE 802.11a
-----------	-----------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	18.650	16.300
116	5580	18.550	16.300
140	5700	18.500	16.400
144	5720	18.489	16.300

CH100




Date: 31.MAY.2024 22:16:51

CH116
26 dB Bandwidth




Date: 31.MAY.2024 22:18:00

CH140




Date: 31.MAY.2024 22:19:18


99 % Occupied Bandwidth



Date: 31.MAY.2024 22:16:21




Date: 31.MAY.2024 22:17:30




Date: 31.MAY.2024 22:18:48

26 dB Bandwidth



Date: 3.JUN.2024 12:54:30

99 % Occupied Bandwidth




Date: 3.JUN.2024 12:53:59


Test Mode	UNII-2C_ IEEE 802.11ac (VHT20)
-----------	--------------------------------

Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.000	17.600
116	5580	22.750	17.600
140	5700	28.289	17.800
144	5720	20.390	17.500

CH100




Date: 31.MAY.2024 22:19:44

CH116
26 dB Bandwidth



Date: 31.MAY.2024 22:40:57

CH140




Date: 31.MAY.2024 22:42:08


99 % Occupied Bandwidth



Date: 31.MAY.2024 22:19:08




Date: 31.MAY.2024 22:40:30




Date: 31.MAY.2024 22:41:39

26 dB Bandwidth



Date: 3.JUN.2024 13:00:57


CH144
99 % Occupied Bandwidth


Date: 3.JUN.2024 13:00:23

Test Mode	UNII-2C_ IEEE 802.11ac (VHT40)
-----------	--------------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	38.500	36.000
110	5550	38.400	36.000
134	5670	38.590	36.200
142	5710	38.998	36.200

CH102




Date: 31.MAY.2024 23:29:04

CH110
26 dB Bandwidth




Date: 31.MAY.2024 23:30:52

CH134




Date: 31.MAY.2024 23:32:25


99 % Occupied Bandwidth



Date: 31.MAY.2024 23:28:21




Date: 31.MAY.2024 23:30:09




Date: 31.MAY.2024 23:31:41

26 dB Bandwidth



Date: 3.JUN.2024 13:04:11

99 % Occupied Bandwidth




Date: 3.JUN.2024 13:03:17

est Mode UNII-2C_ IEEE 802.11ac (VHT80)


Channel	Frequency (MHz)	26 Db Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	80.000	75.200
122	5610	80.000	75.200
138	5690	79.800	75.200

CH106




Date: 31.MAY.2024 23:41:07

CH122
26 dB Bandwidth




Date: 31.MAY.2024 23:42:18

CH138




Date: 3.JUN.2024 13:06:46


99 % Occupied Bandwidth



Date: 31.MAY.2024 23:40:29



Date: 31.MAY.2024 23:41:59




Date: 3.JUN.2024 13:06:05


Test Mode	UNII-2C_ IEEE 802.11ax (HE20)
-----------	-------------------------------

Channel	Frequency (MHz)	26 Db Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
100	5500	20.350	18.700
116	5580	20.450	18.700
140	5700	20.490	18.900
144	5720	24.950	19.000

CH100




Date: 3.JUN.2024 11:53:02

CH116
26 dB Bandwidth



Date: 3.JUN.2024 11:54:21

CH140




Date: 3.JUN.2024 11:55:38


99 % Occupied Bandwidth



Date: 3.JUN.2024 11:52:33




Date: 3.JUN.2024 11:53:51




Date: 3.JUN.2024 11:55:09

26 dB Bandwidth



Date: 3.JUN.2024 14:27:22

99 % Occupied Bandwidth




Date: 3.JUN.2024 14:26:57

Test Mode	UNII-2C_ IEEE 802.11ax (HE40)
-----------	-------------------------------


Channel	Frequency (MHz)	26 Db Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	39.500	37.600
110	5550	39.590	37.400
134	5670	39.900	37.800
142	5710	41.100	41.400

CH102




Date: 3.JUN.2024 12:09:30

CH110
26 dB Bandwidth




Date: 3.JUN.2024 12:11:03

CH134




Date: 3.JUN.2024 12:12:46


99 % Occupied Bandwidth



Date: 3.JUN.2024 12:09:46




Date: 3.JUN.2024 12:10:20




Date: 3.JUN.2024 12:12:06

26 dB Bandwidth



Date: 3.JUN.2024 14:34:10

99 % Occupied Bandwidth



Date: 3.JUN.2024 14:22:28