



Spectrum plot of worst value


802.11ac/20MHz/MCS0/5260/52




802.11ac/20MHz/MCS0/5300/60




802.11ac/20MHz/MCS0/5320/64




802.11ac/20MHz/MCS0/5500/100



802.11ac/20MHz/MCS0/5580/116




802.11ac/20MHz/MCS0/5700/140




Spectrum plot of worst value


802.11ac/40MHz/MCS0/5190/38




802.11ac/40MHz/MCS0/5230/46




802.11ac/40MHz/MCS0/5270/54




802.11ac/40MHz/MCS0/5310/62



802.11ac/40MHz/MCS0/5510/102




802.11ac/40MHz/MCS0/5550/110




Spectrum plot of worst value


802.11ac/40MHz/MCS0/5670/134




802.11ac/80MHz/MCS0/5210/42




802.11ac/80MHz/MCS0/5290/58



802.11ac/80MHz/MCS0/5530/106




802.11ac/80MHz/MCS0/5610/122




For DTS Bandwidth:

Spectrum plot of worst value


802.11a/20MHz/6M/5745/149/Ant.1



802.11a/20MHz/6M/5785/157/Ant.1




802.11a/20MHz/6M/5825/165/Ant.1




Spectrum plot of worst value


802.11ac/20MHz/MCS0/5745/149/Ant.1




802.11ac/20MHz/MCS0/5745/149/Ant.2




802.11ac/20MHz/MCS0/5785/157/Ant.1




802.11ac/20MHz/MCS0/5785/157/Ant.1



802.11ac/20MHz/MCS0/5825/165/Ant.1




802.11ac/20MHz/MCS0/5825/165/Ant.2




Spectrum plot of worst value


802.11ac/40MHz/MCS0/5755/151/Ant.1




802.11ac/40MHz/MCS0/5755/151/Ant.2




802.11ac/40MHz/MCS0/5795/159/Ant.1




802.11ac/40MHz/MCS0/5795/159/Ant.1



802.11ac/80MHz/MCS0/5775/155/Ant.1



802.11ac/80MHz/MCS0/5775/155/Ant.2



Appendix C. Test Result of Maximum Conducted Output Power

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)	Limit (dBm)	Result
802.11a	5180	20.44	24	Pass
	5220	20.67	24	Pass
	5240	20.68	24	Pass
	5260	20.06	24	Pass
	5300	20.24	24	Pass
	5320	20.07	24	Pass
	5500	19.67	24	Pass
	5580	20.22	24	Pass
	5700	19.78	24	Pass
	5745	20.74	30	Pass
	5785	20.67	30	Pass
	5825	20.84	30	Pass

Modulation	Frequency (MHz)	Maximum Conducted Output Power (dBm)			Limit (dBm)	Result
		Ant. 1	Ant. 2	Total		
802.11ac (20MHz)	5180	18.67	18.64	21.66	24	Pass
	5220	18.79	18.51	21.67	24	Pass
	5240	18.55	17.98	21.28	24	Pass
	5260	18.54	18.06	21.32	24	Pass
	5300	18.19	18.17	21.19	24	Pass
	5320	18.01	18.06	21.04	24	Pass
	5500	17.77	19.72	21.86	23.90	Pass
	5580	18.65	20.23	22.53	24	Pass
	5700	17.14	18.78	21.05	24	Pass
	5745	19.47	21.03	23.33	30	Pass
	5785	19.53	21.19	23.45	30	Pass
	5825	19.66	20.96	23.37	30	Pass
802.11ac (40MHz)	5190	16.95	17.39	20.19	24	Pass
	5230	19.79	20.46	23.15	24	Pass
	5270	18.77	19.95	22.41	24	Pass
	5310	18.33	19.63	22.04	24	Pass
	5510	17.15	19.75	21.65	24	Pass
	5550	18.91	21.67	23.52	24	Pass
	5670	18.82	21.46	23.35	24	Pass
	5755	19.62	22.02	23.99	30	Pass
	5795	19.36	21.72	23.71	30	Pass
802.11ac (80MHz)	5210	17.50	18.52	21.05	24	Pass
	5290	17.56	19.85	21.86	24	Pass
	5530	16.74	19.39	21.27	24	Pass
	5610	19.28	21.99	23.85	24	Pass
	5775	19.99	22.23	24.26	30	Pass

Appendix D. Test Result of Maximum Power Spectral Density

For 5G UNII-1~UNII-2C:

Modulation	Frequency (MHz)	Power Spectral Density dBm/MHz		Limit dBm/MHz	Result
		Ant. 1	Total		
802.11a	5180	7.39	7.72	17.000	Pass
	5220	7.51	7.84	17.000	Pass
	5240	7.49	7.82	17.000	Pass
	5260	6.47	6.80	11.000	Pass
	5300	6.75	7.08	11.000	Pass
	5320	6.74	7.07	11.000	Pass
	5500	6.41	6.74	11.000	Pass
	5580	7.03	7.36	11.000	Pass
	5700	6.53	6.86	11.000	Pass

Modulation	Frequency (MHz)	Power Spectral Density dBm/MHz			Limit dBm/MHz	Result
		Ant. 1	Ant. 2	Total		
802.11ac (20MHz)	5180	5.49	6.12	8.83	14.857	Pass
	5220	4.81	5.95	8.81	14.857	Pass
	5240	5.37	5.82	8.68	14.857	Pass
	5260	5.16	5.59	8.60	8.857	Pass
	5300	4.55	6.53	8.72	8.857	Pass
	5320	4.77	6.04	8.64	8.857	Pass
	5500	4.30	6.68	8.69	9.781	Pass
	5580	4.64	7.61	9.62	9.781	Pass
	5700	3.91	6.19	8.47	9.781	Pass
802.11ac (40MHz)	5190	0.69	0.78	4.28	8.857	Pass
	5230	3.74	2.96	6.88	8.857	Pass
	5270	2.37	2.62	5.93	8.857	Pass
	5310	2.17	2.28	5.65	8.857	Pass
	5510	0.43	2.91	5.31	9.781	Pass
	5550	2.75	4.53	7.20	9.781	Pass
	5670	2.68	4.02	6.89	9.781	Pass
802.11ac (80MHz)	5210	-1.93	-1.85	2.38	8.857	Pass
	5290	-1.84	0.09	3.52	8.857	Pass
	5530	-3.66	-0.53	2.36	9.781	Pass
	5610	-0.05	2.29	5.26	9.781	Pass


For 5G UNII-3:

Modulation	Frequency (MHz)	Power Spectral Density dBm/500kHz		Limit dBm/500kHz	Result
		Ant. 1	Total		
802.11a	5745	4.63	4.96	30.000	Pass
	5785	4.58	4.91	30.000	Pass
	5825	4.79	5.12	30.000	Pass


Modulation	Frequency (MHz)	Power Spectral Density dBm/500kHz			Limit dBm/500kHz	Result
		Ant. 1	Ant. 2	Total		
802.11ac (20MHz)	5745	2.42	5.65	7.52	28.355	Pass
	5785	3.01	5.33	7.51	28.355	Pass
	5825	3.58	5.02	7.48	28.355	Pass
802.11ac (40MHz)	5755	-0.21	2.81	4.81	28.355	Pass
	5795	0.10	2.26	4.73	28.355	Pass
802.11ac (80MHz)	5775	-2.96	-0.39	2.86	28.355	Pass

Spectrum plot of worst value


802.11a/20MHz/6M/5180/36/Ant.1




802.11a/20MHz/6M/5220/44/Ant.1




802.11a/20MHz/6M/5240/48/Ant.1




802.11a/20MHz/6M/5260/52/Ant.1



802.11a/20MHz/6M/5300/60/Ant.1




802.11a/20MHz/6M/5320/64/Ant.1




Spectrum plot of worst value


802.11a/20MHz/6M/5500/100/Ant.1




802.11a/20MHz/6M/5580/116/Ant.1




802.11a/20MHz/6M/5700/140/Ant.1




802.11ac/20MHz/MCS0/5180/36



802.11ac/20MHz/MCS0/5220/44




802.11ac/20MHz/MCS0/5240/48




Spectrum plot of worst value


802.11ac/20MHz/MCS0/5260/52




802.11ac/20MHz/MCS0/5300/60




802.11ac/20MHz/MCS0/5320/64




802.11ac/20MHz/MCS0/5500/100



802.11ac/20MHz/MCS0/5580/116




802.11ac/20MHz/MCS0/5700/140




Spectrum plot of worst value


802.11ac/40MHz/MCS0/5190/38




802.11ac/40MHz/MCS0/5230/46




802.11ac/40MHz/MCS0/5270/54




802.11ac/40MHz/MCS0/5310/62



802.11ac/40MHz/MCS0/5510/102




802.11ac/40MHz/MCS0/5550/110




Spectrum plot of worst value


802.11ac/40MHz/MCS0/5670/134




802.11ac/80MHz/MCS0/5210/42




802.11ac/80MHz/MCS0/5290/58




802.11ac/80MHz/MCS0/5530/106



802.11ac/80MHz/MCS0/5610/122




802.11a/20MHz/6M/5745/149/Ant.1




Spectrum plot of worst value


802.11a/20MHz/6M/5785/157/Ant.1




802.11a/20MHz/6M/5825/165/Ant.1




802.11ac/20MHz/MCS0/5745/149




802.11ac/20MHz/MCS0/5785/157



802.11ac/20MHz/MCS0/5825/165




802.11ac/40MHz/MCS0/5755/151




Spectrum plot of worst value

802.11ac/40MHz/MCS0/5795/159




802.11ac/80MHz/MCS0/5775/155



Appendix E. Test Result of Transmitter Radiated Spurious Emission

30 MHz ~ 1 GHz


Site :HC-CB04
Condition :3m ,Horizontal
Mode :ac80_TX_5775MHz
Test By :Cyril



Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :ac80_TX_5775MHz
Test By :Cyril




Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Above 1 GHz

Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5180MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5146.550	59.42	74.00	-14.58	37.98	21.44	Peak
2	5181.800	108.09	-----	-----	86.63	21.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5180MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	44.06	54.00	-9.94	22.62	21.44	Average
2	5183.900	98.77	-----	-----	77.31	21.46	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5180MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5149.100	55.93	74.00	-18.07	34.49	21.44	Peak
2	5184.200	105.17	-----	-----	83.71	21.46	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5180MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5150.000	42.13	54.00	-11.87	20.69	21.44	Average
2	5183.900	95.97	-----	-----	74.51	21.46	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5180MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10360.000	55.04	68.20	-13.16	63.04	-8.00	Peak
2	15540.000	53.31	54.00	-0.69	56.52	-3.21	Average
3	15540.000	66.53	74.00	-7.47	69.74	-3.21	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5180MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	10360.000	55.66	68.20	-12.54	63.66	-8.00	Peak
2	15540.000	53.74	54.00	-0.26	56.95	-3.21	Average
3	15540.000	67.06	74.00	-6.94	70.27	-3.21	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5220MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5056.100	52.46	74.00	-21.54	31.07	21.39	Peak
2	5216.750	108.28	-----	-----	86.80	21.48	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5220MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5128.700	39.70	54.00	-14.30	18.27	21.43	Average
2	5215.250	98.42	-----	-----	76.94	21.48	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5220MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5142.500	51.69	74.00	-22.31	30.25	21.44	Peak
2	5213.900	105.62	74.00	31.62	84.14	21.48	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5220MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5136.050	39.29	54.00	-14.71	17.86	21.43	Average
2	5217.050	96.05	54.00	42.05	74.57	21.48	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5220MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	55.62	68.20	-12.58	63.46	-7.84	Peak
2	15660.000	52.54	54.00	-1.46	55.70	-3.16	Average
3	15660.000	66.87	74.00	-7.13	70.03	-3.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5220MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10440.000	55.76	68.20	-12.44	63.60	-7.84	Peak
2	15660.000	53.57	54.00	-0.43	56.73	-3.16	Average
3	15660.000	68.07	74.00	-5.93	71.23	-3.16	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5240MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5074.550	53.45	74.00	-20.55	32.05	21.40	Peak
2	5242.400	108.74	-----	-----	87.25	21.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5240MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5135.300	40.35	54.00	-13.65	18.92	21.43	Average
2	5237.450	99.02	-----	-----	77.53	21.49	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5240MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5140.550	52.86	74.00	-21.14	31.42	21.44	Peak
2	5246.150	106.17	-----	-----	84.68	21.49	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5240MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level	dB	
1	5130.350	39.79	54.00	-14.21	18.36	21.43	Average
2	5241.050	96.45	-----	-----	74.96	21.49	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5240MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	54.82	68.20	-13.38	62.59	-7.77	Peak
2	15720.000	52.93	54.00	-1.07	56.05	-3.12	Average
3	15720.000	67.04	74.00	-6.96	70.16	-3.12	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5240MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10480.000	56.20	68.20	-12.00	63.97	-7.77	Peak
2	15720.000	53.46	54.00	-0.54	56.58	-3.12	Average
3	15720.000	68.11	74.00	-5.89	71.23	-3.12	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5260MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5256.300	108.08	-----	-----	86.57	21.51	Peak
2	5373.450	53.07	74.00	-20.93	31.50	21.57	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5260MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5258.250	98.13	-----	-----	76.62	21.51	Average
2	5363.700	40.60	54.00	-13.40	19.03	21.57	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5260MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5255.700	105.38	-----	-----	83.87	21.51	Peak
2	5373.600	52.36	74.00	-21.64	30.79	21.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5260MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	5257.650	95.68	-----	-----	74.17	21.51	Average
2	5372.850	39.62	54.00	-14.38	18.05	21.57	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5260MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	10520.000	55.26	68.20	-12.94	62.97	-7.71	Peak
2	15780.000	51.35	54.00	-2.65	54.44	-3.09	Average
3	15780.000	64.51	74.00	-9.49	67.60	-3.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5260MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	Line	Limit	Level		
			dBuV/m	dB	dBuV	dB	
1	10520.000	54.59	68.20	-13.61	62.30	-7.71	Peak
2	15780.000	53.83	54.00	-0.17	56.92	-3.09	Average
3	15780.000	67.38	74.00	-6.62	70.47	-3.09	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5300MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5304.600	107.91	-----	-----	86.38	21.53	Peak
2	5377.950	54.28	74.00	-19.72	32.71	21.57	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5300MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5305.350	97.95	-----	-----	76.42	21.53	Average
2	5376.150	41.01	54.00	-12.99	19.44	21.57	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5300MHz
Test By :Cyril




No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5304.150	105.62	-----	-----	84.09	21.53	Peak
2	5445.750	53.47	74.00	-20.53	31.86	21.61	Peak

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5300MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5307.000	94.77	-----	-----	73.23	21.54	Average
2	5450.250	39.57	54.00	-14.43	17.96	21.61	Average

Note:

1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5300MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	43.22	54.00	-10.78	50.84	-7.62	Average
2	10600.000	55.44	74.00	-18.56	63.06	-7.62	Peak
3	15900.000	51.10	54.00	-2.90	54.13	-3.03	Average
4	15900.000	65.60	74.00	-8.40	68.63	-3.03	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Vertical
Mode :a_TX_5300MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	10600.000	43.87	54.00	-10.13	51.49	-7.62	Average
2	10600.000	55.62	74.00	-18.38	63.24	-7.62	Peak
3	15900.000	52.32	54.00	-1.68	55.35	-3.03	Average
4	15900.000	66.53	74.00	-7.47	69.56	-3.03	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.


Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5320MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5324.250	107.95	74.00	33.95	86.40	21.55	Peak
2	5350.500	58.82	74.00	-15.18	37.26	21.56	Peak

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.

Site :HC-CB04
Condition :3m ,Horizontal
Mode :a_TX_5320MHz
Test By :Cyril



No.	Frequency	Level	Limit	Over	Read	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	
1	5323.500	97.48	54.00	43.48	75.94	21.54	Average
2	5350.350	42.98	54.00	-11.02	21.42	21.56	Average

Note:
1. Level = Read Level + Factor
2. Factor = Antenna Factor + Cable Loss - Preamp Factor
3. Over Limit = Level - Limit Line
4. The peak result complies with AVG limit, AVG result is deemed to comply with AVG limit.
5. The other emission levels were very low against the limit.