Cover Letter-Modular Approval

FCC ID: 2A3BF-RB2107

Date: 2021-10-18

Gentlemen:

There's an <u>Bluetooth module</u> that would like to have your authorization as a modular approval. The specific product as below, <u>Bluetooth module</u> with its designed features and specified description, meets special requirements for <u>Full modular approval</u> on FCC KDB996369 by cross-reference list below.

Company	RYDER ELECTRONICS(SHENZHEN)LTD
Model Name	Bluetooth module
Model Number	RB2107
FCC ID	2A3BF-RB2107

Re	quirement of FCC KDB996369	Comply (Y/N)
1.	The modular transmitter must have its own RF shielding.	Y The EUT provides the RF shielding. See EUT photo.
2.	The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with Part 15 requirements under conditions of excessive data rates or over-modulation.	Y The EUT has its buffered modulation. Please see the Schematic Diagram.
3.	The modular transmitter must have its own power supply regulation.	Y The EUT has its own power supply regulation, please see the Schematic Diagram.
4.	The modular transmitter must comply with the antenna and transmission system requirements of Sections 15.203, 15.204(b) and 15.204(c). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of Section 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph (b) of this section.	Y The EUT meets the FCC antenna requirements; the antenna is permanently attached to the PCB and is not removable, photo of antenna are shown in the test report.
5.	The modular transmitter must be tested in a stand-	Y The EUT was tested with a test board, Please
m	alone configuration, i.e., the odule must not be inside another	see test report and setup photo

device during testing.	
 The modular transmitter must be labeled with its own FCC ID number, and, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also 	Y Please see exhibition label sample for the FCC ID of this module. And also in the exhibition Users manual, there are instructions give to the OEM on how to label the end product.
display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: 2A3BF-RB2107" or "Contains FCC ID: 2A3BF-RB2107" Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization,	
or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	
7. The modular transmitter must comply with any specific rule or operating	Y The EUT is compliant with all applicable FCC
requirements applicable to the transmitter	rules. Details instructions for maintaining
and the manufacturer must provide adequate	compliance are give in the User Manual.
instructions along with the module to	
explain any such requirements. A copy	
of these instructions must be included in the	
application for equipment authorization.	
8. The modular transmitter must comply with any applicable RF exposure	Y The EUT complies with RF exposure
requirements. For example, FCC Rules in	requirement.
Sections 2.1091, 2.1093 and specific	requirement.
Sections of Part 15, including 15.319(i),	
15.407(f), 15.253(f) and 15.255(g), require	
that Unlicensed PCS, UNII and	
millimeter wave devices perform routine	
environmental evaluation	
for RF Exposure to demonstrate compliance. In ad	
dition, spread spectrum	
transmitters operating under Section 15.247 are	
required to address RF Exposure	
compliance in accordance with Section	
15.247(b)(4).	

Thank you. Sincerely,

Print Name: Liang Yi

Title: DQA Supervisor of R&D

biang VI

Signature:

On behalf of Company: RYDER ELECTRONICS(SHENZHEN)LTD

Telephone: +86-755-29631599 Ext.361; Mobile: +86 13927468520

E-mail: lyi@ryderems.com