

Mode:	11AX40-5795
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1992.3038	5.97	43.85	68.23	24.38	33.88	54.00	20.12	150	189	Horizontal	PASS
2	2620.9895	7.65	43.71	68.23	24.52	36.12	54.00	17.88	150	107	Horizontal	PASS
3	3100.1499	8.90	44.48	68.23	23.75	36.68	54.00	17.32	150	356	Horizontal	PASS
4	3857.971	10.58	46.26	74.00	27.74	37.43	54.00	16.57	150	244	Horizontal	PASS
5	11580.1348	-5.19	50.30	74.00	23.70	40.33	54.00	13.67	150	124	Horizontal	PASS
6	14308.9593	-0.38	47.45	68.23	20.78	38.93	54.00	15.07	150	34	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1846.1769	5.15	42.17	68.23	26.06	32.52	54.00	21.48	150	89	Vertical	PASS
2	2508.8456	7.61	44.49	68.23	23.74	36.83	54.00	17.17	150	97	Vertical	PASS
3	2998.2009	8.57	44.71	68.23	23.52	36.05	54.00	17.95	150	74	Vertical	PASS
4	9676.0669	-8.26	43.68	68.23	24.55	34.52	54.00	19.48	150	97	Vertical	PASS
5	11575.0437	-5.22	47.26	74.00	26.74	37.52	54.00	16.48	150	208	Vertical	PASS
6	15454.4547	-0.52	47.94	74.00	26.06	41.97	54.00	12.03	150	132	Vertical	PASS

Mode:	11AX80-5210
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1962.019	5.60	42.89	68.23	25.34	33.91	54.00	20.09	150	192	Horizontal	PASS
2	2769.1154	7.99	43.93	74.00	30.07	36.57	54.00	17.43	150	268	Horizontal	PASS
3	4768.1159	13.29	45.96	74.00	28.04	38.28	54.00	15.72	150	255	Horizontal	PASS
4	6947.2895	-12.05	45.91	68.23	22.32	33.56	54.00	20.44	150	64	Horizontal	PASS
5	10406.695	-6.68	46.29	68.23	21.94	37.38	54.00	16.62	150	43	Horizontal	PASS
6	14876.3427	-0.91	47.63	68.23	20.60	38.54	54.00	15.46	150	152	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1867.0665	5.37	41.87	68.23	26.36	34.41	54.00	19.59	150	257	Vertical	PASS
2	2644.1779	7.67	43.81	68.23	24.42	35.64	54.00	18.36	150	287	Vertical	PASS
3	3611.1944	10.02	46.19	74.00	27.81	36.89	54.00	17.11	150	39	Vertical	PASS
4	6947.2895	-12.05	47.67	68.23	20.56	35.40	54.00	18.60	150	128	Vertical	PASS
5	10439.6702	-6.61	45.96	68.23	22.27	39.28	54.00	14.72	150	7	Vertical	PASS
6	13188.6085	-2.69	47.67	68.23	20.56	36.99	54.00	17.01	150	202	Vertical	PASS

Mode:	11AX80-5290
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.84	74.00	29.16	35.56	54.00	18.44	150	116	Horizontal	PASS
2	1889.5552	5.56	41.34	68.23	26.89	34.01	54.00	19.99	150	147	Horizontal	PASS
3	2934.033	8.47	44.87	68.23	23.36	35.59	54.00	18.41	150	281	Horizontal	PASS
4	7052.2108	-11.78	46.01	68.23	22.22	33.23	54.00	20.77	150	62	Horizontal	PASS
5	10598.5511	-6.87	50.15	68.23	18.08	43.71	54.00	10.29	150	37	Horizontal	PASS
6	14321.7587	-0.41	47.48	68.23	20.75	39.33	54.00	14.67	150	199	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	44.26	74.00	29.74	36.48	54.00	17.52	150	120	Vertical	PASS
2	2041.979	5.78	42.47	68.23	25.76	35.67	54.00	18.33	150	67	Vertical	PASS
3	2626.6867	7.66	43.52	68.23	24.71	38.43	54.00	15.57	150	50	Vertical	PASS
4	7052.2108	-11.78	47.93	68.23	20.30	33.21	54.00	20.79	150	152	Vertical	PASS
5	10613.5398	-6.83	46.92	74.00	27.08	37.59	54.00	16.41	150	72	Vertical	PASS
6	15673.7447	0.09	48.40	74.00	25.60	39.34	54.00	14.66	150	30	Vertical	PASS

Mode:	11AX80-5530
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1764.6177	3.97	40.94	68.23	27.29	32.59	54.00	21.41	150	106	Horizontal	PASS
2	2604.1979	7.58	44.91	68.23	23.32	35.30	54.00	18.70	150	133	Horizontal	PASS
3	3486.2569	9.32	44.90	68.23	23.33	37.02	54.00	16.98	150	253	Horizontal	PASS
4	7372.9703	-11.20	44.18	74.00	29.82	37.79	54.00	16.21	150	54	Horizontal	PASS
5	11482.8878	-4.99	45.92	74.00	28.08	36.19	54.00	17.81	150	4	Horizontal	PASS
6	12711.966	-3.38	46.20	68.23	22.03	38.41	54.00	15.59	150	40	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1782.1089	4.32	41.49	68.23	26.74	32.99	54.00	21.01	150	238	Vertical	PASS
2	2411.7941	6.86	43.73	68.23	24.50	34.26	54.00	19.74	150	108	Vertical	PASS
3	4263.3683	11.63	46.86	74.00	27.14	38.44	54.00	15.56	150	272	Vertical	PASS
4	7372.9703	-11.20	46.79	74.00	27.21	40.38	54.00	13.62	150	158	Vertical	PASS
5	11099.1756	-5.47	45.67	74.00	28.33	35.62	54.00	18.38	150	40	Vertical	PASS
6	13356.4826	-2.89	47.59	74.00	26.41	38.34	54.00	15.66	150	29	Vertical	PASS

Mode:	11AX80-5610
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1944.5277	5.35	41.89	68.23	26.34	33.63	54.00	20.37	150	45	Horizontal	PASS
2	3376.3118	9.32	44.54	68.23	23.69	36.13	54.00	17.87	150	343	Horizontal	PASS
3	4280.8596	11.64	46.02	74.00	27.98	38.99	54.00	15.01	150	15	Horizontal	PASS
4	7480.8893	-11.61	43.42	74.00	30.58	34.00	54.00	20.00	150	79	Horizontal	PASS
5	8991.7562	-9.21	43.29	68.23	24.94	34.55	54.00	19.45	150	4	Horizontal	PASS
6	12885.8356	-3.22	46.13	68.23	22.10	36.97	54.00	17.03	150	222	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1767.1164	4.02	39.70	68.23	28.53	32.49	54.00	21.51	150	0	Horizontal	PASS
2	2599.2004	7.58	43.38	68.23	24.85	34.78	54.00	19.22	150	30	Horizontal	PASS
3	3576.2119	9.76	44.50	68.23	23.73	37.14	54.00	16.86	150	341	Horizontal	PASS
4	7585.8106	-11.49	44.50	74.00	29.50	32.93	54.00	21.07	150	52	Horizontal	PASS
5	11422.9328	-5.14	49.11	74.00	24.89	35.53	54.00	18.47	150	175	Horizontal	PASS
6	17124.6565	1.79	52.85	68.23	15.38	41.09	54.00	12.91	150	340	Horizontal	PASS

Mode:	11AX80-5775
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1931.1344	5.57	42.53	68.23	25.70	33.13	54.00	20.87	150	122	Vertical	PASS
2	2471.4643	7.43	44.71	68.23	23.52	34.76	54.00	19.24	150	1	Vertical	PASS
3	4102.6487	11.50	46.95	74.00	27.05	37.62	54.00	16.38	150	288	Vertical	PASS
4	9592.0639	-8.48	42.79	68.23	25.44	36.02	54.00	17.98	150	161	Vertical	PASS
5	11567.407	-5.28	49.22	74.00	24.78	39.51	54.00	14.49	150	76	Vertical	PASS
6	15400.9983	-0.20	48.25	74.00	25.75	39.44	54.00	14.56	150	112	Vertical	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1344.8276	2.01	43.02	74.00	30.98	35.14	54.00	18.86	150	184	Horizontal	PASS
2	2696.6517	7.76	44.16	74.00	29.84	35.70	54.00	18.30	150	127	Horizontal	PASS
3	4280.8596	11.81	46.88	74.00	27.12	38.68	54.00	15.32	150	353	Horizontal	PASS
4	7040.2198	-11.63	47.27	68.23	20.96	33.57	54.00	20.43	150	90	Horizontal	PASS
5	10559.5803	-6.60	54.47	68.23	13.76	47.97	54.00	6.03	150	148	Horizontal	PASS
6	13302.5231	-2.45	46.96	74.00	27.04	38.29	54.00	15.71	150	339	Horizontal	PASS

Out of Band

Mode:	11A-5180
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.53	68.23	22.70	44.90	54.00	9.10	150	54	Horizontal	PASS
2	4576.8985	14.18	47.98	74.00	26.02	44.64	54.00	9.36	150	247	Horizontal	PASS
3	4681.205	14.61	48.59	74.00	25.41	47.79	54.00	6.21	150	223	Horizontal	PASS
4	4935.9313	15.57	50.83	74.00	23.17	47.59	54.00	6.41	150	54	Horizontal	PASS
5	5145.5832	17.09	47.11	74.00	26.89	46.69	54.00	7.31	150	182	Horizontal	PASS
6	5150	18.01	53.20	74.00	20.80	48.69	54.00	5.31	150	20	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	14.21	45.12	68.23	23.11	44.74	54.00	9.26	150	0	Vertical	PASS
2	4552.0883	14.16	47.30	74.00	26.70	47.08	54.00	6.92	150	190	Vertical	PASS
3	4669.5144	14.67	47.14	74.00	26.86	44.93	54.00	9.07	150	34	Vertical	PASS
4	4942.0364	15.73	50.27	74.00	23.73	49.48	54.00	4.52	150	69	Vertical	PASS
5	5145.7134	17.10	55.55	74.00	18.45	49.25	54.00	4.75	150	57	Vertical	PASS
6	5150.0000	18.01	51.70	74.00	22.30	50.62	54.00	3.38	150	23	Vertical	PASS

Mode:	11A-5320
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	63.08	68.23	5.15	41.53	54.00	12.47	150	193	Horizontal	PASS
2	5350.96	17.95	59.70	74.00	14.30	43.66	54.00	10.34	150	190	Horizontal	PASS
3	5353.36	17.70	57.91	74.00	16.09	44.81	54.00	9.19	150	190	Horizontal	PASS
4	5355.04	17.53	52.54	74.00	21.46	39.05	54.00	14.95	150	161	Horizontal	PASS
5	5377.48	16.83	51.04	74.00	22.96	47.13	54.00	6.87	150	349	Horizontal	PASS
6	5460	16.74	46.89	74.00	27.11	45.44	54.00	8.56	150	89	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.54	68.23	18.69	44.99	54.00	9.01	150	195	Vertical	PASS
2	5350.48	17.98	54.89	74.00	19.11	41.84	54.00	12.16	150	105	Vertical	PASS
3	5351.56	17.90	53.51	74.00	20.49	45.24	54.00	8.76	150	304	Vertical	PASS
4	5388.52	16.80	48.65	74.00	25.35	42.78	54.00	11.22	150	212	Vertical	PASS
5	5412.64	16.85	48.53	74.00	25.47	44.44	54.00	9.56	150	233	Vertical	PASS
6	5460	16.74	46.38	74.00	27.62	44.49	54.00	9.51	150	59	Vertical	PASS

Mode:	11A-5500
-------	----------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	47.21	68.23	21.02	45.15	54.00	8.85	150	25	Horizontal	PASS
2	5375.2	16.41	49.66	74.00	24.34	44.29	54.00	9.71	150	149	Horizontal	PASS
3	5389.84	16.60	49.23	74.00	24.77	46.18	54.00	7.82	150	196	Horizontal	PASS
4	5441.44	17.41	51.02	74.00	22.98	46.63	54.00	7.37	150	170	Horizontal	PASS
5	5455.96	17.24	51.29	74.00	22.71	47.32	54.00	6.68	150	182	Horizontal	PASS
6	5460	17.72	50.11	74.00	23.89	47.34	54.00	6.66	150	98	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.82	68.23	22.41	43.76	54.00	10.24	150	260	Vertical	PASS
2	5379.52	16.46	48.46	74.00	25.54	46.31	54.00	7.69	150	19	Vertical	PASS
3	5395.36	16.67	49.60	74.00	24.40	44.86	54.00	9.14	150	19	Vertical	PASS
4	5437.72	17.41	49.76	74.00	24.24	45.11	54.00	8.89	150	167	Vertical	PASS
5	5441.2	17.42	50.66	74.00	23.34	47.31	54.00	6.69	150	265	Vertical	PASS
6	5460	17.72	47.79	74.00	26.21	44.88	54.00	9.12	150	360	Vertical	PASS

Mode: 11A-5745



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.86	15.81	68.23	14.37	150	62	Horizontal
2	5653.97	55.75	16.42	71.18	15.43	150	173	Horizontal
3	5722.75	74.18	16.04	117.07	42.89	150	181	Horizontal
4	5747.86	112.16	15.97	122.20	10.04	150	188	Horizontal
5	5900	54.43	16.50	86.65	32.22	150	114	Horizontal
6	5969.00	57.48	16.96	68.23	10.75	150	300	Horizontal


Mode: 11A-5745



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.72	15.81	68.23	15.51	150	39	Vertical
2	5667.84	56.24	16.33	81.46	25.22	150	4	Vertical
3	5748.05	107.13	15.97	122.20	15.07	150	86	Vertical
4	5863.11	56.65	16.07	108.52	51.87	150	272	Vertical
5	5900	54.49	16.50	86.65	32.16	150	211	Vertical
6	5961.88	57.00	16.85	68.23	11.23	150	7	Vertical


Mode:

11A-5745



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.94	15.81	68.23	14.29	150	204	Horizontal
2	5641.04	55.63	16.33	68.23	12.60	150	171	Horizontal
3	5690.89	55.17	16.17	98.49	43.32	150	288	Horizontal
4	5827.13	109.68	15.82	122.20	12.52	150	197	Horizontal
5	5900	54.70	16.50	86.65	31.95	150	111	Horizontal
6	5914.84	56.91	16.55	75.72	18.81	150	144	Horizontal

Mode: 11A-5745



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.21	15.81	68.23	15.02	150	215	Vertical
2	5685.26	56.77	16.21	94.34	37.57	150	358	Vertical
3	5715.81	56.55	16.06	109.63	53.08	150	137	Vertical
4	5823.20	106.77	15.82	122.20	15.43	150	99	Vertical
5	5900	55.66	16.50	86.65	30.99	150	220	Vertical
6	5950.07	56.89	16.68	68.23	11.34	150	288	Vertical

Mode:	11N20-5180
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	46.38	68.23	21.85	45.18	54.00	8.82	150	116	Horizontal	PASS
2	4550.6595	14.16	47.57	74.00	26.43	44.94	54.00	9.06	150	1	Horizontal	PASS
3	4657.3042	14.72	48.02	74.00	25.98	46.63	54.00	7.37	150	230	Horizontal	PASS
4	4762.52	15.36	48.97	74.00	25.03	45.36	54.00	8.64	150	77	Horizontal	PASS
5	5146.7526	17.28	55.57	74.00	18.43	44.43	54.00	9.57	150	351	Horizontal	PASS
6	5150	18.01	48.94	74.00	25.06	47.80	54.00	6.20	150	77	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.96	68.23	22.27	45.05	54.00	8.95	150	174	Vertical	PASS
2	4783.1735	15.08	48.56	74.00	25.44	47.36	54.00	6.64	150	104	Vertical	PASS
3	4928.2674	15.37	50.33	74.00	23.67	49.03	54.00	4.97	150	345	Vertical	PASS
4	5065.8273	15.73	49.26	74.00	24.74	48.20	54.00	5.80	150	289	Vertical	PASS
5	5148.9608	17.75	52.79	74.00	21.21	41.63	54.00	12.37	150	59	Vertical	PASS
6	5150	18.01	48.47	74.00	25.53	47.56	54.00	6.44	150	329	Vertical	PASS

Mode:	11N20-5320
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.04	68.23	19.19	45.88	54.00	8.12	150	33	Horizontal	PASS
2	5372.44	16.90	49.13	74.00	24.87	47.68	54.00	6.32	150	254	Horizontal	PASS
3	5393.8	16.82	49.69	74.00	24.31	43.88	54.00	10.12	150	199	Horizontal	PASS
4	5416.96	16.85	49.12	74.00	24.88	45.72	54.00	8.28	150	141	Horizontal	PASS
5	5438.68	16.84	49.35	74.00	24.65	46.98	54.00	7.02	150	333	Horizontal	PASS
6	5460	16.74	48.63	74.00	25.37	44.83	54.00	9.17	150	285	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	47.77	68.23	20.46	46.35	54.00	7.65	150	165	Vertical	PASS
2	5366.08	17.04	50.37	74.00	23.63	46.76	54.00	7.24	150	233	Vertical	PASS
3	5384.08	16.75	49.00	74.00	25.00	44.77	54.00	9.23	150	180	Vertical	PASS
4	5405.56	16.86	48.30	74.00	25.70	46.04	54.00	7.96	150	240	Vertical	PASS
5	5433.88	16.84	48.64	74.00	25.36	43.78	54.00	10.22	150	84	Vertical	PASS
6	5460	16.74	47.40	74.00	26.60	43.06	54.00	10.94	150	286	Vertical	PASS

Mode:	11N20-5500
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.06	68.23	22.17	43.64	54.00	10.36	150	40	Horizontal	PASS
2	5369.68	16.34	47.87	74.00	26.13	43.81	54.00	10.19	150	240	Horizontal	PASS
3	5394.52	16.66	49.36	74.00	24.64	44.04	54.00	9.96	150	159	Horizontal	PASS
4	5431.6	17.37	50.07	74.00	23.93	48.42	54.00	5.58	150	159	Horizontal	PASS
5	5451.88	17.17	49.23	74.00	24.77	46.61	54.00	7.39	150	358	Horizontal	PASS
6	5460	17.72	48.78	74.00	25.22	46.11	54.00	7.89	150	91	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	47.40	68.23	20.83	43.94	54.00	10.06	150	271	Vertical	PASS
2	5376.04	16.42	48.79	74.00	25.21	43.39	54.00	10.61	150	48	Vertical	PASS
3	5396.32	16.68	48.79	74.00	25.21	44.06	54.00	9.94	150	284	Vertical	PASS
4	5410.48	16.87	47.99	74.00	26.01	43.75	54.00	10.25	150	43	Vertical	PASS
5	5430.28	17.54	49.28	74.00	24.72	46.53	54.00	7.47	150	73	Vertical	PASS
6	5460	17.72	49.02	74.00	24.98	44.98	54.00	9.02	150	48	Vertical	PASS

Mode: 11N20-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.90	15.81	68.23	15.33	150	149	Horizontal
2	5665.40	56.28	16.34	79.66	23.38	150	181	Horizontal
3	5744.11	107.54	15.98	122.20	14.66	150	184	Horizontal
4	5813.08	55.13	15.78	122.20	67.07	150	186	Horizontal
5	5844.37	55.65	15.90	122.20	66.55	150	66	Horizontal
6	5900	54.50	16.50	86.65	32.15	150	236	Horizontal

Mode: 11N20-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.34	15.81	68.23	14.89	150	280	Vertical
2	5655.65	57.02	16.40	72.43	15.41	150	238	Vertical
3	5743.36	101.44	15.98	122.20	20.76	150	67	Vertical
4	5803.14	55.32	15.74	122.20	66.88	150	65	Vertical
5	5837.63	56.96	15.88	122.20	65.24	150	33	Vertical
6	5900	54.46	16.50	86.65	32.19	150	264	Vertical

Mode: 11N20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.89	15.81	68.23	15.34	150	358	Horizontal
2	5647.41	56.07	16.40	68.23	12.16	150	64	Horizontal
3	5766.04	55.65	15.88	122.20	66.55	150	154	Horizontal
4	5818.70	107.49	15.80	122.20	14.71	150	190	Horizontal
5	5857.68	55.25	16.01	110.05	54.80	150	70	Horizontal
6	5900	54.64	16.50	86.65	32.01	150	220	Horizontal

Mode: 11N20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.65	15.81	68.23	15.58	150	233	Vertical
2	5681.89	55.73	16.23	91.85	36.12	150	22	Vertical
3	5755.73	55.91	15.93	122.20	66.29	150	104	Vertical
4	5828.07	101.33	15.84	122.20	20.87	150	87	Vertical
5	5879.23	57.25	16.26	102.06	44.81	150	317	Vertical
6	5900	53.69	16.50	86.65	32.96	150	9	Vertical

Mode:	11N40-5190
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.87	68.23	23.36	44.34	54.00	9.66	150	262	Horizontal	PASS
2	4657.6938	14.72	47.38	74.00	26.62	46.82	54.00	7.18	150	277	Horizontal	PASS
3	4761.8705	15.37	48.02	74.00	25.98	47.74	54.00	6.26	150	6	Horizontal	PASS
4	4942.4261	15.74	51.08	74.00	22.92	48.55	54.00	5.45	150	140	Horizontal	PASS
5	5023.3513	15.57	50.31	74.00	23.69	50.19	54.00	3.81	150	68	Horizontal	PASS
6	5150	18.01	48.46	74.00	25.54	48.14	54.00	5.86	150	341	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.50	68.23	22.73	44.64	54.00	9.36	150	127	Vertical	PASS
2	4726.1491	15.05	47.13	74.00	26.87	45.55	54.00	8.45	150	104	Vertical	PASS
3	4756.285	15.45	48.46	74.00	25.54	46.23	54.00	7.77	150	264	Vertical	PASS
4	4939.3086	15.66	50.01	74.00	23.99	48.35	54.00	5.65	150	77	Vertical	PASS
5	5027.6379	15.59	49.48	74.00	24.52	45.59	54.00	8.41	150	354	Vertical	PASS
6	5150	18.01	48.85	74.00	25.15	48.11	54.00	5.89	150	102	Vertical	PASS

Mode:	11N40-5320
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.80	68.23	19.43	46.45	54.00	7.55	150	120	Horizontal	PASS
2	5391.76	16.71	48.74	74.00	25.26	46.48	54.00	7.52	150	352	Horizontal	PASS
3	5396.08	16.90	49.60	74.00	24.40	46.58	54.00	7.42	150	72	Horizontal	PASS
4	5405.44	16.86	48.32	74.00	25.68	45.47	54.00	8.53	150	9	Horizontal	PASS
5	5442.28	16.83	49.88	74.00	24.12	45.12	54.00	8.88	150	137	Horizontal	PASS
6	5460	16.74	47.54	74.00	26.46	44.37	54.00	9.63	150	265	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	47.41	68.23	20.82	45.88	54.00	8.12	150	1	Vertical	PASS
2	5377.6	16.83	49.64	74.00	24.36	44.64	54.00	9.36	150	261	Vertical	PASS
3	5405.56	16.86	48.43	74.00	25.57	45.21	54.00	8.79	150	30	Vertical	PASS
4	5425.12	16.84	48.48	74.00	25.52	45.05	54.00	8.95	150	178	Vertical	PASS
5	5446.6	16.83	48.83	74.00	25.17	45.85	54.00	8.15	150	344	Vertical	PASS
6	5460	16.74	47.74	74.00	26.26	43.80	54.00	10.20	150	288	Vertical	PASS

Mode:	11N40-5510
-------	------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.14	68.23	22.09	44.14	54.00	9.86	150	72	Horizontal	PASS
2	5374.6	16.40	48.36	74.00	25.64	45.94	54.00	8.06	150	323	Horizontal	PASS
3	5396.8	16.68	49.95	74.00	24.05	45.70	54.00	8.30	150	218	Horizontal	PASS
4	5432.8	17.32	49.92	74.00	24.08	44.04	54.00	9.96	150	232	Horizontal	PASS
5	5454.04	17.27	51.11	74.00	22.89	48.56	54.00	5.44	150	167	Horizontal	PASS
6	5460	17.72	48.62	74.00	25.38	45.37	54.00	8.63	150	72	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	44.90	68.23	23.33	42.44	54.00	11.56	150	99	Vertical	PASS
2	5371.48	16.36	47.79	74.00	26.21	46.65	54.00	7.35	150	225	Vertical	PASS
3	5413.96	16.97	48.68	74.00	25.32	43.83	54.00	10.17	150	0	Vertical	PASS
4	5421.04	16.98	48.88	74.00	25.12	45.42	54.00	8.58	150	247	Vertical	PASS
5	5438.92	17.45	50.69	74.00	23.31	46.73	54.00	7.27	150	319	Vertical	PASS
6	5460	17.72	48.27	74.00	25.73	46.08	54.00	7.92	150	131	Vertical	PASS

Mode: 11N40-5755




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.91	15.81	68.23	14.32	150	165	Horizontal
2	5644.04	56.23	16.37	68.23	12.00	150	284	Horizontal
3	5691.64	56.06	16.16	99.04	42.98	150	168	Horizontal
4	5757.42	100.95	15.92	122.20	21.25	150	197	Horizontal
5	5817.39	55.46	15.78	122.20	66.74	150	200	Horizontal
6	5900	53.86	16.50	86.65	32.79	150	104	Horizontal

Mode: 11N40-5755




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.60	15.81	68.23	15.63	150	63	Vertical
2	5650.78	55.56	16.43	68.81	13.25	150	263	Vertical
3	5676.46	55.84	16.26	87.84	32.00	150	198	Vertical
4	5747.67	97.26	15.97	122.20	24.94	150	71	Vertical
5	5829.38	55.48	15.84	122.20	66.72	150	356	Vertical
6	5900	54.51	16.50	86.65	32.14	150	13	Vertical

Mode: 11N40-5795



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	51.89	15.81	68.23	16.34	150	81	Horizontal
2	5648.16	55.87	16.42	68.23	12.36	150	313	Horizontal
3	5695.38	55.52	16.14	101.80	46.28	150	215	Horizontal
4	5789.28	103.24	15.77	122.20	18.96	150	191	Horizontal
5	5868.74	55.76	16.13	106.95	51.19	150	188	Horizontal
6	5900	54.32	16.50	86.65	32.33	150	153	Horizontal

Mode: 11N40-5795



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.22	15.81	68.23	15.01	150	351	Vertical
2	5639.73	55.89	16.31	68.23	12.34	150	257	Vertical
3	5721.25	55.35	16.05	113.66	58.31	150	331	Vertical
4	5803.33	97.20	15.74	122.20	25.00	150	102	Vertical
5	5855.43	56.33	15.98	110.68	54.35	150	262	Vertical
6	5900	54.42	16.50	86.65	32.23	150	324	Vertical

Mode:	11AC20-5180
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.99	68.23	23.24	43.23	54.00	10.77	150	218	Horizontal	PASS
2	4640.8074	14.66	46.88	74.00	27.12	44.70	54.00	9.30	150	360	Horizontal	PASS
3	4807.5939	14.88	48.51	74.00	25.49	48.34	54.00	5.66	150	66	Horizontal	PASS
4	4949.5703	15.92	50.00	74.00	24.00	50.01	54.00	3.99	150	265	Horizontal	PASS
5	5051.1491	15.70	50.23	74.00	23.77	49.46	54.00	4.54	150	64	Horizontal	PASS
6	5150	18.01	48.70	74.00	25.30	47.90	54.00	6.10	150	353	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.80	68.23	22.43	44.35	54.00	9.65	150	237	Vertical	PASS
2	4614.0488	14.36	47.15	74.00	26.85	45.44	54.00	8.56	150	0	Vertical	PASS
3	4783.8229	15.07	47.90	74.00	26.10	47.96	54.00	6.04	150	0	Vertical	PASS
4	4940.3477	15.68	50.30	74.00	23.70	49.51	54.00	4.49	150	187	Vertical	PASS
5	5009.0628	15.50	49.95	74.00	24.05	48.88	54.00	5.12	150	265	Vertical	PASS
6	5150	18.01	48.93	74.00	25.07	47.80	54.00	6.20	150	157	Vertical	PASS

Mode:	11AC20-5320
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	47.43	68.23	20.80	45.00	54.00	9.00	150	297	Horizontal	PASS
2	5378.8	16.82	50.01	74.00	23.99	46.83	54.00	7.17	150	360	Horizontal	PASS
3	5392	16.70	48.50	74.00	25.50	46.79	54.00	7.21	150	261	Horizontal	PASS
4	5429.08	16.84	49.75	74.00	24.25	44.22	54.00	9.78	150	268	Horizontal	PASS
5	5442.52	16.83	48.86	74.00	25.14	46.28	54.00	7.72	150	107	Horizontal	PASS
6	5460	16.74	47.18	74.00	26.82	44.98	54.00	9.02	150	156	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	46.99	68.23	21.24	45.79	54.00	8.21	150	238	Vertical	PASS
2	5375.68	16.86	49.19	74.00	24.81	46.24	54.00	7.76	150	154	Vertical	PASS
3	5402.56	16.86	49.22	74.00	24.78	45.58	54.00	8.42	150	168	Vertical	PASS
4	5417.44	16.85	49.00	74.00	25.00	44.82	54.00	9.18	150	27	Vertical	PASS
5	5442.4	16.83	49.05	74.00	24.95	47.30	54.00	6.70	150	121	Vertical	PASS
6	5460	16.74	46.63	74.00	27.37	44.69	54.00	9.31	150	154	Vertical	PASS

Mode:	11AC20-5500
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.05	68.23	22.18	42.53	54.00	11.47	150	208	Horizontal	PASS
2	5375.2	16.41	48.84	74.00	25.16	44.54	54.00	9.46	150	337	Horizontal	PASS
3	5390.08	16.60	48.12	74.00	25.88	43.61	54.00	10.39	150	97	Horizontal	PASS
4	5402.08	16.76	48.41	74.00	25.59	44.89	54.00	9.11	150	272	Horizontal	PASS
5	5434.96	17.32	50.18	74.00	23.82	46.34	54.00	7.66	150	92	Horizontal	PASS
6	5460	17.72	49.17	74.00	24.83	45.63	54.00	8.37	150	42	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.92	68.23	21.31	42.34	54.00	11.66	150	41	Vertical	PASS
2	5374.84	16.40	48.28	74.00	25.72	45.52	54.00	8.48	150	24	Vertical	PASS
3	5388.28	16.58	48.76	74.00	25.24	44.28	54.00	9.72	150	265	Vertical	PASS
4	5431	17.45	49.76	74.00	24.24	46.33	54.00	7.67	150	151	Vertical	PASS
5	5441.32	17.42	51.11	74.00	22.89	48.52	54.00	5.48	150	241	Vertical	PASS
6	5460	17.72	49.52	74.00	24.48	46.62	54.00	7.38	150	15	Vertical	PASS

Mode: 11AC20-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.00	15.81	68.23	15.23	150	300	Horizontal
2	5637.48	55.73	16.28	68.23	12.50	150	300	Horizontal
3	5684.14	55.61	16.22	93.51	37.90	150	77	Horizontal
4	5743.74	100.36	15.98	122.20	21.84	150	102	Horizontal
5	5790.96	55.11	15.76	122.20	67.09	150	238	Horizontal
6	5900	53.76	16.50	86.65	32.89	150	52	Horizontal

Mode:	11AC20-5745
-------	-------------




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.40	15.81	68.23	14.83	150	356	Vertical
2	5652.84	55.76	16.43	70.35	14.59	150	25	Vertical
3	5697.82	55.88	16.13	103.60	47.72	150	101	Vertical
4	5749.36	98.92	15.96	122.20	23.28	150	71	Vertical
5	5818.51	55.79	15.80	122.20	66.41	150	39	Vertical
6	5900	54.34	16.50	86.65	32.31	150	0	Vertical

Mode: 11AC20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	54.90	15.81	68.23	13.33	150	305	Horizontal
2	5684.70	54.34	16.21	93.93	39.59	150	27	Horizontal
3	5780.65	54.98	15.81	122.20	67.22	150	116	Horizontal
4	5824.32	104.74	15.82	122.20	17.46	150	226	Horizontal
5	5862.36	56.13	16.06	108.73	52.60	150	24	Horizontal
6	5900	55.36	16.50	86.65	31.29	150	19	Horizontal

Mode: 11AC20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.15	15.81	68.23	16.08	150	334	Vertical
2	5694.07	54.61	16.15	100.84	46.23	150	299	Vertical
3	5753.29	55.35	15.94	122.20	66.85	150	168	Vertical
4	5824.88	100.43	15.82	122.20	21.77	150	75	Vertical
5	5885.04	57.04	16.33	97.75	40.71	150	334	Vertical
6	5900	54.25	16.50	86.65	32.40	150	90	Vertical

Mode:	11AC40-5190
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.96	68.23	23.27	44.79	54.00	9.21	150	141	Horizontal	PASS
2	4644.4444	14.70	47.20	74.00	26.80	46.33	54.00	7.67	150	309	Horizontal	PASS
3	4744.0747	15.42	47.95	74.00	26.05	47.69	54.00	6.31	150	80	Horizontal	PASS
4	4925.4097	15.30	50.13	74.00	23.87	47.55	54.00	6.45	150	241	Horizontal	PASS
5	5045.044	15.68	49.45	74.00	24.55	47.55	54.00	6.45	150	107	Horizontal	PASS
6	5150	18.01	47.61	74.00	26.39	47.27	54.00	6.73	150	4	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.08	68.23	23.15	44.11	54.00	9.89	150	86	Vertical	PASS
2	4724.2006	15.02	47.55	74.00	26.45	46.26	54.00	7.74	150	122	Vertical	PASS
3	4839.1587	15.04	48.76	74.00	25.24	47.84	54.00	6.16	150	224	Vertical	PASS
4	4958.1435	15.85	50.53	74.00	23.47	48.18	54.00	5.82	150	284	Vertical	PASS
5	5020.2338	15.56	50.31	74.00	23.69	49.38	54.00	4.62	150	8	Vertical	PASS
6	5150	18.01	49.22	74.00	24.78	47.92	54.00	6.08	150	160	Vertical	PASS

Mode:	11AC40-5310
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.02	68.23	20.21	46.00	54.00	8.00	150	207	Horizontal	PASS
2	5377.24	16.83	49.82	74.00	24.18	47.66	54.00	6.34	150	305	Horizontal	PASS
3	5401.72	16.86	48.46	74.00	25.54	43.35	54.00	10.65	150	303	Horizontal	PASS
4	5418.88	16.85	48.51	74.00	25.49	45.57	54.00	8.43	150	339	Horizontal	PASS
5	5450.8	16.82	48.98	74.00	25.02	47.57	54.00	6.43	150	279	Horizontal	PASS
6	5460	16.74	46.75	74.00	27.25	44.47	54.00	9.53	150	216	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.30	68.23	19.93	44.97	54.00	9.03	150	211	Vertical	PASS
2	5388.88	16.80	48.22	74.00	25.78	44.08	54.00	9.92	150	265	Vertical	PASS
3	5400.64	16.86	48.75	74.00	25.25	45.09	54.00	8.91	150	13	Vertical	PASS
4	5413.48	16.85	49.41	74.00	24.59	46.46	54.00	7.54	150	155	Vertical	PASS
5	5437.84	16.84	48.87	74.00	25.13	44.07	54.00	9.93	150	98	Vertical	PASS
6	5460	16.74	47.77	74.00	26.23	44.43	54.00	9.57	150	249	Vertical	PASS

Mode:	11AC40-5510
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.41	68.23	21.82	42.88	54.00	11.12	150	308	Horizontal	PASS
2	5364.64	16.27	47.80	74.00	26.20	42.96	54.00	11.04	150	126	Horizontal	PASS
3	5383.72	16.52	47.60	74.00	26.40	44.54	54.00	9.46	150	11	Horizontal	PASS
4	5418.64	17.02	48.24	74.00	25.76	45.76	54.00	8.24	150	21	Horizontal	PASS
5	5433.88	17.33	49.34	74.00	24.66	46.76	54.00	7.24	150	241	Horizontal	PASS
6	5460	17.72	47.64	74.00	26.36	45.10	54.00	8.90	150	64	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	47.49	68.23	20.74	43.05	54.00	10.95	150	190	Vertical	PASS
2	5371.12	16.35	48.34	74.00	25.66	43.91	54.00	10.09	150	84	Vertical	PASS
3	5384.32	16.53	47.82	74.00	26.18	45.64	54.00	8.36	150	101	Vertical	PASS
4	5414.44	17.01	48.27	74.00	25.73	42.98	54.00	11.02	150	132	Vertical	PASS
5	5430.52	17.51	49.60	74.00	24.40	44.66	54.00	9.34	150	264	Vertical	PASS
6	5460	17.72	47.47	74.00	26.53	43.81	54.00	10.19	150	142	Vertical	PASS

Mode: 11AC40-5755




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.99	15.81	68.23	15.24	150	107	Horizontal
2	5709.82	56.31	16.08	107.95	51.64	150	123	Horizontal
3	5757.60	103.44	15.92	122.20	18.76	150	173	Horizontal
4	5793.96	57.63	15.75	122.20	64.57	150	196	Horizontal
5	5847.56	56.48	15.92	122.20	65.72	150	107	Horizontal
6	5900	54.11	16.50	86.65	32.54	150	126	Horizontal

Mode: 11AC40-5755




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.43	15.81	68.23	15.80	150	319	Vertical
2	5657.15	55.29	16.39	73.54	18.25	150	21	Vertical
3	5746.73	98.58	15.97	122.20	23.62	150	87	Vertical
4	5819.82	55.33	15.80	122.20	66.87	150	199	Vertical
5	5866.30	56.88	16.11	107.63	50.75	150	136	Vertical
6	5900	53.86	16.50	86.65	32.79	150	21	Vertical

Mode: 11AC40-5795



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.07	15.81	68.23	16.16	150	217	Horizontal
2	5677.21	55.47	16.26	88.39	32.92	150	33	Horizontal
3	5754.23	55.96	15.94	122.20	66.24	150	164	Horizontal
4	5790.03	104.03	15.77	122.20	18.17	150	178	Horizontal
5	5859.18	56.46	16.03	109.63	53.17	150	9	Horizontal
6	5900	53.92	16.50	86.65	32.73	150	40	Horizontal

Mode: 11AC40-5795



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.65	15.81	68.23	15.58	150	22	Vertical
2	5702.32	55.69	16.10	105.85	50.16	150	7	Vertical
3	5798.65	99.27	15.73	122.20	22.93	150	94	Vertical
4	5863.68	56.31	16.07	108.37	52.06	150	24	Vertical
5	5900	53.26	16.50	86.65	33.39	150	152	Vertical

Mode:	11AC80-5210
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	45.02	68.23	23.21	43.65	54.00	10.35	150	224	Horizontal	PASS
2	4686.4009	14.59	47.37	74.00	26.63	46.34	54.00	7.66	150	59	Horizontal	PASS
3	4939.5683	15.66	51.08	74.00	22.92	50.60	54.00	3.40	150	349	Horizontal	PASS
4	5135.062	16.29	51.49	74.00	22.51	48.43	54.00	5.57	150	358	Horizontal	PASS
5	5142.8557	16.88	51.99	74.00	22.01	51.45	54.00	2.55	150	23	Horizontal	PASS
6	5150	18.01	49.21	74.00	24.79	48.56	54.00	5.44	150	311	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.50	68.23	23.73	43.31	54.00	10.69	150	278	Vertical	PASS
2	4615.0879	14.37	48.20	74.00	25.80	47.81	54.00	6.19	150	22	Vertical	PASS
3	4943.9848	15.78	50.68	74.00	23.32	50.06	54.00	3.94	150	56	Vertical	PASS
4	4985.1619	15.60	49.42	74.00	24.58	47.39	54.00	6.61	150	274	Vertical	PASS
5	5112.9796	15.91	50.05	74.00	23.95	49.90	54.00	4.10	150	52	Vertical	PASS
6	5150	18.01	47.99	74.00	26.01	47.52	54.00	6.48	150	196	Vertical	PASS

Mode:	11AC80-5290
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.00	68.23	20.23	46.11	54.00	7.89	150	60	Horizontal	PASS
2	5355.76	17.46	54.22	74.00	19.78	50.47	54.00	3.53	150	357	Horizontal	PASS
3	5360.44	17.11	55.44	74.00	18.56	47.94	54.00	6.06	150	185	Horizontal	PASS
4	5362.72	17.14	54.01	74.00	19.99	50.28	54.00	3.72	150	185	Horizontal	PASS
5	5382.04	16.90	51.72	74.00	22.28	48.35	54.00	5.65	150	173	Horizontal	PASS
6	5460	16.74	47.40	74.00	26.60	43.75	54.00	10.25	150	63	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	47.95	68.23	20.28	44.87	54.00	9.13	150	54	Vertical	PASS
2	5352.52	17.81	57.24	74.00	16.76	48.53	54.00	5.47	150	76	Vertical	PASS
3	5362.6	17.14	48.08	74.00	25.92	45.59	54.00	8.41	150	251	Vertical	PASS
4	5387.2	16.81	49.40	74.00	24.60	46.20	54.00	7.80	150	73	Vertical	PASS
5	5441.2	16.84	49.67	74.00	24.33	45.80	54.00	8.20	150	321	Vertical	PASS
6	5460	16.74	47.05	74.00	26.95	43.83	54.00	10.17	150	45	Vertical	PASS

Mode:	11AC80-5530
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.28	68.23	22.95	41.93	54.00	12.07	150	16	Horizontal	PASS
2	5429.68	17.56	51.87	74.00	22.13	46.65	54.00	7.35	150	164	Horizontal	PASS
3	5437.6	17.40	50.59	74.00	23.41	48.52	54.00	5.48	150	199	Horizontal	PASS
4	5454.88	17.26	53.50	74.00	20.50	49.43	54.00	4.57	150	190	Horizontal	PASS
5	5459.56	17.68	52.79	74.00	21.21	44.72	54.00	9.28	150	190	Horizontal	PASS
6	5460	17.72	46.45	74.00	27.55	43.88	54.00	10.12	150	69	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.29	68.23	22.94	42.92	54.00	11.08	150	148	Vertical	PASS
2	5382.28	16.50	47.89	74.00	26.11	43.63	54.00	10.37	150	20	Vertical	PASS
3	5391.52	16.62	48.79	74.00	25.21	42.73	54.00	11.27	150	190	Vertical	PASS
4	5431.36	17.40	49.66	74.00	24.34	46.70	54.00	7.30	150	353	Vertical	PASS
5	5451.64	17.16	49.43	74.00	24.57	45.50	54.00	8.50	150	41	Vertical	PASS
6	5460	17.72	47.06	74.00	26.94	44.86	54.00	9.14	150	291	Vertical	PASS

Mode: 11AC80-5775



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.77	15.81	68.23	14.46	150	338	Horizontal
2	5680.58	59.04	16.24	90.88	31.84	150	196	Horizontal
3	5748.80	99.88	15.96	122.20	22.32	150	171	Horizontal
4	5838.38	60.62	15.88	122.20	61.58	150	142	Horizontal
5	5868.92	57.93	16.14	106.90	48.97	150	201	Horizontal
6	5900	54.43	16.50	86.65	32.22	150	243	Horizontal

Mode: 11AC80-5775



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.59	15.81	68.23	15.64	150	220	Vertical
2	5657.72	55.79	16.39	73.96	18.17	150	74	Vertical
3	5745.61	95.83	15.97	122.20	26.37	150	91	Vertical
4	5796.96	95.40	15.73	122.20	26.80	150	86	Vertical
5	5862.36	56.30	16.06	108.73	52.43	150	115	Vertical
6	5900	55.13	16.50	86.65	31.52	150	104	Vertical

Mode:	11AX20-5180
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.32	68.23	23.91	43.42	54.00	10.58	150	157	Horizontal	PASS
2	4758.4932	15.42	47.85	74.00	26.15	48.23	54.00	5.77	150	353	Horizontal	PASS
3	4942.2962	15.73	50.28	74.00	23.72	47.57	54.00	6.43	150	139	Horizontal	PASS
4	5049.5903	15.70	49.31	74.00	24.69	48.73	54.00	5.27	150	224	Horizontal	PASS
5	5112.8497	15.93	49.56	74.00	24.44	49.23	54.00	4.77	150	59	Horizontal	PASS
6	5150	18.01	48.23	74.00	25.77	48.05	54.00	5.95	150	59	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	AV Value [dB μ V/m]	AV Limit [dB μ V/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.92	68.23	23.31	44.33	54.00	9.67	150	192	Vertical	PASS
2	4612.8797	14.35	46.99	74.00	27.01	44.63	54.00	9.37	150	61	Vertical	PASS
3	4784.3425	15.06	49.08	74.00	24.92	47.89	54.00	6.11	150	204	Vertical	PASS
4	4946.5827	15.84	50.83	74.00	23.17	49.60	54.00	4.40	150	316	Vertical	PASS
5	5052.7078	15.71	49.83	74.00	24.17	49.56	54.00	4.44	150	276	Vertical	PASS
6	5150	18.01	49.31	74.00	24.69	47.66	54.00	6.34	150	177	Vertical	PASS

Mode:	11AX20-5320
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.63	68.23	19.60	46.48	54.00	7.52	150	135	Horizontal	PASS
2	5379.28	16.83	48.44	74.00	25.56	45.81	54.00	8.19	150	217	Horizontal	PASS
3	5396.32	16.89	49.40	74.00	24.60	46.72	54.00	7.28	150	95	Horizontal	PASS
4	5440.12	16.84	50.35	74.00	23.65	47.46	54.00	6.54	150	150	Horizontal	PASS
5	5444.08	16.83	49.40	74.00	24.60	46.38	54.00	7.62	150	37	Horizontal	PASS
6	5460	16.74	45.77	74.00	28.23	43.54	54.00	10.46	150	171	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.01	68.23	19.22	44.45	54.00	9.55	150	129	Vertical	PASS
2	5375.56	16.85	48.18	74.00	25.82	45.78	54.00	8.22	150	39	Vertical	PASS
3	5395.36	16.88	49.81	74.00	24.19	44.14	54.00	9.86	150	229	Vertical	PASS
4	5409.52	16.85	48.06	74.00	25.94	43.91	54.00	10.09	150	124	Vertical	PASS
5	5443.36	16.83	49.00	74.00	25.00	43.47	54.00	10.53	150	39	Vertical	PASS
6	5460	16.74	46.78	74.00	27.22	43.75	54.00	10.25	150	332	Vertical	PASS

Mode:	11AX20-5500
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	46.31	68.23	21.92	43.89	54.00	10.11	150	247	Horizontal	PASS
2	5378.08	16.45	48.70	74.00	25.30	42.88	54.00	11.12	150	49	Horizontal	PASS
3	5385.64	16.54	49.39	74.00	24.61	42.81	54.00	11.19	150	324	Horizontal	PASS
4	5402.32	16.75	48.06	74.00	25.94	43.46	54.00	10.54	150	90	Horizontal	PASS
5	5437.96	17.43	49.60	74.00	24.40	43.90	54.00	10.10	150	23	Horizontal	PASS
6	5460	17.72	47.53	74.00	26.47	44.24	54.00	9.76	150	23	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.55	68.23	22.68	42.76	54.00	11.24	150	273	Vertical	PASS
2	5372.2	16.36	48.52	74.00	25.48	45.21	54.00	8.79	150	175	Vertical	PASS
3	5379.52	16.46	48.57	74.00	25.43	43.74	54.00	10.26	150	87	Vertical	PASS
4	5400.88	16.74	49.18	74.00	24.82	46.78	54.00	7.22	150	223	Vertical	PASS
5	5437.84	17.42	49.09	74.00	24.91	46.64	54.00	7.36	150	261	Vertical	PASS
6	5460	17.72	49.04	74.00	24.96	44.49	54.00	9.51	150	61	Vertical	PASS

Mode: 11AX20-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.32	15.81	68.23	15.91	150	267	Horizontal
2	5660.90	55.47	16.37	76.32	20.85	150	217	Horizontal
3	5750.48	106.53	15.96	122.20	15.67	150	181	Horizontal
4	5781.59	55.89	15.81	122.20	66.31	150	338	Horizontal
5	5819.45	55.91	15.80	122.20	66.29	150	313	Horizontal
6	5900	54.48	16.50	86.65	32.17	150	171	Horizontal

Mode: 11AX20-5745




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.55	15.81	68.23	14.68	150	174	Vertical
2	5665.40	55.37	16.34	79.66	24.29	150	248	Vertical
3	5748.80	100.17	15.96	122.20	22.03	150	86	Vertical
4	5785.15	55.08	15.79	122.20	67.12	150	310	Vertical
5	5814.95	55.30	15.78	122.20	66.90	150	14	Vertical
6	5900	54.04	16.50	86.65	32.61	150	226	Vertical

Mode: 11AX20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.16	15.81	68.23	15.07	150	330	Horizontal
2	5690.32	55.18	16.17	98.08	42.90	150	146	Horizontal
3	5753.67	55.34	15.94	122.20	66.86	150	53	Horizontal
4	5821.51	106.16	15.80	122.20	16.04	150	193	Horizontal
5	5880.73	56.39	16.27	100.94	44.55	150	360	Horizontal
6	5900	53.71	16.50	86.65	32.94	150	48	Horizontal

Mode: 11AX20-5825



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.93	15.81	68.23	15.30	150	329	Vertical
2	5702.88	55.24	16.10	106.01	50.77	150	73	Vertical
3	5756.10	56.23	15.93	122.20	65.97	150	336	Vertical
4	5830.88	99.52	15.84	122.20	22.68	150	79	Vertical
5	5884.10	56.51	16.32	98.44	41.93	150	127	Vertical
6	5900	54.17	16.50	86.65	32.48	150	93	Vertical

Mode:	11AX40-5190
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	46.04	68.23	22.19	45.69	54.00	8.31	150	214	Horizontal	PASS
2	4636.9105	14.61	48.25	74.00	25.75	46.29	54.00	7.71	150	181	Horizontal	PASS
3	4947.8817	15.88	50.26	74.00	23.74	48.49	54.00	5.51	150	280	Horizontal	PASS
4	4970.4836	15.74	49.70	74.00	24.30	48.70	54.00	5.30	150	266	Horizontal	PASS
5	5133.6331	16.27	51.54	74.00	22.46	49.39	54.00	4.61	150	86	Horizontal	PASS
6	5150	18.01	50.21	74.00	23.79	49.69	54.00	4.31	150	248	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.25	68.23	23.98	43.05	54.00	10.95	150	281	Vertical	PASS
2	4697.3122	14.53	48.19	74.00	25.81	46.27	54.00	7.73	150	155	Vertical	PASS
3	4918.1355	15.11	49.29	74.00	24.71	45.61	54.00	8.39	150	52	Vertical	PASS
4	4938.1395	15.63	49.75	74.00	24.25	47.07	54.00	6.93	150	338	Vertical	PASS
5	5061.0212	15.72	49.47	74.00	24.53	45.60	54.00	8.40	150	200	Vertical	PASS
6	5150	18.01	48.21	74.00	25.79	46.48	54.00	7.52	150	182	Vertical	PASS

Mode:	11AX40-5310
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	50.49	68.23	17.74	48.56	54.00	5.44	150	171	Horizontal	PASS
2	5373.16	16.86	49.73	74.00	24.27	46.61	54.00	7.39	150	168	Horizontal	PASS
3	5414.2	16.85	49.32	74.00	24.68	47.22	54.00	6.78	150	322	Horizontal	PASS
4	5424.4	16.85	48.79	74.00	25.21	44.07	54.00	9.93	150	28	Horizontal	PASS
5	5441.08	16.84	49.02	74.00	24.98	46.08	54.00	7.92	150	190	Horizontal	PASS
6	5460	16.74	46.76	74.00	27.24	44.78	54.00	9.22	150	314	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.24	68.23	18.99	46.70	54.00	7.30	150	342	Vertical	PASS
2	5394.64	16.86	49.40	74.00	24.60	44.37	54.00	9.63	150	4	Vertical	PASS
3	5407.48	16.86	48.94	74.00	25.06	46.91	54.00	7.09	150	99	Vertical	PASS
4	5426.92	16.84	49.32	74.00	24.68	45.84	54.00	8.16	150	237	Vertical	PASS
5	5439.76	16.84	49.16	74.00	24.84	43.63	54.00	10.37	150	11	Vertical	PASS
6	5460	16.74	47.82	74.00	26.18	44.46	54.00	9.54	150	232	Vertical	PASS

Mode:	11AX40-5510
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.82	68.23	22.41	41.38	54.00	12.62	150	282	Horizontal	PASS
2	5387.32	16.56	48.02	74.00	25.98	45.40	54.00	8.60	150	280	Horizontal	PASS
3	5414.8	17.04	48.70	74.00	25.30	47.20	54.00	6.80	150	330	Horizontal	PASS
4	5427.64	17.41	49.60	74.00	24.40	47.95	54.00	6.05	150	156	Horizontal	PASS
5	5441.68	17.40	50.01	74.00	23.99	44.19	54.00	9.81	150	252	Horizontal	PASS
6	5460	17.72	48.30	74.00	25.70	44.66	54.00	9.34	150	204	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	47.07	68.23	21.16	42.79	54.00	11.21	150	160	Vertical	PASS
2	5375.92	16.42	48.91	74.00	25.09	46.73	54.00	7.27	150	0	Vertical	PASS
3	5402.32	16.75	48.02	74.00	25.98	45.66	54.00	8.34	150	312	Vertical	PASS
4	5434	17.33	49.18	74.00	24.82	47.93	54.00	6.07	150	332	Vertical	PASS
5	5446.6	17.03	49.18	74.00	24.82	43.14	54.00	10.86	150	164	Vertical	PASS
6	5460	17.72	47.67	74.00	26.33	44.94	54.00	9.06	150	279	Vertical	PASS

Mode:	11AX40-5755
-------	-------------




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.08	15.81	68.23	15.15	150	227	Horizontal
2	5675.71	55.60	16.27	87.28	31.68	150	272	Horizontal
3	5768.10	103.80	15.87	122.20	18.40	150	178	Horizontal
4	5821.88	55.55	15.80	122.20	66.65	150	344	Horizontal
5	5846.25	56.42	15.90	122.20	65.78	150	23	Horizontal
6	5900	56.38	16.50	86.65	30.27	150	219	Horizontal

Mode: 11AX40-5755




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.85	15.81	68.23	14.38	150	111	Vertical
2	5681.52	56.14	16.23	91.58	35.44	150	22	Vertical
3	5761.91	98.92	15.90	122.20	23.28	150	89	Vertical
4	5799.96	57.38	15.72	122.20	64.82	150	121	Vertical
5	5843.44	56.09	15.90	122.20	66.11	150	202	Vertical
6	5900	54.55	16.50	86.65	32.10	150	324	Vertical

Mode: 11AX40-5795



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.28	15.81	68.23	14.95	150	69	Horizontal
2	5680.77	56.00	16.24	91.02	35.02	150	197	Horizontal
3	5712.44	56.01	16.07	108.69	52.68	150	168	Horizontal
4	5806.52	103.43	15.74	122.20	18.77	150	185	Horizontal
5	5876.42	56.65	16.23	104.14	47.49	150	54	Horizontal
6	5900	53.61	16.50	86.65	33.04	150	343	Horizontal

Mode: 11AX40-5795



NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	54.91	15.81	68.23	13.32	150	87	Vertical
2	5667.27	55.99	16.32	81.04	25.05	150	34	Vertical
3	5740.55	56.20	15.99	122.20	66.00	150	57	Vertical
4	5786.09	100.25	15.79	122.20	21.95	150	87	Vertical
5	5864.43	56.83	16.09	108.16	51.33	150	23	Vertical
6	5900	54.16	16.50	86.65	32.49	150	161	Vertical

Mode:	11AX80-5210
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	44.45	68.23	23.78	43.57	54.00	10.43	150	234	Horizontal	PASS
2	4945.8034	15.82	50.52	74.00	23.48	48.33	54.00	5.67	150	153	Horizontal	PASS
3	5028.0276	15.59	49.81	74.00	24.19	47.91	54.00	6.09	150	294	Horizontal	PASS
4	5067.516	15.74	50.18	74.00	23.82	47.23	54.00	6.77	150	37	Horizontal	PASS
5	5125.3197	16.20	51.03	74.00	22.97	48.99	54.00	5.01	150	202	Horizontal	PASS
6	5150	18.01	48.48	74.00	25.52	46.06	54.00	7.94	150	220	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500	14.21	43.57	68.23	24.66	42.57	54.00	11.43	150	190	Vertical	PASS
2	4921.9025	15.21	50.35	74.00	23.65	48.26	54.00	5.74	150	190	Vertical	PASS
3	4942.4261	15.74	50.99	74.00	23.01	47.54	54.00	6.46	150	86	Vertical	PASS
4	4950.9992	15.92	51.26	74.00	22.74	50.39	54.00	3.61	150	290	Vertical	PASS
5	5065.9572	15.73	51.17	74.00	22.83	50.45	54.00	3.55	150	31	Vertical	PASS
6	5150	18.01	51.11	74.00	22.89	50.22	54.00	3.78	150	26	Vertical	PASS

Mode:	11AX80-5290
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	48.29	68.23	19.94	46.25	54.00	7.75	150	218	Horizontal	PASS
2	5356.72	17.37	54.69	74.00	19.31	50.85	54.00	3.15	150	187	Horizontal	PASS
3	5368.48	16.91	53.28	74.00	20.72	49.12	54.00	4.88	150	182	Horizontal	PASS
4	5374.96	16.83	52.25	74.00	21.75	50.77	54.00	3.23	150	182	Horizontal	PASS
5	5381.8	16.89	48.51	74.00	25.49	47.10	54.00	6.90	150	226	Horizontal	PASS
6	5460	16.74	45.84	74.00	28.16	43.45	54.00	10.55	150	111	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	18.02	49.35	68.23	18.88	45.78	54.00	8.22	150	177	Vertical	PASS
2	5361.28	17.12	48.73	74.00	25.27	46.68	54.00	7.32	150	196	Vertical	PASS
3	5374.6	16.81	47.64	74.00	26.36	44.82	54.00	9.18	150	85	Vertical	PASS
4	5425.12	16.84	48.97	74.00	25.03	44.95	54.00	9.05	150	199	Vertical	PASS
5	5452.24	16.81	49.07	74.00	24.93	45.01	54.00	8.99	150	196	Vertical	PASS
6	5460	16.74	47.43	74.00	26.57	44.48	54.00	9.52	150	213	Vertical	PASS

Mode:	11AX80-5530
-------	-------------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.80	68.23	22.43	44.19	54.00	9.81	150	4	Horizontal	PASS
2	5436.76	17.35	51.86	74.00	22.14	48.21	54.00	5.79	150	160	Horizontal	PASS
3	5443.48	17.28	52.29	74.00	21.71	48.28	54.00	5.72	150	160	Horizontal	PASS
4	5452.72	17.21	54.85	74.00	19.15	49.94	54.00	4.06	150	201	Horizontal	PASS
5	5456.44	17.31	52.99	74.00	21.01	46.90	54.00	7.10	150	192	Horizontal	PASS
6	5460	17.72	46.56	74.00	27.44	44.17	54.00	9.83	150	240	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	5350	16.08	45.44	68.23	22.79	44.40	54.00	9.60	150	76	Vertical	PASS
2	5372.2	16.36	49.19	74.00	24.81	44.76	54.00	9.24	150	286	Vertical	PASS
3	5382.76	16.51	49.36	74.00	24.64	45.33	54.00	8.67	150	89	Vertical	PASS
4	5412.64	16.99	48.87	74.00	25.13	44.06	54.00	9.94	150	27	Vertical	PASS
5	5437.48	17.40	49.41	74.00	24.59	47.08	54.00	6.92	150	127	Vertical	PASS
6	5460	17.72	47.62	74.00	26.38	43.84	54.00	10.16	150	50	Vertical	PASS

Mode: 11AX80-5775




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	53.22	15.81	68.23	15.01	150	358	Horizontal
2	5684.33	62.29	16.21	93.65	31.36	150	168	Horizontal
3	5759.67	98.53	15.91	122.20	23.67	150	218	Horizontal
4	5796.58	101.64	15.74	122.20	20.56	150	190	Horizontal
5	5871.73	60.46	16.18	106.11	45.65	150	203	Horizontal
6	5900	53.67	16.50	86.65	32.98	150	307	Horizontal

Mode: 11AX80-5775




NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	5600	52.18	15.81	68.23	16.05	150	76	Vertical
2	5682.08	56.29	16.22	91.99	35.70	150	57	Vertical
3	5758.17	95.52	15.92	122.20	26.68	150	87	Vertical
4	5798.08	94.55	15.73	122.20	27.65	150	66	Vertical
5	5850.74	56.28	15.93	120.49	64.21	150	109	Vertical
6	5900	54.29	16.50	86.65	32.36	150	132	Vertical

Appendix B: Conducted Emission



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.2156	11.65	41.14	62.99	21.85	23.98	52.99	29.01	L1	PASS
2	0.3003	11.65	34.29	60.23	25.94	19.61	50.23	30.62	L1	PASS
3	0.6531	11.66	29.02	56.00	26.98	17.95	46.00	28.05	L1	PASS
4	1.4757	11.67	29.09	56.00	26.91	20.92	46.00	25.08	L1	PASS
5	7.3304	11.83	31.14	60.00	28.86	25.50	50.00	24.50	L1	PASS
6	10.8193	11.88	26.19	60.00	33.81	22.07	50.00	27.93	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value	QP Limit	QP Margin	AV Value	AV Limit	AV Margin	Type	Verdict
1	0.1705	11.65	42.66	64.93	22.27	31.90	54.93	23.03	N	PASS
2	0.2328	11.65	39.87	62.35	22.48	21.40	52.35	30.95	N	PASS
3	0.3944	11.65	32.96	57.97	25.01	18.70	47.97	29.27	N	PASS
4	1.0217	11.66	29.22	56.00	26.78	20.12	46.00	25.88	N	PASS
5	4.4765	11.81	25.40	56.00	30.60	21.89	46.00	24.11	N	PASS
6	6.7917	11.82	29.76	60.00	30.24	24.74	50.00	25.26	N	PASS