

Function Descrip Tion

- APP control operation, one-to-many control, one group can control 6-8 devices, which can be controlled in groups;
- RGB full color (16 million kinds of color adjustment)+ CCT color temperature(2700K-6500K) brightness adjustment;
- Multiple functions of microphone and music, the color of light can change with the changes of music, cinema and other sounds;
- Built-in 20 dynamic modes;
- The camera can take the color, and the light will become the color of the color;
- Cinema function, turn on the camera, the light will change with the color of the film;
- You can control the device through the desktop widget, and you can customize your favorite background;
- Sunrise and sunset function;
- Unlimited groups and scenes can be created, which can be shared with other useraccounts to use lamps;
- Realize remote control and voice control: (support Amazon Alexa, Google, IFTTT,Tmall Genie and other voice devices).

After-Sale Service

Product warranty time is one year.

For any questions with product usage, technical queries, guidance on features, warranty concerns, or if you experience any unsatisfaction, please do not hesitate to reach out to our customer service team. Just share your order number, and we will commit to providing you with a satisfactory resolution within 24 hours. Your after-sales inquiries are important to us.

RGB SMART FLOOD LIGHTS




USER MANUAL


Specification

Three Types of Lighting			
Name	SMART LED FLOODLIGHT		
Model	TS-F4230	TS-F4250	TS-F42100
Wattage	30W	60W	100W
Material	Aluminum + Glass		
Input Voltage	AC100-130V;220-240V		
Size	155*110*25MM	205*140*25MM	253*195*37MM
Control Mode	WIFI, Bluetooth,		
IP Grade	IP66		
Connected number	WIFI: no more than 15, Bluetooth: 7		
APP	Surplife		

Installation



Operation



App Function Introduction

●●●●

(1)Color Changing

Long press the DIY box to save the color, dimmable.

Click to adjust the Color

Gradient&Delay

Roll to adjust Brightness

DIY Colors

●●●●

(2)Color Temperature

Long press the DIY box to save the color value.

●●●●

(3)Microphone

It can receive any sound from the outside world through the microphone.

●●●●

(4)Dynamic mode

Built-in 20 default dynamic modes. Up to 16 colors can be custom added.

●●●●

(5)Music

Open music player, change colors according to rhythm of music melody.

●●●●

(6)Tips

Before switching off the APP, Long press to delete the device under ON condition for restoring factory settings.

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

RF Exposure Information

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.