

Wutong Holdings Group Co., Ltd

SPECIFICATION FOR APPROVAL

Customer Name : Hangzhou Hemai Power Electronics Co., Ltd

Item name : External antenna; Frequency range: 2.40-2.48GHz Impedance 50 ohms;gain
4.57dBi External leakage line length L=57.5mm; RF1.13 dark gray
double tin cable; First generation original IPEX terminal

Vender Part No : WTTX220040B

Model /Customer Part No : A6040312

Revision : A /3

Date : 2024-08-14

WUTONG HODLING GROUP CO., LTD.

Address: No. 2596, Taidong road, Caohu street, Xiangcheng Economic development zone, Suzhou city,
Jiangsu Province



The phone: 0512-83952295
[Email:yuanyu@cnwutong.com](mailto:yuanyu@cnwutong.com)

Fax: 0512-65461778
Web: [Http://www.cnwutong.com](http://www.cnwutong.com)

Test Reports


Electrical Properties	
Frequency	2.40~2.48GHz
Impedance	50Ω
V.S. W . R	≤3.0 (ForShell testing line length1m)
Return loss	≤-6dB (Test line length 1m)
Gain (MAX)	4.57dBi
Polarization	Linear
Admitted Power	5W
Connector	IPEX MHF Plug
Antenna Type	Whip antenna
Physical Properties	
Antenna Material	PCB/PC-110
Cable Type	1.13 Cable
Operating Temp	-40℃~85℃
Storage Temp	-40℃~85℃

一、Part drawing

A		B		C		D		E		F		G					
										产品开发履历表 Product development resume							
										版次 Edition		发行日期 Issue date		简要描述 Describe		ECN编号 Number	
										X4		2024.08.12		Change frequency band			
1										Direction as shown in the figure							
2																	
3																	
4										Technical requirements: 1. Operating frequency: 2.40~2.48GHz 2. Standing wave ratio: ≤ 3.0 (bare test) 3. "*" is the key control size 4. The tension between the terminal and the cable is greater than 1kg 5. The appearance must comply with relevant inspection specifications 6. The product must comply with ROHS2.0							
5																	
6																	
1										Number Name Specification description Qty Notes							
2										Form number: WTTX/R-49							
3										Form number: WTTX/R-49							
4										Form number: WTTX/R-49							
5										Form number: WTTX/R-49							
6										Form number: WTTX/R-49							
7										Form number: WTTX/R-49							
8										Form number: WTTX/R-49							
9										Form number: WTTX/R-49							
10										Form number: WTTX/R-49							
11										Form number: WTTX/R-49							
12										Form number: WTTX/R-49							
13										Form number: WTTX/R-49							
14										Form number: WTTX/R-49							
15										Form number: WTTX/R-49							
16										Form number: WTTX/R-49							
17										Form number: WTTX/R-49							
18										Form number: WTTX/R-49							
19										Form number: WTTX/R-49							
20										Form number: WTTX/R-49							
21										Form number: WTTX/R-49							
22										Form number: WTTX/R-49							
23										Form number: WTTX/R-49							
24										Form number: WTTX/R-49							
25										Form number: WTTX/R-49							
26										Form number: WTTX/R-49							
27										Form number: WTTX/R-49							
28										Form number: WTTX/R-49							
29										Form number: WTTX/R-49							
30										Form number: WTTX/R-49							
31										Form number: WTTX/R-49							
32										Form number: WTTX/R-49							
33										Form number: WTTX/R-49							
34										Form number: WTTX/R-49							
35										Form number: WTTX/R-49							
36										Form number: WTTX/R-49							
37										Form number: WTTX/R-49							
38										Form number: WTTX/R-49							
39										Form number: WTTX/R-49							
40										Form number: WTTX/R-49							
41										Form number: WTTX/R-49							
42										Form number: WTTX/R-49							
43										Form number: WTTX/R-49							
44										Form number: WTTX/R-49							
45										Form number: WTTX/R-49							
46										Form number: WTTX/R-49							
47										Form number: WTTX/R-49							
48										Form number: WTTX/R-49							
49										Form number: WTTX/R-49							
50										Form number: WTTX/R-49							
51										Form number: WTTX/R-49							
52										Form number: WTTX/R-49							
53										Form number: WTTX/R-49							
54										Form number: WTTX/R-49							
55										Form number: WTTX/R-49							
56										Form number: WTTX/R-49							
57										Form number: WTTX/R-49							
58										Form number: WTTX/R-49							
59										Form number: WTTX/R-49							
60										Form number: WTTX/R-49							
61										Form number: WTTX/R-49							
62										Form number: WTTX/R-49							
63										Form number: WTTX/R-49							
64										Form number: WTTX/R-49							
65										Form number: WTTX/R-49							
66										Form number: WTTX/R-49							
67										Form number: WTTX/R-49							
68										Form number: WTTX/R-49							
69										Form number: WTTX/R-49							
70										Form number: WTTX/R-49							
71										Form number: WTTX/R-49							
72										Form number: WTTX/R-49							
73										Form number: WTTX/R-49							
74										Form number: WTTX/R-49							
75										Form number: WTTX/R-49							
76										Form number: WTTX/R-49							
77										Form number: WTTX/R-49							
78										Form number: WTTX/R-49							
79										Form number: WTTX/R-49							
80										Form number: WTTX/R-49							
81										Form number: WTTX/R-49							
82										Form number: WTTX/R-49							
83										Form number: WTTX/R-49							
84										Form number: WTTX/R-49							
85										Form number: WTTX/R-49							
86										Form number: WTTX/R-49							
87										Form number: WTTX/R-49							
88										Form number: WTTX/R-49							
89										Form number: WTTX/R-49							
90										Form number: WTTX/R-49							
91										Form number: WTTX/R-49							
92										Form number: WTTX/R-49							
93										Form number: WTTX/R-49							
94										Form number: WTTX/R-49							
95										Form number: WTTX/R-49							
96										Form number: WTTX/R-49							
97										Form number: WTTX/R-49							
98										Form number: WTTX/R-49							
99										Form number: WTTX/R-49							
100										Form number: WTTX/R-49							

二、Electrical test report

2.1/VSWR




2.2 /Return loss



2.3 /Gain&Efficiency

Freq (MHz)	Effi (%)	Gain (dBi)
2400	50.59	4.28
2410	51.58	4.57
2420	51.32	4.45
2430	49.64	4.2
2440	48.32	3.76
2450	46.71	3.5
2460	44.43	3.27
2470	43.90	3.35
2480	42.00	3.2

2.4/ 2D Directional diagram



三、Physical product photos

