

APPENDIX H: IEEE 802.11AX RU SAR EXCLUSION

H.1 IEEE 802.11ax RU SAR Exclusion

To make the most efficient use of the additional available subcarriers (data tones), IEEE 802.11ax can utilize Orthogonal Frequency-Division Multiple Access (OFDMA) which divides the existing 802.11 channels into smaller subchannels called Resource Units (RUs). Possible RU sizes are: 26T, 52T, 106T, 242T, 484T, 996T and 996T_{x2}.

Per FCC Guidance, 802.11ax was considered a higher order 802.11 mode when compared to a/b/g/n/ac to apply KDB Publication 248227 D01v02r02 for OFDM mode selection. Therefore, SAR tests were not required for 802.11ax based on the maximum allowed output powers of OFDM modes and the reported SAR values. Per FCC Guidance, maximum conducted powers were performed for each RU size to demonstrate that the output powers would not be higher than the other OFDM 802.11 modes.

H.2 IEEE 802.11ax RU Target Powers

H.2.1 Maximum 802.11ax RU Time-Averaged WLAN Output Power

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3a															
		SISO								MIMO							
		Tones															
	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	
1	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
2	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
3	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
4	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
5	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
6	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
7	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
8	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
9	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
10	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
11	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
12	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1a															
		SISO								MIMO							
		Tones								Tones							
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal
1	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
2	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
3	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
4	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
5	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
6	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
7	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
8	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
9	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
10	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
11	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
12	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	11.50	10.00	
13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 1 of 96

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		Times													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
5 GHz WFI 20 MHz Bandwidth	36	10.50	9.00	13.50	12.00	15.25	13.75	15.25	13.75						
	40	10.50	9.00	13.50	12.00	15.25	13.75	15.25	13.75						
	44	10.50	9.00	13.50	12.00	15.25	13.75	15.25	13.75						
	48	10.50	9.00	13.50	12.00	15.25	13.75	15.25	13.75						
	52	NS	NS	NS	13.50	12.00	15.25	13.75	15.25						
	56	NS	NS	NS	13.50	12.00	15.25	13.75	15.25						
	60	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	64	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	100	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	104	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	108	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	112	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	116	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	120	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	124	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	128	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	132	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	136	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	140	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
5 GHz WFI 40 MHz Bandwidth	144	NS	NS	13.50	12.00	15.25	13.75	15.25	13.75						
	148	10.50	9.00	13.50	12.00	14.00	12.50	14.00	12.50						
	152	10.50	9.00	13.50	12.00	14.00	12.50	14.00	12.50						
	157	10.50	9.00	13.50	12.00	14.00	12.50	14.00	12.50						
	161	10.50	9.00	13.50	12.00	14.00	12.50	14.00	12.50						
	165	10.50	9.00	13.50	12.00	14.00	12.50	14.00	12.50						
	169	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	173	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	177	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	181	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	185	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	189	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	193	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	197	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	201	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	205	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	209	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	213	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
5 GHz WFI 80 MHz Bandwidth	217	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	221	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	225	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	229	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	233	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	237	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	241	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	245	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	249	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	253	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	257	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	261	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	265	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	269	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	273	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	277	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	281	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	285	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
5 GHz WFI 160 MHz Bandwidth	289	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	293	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	297	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	301	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	305	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	309	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	313	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	317	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	321	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	325	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	329	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	333	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	337	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	341	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	345	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	349	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	353	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	357	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				
	361	10.50	9.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00				

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 37														
		MIMO SGM														
		Times														
		2ST Maximum	2ST Nominal	3ST Maximum	3ST Nominal	10ST Maximum	10ST Nominal	24ST Maximum	24ST Nominal	48ST Maximum	48ST Nominal	96ST Maximum	96ST Nominal	192ST Maximum	192ST Nominal	
5 GHz WFI 20 MHz Bandwidth	36	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	40	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	44	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	48	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	52	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	56	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	60	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	64	NS	NS	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75					
	204	NS	NS	12.00	10.50	14.25	12.75	14.00	12.50							
	208	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
	212	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
	116	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
	120	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
	124	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
	128	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
	5 GHz WFI 40 MHz Bandwidth	132	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75						
136		NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
140		NS	NS	12.00	10.50	13.25	11.75	13.25	11.75							
144		NS	NS	12.00	10.50	14.25	12.75	14.25	12.75							
148		10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50							
252		10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50							
257		10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50							
362		10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50							
366		10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50							
38		9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50			
46		9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75	15.25	13.75			
54		NS	NS	12.00	10.50	15.00	13.50	15.00	13.50	15.25	13.75	15.25	13.75			
62		NS	NS	12.00	10.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50			
302		NS	NS	12.00	10.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00			
110		NS	NS	12.00	10.50	14.25	12.75	14.25	12.75	14.25	12.75					
118		NS	NS	12.00	10.50	14.25	12.75	14.25	12.75	14.25	12.75	14.25	12.75			
126	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75	14.25	12.75	14.25	12.75				
134	NS	NS	12.00	10.50	14.00	12.50	14.00	12.50	14.00	12.50	14.00	12.50				
142	NS	NS	12.00	10.50	14.25	12.75	13.25	11.75	14.25	12.75	14.25	12.75				
150	10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50	14.00	12.50	14.00	12.50				
158	10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50	14.00	12.50	14.00	12.50				
42	9.00	7.50	12.00	10.50	15.00	13.50	15.00	13.50	15.00	13.50	15.00	13.50				
50	NS	NS	12.00	10.50	13.50	12.00	11.00	13.50	12.00	13.00	11.50	13.00	11.50			
206	NS	NS	12.00	10.50	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00	12.50	11.00		
122	NS	NS	12.00	10.50	14.25	12.75	14.25	12.75	14.25	12.75	14.25	12.75	14.25	12.75		
138	NS	NS	12.00	10.50	14.25	12.75	13.25	11.75	14.00	12.50	14.00	12.50	14.00	12.50		
155	10.50	9.00	11.50	12.00	14.00	12.50	14.00	12.50	14.00	12.50	14.00	12.50	14.00	12.50		
50	NS	NS	12.00	10.50	9.00	8.50	8.00	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00	
114	NS	NS	12.00	10.50	8.50	8.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Mode		IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		Channel	950													
			Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9647 Maximum	9647 Nominal	9647*2 Maximum	9647*2 Nominal	
5 GHz WIT 20 MHz Bandwidth		36	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		40	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		44	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		48	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		52	N5	N5	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		56	N5	N5	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		60	N5	N5	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		64	N5	N5	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00	15.50	9.00
		108	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		104	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		108	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		112	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		116	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		120	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		124	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		5 GHz WIT 40 MHz Bandwidth		132	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00
136	N5			N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
140	N5			N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
144	N5			N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
148	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
152	15.50			12.75	11.25	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
156	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
160	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
164	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
168	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
172	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
176	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
180	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
184	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
188	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
192	15.50			9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
5 GHz WIT 80 MHz Bandwidth		200	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		204	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		208	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		212	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		216	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		220	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		224	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		228	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		232	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		236	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		240	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		244	N5	N5	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
		248	15.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
		252	15.50	12.75	11.25	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
		256	15.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
		260	15.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25
5 GHz WIT 160 MHz Bandwidth		264	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		268	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		272	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		276	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		280	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		284	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		288	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		292	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		296	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		300	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		304	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		308	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		312	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		316	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		320	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	
		324	N5	N5	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b															
		MIMO CDD															
		26T Maximum		26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal		484T Maximum	484T Nominal	984T Maximum	984T Nominal	984T*2 Maximum	984T*2 Nominal
5 GHz WFI 20 MHz Bandwidth	36	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	40	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	44	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	48	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	52	NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	56	NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	60	NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	64	NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	100	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	120	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	124	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	128	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	132	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	136	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	140	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	144	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	148	10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
	152	10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
	156	10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
	5 GHz WFI 40 MHz Bandwidth	36	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
40		8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
44		NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
48		NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
52		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
56		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
60		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
64		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
100		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
120		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
124		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
128		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
132		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
136		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
140		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
144		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
148		10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
152		10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
156		10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
5 GHz WFI 80 MHz Bandwidth		36	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
	40	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	44	NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	48	NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
	52	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	56	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	60	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	64	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	100	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	120	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	124	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	128	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	132	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	136	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	140	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	144	NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
	148	10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
	152	10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
	156	10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
	5 GHz WFI 160 MHz Bandwidth	36	8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00					
40		8.25	6.75	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
44		NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
48		NS	NS	10.50	9.00	10.50	9.00	10.50	9.00	10.50	9.00						
52		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
56		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
60		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
64		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
100		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
120		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
124		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
128		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
132		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
136		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
140		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
144		NS	NS	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50						
148		10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
152		10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						
156		10.50	9.00	12.75	11.25	12.75	11.25	12.75	11.25	12.75	11.25						

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 4 of 96

[illegible]

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 5 of 96

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 57													
		5.90								Tones					
		25T Maximum	25T Nominal	52T Maximum	52T Nominal	105T Maximum	105T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz Wi-Fi (20MHz BW)	LP	2	NS	NS	NS	NS	NS	NS	NS						
		5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25					
		8	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25					
		9-20	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25					
		33-64	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75					
		65-85	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00					
		88	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00					
		89	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00					
		97-113	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75					
		117-183	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50					
		185	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50					
		189-225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50					
		229	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50					
6 GHz Wi-Fi (40MHz BW)	LP	2	NS	NS	NS	NS	NS	NS	NS						
		5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25			
		11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25			
		19-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25			
		35-59	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75			
		67-75	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00			
		83	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00			
		91	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00			
		99-107	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75			
		115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50			
		123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50			
		187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50			
		195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50			
6 GHz Wi-Fi (80MHz BW)	LP	2	NS	NS	NS	NS	NS	NS	NS						
		5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	
		11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	
		19-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	
		35-59	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.25	9.75	
		67-75	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	11.50	10.00	
		83	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	11.50	10.00	
		91	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.25	9.75	
		99-107	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	
		115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	
		123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	
		187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	
		195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	
6 GHz Wi-Fi (160MHz BW)	LP	2	NS	NS	NS	NS	NS	NS	NS						
		5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	13.25
		11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	13.25
		19-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	13.25
		35-59	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.25	9.75	13.75
		67-75	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	11.50	10.00	14.00
		83	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	11.50	10.00	14.00
		91	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.25	9.75	13.75
		99-107	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	13.50
		115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	13.50
		123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	13.50
		187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	13.50
		195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	13.50
		227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	11.00	9.50	13.50

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T															
		MIMO 30M															
		Tones															
		20T Maximum	20T Nominal	32T Maximum	32T Nominal	100T Maximum	100T Nominal	200T Maximum	200T Nominal	400T Maximum	400T Nominal	800T Maximum	800T Nominal	1600T Maximum	1600T Nominal	3200T Maximum	3200T Nominal
6 GHz WFT (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	33-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00								
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	117-185	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	189	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	189-225	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	229	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	233	NS	NS	NS	NS	NS	NS	NS	NS								
	237	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
6 GHz WFT (40MHz BW) LP	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	31-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00						
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75						
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75						
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75						
	95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	123-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	189-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	9.50	8.00				
6 GHz WFT (80MHz BW) LP	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	7.75				
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	7.75				
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	11.50	10.00		
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	8.50	8.00	12.00	10.50		
	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	7.75	11.75	10.25		
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	11.50	10.00		
	143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	11.25	9.75		
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	11.25	9.75		
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	11.25	9.75		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 7 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		SISO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WIF1 (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-61	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25						
	65-85	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00						
	89	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00						
	93	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00						
	117-185	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	35-59	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75				
	63-79	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00				
6 GHz WIF1 (40MHz BW)	83	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00				
	91	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-55	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75		
	71	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00		
	87	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	5.50	4.00		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WIF1 (160MHz BW)	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75	9.75	8.25
	79	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00	10.00	8.50
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50	9.50	8.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		MIMO CDD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WIF1 (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	33-61	NS	NS	NS	NS	NS	NS	NS	NS						
	65-85	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	NS	NS	NS	NS	NS	NS	NS	NS						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	35-59	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
	63-79	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
6 GHz WIF1 (40MHz BW)	83	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
	91	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00		
	71	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00		
	87	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WIF1 (160MHz BW)	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.00	3.50
	79	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.00	3.50
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	4.75	3.25
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T														
		MIMO 30M														
		Tones														
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal	
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	NS	NS	NS	NS	NS	NS	NS	NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS							
	9-29	NS	NS	NS	NS	NS	NS	NS	NS							
	33-61	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00						
	65-85	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	89	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	93	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	117-145	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50						
	149	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	31-59	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00				
	63-75	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	83	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	91	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	119-179	NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50				
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	187-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	223	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	39-55	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00		
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75		
	87	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50	5.00	3.50		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	47	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	8.00	6.50
	79	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	143	NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50	5.00	3.50	7.50	6.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 9 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		SISO								Tones					
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	5	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	9-29	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	33-61	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	65-85	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50						
	89	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50						
	93	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	11	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	19-27	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	35-59	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	67-75	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	83	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
6 GHz WFI (40MHz BW) SP	95	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	23	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	39-55	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	71	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50		
	87	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFI (160MHz BW) SP	15	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	47	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	79	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		SISO								Tones					
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WFI (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	5	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	9-29	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	33-61	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	65-85	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50						
	89	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50						
	93	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	11	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	19-27	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	35-59	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	67-75	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	83	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
6 GHz WFI (40MHz BW) SP	95	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50				
	99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	23	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	39-55	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	71	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50		
	87	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFI (160MHz BW) SP	15	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	47	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	79	9.00	7.50	12.00	10.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50	13.00	11.50
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		MIMO 30M													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	5	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	9-29	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	39-64	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	65-85	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	86	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	83	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75						
	205	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	11	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	19-27	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	35-59	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	67-75	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	83	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
6 GHz Wi-Fi (40MHz BW) SP	91	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00				
	96-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-170	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00		
	13	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	39-55	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	71	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	87	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz Wi-Fi (80MHz BW) SP	135-187	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	47	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	79	9.00	7.50	12.00	10.50	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00	13.50	12.00
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	9.00	7.50	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75	11.25	9.75
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 11 of 96

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		SSO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz Wi-Fi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	9-29	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	39-61	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	65-85	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	89	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	93	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	97-113	-5.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	117-185	-5.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	189	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	189-225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	229	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
6 GHz Wi-Fi (40MHz BW)	3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
	11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
	19-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
	35-59	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75				
	67-75	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	83	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	91	-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	95-107	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75				
	115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	23	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25		
	6 GHz Wi-Fi (80MHz BW)	39-55	-5.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.00	9.50	
71		-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.50	8.00		
87		-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.50	8.00		
103		-5.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	10.00	8.50		
119		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50		
135-187		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50		
189		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50		
199		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50		
215		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50		
23		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.75	9.25	11.00	9.50
47		-5.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	11.00	9.50	11.00	9.50
79		-5.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.50	8.00	9.50	8.00
111		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50	10.00	8.50
143		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50	10.00	8.50
175		-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50	10.00	8.50
207	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	10.00	8.50	10.00	8.50	
LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO CSD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz Wi-Fi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	5	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	9-29	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	39-61	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	65-85	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	89	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	93	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	97-113	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	117-185	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	189	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	189-225	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	229	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50				
6 GHz Wi-Fi (40MHz BW)	3	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50				
	11	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50				
	19-27	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50				
	35-59	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
	67-75	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
	83	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
	91	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00				
	95-107	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
	115	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
	123-179	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	187	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	195-219	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	227	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	23	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50		
	6 GHz Wi-Fi (80MHz BW)	39-55	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	
71		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00		
87		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00		
103		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50		
119		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50		
135-187		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
189		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
199		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
215		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75		
23		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	7.00	5.50
47		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	7.00	5.50
79		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	7.00	5.50
111		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	7.00	5.50
143		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	7.75	7.25
175		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	7.75	7.25
207	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	7.75	7.25	

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b															
		MIMO SDRM															
		2x2								4x4							
6 GHz Wi-Fi (20MHz BW)	LP	2d7 Maximum	2d7 Nominal	3d7 Maximum	3d7 Nominal	1d67 Maximum	1d67 Nominal	2d27 Maximum	2d27 Nominal	NS	4d47 Maximum	4d47 Nominal	9d67 Maximum	9d67 Nominal	9d172 Maximum	9d172 Nominal	
		2	NS	NS	NS	NS	NS	NS	NS	NS							
		1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		39-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00							
		65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75							
		89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75							
		93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75							
		97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
6 GHz Wi-Fi (40MHz BW)	LP	117-185	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		189	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		189-225	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		229	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		233	NS	NS	NS	NS	NS	NS	NS	NS	6.00	4.50					
		3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50							
		35-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00					
		63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75					
6 GHz Wi-Fi (80MHz BW)	LP	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75					
		91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75					
		95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50					
		115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50					
		123-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50					
		187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50					
		189-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50					
		227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50					
		7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
		13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
6 GHz Wi-Fi (160MHz BW)	LP	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	9.50	8.00			
		71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	7.75			
		87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	7.75			
		103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
		119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
		135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
		183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
		199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
		215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50			
		15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	11.00	9.50	
6 GHz Wi-Fi (160MHz BW)	LP	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	9.50	8.00	11.00	9.50	
		79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	7.75	9.50	8.00	
		111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	
		143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	
		175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	
		207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 13 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b														
		SSO								Tones						
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
6 GHz WFT (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	NS	NS	NS	NS	NS	NS	NS	NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS							
	9-29	NS	NS	NS	NS	NS	NS	NS	NS							
	33-61	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25							
	65-85	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	89	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	93	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-185	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50							
	189	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz WFT (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	31-59	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75					
	63-75	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	83	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	91	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	119-179	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50					
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	189-219	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	231	NS	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFT (80MHz BW) VLP	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	39-55	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75			
	71	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00			
	87	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00			
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	135-167	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50			
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	223	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b														
		MIMO CDD								Tones						
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
		2	NS	NS	NS	NS	NS	NS	NS	NS						
		1	NS	NS	NS	NS	NS	NS	NS	NS						
		5	NS	NS	NS	NS	NS	NS	NS	NS						
		9-29	NS	NS	NS	NS	NS	NS	NS	NS						
		33-61	NS	NS	NS	NS	NS	NS	NS	NS						
		65-85	NS	NS	NS	NS	NS	NS	NS	NS						
		89	NS	NS	NS	NS	NS	NS	NS	NS						
		93	NS	NS	NS	NS	NS	NS	NS	NS						
		97-113	NS	NS	NS	NS	NS	NS	NS	NS						
		117-185	NS	NS	NS	NS	NS	NS	NS	NS						
		189	NS	NS	NS	NS	NS	NS	NS	NS						
		189-225	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFT (20MHz BW) VLP		233	NS	NS	NS	NS	NS	NS	NS	NS						
		237	NS	NS	NS	NS	NS	NS	NS	NS						
		3	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		11	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		31-59	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		63-75	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		83	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		91	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		115	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		119-179	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		187	NS	NS	NS	NS	NS	NS	NS	NS	NS					
		189-219	NS	NS	NS	NS	NS	NS	NS	NS	NS					
6 GHz WFT (40MHz BW) VLP		227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFT (80MHz BW) VLP		223	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO 52MHz													
		2427 Maximum								2427 Nominal					
6 GHz WIFI (20MHz BW)	VLP	2427 Maximum	2427 Nominal	5227 Maximum	5227 Nominal	12627 Maximum	12627 Nominal	24227 Maximum	24227 Nominal	48427 Maximum	48427 Nominal	99627 Maximum	99627 Nominal	996172 Maximum	996172 Nominal
		2	NS	NS	NS	NS	NS	NS	NS						
		1	NS	NS	NS	NS	NS	NS	NS						
		5	NS	NS	NS	NS	NS	NS	NS						
		9-29	NS	NS	NS	NS	NS	NS	NS						
		39-61	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
		65-85	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25				
		88	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25				
		93	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25				
		97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		117-181	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50				
		185	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		229	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		233	NS	NS	NS	NS	NS	NS	NS	NS	NS				
6 GHz WIFI (40MHz BW)	VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		11	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		33-59	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00		
		63-75	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75		
		83	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75		
		91	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75		
		95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		119-179	NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50		
		183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		187-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		223	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WIFI (80MHz BW)	VLP	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		39-55	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00
		73	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75
		87	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75
		103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		135-167	NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50	5.00	3.50
		183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		25	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		47	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00
		79	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75
6 GHz WIFI (160MHz BW)	VLP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		143	NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50	5.00	3.50
		175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		267	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 15 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		SSD								Tones					
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	5	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	9-29	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	39-61	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	65-85	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00						
	89	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00						
	93	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-149	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	153	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
6 GHz Wi-Fi (40MHz BW) SP	11	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
	19-27	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
	35-59	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
	67-75	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00				
	83	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00				
	91	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	125-179	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
	13	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
	39-55	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
6 GHz Wi-Fi (80MHz BW) SP	71	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00		
	87	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	47	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	79	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO CDD								Tones					
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	5	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	9-29	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	39-61	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50						
	65-85	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00						
	89	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00						
	93	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-149	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	153	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
6 GHz Wi-Fi (40MHz BW) SP	11	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
	19-27	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
	35-59	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50				
	67-75	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00				
	83	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00				
	91	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	125-179	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
	13	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
	39-55	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50		
6 GHz Wi-Fi (80MHz BW) SP	71	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00		
	87	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	47	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	79	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO SDR													
		2x2								4x4					
6 GHz Wi-Fi (20MHz BW) SP	Channel	2d7 Maximum	2d7 Nominal	32T Maximum	32T Nominal	12d7 Maximum	12d7 Nominal	242T Maximum	242T Nominal	4d4T Maximum	4d4T Nominal	9d6T Maximum	9d6T Nominal	9d6T2 Maximum	9d6T2 Nominal
		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	5	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	9-29	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	39-61	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	65-85	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	89	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	93	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	117-145	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	149	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	3	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	11	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	19-27	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	35-59	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	63-75	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	83	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	91	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
6 GHz Wi-Fi (40MHz BW) SP	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	123-179	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	185-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	7	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	13	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	39-55	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	71	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
6 GHz Wi-Fi (80MHz BW) SP	87	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	135-187	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	15	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	47	9.00	7.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50	11.00	9.50
	79	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00
6 GHz Wi-Fi (160MHz BW) SP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	239	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 17 of 96

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		SSO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz Wi-Fi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	9-29	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	39-61	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	65-85	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	89	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	93	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	97-113	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	117-185	-3.00	-4.50	-1.00	-2.50	2.00	0.50	3.00	3.50						
	185	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50						
	189-225	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50						
	229	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	6 GHz Wi-Fi (40MHz BW)	3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25			
11		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
19-27		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
30-50		-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25				
63-75		-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
83		-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
91		-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
95-107		-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25				
115		-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	7.75	6.25				
125-179		-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	7.75	6.25				
187		-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50				
189-219		-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50				
227		-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50				
7		-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	8.50	7.00		
6 GHz Wi-Fi (80MHz BW)		13	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	8.50	7.00	
	39-55	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	8.50	7.00		
	71	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.25	6.75		
	87	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	8.25	6.75		
	103	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25	8.50	7.00		
	119	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	7.75	6.25	8.50	7.00		
	135-187	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50	8.50	7.00		
	189	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50	8.50	7.00		
	199	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50	8.75	7.25		
	215	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50	8.75	7.25		
	15	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	8.50	7.00	8.50	7.00
	47	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	8.50	7.00	8.50	7.00
	79	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	9.25	7.75	9.25	7.75
	111	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	7.75	6.25	7.75	6.25	7.75	6.25
	143	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50	8.50	7.00	8.50	7.00
175	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50	9.00	8.00	9.00	8.00	
207	-4.00	-3.50	-1.00	-2.50	2.00	0.50	3.00	3.50	8.00	6.50	8.75	7.25	8.75	7.25	
LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO CDO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz Wi-Fi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	5	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	9-29	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	39-61	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	65-85	-3.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	89	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	93	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00						
	97-113	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	117-185	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	185	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	189-225	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	229	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	6 GHz Wi-Fi (40MHz BW)	3	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			1.00	1.50	
11		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			1.00	1.50		
19-27		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			1.00	1.50		
30-50		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			3.50	2.00		
63-75		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			1.50	2.00		
83		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			3.50	2.00		
95		-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			2.50	3.00		
95-107		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50		
115		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50		
125-179		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75		
187		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75		
185-219		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75		
227		NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75		
7		NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50	4.50	
6 GHz Wi-Fi (80MHz BW)		23	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50	4.50
	39-55	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			1.50	2.00	6.50	5.00
	71	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			1.50	2.00	6.50	5.00
	87	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			3.00	2.00	6.50	5.00
	103	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50	6.00	4.50
	119	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50	6.00	4.50
	135-187	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75	6.25	4.75
	189	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75	6.25	4.75
	199	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75	6.25	4.75
	215	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75	6.25	4.75
	15	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50	6.00	4.50
47	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			3.50	2.00	6.50	5.00	
79	-8.50	-10.00	-5.50	-7.00	-3.50	-4.00	0.50	-1.00			1.50	2.00	6.50	5.00	
111	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50			3.00	1.50	6.00	4.50	
143	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75	6.25	4.75	
175	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75	6.25	4.75	
207	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25			3.25	1.75	6.25	4.75	

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO SDM														
		Power														
		2G7 Maximum	2G7 Nominal	3G7 Maximum	3G7 Nominal	3G7 Maximum	3G7 Nominal	3G7 Maximum	3G7 Nominal	3G7 Maximum	3G7 Nominal	3G7 Maximum	3G7 Nominal	3G7 Maximum	3G7 Nominal	3G7 Maximum
6 GHz WFT (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	39-64	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00							
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	86	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75							
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	117-185	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	186	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	189-225	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	226	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
	234	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz WFT (40MHz BW) LP	3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	30-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00					
	60-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75					
	96-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	123-170	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	188-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50					
	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.50	7.00			
	18	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.50	7.00			
6 GHz WFT (80MHz BW) LP	36-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	8.50	7.00			
	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75			
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75			
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	7.75	6.25			
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	7.75	6.25			
	135-187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.00	7.50			
	188	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.00	7.50			
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.75	7.25			
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.75	7.25			
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.50	7.00	8.50	7.00	
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.50	5.00	8.50	7.00	8.50	7.00	
	70	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	8.25	7.75	8.25	7.75	
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	7.75	6.25	7.75	6.25	
	144	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.00	7.50	8.00	7.50	
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	9.00	7.50	9.00	7.50	
6 GHz WFT (160MHz BW) LP	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50	8.75	7.25	8.75	7.25	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 19 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		SISO								MIMO CSD						
		Tones								Tones						
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
6 GHz WIF1 (200MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	NS	NS	NS	NS	NS	NS	NS	NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS							
	9-29	NS	NS	NS	NS	NS	NS	NS	NS							
	33-64	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25							
	65-85	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	86	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	93	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-185	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50							
	186	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz WIF1 (400MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	30-297	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	30-50	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75					
	67-75	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	83	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	91	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	96-107	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	NS	NS					
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	123-179	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50					
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	190-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	6 GHz WIF1 (800MHz BW) VLP	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
13		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
30-55		NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75			
71		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00			
87		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00			
103		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	8.50	7.00	
119		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
135-187		NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50			
189		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
199		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
215		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
15		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
47		NS	NS	NS	NS	-1.25	-2.75	1.25	-0.25	4.25	2.75	5.25	4.50	8.50	7.00	
79		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00	9.50	7.75	
111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WIF1 (1600MHz BW) VLP	143	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.50	8.00	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO CSD														
		Tones														
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
6 GHz WIF1 (200MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	NS	NS	NS	NS	NS	NS	NS	NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS							
	9-29	NS	NS	NS	NS	NS	NS	NS	NS							
	33-64	NS	NS	NS	NS	NS	NS	NS	NS							
	65-85	NS	NS	NS	NS	NS	NS	NS	NS							
	86	NS	NS	NS	NS	NS	NS	NS	NS							
	93	NS	NS	NS	NS	NS	NS	NS	NS							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-185	NS	NS	NS	NS	NS	NS	NS	NS							
	186	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz WIF1 (400MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	30-297	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	30-50	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75					
	67-75	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	83	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	91	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00					
	96-107	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	NS	NS					
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	190-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	6 GHz WIF1 (800MHz BW) VLP	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
13		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
30-55		NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75			
71		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00			
87		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00			
103		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	8.50	7.00	
119		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
135-187		NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50			
189		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
199		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
215		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
15		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
47		NS	NS	NS	NS	-1.25	-2.75	1.25	-0.25	4.25	2.75	5.25	4.50	8.50	7.00	
79		NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00	9.50	7.75	
111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WIF1 (1600MHz BW) VLP	143	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.50	8.00	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO CSD														
		Tones														
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
6 GHz WIF1 (200MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	NS	NS	NS	NS	NS	NS	NS	NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS							
	9-29	NS	NS	NS	NS	NS	NS	NS	NS							
	33-64	NS	NS	NS	NS	NS	NS	NS	NS							
	65-85	NS	NS	NS	NS	NS	NS	NS	NS							
	89	NS	NS	NS	NS	NS	NS	NS	NS							
	93	NS	NS	NS	NS	NS	NS	NS	NS							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-185	NS	NS	NS	NS	NS	NS	NS	NS							
	189	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz WIF1 (400MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	30-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	30-59	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	67-75	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00					
	83	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00					
	91	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00					
	96-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25					
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	189-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	6 GHz WIF1 (800MHz BW) VLP	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
13		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
30-55		NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00			
71		NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00			
87		NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00			
103		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
119		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
135-187		NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	0.75				
189		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
199		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
215		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
6 GHz WIF1 (1600MHz BW) VLP		15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		47	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	1.00	1.50
		79	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	1.00	1.50
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	143	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	0.75	4.75	1.25		
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO 50MHz														
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	Tones						
6 GHz WiFi (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS	404T Maximum	404T Nominal	960T Maximum	960T Nominal	960T2 Maximum	960T2 Nominal	
	1	NS	NS	NS	NS	NS	NS	NS	NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS							
	9-29	NS	NS	NS	NS	NS	NS	NS	NS							
	33-61	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00						
	65-85	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	89	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	93	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-181	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50						
	185	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
6 GHz WiFi (40MHz BW)	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	35-59	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00				
	63-75	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	83	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	91	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	123-179	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	21	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	6 GHz WiFi (80MHz BW)	39-55	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	
71		NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75		
87		NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75		
103		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
119		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
135-187		NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50	5.00	3.50		
183		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
199		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
215		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
15		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
47		NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	6.50	
79		NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	6.25	
111		NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WiFi (160MHz BW)		143	NS	NS	NS	NS	NS	NS	NS	-1.00	-3.00	2.00	0.50	5.00	3.50	6.00
		175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 21 of 96

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		SISO													
		Tones													
6 GHz WFI (20MHz BW) SP	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
	2	NS	NS	NS	NS	NS	NS	NS							
	1	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	5	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	9-29	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	33-41	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	45-85	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	89	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	93	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	107-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (40MHz BW) SP	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
	2	NS	NS	NS	NS	NS	NS	NS							
	1	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	5	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	9-29	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	33-41	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	45-85	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	89	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	93	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	107-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (80MHz BW) SP	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
	2	NS	NS	NS	NS	NS	NS	NS							
	1	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	5	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	9-29	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	33-41	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	45-85	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	89	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	93	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	107-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (160MHz BW) SP	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
	2	NS	NS	NS	NS	NS	NS	NS							
	1	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	5	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	9-29	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	33-41	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	45-85	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	89	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	93	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	107-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFI (320MHz BW) SP	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
	2	NS	NS	NS	NS	NS	NS	NS							
	1	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	5	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	9-29	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	33-41	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00						
	45-85	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	89	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	93	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75						
	107-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b														
		MIMO 52M														
		Tones														
6 GHz Wi-Fi (20MHz BW) SP	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal		
	2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	1	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00							
	5	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00							
	9-29	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00							
	39-61	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00							
	65-85	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75							
	89	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75							
	93	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-145	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25							
	149	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz Wi-Fi (40MHz BW) SP	233	NS	NS	NS	NS	NS	NS	NS	NS							
	3	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00					
	11	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00			
	19-27	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00			
	35-59	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00			
	63-75	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75			
	83	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75			
	91	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75			
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	123-159	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25			
	167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	185-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz Wi-Fi (80MHz BW) SP	7	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00			
	13	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00			
	39-55	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00			
	71	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75			
	87	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75			
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	135-167	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00			
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	15	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00		8.50	7.00		
	47	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00	8.50	7.00			
	79	9.00	7.50	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75			
6 GHz Wi-Fi (160MHz BW) SP	111 <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td>NS</td> <td></td>	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	143	9.00	7.50	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00	9.50	8.00			
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 23 of 96

H.2.2 Reduced 802.11ax RU Time-Averaged WLAN Output Power

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b and wPT active
- Simultaneous conditions with Licensed Bands Antenna 4, NB UNII Antenna 3b and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3a															
		SISO								MIMO							
		Tones								Tones							
2.4 GHz WRT 20 MHz Bandwidth	1	20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal
	2	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	3	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	4	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	5	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	6	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	7	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	8	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	9	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	10	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	11	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	12	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00
	13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b and wPT active
- Simultaneous conditions with Licensed Bands Antenna 2, NB UNII Antenna 1b and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1a															
		SISO								MIMO							
		Tones								Tones							
2.4 GHz WRT 20 MHz Bandwidth	1	20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal
	2	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	3	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	4	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	5	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	6	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	7	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	8	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	9	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	10	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	11	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	12	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00	6.00	5.00
	13	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 24 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 4 and 802.15.4 Ant 4 and wPT active.
- Simultaneous conditions with Licensed Band Antenna 2, 802.15.4 Ant 4, 5/6 GHz WLAN Antenna 3b and wPT active.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3T													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
5 GHz WPI 20 MHz Bandwidth	36	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75						
	40	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75						
	44	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75						
	48	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75						
	52	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	56	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	60	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	64	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	100	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	104	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	108	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	112	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	116	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	120	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	124	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	128	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	132	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	136	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	140	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
5 GHz WPI 40 MHz Bandwidth	144	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	148	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	152	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	156	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	160	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	164	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	168	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	172	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	176	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	180	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	184	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	188	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	192	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	196	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	200	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	204	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	208	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	212	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	216	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
5 GHz WPI 80 MHz Bandwidth	220	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	224	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	228	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	232	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	236	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	240	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	244	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	248	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	252	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	256	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	260	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	264	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	268	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	272	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	276	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	280	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	284	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	288	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	292	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
5 GHz WPI 160 MHz Bandwidth	296	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	300	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	304	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	308	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	312	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	316	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	320	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	324	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	328	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	332	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	336	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	340	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	344	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	348	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	352	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	356	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	360	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	364	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	368	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	372	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		MIMO 10M													
		Times													
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	968T Maximum	968T Nominal	1936T Maximum	1936T Nominal
5 GHz WFI 20 MHz Bandwidth	36	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75						
	40	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75						
	44	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75						
	48	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75						
	52	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	56	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	60	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	64	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75						
	100	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75						
	104	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75						
	108	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	112	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	116	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75						
	120	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	124	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	128	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	132	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	136	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	140	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75						
	144	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75						
	148	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	152	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	156	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
	160	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50						
5 GHz WFI 40 MHz Bandwidth	38	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75				
	42	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75				
	46	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75				
	50	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75				
	54	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75				
	58	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75				
	62	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75				
	102	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75				
	110	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75				
	118	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75				
	126	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75				
	134	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75				
	142	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75				
	150	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50				
	158	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50				
5 GHz WFI 80 MHz Bandwidth	42	9.00	7.50	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75		
	58	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75		
	106	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75		
	122	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75		
5GHz WFI 160 MHz Bandwidth	138	NS	NS	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75	8.25	7.75		
	154	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50	9.00	7.50		
	170	NS	NS	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75	10.25	8.75
	186	NS	NS	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75	9.25	7.75

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 26 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b/4 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 2 and 802.15.4 Ant 4 and wPT active.

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		SISO													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
5 GHz WFI 20 MHz Bandwidth	36	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	40	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	44	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	48	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	52	NS	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00					
	56	NS	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00					
	60	NS	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00					
	64	NS	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00					
	100	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	104	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	108	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	112	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	116	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	120	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	124	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	128	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	132	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	136	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	140	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
	144	NS	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50					
148	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
152	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
156	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
160	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
164	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
168	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
172	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
176	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
180	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
184	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
188	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
192	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
196	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
200	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
204	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
208	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
212	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
216	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
220	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
224	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
228	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
232	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
236	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
240	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
244	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
248	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
252	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
256	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
260	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
264	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
268	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
272	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
276	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
280	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
284	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
288	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
292	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
296	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
300	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
304	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
308	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
312	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
316	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
320	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
324	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
328	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
332	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
336	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
340	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
344	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
348	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
352	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
356	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
360	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
364	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
368	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
372	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
376	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
380	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
384	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
388	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
392	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
396	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
400	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
404	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
408	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
412	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
416	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
420	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
424	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
428	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
432	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
436	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
440	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
444	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
448	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
452	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
456	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
460	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
464	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
468	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
472	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25					
476	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25							

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b														
		MIMO 10M														
		Tones														
	267 Maximum	267 Nominal	327 Maximum	327 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4647 Maximum	4647 Nominal	9967 Maximum	9967 Nominal	19677 Maximum	19677 Nominal		
5 GHz WiFi 20 MHz Bandwidth	36	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	40	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	56	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	48	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	52	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	56	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	60	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	64	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	100	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	104	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	108	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	112	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	116	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	120	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	124	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	128	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	132	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	136	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	140	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	5 GHz WiFi 40 MHz Bandwidth	144	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
148		7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
152		7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
157		7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
161		7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
165		7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
38		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
46		5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
54		NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
62		NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
102		NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
110		NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
118		NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
126		NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
134		NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
142		NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
150		7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
158		7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
5 GHz WiFi 80 MHz Bandwidth		42	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
		58	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	206	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	122	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	138	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	
	155	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	7.75	6.25	
5GHz WiFi 160 MHz Bandwidth	NS	NS	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	114	NS	NS	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 28 of 96

- Simultaneous conditions with Licensed Bands Antenna 1a/1b/2 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b															
		SSID															
		Tones															
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal		
5 GHz WiFi 20 MHz Bandwidth	36	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75		
	40	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75		
	44	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75		
	48	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75		
	52	NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
	56	NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
	60	NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
	64	NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
	108	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	112	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	116	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	120	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	124	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	128	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	132	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	136	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	140	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	144	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	148	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	5 GHz WiFi 40 MHz Bandwidth	152	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	4.50	3.00	
157		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
161		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
165		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
38		4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75		
46		4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75		
54		NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
62		NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
102		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
110		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
118		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
126		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
134		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
142		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
150		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
158		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
166		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
174		6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
5 GHz WiFi 80 MHz Bandwidth		38	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	
		46	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	
	54	NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
	62	NS	NS	NS	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25		
	102	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	110	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	118	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	126	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	134	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	142	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
	150	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	158	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	166	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	174	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	182	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	190	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	198	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	206	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	
	5 GHz WiFi 160 MHz Bandwidth	114	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25
		122	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25
130		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
138		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
146		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
154		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
162		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
170		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
178		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
186		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
194		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
202		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
210		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
218		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
226		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
234		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
242		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
250		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
258		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
266		NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	
274	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
282	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
290	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
298	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
306	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
314	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
322	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
330	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
338	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
346	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
354	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
362	NS	NS	NS	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25	3.75	2.25		
370	NS	NS	NS														

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 29 of 96

Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO 10M													
		Times													
		20T Maximum	20T Nominal	32T Maximum	32T Nominal	192T Maximum	192T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T12 Maximum	996T12 Nominal
5 GHz WFI 20 MHz Bandwidth	36	NS	NS	NS	NS	NS	NS	4.25	2.75						
	40	NS	NS	NS	NS	NS	NS	4.25	2.75						
	44	NS	NS	NS	NS	NS	NS	4.25	2.75						
	48	NS	NS	NS	NS	NS	NS	4.25	2.75						
	52	NS	NS	NS	NS	NS	NS	NS	NS						
	56	NS	NS	NS	NS	NS	NS	NS	NS						
	60	NS	NS	NS	NS	NS	NS	NS	NS						
	64	NS	NS	NS	NS	NS	NS	NS	NS						
	100	NS	NS	NS	NS	NS	NS	NS	NS						
	104	NS	NS	NS	NS	NS	NS	NS	NS						
	108	NS	NS	NS	NS	NS	NS	NS	NS						
	112	NS	NS	NS	NS	NS	NS	NS	NS						
	116	NS	NS	NS	NS	NS	NS	NS	NS						
	120	NS	NS	NS	NS	NS	NS	NS	NS						
	124	NS	NS	NS	NS	NS	NS	NS	NS						
	128	NS	NS	NS	NS	NS	NS	NS	NS						
	132	NS	NS	NS	NS	NS	NS	NS	NS						
	136	NS	NS	NS	NS	NS	NS	NS	NS						
	140	NS	NS	NS	NS	NS	NS	NS	NS						
	144	NS	NS	NS	NS	NS	NS	NS	NS						
	148	NS	NS	NS	NS	NS	NS	6.00	4.50						
	152	NS	NS	NS	NS	NS	NS	6.00	4.50						
	156	NS	NS	NS	NS	NS	NS	6.00	4.50						
	160	NS	NS	NS	NS	NS	NS	6.00	4.50						
	164	NS	NS	NS	NS	NS	NS	6.00	4.50						
	168	NS	NS	NS	NS	NS	NS	6.00	4.50						
	172	NS	NS	NS	NS	NS	NS	6.00	4.50						
	176	NS	NS	NS	NS	NS	NS	6.00	4.50						
	180	NS	NS	NS	NS	NS	NS	6.00	4.50						
	184	NS	NS	NS	NS	NS	NS	6.00	4.50						
	188	NS	NS	NS	NS	NS	NS	6.00	4.50						
	192	NS	NS	NS	NS	NS	NS	6.00	4.50						
	196	NS	NS	NS	NS	NS	NS	6.00	4.50						
	200	NS	NS	NS	NS	NS	NS	6.00	4.50						
5 GHz WFI 40 MHz Bandwidth	38	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75				
	42	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75				
	46	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75				
	50	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	54	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	58	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	62	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	66	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	70	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	74	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	78	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	82	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
5 GHz WFI 80 MHz Bandwidth	42	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75	4.25	2.75		
	46	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	50	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	54	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	58	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	62	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	66	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	70	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	74	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	78	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	82	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	86	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
5GHz WFI 160 MHz Bandwidth	90	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	4.25	2.75
	114	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	3.75	2.25

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 30 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 4 and 802.15.4 Ant 4 and wPT active.
- Simultaneous conditions with Licensed Band Antenna 2, 802.15.4 Ant 4, 5/6 GHz WLAN Antenna 3b and wPT active.

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		802.11													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	9-26	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	33-61	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	65-93	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	97	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	101	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00						
	105-113	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	117-145	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	149	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	153-181	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	185	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	189-217	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	221	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
6 GHz WPT (40MHz BW)	3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
	11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
	15-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25				
	31-59	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75				
	63-75	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	79	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	83	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	87	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	91	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00				
	95-107	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75				
	111	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	115-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	183	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	191-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
6 GHz WPT (80MHz BW)	227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50				
	7	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.00	8.50		
	23	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	7.75	6.25	10.00	8.50		
	27	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	10.00	8.50		
	31-59	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	10.00	8.50		
	63	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	9.75	8.25		
	67	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	9.75	8.25		
	71	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	9.25	7.75		
	75	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	9.25	7.75		
	79	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	9.75	8.25		
	83	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	8.50	7.00	9.75	8.25		
	87	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	9.25	7.75		
	91	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	8.25	6.75	9.25	7.75		
	95-107	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
6 GHz WPT (160MHz BW)	109	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	113-167	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	171	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	175	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	183	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	191	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	195	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	199	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	203	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	207	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	211	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	215	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
6 GHz WPT (320MHz BW)	225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	229	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	233	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	237	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	241	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	245	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	249	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	253	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	257	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	261	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	265	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	269	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	273	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	277	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		
	281	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	8.00	6.50	8.25	6.75		

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T															
		MIMO 32M															
		Tones															
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1367 Maximum	1367 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	99672 Maximum	99672 Nominal		
6 GHz Wi-Fi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS								
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	39-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00								
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	117-195	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	205	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	199-225	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	229	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	233	NS	NS	NS	NS	NS	NS	NS	NS								
	3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
6 GHz Wi-Fi (40MHz BW) LP	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	35-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00						
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75						
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75						
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75						
	95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	119-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	185-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50						
	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50				
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	9.50	8.00				
6 GHz Wi-Fi (80MHz BW) LP	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	6.75				
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	8.25	6.75				
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	7.50	6.00				
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75				
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75				
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75				
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75				
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75				
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	10.00	8.50		
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.50	5.00	8.00	6.50	10.00	8.50		
	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	6.25	4.75	9.25	7.75	9.75	8.25		
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	9.00	7.50	9.25	7.75		
	143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75	8.25	6.75		
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75	8.25	6.75		
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	8.25	6.75	8.25	6.75		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 32 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 4 and 802.15.4 Ant 4 and wPT active.
- Simultaneous conditions with Licensed Band Antenna 2, 802.15.4 Ant 4, 5/6 GHz WLAN Antenna 3b and wPT active.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		802													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	6-26	NS	NS	NS	NS	NS	NS	NS	NS						
	33-61	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25						
	62-85	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00						
	86	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00						
	89	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-180	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WPT (40MHz BW)	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	18-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	25-50	NS	NS	NS	NS	NS	NS	1.25	-0.25	2.75	4.25	7.25	5.75	8.25	8.25
	67-75	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00				
	83	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00				
	91	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	35-55	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
6 GHz WPT (80MHz BW)	71	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00		
	87	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	7.25	5.75	8.25	8.25
	79	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	7.50	6.00	8.75	8.25
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	7.00	5.50	8.25
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T													
		MIMO CDD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW)	2	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	6-26	NS	NS	NS	NS	NS	NS	NS	NS						
	33-61	NS	NS	NS	NS	NS	NS	NS	NS						
	62-85	NS	NS	NS	NS	NS	NS	NS	NS						
	86	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-180	NS	NS	NS	NS	NS	NS	NS	NS						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WPT (40MHz BW)	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	18-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	25-50	NS	NS	NS	NS	NS	NS	1.50	0.00	-0.50	1.00	7.50	6.00	8.75	8.25
	67-75	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
	83	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
	91	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25		
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	35-55	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00		
6 GHz WPT (80MHz BW)	71	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00		
	87	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	47	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.00	3.50
	79	NS	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.00	3.50
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	4.75	3.25
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 33 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T														
		MIMO 30M														
		Tones														
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal	
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	NS	NS	NS	NS	NS	NS	NS	NS							
	5	NS	NS	NS	NS	NS	NS	NS	NS							
	9-29	NS	NS	NS	NS	NS	NS	NS	NS							
	39-61	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00						
	65-85	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	89	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	93	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50						
	205	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz WIFI (40MHz BW) VLP	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	31-59	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00				
	63-75	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	83	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	91	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	119-179	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	39-55	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00		
6 GHz WIFI (80MHz BW) VLP	71	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75		
	87	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	135-167	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	25	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	47	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	8.00	6.50
	79	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	7.75	6.25
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50	7.50	6.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 34 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 4 and 802.15.4 Ant 4 and wPT active.
- Simultaneous conditions with Licensed Band Antenna 2, 802.15.4 Ant 4, 5/6 GHz WLAN Antenna 3b and wPT active.

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1T													
		SISO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
5 GHz WFT (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	5	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	9-26	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	33-61	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	65-93	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25						
	97	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25						
	99	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25						
	103	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25						
	107-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-183	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
5 GHz WFT (40MHz BW) SP	3	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	11	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	15-27	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	31-59	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	63-75	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25				
	83	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25				
	91	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	119-179	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
	23	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
	39-55	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
5 GHz WFT (80MHz BW) SP	71	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25		
	87	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	47	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	79	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1T													
		MIMO CDD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
5 GHz WFT (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	5	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	9-26	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	33-61	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50						
	65-93	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25						
	97	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25						
	99	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25						
	103	NS	NS	NS	NS	NS	NS	NS	NS						
	107-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-183	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75						
	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
5 GHz WFT (40MHz BW) SP	3	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	11	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	15-27	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	31-59	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50				
	63-75	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25				
	83	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25				
	91	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	119-179	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
	23	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
	39-55	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50		
5 GHz WFT (80MHz BW) SP	71	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25		
	87	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	47	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50
	79	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

FCC ID BCGA2995

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 5T														
		MIMO 30M														
		Tones														
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	19617 Maximum	19617 Nominal	
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50							
	5	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50							
	9-29	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50							
	39-64	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50							
	65-85	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25							
	86	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25							
	87	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25							
	97-113	NS	NS	NS	NS	NS	NS	NS	NS							
	117-185	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75							
	205	NS	NS	NS	NS	NS	NS	NS	NS							
	189-225	NS	NS	NS	NS	NS	NS	NS	NS							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
	233	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz Wi-Fi (40MHz BW) SP	3	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50					
	11	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50					
	19-27	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50					
	39-59	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50					
	67-75	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25					
	83	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25					
	91	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25					
	96-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	123-170	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75					
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	7	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
	13	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
6 GHz Wi-Fi (80MHz BW) SP	39-55	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50			
	71	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25			
	87	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25			
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	135-187	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75			
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	15	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
	47	9.00	7.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	10.00	8.50	
	79	9.00	7.50	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	9.75	8.25	
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	143	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	8.25	6.75	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz Wi-Fi (160MHz BW) SP	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 36 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b/4 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 2 and 802.15.4 Ant 4 and wPT active.

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b														
		SSO Tones														
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
6 GHz WRT (200MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS							
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25							
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25							
	9-29	-5.75	-7.25	-1.25	-2.75	1.75	0.25	4.75	3.25							
	33-43	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75							
	65-85	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00							
	89	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00							
	91	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00							
	97-113	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75							
	117-181	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
	185	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
	189-225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50							
	229	NS	NS	NS	NS	NS	NS	NS	NS							
6 GHz WRT (400MHz BW) LP	3	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50					
	11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50					
	19-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50					
	35-59	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.00	4.50					
	67-75	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00					
	81	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00					
	85	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00					
	89-107	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.25	4.75					
	111	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
	123-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
	187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
	195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
	227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75					
6 GHz WRT (800MHz BW) LP	7	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50			
	23	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50			
	39-55	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.00	4.50	6.00	4.50			
	71	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00			
	87	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00			
	103	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	5.75	4.25	5.75	4.25			
	119	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00			
	135-167	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75			
	183	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75			
	199	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75			
	215	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	6.25	4.75	6.25	4.75			
	231	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50	6.00	4.50	
	47	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.00	4.50	6.00	4.50	6.00	4.50	
6 GHz WRT (1600MHz BW) LP	79	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	111	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.75	4.25	5.75	4.25	5.75	4.25	
	143	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00	5.50	4.00	
	175	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00	5.50	4.00	
LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b														
		MMMO CDO Tones														
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal	
		2	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
		1	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
		5	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
		9-29	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
		33-43	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
		65-85	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
		89	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
		91	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
		97-113	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
		117-181	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
185	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25								
189-225	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25								
229	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25								
233	NS	NS	NS	NS	NS	NS	NS	NS	0.00	-1.50						
6 GHz WRT (200MHz BW) LP	3	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
	11	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
	19-27	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
	35-59	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00					
	67-75	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00					
	83	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00					
	91	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00					
	99-107	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
	115	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50					
	123-179	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
	187	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
	195-219	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
	227	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75					
6 GHz WRT (400MHz BW) LP	7	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50			
	23	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	6.00	4.50			
	39-55	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	6.00	4.50			
	71	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	5.50	4.00			
	87	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	1.50	2.00	5.50	4.00			
	103	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.75	4.25			
	119	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.50	4.00			
	135-167	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00			
	183	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75			
	199	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75			
	215	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75			
	231	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	6.00	4.50	6.00	4.50	6.00	4.50	
	47	-3.75	-5.25	-0.75	-2.25	2.25	0.75	5.25	3.75	6.00	4.50	6.00	4.50	6.00	4.50	
6 GHz WRT (1600MHz BW) LP	79	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	
	111	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	1.00	1.50	5.75	4.25	5.75	4.25	
	143	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	5.50	4.00	5.50	4.00	
	175	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	1.25	1.75	6.25	4.75	6.25	4.75	

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 2b													
		MIMO 30M													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	99672 Maximum	99672 Nominal
6 GHz Wi-Fi (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	39-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00						
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75						
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75						
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75						
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	117-195	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	205	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	199-225	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	229	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50				
6 GHz Wi-Fi (40MHz BW) LP	11	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50				
	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50				
	35-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.00	4.50				
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.50	4.00				
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.50	4.00				
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.50	4.00				
	95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.75	4.25				
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.50	4.00				
	123-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.50	4.00				
	187	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50				
	195-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50				
	227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50				
	7	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	6.00	4.50		
	13	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	6.00	4.50		
	39-55	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.00	4.50	6.00	4.50		
6 GHz Wi-Fi (80MHz BW) LP	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.50	4.00	5.50	4.00		
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.50	4.00	5.50	4.00		
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.75	4.25	5.75	4.25		
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.50	4.00	5.50	4.00		
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.50	4.00	5.50	4.00		
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	6.25	4.75		
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	6.25	4.75		
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	6.25	4.75		
	15	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	6.00	4.50	6.00	4.50
	47	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	6.00	4.50	6.00	4.50	6.00	4.50
	79	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.50	4.00	5.50	4.00	5.50	4.00
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.75	4.25	5.75	4.25	5.75	4.25
	143	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00
	175	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.50	4.00	5.50	4.00	5.50	4.00
	207	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	6.00	4.50	6.25	4.75	6.25	4.75

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 38 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b/4 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 2 and 802.15.4 Ant 4 and wPT active.

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		SSD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	8-29	NS	NS	NS	NS	NS	NS	NS	NS						
	30-63	NS	NS	NS	NS	NS	1.75	3.25	1.25	-0.25					
	65-85	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00					
	89	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00					
	93	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	1.00			
	97-113	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	117-181	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50					
6 GHz WPT (40MHz BW) VLP	185	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	189-225	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	229	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	233	NS	NS	NS	NS	NS	NS	NS	NS	NS					
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	35-23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	95-98	NS	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75			
	40-75	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00			
	83	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00			
6 GHz WPT (80MHz BW) VLP	91	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00			
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	123-179	NS	NS	NS	NS	NS	2.50	1.00	0.50	4.00	2.50				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	39-55	NS	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	6.00	4.50	
6 GHz WPT (160MHz BW) VLP	71	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	5.50	4.00	
	87	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	5.50	4.00	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	0.50	4.00	2.50	5.50	4.00	
	169	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	25	NS	NS	NS	NS	NS	1.75	3.25	1.25	-0.25	4.25	2.75	5.00	4.50	
	47	NS	NS	NS	NS	NS	1.75	3.25	1.25	-0.25	4.25	2.75	5.00	4.50	
6 GHz WPT (160MHz BW) VLP	79	NS	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	5.50	4.00	
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	143	NS	NS	NS	NS	NS	-2.00	-3.50	1.00	0.50	4.00	2.50	5.50	4.00	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		MIMO CDD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	8-29	NS	NS	NS	NS	NS	NS	NS	NS						
	30-64	NS	NS	NS	NS	NS	NS	NS	NS						
	65-89	NS	NS	NS	NS	NS	NS	NS	NS						
	89	NS	NS	NS	NS	NS	NS	NS	NS						
	93	NS	NS	NS	NS	NS	NS	NS	NS						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-180	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WPT (40MHz BW) VLP	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	35-23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	95-98	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	40-75	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	83	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
6 GHz WPT (80MHz BW) VLP	91	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	123-179	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.50	1.00	
6 GHz WPT (160MHz BW) VLP	71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.50	1.00	
	87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.50	1.00	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	2.25	0.75	
	169	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	25	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WPT (160MHz BW) VLP	79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 39 of 96

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 2b													
		MIMO 30MHz													
		Tones													
		207 Maximum	207 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
6 GHz WFTI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	39-61	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00					
	65-85	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25					
	88	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25					
	93	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25					
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50					
	205	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WFTI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	35-59	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00			
	63-75	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			
	83	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			
	91	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50			
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFTI (80MHz BW) VLP	13	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	39-55	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	
	71	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	87	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	25	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	47	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.50	4.00	
	79	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WFTI (160MHz BW) VLP	143	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 40 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 3a/3b/4 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active
- Simultaneous conditions with Licensed Band Antenna 2 and 802.15.4 Ant 4 and wPT active.

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 3b													
		SSD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	5	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	9-29	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	39-61	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	85-85	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	89	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	93	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-181	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
6 GHz WPT (40MHz BW) SP	185	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	3	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	11	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	15-27	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	35-59	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	67-75	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	83	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
6 GHz WPT (80MHz BW) SP	91	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	123-179	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	23	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	39-55	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
6 GHz WPT (160MHz BW) SP	71	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	87	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	135-167	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	169	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	25	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	47	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
6 GHz WPT (20MHz BW) SP	79	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 2b													
		MIMO 30M													
		Tones													
		267 Maximum	267 Nominal	527 Maximum	527 Nominal	1367 Maximum	1367 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	196172 Maximum	196172 Nominal
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	5	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	9-29	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	39-61	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50						
	65-85	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	89	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	93	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz Wi-Fi (40MHz BW) SP	3	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	11	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	19-27	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	39-59	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50				
	63-75	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	83	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	91	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	119-179	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	185-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	223	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
6 GHz Wi-Fi (80MHz BW) SP	7	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	13	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	39-55	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50		
	71	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	87	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-187	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	25	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	47	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50	6.00	4.50
	79	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
6 GHz Wi-Fi (160MHz BW) SP	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 42 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b/2 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		SISO													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	5	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	9-29	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25						
	33-41	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50						
	45-49	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75						
	89	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75						
	93	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75						
	97-113	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.25	3.75						
	117-139	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	185	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50						
	189-225	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00						
	229	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	9	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50				
6 GHz WPT (40MHz BW) LP	11	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50				
	19-27	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50				
	35-59	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50	5.00	3.50				
	67-75	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75				
	83	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75				
	95	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75				
	99-107	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.25	3.75	5.50	4.00				
	115	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00				
	119-179	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.00	4.00				
	187	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00				
	195-219	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00				
	227	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00				
	7	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50	5.00	3.50		
	23	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50	5.00	3.50		
	39-55	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50	5.00	3.50	5.00	3.50		
6 GHz WPT (80MHz BW) LP	71	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75	5.25	3.75		
	87	-3.50	-5.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.25	3.75	5.25	3.75		
	103	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.25	3.75	5.50	4.00	5.50	4.00		
	119	-1.50	-3.00	-0.50	-2.00	2.50	1.00	5.25	3.75	5.50	4.00	5.50	4.00		
	135-167	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.00	3.50	4.00	3.50		
	183	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00	4.00	3.00		
	199	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00	4.00	3.00		
	215	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00	4.00	3.00		
	35	-4.25	-5.75	-1.25	-2.75	1.75	0.25	4.75	3.25	5.00	3.50	5.00	3.50	5.00	3.50
	47	-1.75	-3.25	-0.75	-2.25	2.25	0.75	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
	79	-4.50	-6.00	-1.50	-3.00	2.50	1.00	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75
	111	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00	5.50	4.00
	143	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00	5.50	4.00
	175	-4.00	-5.50	-1.00	-2.50	2.00	0.50	5.00	3.50	5.50	4.00	5.50	4.00	5.50	4.00
	207	-4.00	-5.50	-1.00	-2.50	2.00	0.50	4.50	3.00	4.50	3.00	4.00	3.00	4.50	3.00
LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO CSD													
		Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	5	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	9-29	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	33-41	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
	45-49	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
	89	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
	93	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00						
	97-113	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50						
	117-139	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	185	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	189-225	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	229	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	9	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
6 GHz WPT (40MHz BW) LP	11	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
	19-27	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
	35-59	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00				
	67-75	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00				
	83	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00				
	95	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00				
	99-107	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
	115	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50				
	119-179	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	187	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	195-219	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	227	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75				
	7	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50		
	23	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50		
	39-55	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50		
6 GHz WPT (80MHz BW) LP	71	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.25	3.75		
	87	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.25	3.75		
	103	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50		
	119	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50		
	135-167	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00		
	183	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	4.50	3.00		
	199	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	4.50	3.00		
	215	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	4.50	3.00		
	35	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50	5.00	3.50
	47	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50	5.00	3.50
6 GHz WPT (160MHz BW) LP	79	-8.50	-10.00	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50	5.00	3.50
	111	NS	NS	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50	5.00	3.50
	143	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00
	175	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00
	207	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00
	239	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00
	271	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00
	303	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00
	335	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00
	367	NS	NS	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.00	4.00	5.00	4.00

LP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b															
		MIMO 20M								Tones							
		20T Maximum	20T Nominal	52T Maximum	52T Nominal	100T Maximum	100T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T2 Maximum	996T2 Nominal		
6 GHz WIFI (20MHz BW) LP	2	NS	NS	NS	NS	NS	NS	NS	NS								
	1	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	5	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	9-29	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	39-61	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00								
	65-85	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	89	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	93	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75								
	97-113	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	117-181	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	185	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	189-225	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	229	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50								
	233	NS	NS	NS	NS	NS	NS	NS	NS								
	237	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50						
	241	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50						
6 GHz WFI (40MHz BW) LP	19-27	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	3.50						
	31-59	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50						
	63-75	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.25	3.75						
	83	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.25	3.75						
	91	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.25	3.75						
	95-107	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	111	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	115	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	119-179	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	187-219	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	223	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	227	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	231	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00						
	235	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50	5.00	3.50				
	239	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50	5.00	3.50				
6 GHz WFI (80MHz BW) LP	71	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.25	3.75	5.25	3.75				
	87	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.25	3.75	5.25	3.75				
	103	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	119	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	135-167	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	183	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	199	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	215	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	231	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	235	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	239	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	243	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	247	-5.50	-7.00	-2.50	-4.00	0.50	-1.00	3.50	2.00	5.00	3.50	5.00	3.50	5.00	3.50		
	251	-5.75	-7.25	-2.75	-4.25	0.25	-1.25	3.25	1.75	5.25	3.75	5.25	3.75				
	255	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
	259	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00				
6 GHz WFI (160MHz BW) LP	267	-6.00	-7.50	-3.00	-4.50	0.00	-1.50	3.00	1.50	5.00	4.00	5.00	4.00	4.00	3.00		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 44 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b/2 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		SISO													
		Tones													
6 GHz WRT (20MHz BW) VLP	Channel	26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
		2	NS	NS	NS	NS	NS	NS	NS						
		1	NS	NS	NS	NS	NS	NS	NS						
		5	NS	NS	NS	NS	NS	NS	NS						
		9-29	NS	NS	NS	NS	NS	NS	NS						
		33-41	NS	NS	NS	NS	1.75	-3.25	1.25	-0.25					
		45-49	NS	NS	NS	NS	1.50	-3.00	1.50	0.00					
		89	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00					
		93	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00					
		97-113	NS	NS	NS	NS	NS	NS	NS	NS					
		117-139	NS	NS	NS	NS	-3.50	1.00	-0.50						
		185	NS	NS	NS	NS	NS	NS	NS	NS					
		189-225	NS	NS	NS	NS	NS	NS	NS	NS					
		229	NS	NS	NS	NS	NS	NS	NS	NS					
		233	NS	NS	NS	NS	NS	NS	NS	NS					
6 GHz WRT (40MHz BW) VLP	Channel	3	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		11	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		35-59	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75			
		67-75	NS	NS	NS	NS	1.50	-3.00	1.50	0.00	4.50	3.00			
		87	NS	NS	NS	NS	1.50	-3.00	1.50	0.00	4.50	3.00			
		91	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00			
		99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		115	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		119-179	NS	NS	NS	NS	-3.50	1.00	-0.50	4.50	3.00	5.25	3.75		
		187	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		227	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WRT (80MHz BW) VLP	Channel	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		39-55	NS	NS	NS	NS	-1.75	-3.25	1.25	-0.25	4.25	2.75	5.00	3.50	
		71	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	5.25	3.75	
		87	NS	NS	NS	NS	-1.50	-3.00	1.50	0.00	4.50	3.00	5.25	3.75	
		103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		135-167	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	5.50	4.00	
		183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		47	NS	NS	NS	NS	1.75	-3.25	1.25	-0.25	4.25	2.75	5.00	3.50	
		79	NS	NS	NS	NS	1.50	-3.00	1.50	0.00	4.50	3.00	5.25	3.75	
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WRT (160MHz BW) VLP	Channel	143	NS	NS	NS	NS	-2.00	-3.50	1.00	-0.50	4.00	2.50	5.50	4.00	
		175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO CSD													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WRT (20MHz BW) VLP	Channel	2	NS	NS	NS	NS	NS	NS	NS						
		1	NS	NS	NS	NS	NS	NS	NS						
		5	NS	NS	NS	NS	NS	NS	NS						
		9-29	NS	NS	NS	NS	NS	NS	NS						
		33-41	NS	NS	NS	NS	NS	NS	NS						
		45-49	NS	NS	NS	NS	NS	NS	NS						
		89	NS	NS	NS	NS	NS	NS	NS						
		93	NS	NS	NS	NS	NS	NS	NS						
		97-113	NS	NS	NS	NS	NS	NS	NS						
		117-139	NS	NS	NS	NS	NS	NS	NS						
		185	NS	NS	NS	NS	NS	NS	NS						
		189-225	NS	NS	NS	NS	NS	NS	NS						
		229	NS	NS	NS	NS	NS	NS	NS						
		233	NS	NS	NS	NS	NS	NS	NS						
6 GHz WRT (40MHz BW) VLP	Channel	3	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		11	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		35-59	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		67-75	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		83	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		91	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		99-107	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		115	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		119-179	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		187	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		227	NS	NS	NS	NS	NS	NS	NS	NS	NS				
		7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WRT (80MHz BW) VLP	Channel	23	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
		39-55	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		71	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		87	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		135-167	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		15	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		47	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		79	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
6 GHz WRT (160MHz BW) VLP	Channel	143	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	
		207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	

VLP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO 30MHz													
		Tones													
		207 Maximum	207 Nominal	527 Maximum	527 Nominal	1067 Maximum	1067 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	9967*2 Maximum	9967*2 Nominal
6 GHz WIFI (20MHz BW) VLP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	NS	NS	NS	NS	NS	NS	NS	NS						
	5	NS	NS	NS	NS	NS	NS	NS	NS						
	9-29	NS	NS	NS	NS	NS	NS	NS	NS						
	39-64	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00					
	65-85	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25					
	86	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25					
	87	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25					
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50					
	205	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WIFI (40MHz BW) VLP	3	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	11	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	19-27	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	39-59	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00			
	62-75	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			
	83	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			
	91	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75			
	96-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	123-170	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50			
	187	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	195-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS			
	7	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WIFI (80MHz BW) VLP	18	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	30-55	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.00	3.50	
	71	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	87	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	101	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50	
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	25	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	47	NS	NS	NS	NS	NS	NS	NS	-0.50	-2.00	2.50	1.00	5.00	3.50	
	79	NS	NS	NS	NS	NS	NS	NS	-0.75	-2.25	2.25	0.75	5.25	3.75	
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
6 GHz WIFI (160MHz BW) VLP	143	NS	NS	NS	NS	NS	NS	NS	-1.00	-2.50	2.00	0.50	5.00	3.50	
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 46 of 96

Below table is applicable for the following conditions:

- Simultaneous conditions with Licensed Bands Antenna 1a/1b/2 active and wPT active
- Simultaneous conditions with Inter-Band ULCA active and wPT active

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		SSD Tones													
		26T Maximum	26T Nominal	52T Maximum	52T Nominal	106T Maximum	106T Nominal	242T Maximum	242T Nominal	484T Maximum	484T Nominal	996T Maximum	996T Nominal	996T*2 Maximum	996T*2 Nominal
6 GHz WPT (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	5	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	9-29	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	33-41	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	45-49	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75						
	89	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75						
	93	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz WPT (40MHz BW) SP	3	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	11	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	19-27	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	35-59	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	67-75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75				
	79	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75				
	83	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75				
	97-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115-179	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00	5.00	4.00				
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	187-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	7	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
6 GHz WPT (80MHz BW) SP	23	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	39-55	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	71	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75		
	87	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-167	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	15	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
	47	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
	79	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
6 GHz WPT (160MHz BW) SP	143	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

SP Mode	Channel	IEEE 802.11 (Maximum in dBm) - Antenna 1b													
		MIMO 30MHz													
		Tones													
		207 Maximum	207 Nominal	527 Maximum	527 Nominal	1207 Maximum	1207 Nominal	2427 Maximum	2427 Nominal	4847 Maximum	4847 Nominal	9967 Maximum	9967 Nominal	19617 Maximum	19617 Nominal
6 GHz Wi-Fi (20MHz BW) SP	2	NS	NS	NS	NS	NS	NS	NS	NS						
	1	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	5	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	9-29	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	39-61	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50						
	65-85	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75						
	89	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75						
	93	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75						
	97-113	NS	NS	NS	NS	NS	NS	NS	NS						
	117-185	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00						
	189	NS	NS	NS	NS	NS	NS	NS	NS						
	189-225	NS	NS	NS	NS	NS	NS	NS	NS						
	229	NS	NS	NS	NS	NS	NS	NS	NS						
	233	NS	NS	NS	NS	NS	NS	NS	NS						
	237	NS	NS	NS	NS	NS	NS	NS	NS						
6 GHz Wi-Fi (40MHz BW) SP	3	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	11	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	19-27	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	35-59	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50				
	63-75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75				
	83	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75				
	91	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75				
	95-107	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	115	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	119-179	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00				
	183	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	185-219	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	223	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	227	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS				
	231	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
6 GHz Wi-Fi (80MHz BW) SP	3	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	11	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	19	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	27-55	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50		
	71	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75		
	87	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75		
	103	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	119	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	135-187	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00		
	189	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	199	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	215	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS		
	231	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
	235	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
6 GHz Wi-Fi (160MHz BW) SP	47	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50	5.00	3.50
	79	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75	5.25	3.75
	111	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	143	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00	5.50	4.00
	175	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS
	207	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS

Note: In MIMO operations, each antenna transmits at maximum allowed powers as indicated above.

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 48 of 96

H.3 IEEE 802.11ax Measured Powers

Table H-1
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 3a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	8.98	9.06	9.49
2437	6	26T	9.95	9.10	8.61
2462	11	26T	9.55	9.05	9.10
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	9.23	9.07	9.63
2437	6	52T	10.12	9.72	8.78
2462	11	52T	9.69	9.53	9.27
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	9.28	9.52	
2437	6	106T	10.06	9.02	
2462	11	106T	9.79	9.47	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			61	x	x
2412	1	242T	9.55		
2437	6	242T	9.64		
2462	11	242T	9.56		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 49 of 96

Table H-2
Maximum 2.4 GHz 802.11ax RU Output Power – Ant 1a

Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			0	4	8
2412	1	26T	11.04	11.48	11.49
2437	6	26T	10.62	11.10	11.42
2462	11	26T	11.44	11.08	10.70
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			37	38	40
2412	1	52T	11.43	11.32	11.36
2437	6	52T	11.47	11.35	11.43
2462	11	52T	11.46	11.30	11.40
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			53	54	x
2412	1	106T	11.03	11.26	
2437	6	106T	11.22	11.36	
2462	11	106T	11.44	11.22	
Freq [MHz]	Channel	Tones	Avg Conducted Powers (dBm)		
			Ru Index		
			61	x	x
2412	1	242T	11.41		
2437	6	242T	11.27		
2462	11	242T	11.38		

Table H-3
Maximum 5 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.47	9.85	9.72
		5200	40	26T	9.33	9.36	9.70
		5220	44	26T	9.48	9.46	9.54
		5240	48	26T	9.45	9.50	9.55
	3	5745	149	26T	9.46	9.38	9.51
		5785	157	26T	9.53	9.47	9.60
		5825	165	26T	9.42	9.55	9.63
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	12.52	12.57	12.46
		5200	40	52T	12.38	12.59	12.56
		5220	44	52T	12.51	12.48	12.51
		5240	48	52T	12.43	12.46	12.44
	2A	5260	52	52T	12.54	12.52	12.57
		5280	56	52T	12.46	12.53	12.56
		5300	60	52T	12.49	12.59	12.48
		5320	64	52T	12.54	12.49	12.47
	2C	5500	100	52T	12.52	12.54	12.53
		5600	120	52T	12.49	12.58	12.56
		5620	124	52T	12.45	12.52	12.56
		5720	144	52T	12.46	12.55	12.51
	3	5745	149	52T	12.45	12.51	12.56
		5785	157	52T	12.54	12.53	12.51
		5825	165	52T	12.42	12.53	12.50

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 51 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
20MHz BW	1	5180	36	106T	14.29	14.25	
		5200	40	106T	14.19	14.30	
		5220	44	106T	14.14	14.21	
		5240	48	106T	14.22	14.21	
	2A	5260	52	106T	14.31	14.32	
		5280	56	106T	14.21	14.26	
		5300	60	106T	14.28	14.29	
		5320	64	106T	14.34	14.27	
	2C	5500	100	106T	13.16	13.21	
		5600	120	106T	13.24	13.29	
		5620	124	106T	13.23	13.28	
		5720	144	106T	13.24	13.33	
	3	5745	149	106T	12.99	12.95	
		5785	157	106T	13.08	13.06	
		5825	165	106T	13.02	13.07	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
20MHz BW	1	5180	36	242T	14.23		
		5200	40	242T	14.30		
		5220	44	242T	14.15		
		5240	48	242T	14.19		
	2A	5260	52	242T	14.33		
		5280	56	242T	14.24		
		5300	60	242T	14.23		
		5320	64	242T	14.19		
	2C	5500	100	242T	13.29		
		5600	120	242T	13.25		
		5620	124	242T	13.27		
		5720	144	242T	13.34		
	3	5745	149	242T	13.03		
		5785	157	242T	13.07		
		5825	165	242T	12.99		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 52 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	9.42	9.50	9.52
		5230	46	26T	9.54	9.53	9.66
	3	5755	151	26T	9.60	9.52	9.44
		5795	159	26T	9.42	9.54	9.56
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	12.50	12.52	12.44
		5230	46	52T	12.49	12.54	12.58
	2A	5270	54	52T	12.54	12.51	12.50
		5310	62	52T	12.54	12.56	12.62
	2C	5510	102	52T	11.38	11.51	11.47
		5590	118	52T	12.42	12.58	12.45
		5630	126	52T	12.53	12.56	12.59
		5710	142	52T	12.43	12.45	12.62
	3	5755	151	52T	12.57	12.56	12.55
		5795	159	52T	12.55	12.61	12.58
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	12.60	12.58	12.62
		5230	46	106T	14.28	14.31	14.33
	2A	5270	54	106T	14.27	14.28	14.29
		5310	62	106T	13.04	13.06	13.07
	2C	5510	102	106T	11.55	11.53	11.51
		5590	118	106T	13.27	13.30	13.22
		5670	126	106T	13.32	13.24	13.26
		5710	142	106T	13.26	13.29	13.23
	3	5755	151	106T	13.05	13.07	13.02
		5795	159	106T	13.04	13.05	13.04

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 53 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	1	5190	38	242T	12.43	12.58	
		5230	46	242T	14.29	14.25	
	2A	5270	54	242T	14.25	14.23	
		5310	62	242T	12.98	13.02	
	2C	5510	102	242T	11.51	11.58	
		5590	118	242T	13.27	13.21	
		5670	126	242T	13.24	13.26	
		5710	142	242T	12.38	12.58	
	3	5755	151	242T	13.08	13.03	
		5795	159	242T	13.02	13.01	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	12.39		
		5230	46	484T	14.28		
	2A	5270	54	484T	14.22		
		5310	62	484T	13.02		
	2C	5510	102	484T	11.56		
		5590	118	484T	13.26		
		5630	126	484T	13.28		
		5710	142	484T	13.26		
	3	5755	151	484T	12.99		
		5795	159	484T	13.05		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	9.40	9.53	9.61
	3	5775	155	26T	9.61	9.41	9.52

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 54 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	12.05	12.01	12.06
	2A	5290	58	52T	12.49	12.53	12.50
	2C	5530	106	52T	11.99	12.03	12.02
		5610	122	52T	12.58	12.46	12.49
		5690	138	52T	12.59	12.40	12.57
	3	5775	155	52T	12.46	12.53	12.50
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	12.10	12.06	12.00
	2A	5290	58	106T	12.47	12.56	12.52
	2C	5530	106	106T	12.05	12.08	11.97
		5610	122	106T	13.20	13.17	13.29
		5690	138	106T	13.21	13.29	13.27
	3	5775	155	106T	12.99	12.92	13.05
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	12.01	12.08	12.02
	2A	5290	58	242T	12.49	12.55	12.53
	2C	5530	106	242T	11.97	11.96	12.10
		5610	122	242T	13.23	13.28	13.27
		5690	138	242T	12.42	12.41	12.57
	3	5775	155	242T	13.06	12.99	12.97
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	12.02	12.09	
	2A	5290	58	484T	12.40	12.48	
	2C	5530	106	484T	11.51	11.52	
		5610	122	484T	13.21	13.22	
		5690	138	484T	13.27	13.33	
	3	5775	155	484T	13.03	13.01	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 55 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					12.04		
	1	5210	42	996T	12.04		
	2A	5290	58	996T	12.58		
	2C	5530	106	996T	10.92		
		5610	122	996T	13.22		
		5690	138	996T	13.17		
	3	5775	155	996T	13.05		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
					10.56	10.61	10.45
	1	5250	50	52T	10.56	10.61	10.45
	2C	5570	114	52T	8.94	9.02	9.04
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
					10.78	10.75	10.88
	1	5250	50	106T	10.78	10.75	10.88
	2C	5570	114	106T	8.75	9.22	9.14
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					10.60	10.76	10.54
	1	5250	50	242T	10.60	10.76	10.54
	2C	5570	114	242T	9.24	9.00	9.11
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					10.55	10.46	
	1	5250	50	484T	10.55	10.46	
	2C	5570	114	484T	9.04	9.09	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					10.59		
	1	5250	50	996T	10.59		
	2C	5570	114	996T	9.10		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					10.48		
	1	5250	50	996Tx2	10.48		
	2C	5570	114	996Tx2	9.02		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 56 of 96

Table H-4
Maximum 5 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	9.57	9.54	9.60
		5200	40	26T	9.49	9.53	9.46
		5220	44	26T	9.49	9.46	9.50
		5240	48	26T	9.51	9.57	9.49
	3	5745	149	26T	9.46	9.48	9.50
		5785	157	26T	9.57	9.60	9.53
		5825	165	26T	9.55	9.52	9.41
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	1	5180	36	52T	9.41	9.56	9.51
		5200	40	52T	9.44	9.53	9.57
		5220	44	52T	9.50	9.49	9.60
		5240	48	52T	9.54	9.51	9.59
	2A	5260	52	52T	9.55	9.48	9.49
		5280	56	52T	9.57	9.55	9.50
		5300	60	52T	9.43	9.46	9.58
		5320	64	52T	9.59	9.45	9.57
	2C	5500	100	52T	10.00	9.97	10.08
		5600	120	52T	9.94	9.91	9.93
		5580	124	52T	10.05	10.00	10.14
		5720	144	52T	9.95	9.94	10.03
	3	5745	149	52T	11.70	11.77	11.79
		5785	157	52T	11.74	11.77	11.78
		5825	165	52T	11.74	11.82	11.77

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	9.50	9.53	
		5200	40	106T	9.51	9.46	
		5220	44	106T	9.54	9.49	
		5240	48	106T	9.51	9.48	
	2A	5260	52	106T	9.55	9.55	
		5280	56	106T	9.49	9.54	
		5300	60	106T	9.47	9.51	
		5320	64	106T	9.49	9.48	
	2C	5500	100	106T	10.03	10.06	
		5600	120	106T	9.98	10.00	
		5620	124	106T	10.06	9.91	
		5720	144	106T	10.05	10.01	
	3	5745	149	106T	11.79	11.88	
		5785	157	106T	11.83	11.82	
		5825	165	106T	11.70	11.75	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	1	5180	36	242T	9.46		
		5200	40	242T	9.40		
		5220	44	242T	9.49		
		5240	48	242T	9.52		
	2A	5260	52	242T	9.58		
		5280	56	242T	9.56		
		5300	60	242T	9.41		
		5320	64	242T	9.62		
	2C	5500	100	242T	10.03		
		5600	120	242T	9.96		
		5620	124	242T	10.05		
		5720	144	242T	10.03		
	3	5745	149	242T	11.77		
		5785	157	242T	11.78		
		5825	165	242T	11.84		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 58 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	9.57	9.55	9.66
		5230	46	26T	9.60	9.57	9.49
	3	5755	151	26T	9.55	9.64	9.43
		5795	159	26T	9.56	9.51	9.67
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	9.52	9.50	9.52
		5230	46	52T	9.37	9.39	9.33
	2A	5270	54	52T	9.32	9.34	9.35
		5310	62	52T	9.48	9.42	9.46
	2C	5510	102	52T	9.90	9.95	9.92
		5590	118	52T	9.91	9.87	9.89
		5630	126	52T	9.93	9.85	9.84
		5710	142	52T	9.96	9.97	9.94
	3	5755	151	52T	11.79	11.81	11.82
		5795	159	52T	11.69	11.68	11.66
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	1	5190	38	106T	9.52	9.53	9.54
		5230	46	106T	9.57	9.56	9.59
	2A	5270	54	106T	9.43	9.46	9.47
		5310	62	106T	9.61	9.65	9.62
	2C	5510	102	106T	9.98	9.92	9.96
		5590	118	106T	9.93	9.90	9.88
		5670	126	106T	9.89	9.87	9.91
		5710	142	106T	9.94	9.95	9.97
	3	5755	151	106T	11.76	11.83	11.78
		5795	159	106T	11.64	11.67	11.63

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 59 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	1	5190	38	242T	9.49	9.52	
		5230	46	242T	9.53	9.57	
	2A	5270	54	242T	9.64	9.65	
		5310	62	242T	9.67	9.68	
	2C	5510	102	242T	10.02	9.99	
		5590	118	242T	9.94	9.96	
		5670	126	242T	9.97	9.98	
		5710	142	242T	9.89	9.86	
	3	5755	151	242T	11.84	11.81	
		5795	159	242T	11.73	11.77	
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	9.52		
		5230	46	484T	9.56		
	2A	5270	54	484T	9.53		
		5310	62	484T	9.60		
	2C	5510	102	484T	9.91		
		5590	118	484T	9.93		
		5630	126	484T	10.01		
		5710	142	484T	9.96		
	3	5755	151	484T	11.87		
		5795	159	484T	11.79		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	9.59	9.57	9.58
	3	5775	155	26T	9.54	9.56	9.61

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 60 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	9.62	9.63	9.65
	2A	5290	58	52T	9.61	9.59	9.58
	2C	5530	106	52T	10.12	10.09	10.05
		5610	122	52T	10.15	10.13	10.14
		5690	138	52T	10.11	10.07	10.08
	3	5775	155	52T	11.79	11.77	11.75
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	9.58	9.60	9.61
	2A	5290	58	106T	9.67	9.62	9.66
	2C	5530	106	106T	9.95	9.96	9.99
		5610	122	106T	9.98	9.97	10.01
		5690	138	106T	10.10	10.02	10.07
	3	5775	155	106T	11.72	11.76	11.73
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	9.56	9.53	9.52
	2A	5290	58	242T	9.67	9.68	9.64
	2C	5530	106	242T	10.14	10.12	10.15
		5610	122	242T	10.08	10.01	10.07
		5690	138	242T	10.09	10.05	10.02
	3	5775	155	242T	11.82	11.79	11.78
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	9.54	9.55	
	2A	5290	58	484T	9.61	9.59	
	2C	5530	106	484T	10.03	10.04	
		5610	122	484T	10.14	10.18	
		5690	138	484T	10.08	10.13	
	3	5775	155	484T	11.86	11.88	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 61 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	996T	9.64		
	2A	5290	58	996T	9.58		
	2C	5530	106	996T	10.06		
		5610	122	996T	10.14		
		5690	138	996T	10.07		
	3	5775	155	996T	11.77		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	9.44	9.39	9.41
	2C	5570	114	52T	9.03	9.06	9.07
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5250	50	106T	9.49	9.51	9.48
	2C	5570	114	106T	9.07	9.08	9.06
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5250	50	242T	9.55	9.58	9.59
	2C	5570	114	242T	9.03	9.07	9.10
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5250	50	484T	9.52	9.54	
	2C	5570	114	484T	9.09	9.07	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996T	9.61		
	2C	5570	114	996T	9.12		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5250	50	996Tx2	9.57		
	2C	5570	114	996Tx2	9.04		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 62 of 96

Table H-5
Maximum 5 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	1	5180	36	26T	8.70	8.34	8.28
		5200	40	26T	8.50	8.52	8.23
		5220	44	26T	8.49	8.50	8.22
		5240	48	26T	8.63	8.51	8.25
	3	5745	149	26T	9.63	9.70	9.57
		5785	157	26T	9.57	9.67	9.54
		5825	165	26T	9.64	9.60	9.53
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	1	5180	36	52T	8.23	8.44	8.37
		5200	40	52T	8.20	8.47	8.30
		5220	44	52T	8.24	8.51	8.35
		5240	48	52T	8.25	8.50	8.36
	2A	5260	52	52T	8.43	8.34	8.28
		5280	56	52T	8.50	8.40	8.20
		5300	60	52T	8.46	8.34	8.19
		5320	64	52T	8.47	8.37	8.18
	2C	5500	100	52T	7.97	7.90	8.15
		5600	120	52T	7.78	7.95	8.00
		5580	124	52T	7.79	7.97	9.10
		5720	144	52T	7.79	7.63	7.80
	3	5745	149	52T	10.02	10.10	10.13
		5785	157	52T	10.12	9.97	10.03
		5825	165	52T	9.97	10.00	10.10

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 63 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	1	5180	36	106T	8.65	8.80	
		5200	40	106T	8.30	8.29	
		5220	44	106T	8.25	8.30	
		5240	48	106T	8.17	8.44	
	2A	5260	52	106T	8.47	8.32	
		5280	56	106T	8.43	8.23	
		5300	60	106T	8.24	8.25	
		5320	64	106T	8.38	8.21	
	2C	5500	100	106T	7.50	8.00	
		5600	120	106T	7.58	7.55	
		5620	124	106T	7.57	7.64	
		5720	144	106T	7.60	7.56	
	3	5745	149	106T	10.16	10.17	
		5785	157	106T	10.20	10.18	
		5825	165	106T	10.08	10.05	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	1	5180	36	242T	8.47		
		5200	40	242T	8.27		
		5200	44	242T	8.30		
		5240	48	242T	8.32		
	2A	5260	52	242T	8.25		
		5260	56	242T	8.27		
		5300	60	242T	8.29		
		5320	64	242T	8.26		
	2C	5500	100	242T	7.54		
		5600	120	242T	7.77		
		5620	124	242T	7.87		
		5720	144	242T	7.78		
	3	5745	149	242T	10.09		
		5785	157	242T	10.07		
		5825	165	242T	10.10		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 64 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	1	5190	38	26T	8.42	8.39	8.37
		5230	46	26T	8.39	8.31	8.11
	3	5755	151	26T	7.75	7.73	7.53
		5795	159	26T	7.77	7.85	7.62

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	1	5190	38	52T	8.33	8.38	8.26
		5230	46	52T	8.27	8.23	8.19
	2A	5270	54	52T	8.31	8.36	8.38
		5310	62	52T	8.24	8.29	8.21
	2C	5510	102	52T	7.89	8.15	8.02
		5590	118	52T	7.95	8.15	8.05
		5630	126	52T	8.19	8.16	8.14
		5710	142	52T	7.76	7.94	7.82
	3	5755	151	52T	9.78	9.92	9.80
		5795	159	52T	9.87	9.84	9.92

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 65 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
1		5190	38	106T	8.48	8.37	8.23
		5230	46	106T	8.42	8.25	8.19
2A		5270	54	106T	8.41	8.28	8.14
		5310	62	106T	8.25	8.07	8.01
2C		5510	102	106T	8.02	8.16	7.92
		5590	118	106T	8.12	8.18	7.99
		5670	126	106T	8.22	8.21	8.13
		5710	142	106T	8.19	8.19	7.97
3		5755	151	106T	10.17	10.09	9.89
		5795	159	106T	10.09	10.24	10.05

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
1		5190	38	242T	8.36	8.42	
		5230	46	242T	8.23	8.30	
2A		5270	54	242T	8.32	8.34	
		5310	62	242T	8.14	8.12	
2C		5510	102	242T	7.97	8.10	
		5590	118	242T	8.08	8.13	
		5630	126	242T	7.80	7.89	
		5710	142	242T	7.85	7.91	
3		5755	151	242T	9.96	10.07	
		5795	159	242T	9.94	9.97	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 66 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	1	5190	38	484T	8.35		
		5230	46	484T	8.54		
	2A	5270	54	484T	8.51		
		5310	62	484T	8.10		
	2C	5510	102	484T	7.80		
		5590	118	484T	8.10		
		5630	126	484T	8.13		
		5710	142	484T	8.26		
	3	5755	151	484T	10.15		
		5795	159	484T	10.07		
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	1	5210	42	26T	8.23	8.24	8.30
	3	5775	155	26T	9.37	9.48	9.49
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5210	42	52T	8.33	8.27	8.35
	2A	5290	58	52T	8.19	8.11	8.23
	2C	5530	106	52T	7.53	7.76	7.66
		5610	122	52T	7.64	7.75	7.67
		5690	138	52T	8.66	8.67	8.72
	3	5775	155	52T	9.99	9.92	9.78
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	1	5210	42	106T	8.17	8.32	8.37
	2A	5290	58	106T	8.17	8.20	8.31
	2C	5530	106	106T	7.59	7.87	7.85
		5610	122	106T	7.77	7.69	7.70
		5690	138	106T	7.85	7.88	7.81
	3	5775	155	106T	9.93	10.03	10.10

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 67 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	1	5210	42	242T	8.19	8.16	8.36
80MHz BW	2A	5290	58	242T	8.36	8.17	8.32
	2C	5530	106	242T	7.86	7.52	7.81
		5610	122	242T	7.73	7.53	7.79
		5690	138	242T	7.78	7.82	7.62
	3	5775	155	242T	10.09	9.98	10.01
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	1	5210	42	484T	8.35	8.16	
	2A	5290	58	484T	8.09	8.29	
	2C	5530	106	484T	7.73	7.83	
		5610	122	484T	7.68	7.76	
		5690	138	484T	7.82	7.93	
	3	5775	155	484T	9.89	10.07	
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	1	5210	42	996T	8.26		
	2A	5290	58	996T	8.09		
	2C	5530	106	996T	7.78		
		5610	122	996T	7.73		
		5690	138	996T	7.73		
	3	5775	155	996T	10.03		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	1	5250	50	52T	8.27	8.23	8.32
160MHz BW	2C	5570	114	52T	7.76	7.77	7.83
	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
160MHz BW	1	5250	50	106T	8.23	8.15	8.37
	2C	5570	114	106T	7.58	7.62	7.73

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 68 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
					8.26	8.09	8.35
	2C	5570	114	242T	7.65	7.69	7.82
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
					8.29	8.39	
	2C	5570	114	484T	7.72	7.76	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					8.22		
	2C	5570	114	996T	7.71		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
					8.23		
	2C	5570	114	996Tx2	7.76		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 69 of 96

Table H-6
Maximum 6 GHz 802.11ax RU Output Power – Ant WF5T

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	7.50	7.54	7.48
		6175	45	26T	7.38	7.39	7.40
		6415	93	26T	8.07	8.05	8.03
	6	6435	97	26T	-4.58	-4.62	-4.59
		6475	105	26T	-4.79	-4.64	-4.73
		6515	113	26T	-4.75	-4.63	-4.76
	7	6535	117	26T	8.01	8.05	8.03
		6695	149	26T	7.65	7.62	7.67
		6875	185	26T	-5.08	-5.11	-4.92
	8	6895	189	26T	-4.93	-4.92	-4.95
		6995	209	26T	-5.10	-5.09	-5.16
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	10.94	10.96	11.01
		6175	45	52T	10.77	10.78	10.63
		6415	93	52T	10.93	11.05	11.01
	6	6435	97	52T	-1.62	-1.64	-1.62
		6475	105	52T	-1.67	-1.72	-1.62
		6515	113	52T	-1.86	-1.73	-1.65
	7	6535	117	52T	10.75	10.64	10.52
		6695	149	52T	10.32	10.37	10.39
		6875	185	52T	-1.81	-1.86	-1.85
	8	6895	189	52T	-2.08	-2.05	-1.90
		6995	209	52T	-1.92	-1.99	-2.04

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 70 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	13.08	13.07	
		6175	45	106T	12.61	12.70	
		6415	93	106T	12.54	12.53	
	6	6435	97	106T	2.03	1.98	
		6475	105	106T	1.96	2.01	
		6515	113	106T	2.15	2.10	
	7	6535	117	106T	10.71	10.72	
		6695	149	106T	10.36	10.35	
		6875	185	106T	0.21	0.19	
	8	6895	189	106T	0.42	0.48	
		6995	209	106T	0.58	0.56	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	5	5955	1	242T	13.06		
		6175	45	242T	12.64		
		6415	93	242T	12.54		
	6	6435	97	242T	4.26		
		6475	105	242T	4.24		
		6515	113	242T	4.25		
	7	6535	117	242T	10.75		
		6695	149	242T	10.32		
		6875	185	242T	4.03		
	8	6895	189	242T	3.99		
		6995	209	242T	4.02		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 71 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	8.52	8.48	8.43
		6165	43	26T	8.39	8.43	8.50
		6405	91	26T	8.41	8.56	8.60
	6	6445	99	26T	-4.57	-4.55	-4.49
		6485	107	26T	-4.58	-4.61	-4.63
		6525	115	26T	-5.18	-5.16	-5.13
	7	6565	123	26T	8.47	8.37	8.48
		6725	155	26T	8.45	8.39	8.38
		6845	179	26T	8.52	8.44	8.56
	8	6885	187	26T	-5.22	-5.19	-5.20
		7005	211	26T	-5.18	-5.16	-5.15
		7085	227	26T	-5.07	-5.09	-5.08
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	11.37	11.25	11.24
		6165	43	52T	11.27	11.35	11.34
		6405	91	52T	11.26	11.35	11.26
	6	6445	99	52T	-1.69	-1.70	-1.66
		6485	107	52T	-1.73	-1.74	-1.72
		6525	115	52T	-2.05	-2.07	-2.03
	7	6565	123	52T	10.35	10.29	10.41
		6725	155	52T	10.45	10.39	10.33
		6845	179	52T	10.39	10.34	10.30
	8	6885	187	52T	-2.11	-2.13	-2.14
		7005	211	52T	-2.15	-2.08	-2.19
		7085	227	52T	-2.12	-2.17	-2.09

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 72 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	12.53	12.58	12.60
		6165	43	106T	12.58	12.71	12.59
		6405	91	106T	12.52	12.54	12.60
	6	6445	99	106T	2.20	2.21	2.23
		6485	107	106T	2.14	2.16	2.11
		6525	115	106T	1.88	1.89	1.94
	7	6565	123	106T	10.30	10.29	10.34
		6725	155	106T	10.35	10.32	10.37
		6845	179	106T	10.41	10.37	10.40
	8	6885	187	106T	1.96	1.98	1.95
		7005	211	106T	1.99	1.93	1.94
		7085	227	106T	1.83	1.87	1.90
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	5	5965	3	242T	12.64	12.51	
		6165	43	242T	12.55	12.65	
		6405	91	242T	12.59	12.55	
	6	6445	99	242T	4.20	4.18	
		6485	107	242T	4.24	4.22	
		6525	115	242T	4.06	4.10	
	7	6565	123	242T	10.38	10.39	
		6725	155	242T	10.40	10.43	
		6845	179	242T	10.39	10.35	
	8	6885	187	242T	4.10	4.08	
		7005	211	242T	4.04	4.11	
		7085	227	242T	4.18	4.13	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 73 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	12.68		
		6165	43	484T	12.66		
		6405	91	484T	12.65		
	6	6445	99	484T	7.18		
		6485	107	484T	7.21		
		6525	115	484T	7.14		
	7	6565	123	484T	10.33		
6725		155	484T	10.41			
6845		179	484T	10.38			
8	6885	187	484T	7.15			
	7005	211	484T	7.09			
	7085	227	484T	7.06			
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	8.11	8.02	8.18
		6145	39	26T	8.44	8.38	8.52
		6385	87	26T	8.35	8.33	8.35
	6	6465	103	26T	-4.67	-4.70	-4.68
	7	6545	119	26T	-4.82	-4.83	-4.86
		6705	151	26T	8.73	8.68	8.54
		6865	183	26T	-4.93	-4.94	-4.92
	8	6945	199	26T	-4.89	-4.87	-4.91
		7025	215	26T	-4.86	-4.84	-4.90
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	11.27	11.07	11.11
		6145	39	52T	11.79	11.16	11.45
		6385	87	52T	11.20	11.35	11.37
	6	6465	103	52T	-1.82	-1.83	-1.78
	7	6545	119	52T	-1.98	-1.99	-2.01
		6705	151	52T	10.50	10.34	10.30
		6865	183	52T	-1.95	-2.00	-1.93
	8	6945	199	52T	-2.02	-2.03	-1.99
		7025	215	52T	-1.95	-1.96	-2.01

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 74 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	12.95	12.97	12.98
		6145	39	106T	13.06	13.02	13.03
		6385	87	106T	12.96	12.92	12.94
	6	6465	103	106T	2.21	2.15	2.22
	7	6545	119	106T	1.95	1.94	1.98
		6705	151	106T	10.92	10.93	10.46
		6865	183	106T	1.91	1.92	1.95
	8	6945	199	106T	1.88	1.85	1.79
		7025	215	106T	1.96	1.98	1.95
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	12.16	12.13	12.07
		6145	39	242T	12.28	12.31	12.36
		6385	87	242T	12.39	12.35	120.37
	6	6465	103	242T	4.27	4.26	4.31
	7	6545	119	242T	4.01	4.02	4.05
		6705	151	242T	10.23	10.38	10.40
		6865	183	242T	4.11	4.16	4.14
	8	6945	199	242T	4.17	4.19	4.20
		7025	215	242T	4.12	4.13	4.07
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	5985	7	484T	12.90	13.03	
		6145	39	484T	13.04	12.98	
		6385	87	484T	12.99	12.98	
	6	6465	103	484T	7.24	7.29	
	7	6545	119	484T	7.09	7.06	
		6705	151	484T	10.25	10.37	
		6865	183	484T	7.04	7.02	
	8	6945	199	484T	7.05	7.07	
		7025	215	484T	7.06	7.12	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 75 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	12.95		
		6145	39	996T	13.08		
		6385	87	996T	13.11		
	6	6465	103	996T	10.21		
	7	6545	119	996T	10.11		
		6705	151	996T	10.09		
		6865	183	996T	10.13		
	8	6945	199	996T	10.15		
		7025	215	996T	10.04		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	7.98	8.03	8.05
		6185	47	26T	8.30	8.27	8.32
		6345	79	26T	8.38	8.52	8.51
	6	6505	111	26T	-4.35	-4.36	-4.38
	7	6665	143	26T	7.98	8.01	7.99
		6825	175	26T	-4.38	-4.40	-4.39
	8	6985	207	26T	-4.36	-4.33	-4.34
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	11.31	11.10	11.18
		6185	47	52T	11.48	11.36	11.51
		6345	79	52T	11.52	11.56	11.58
	6	6505	111	52T	-1.99	-1.97	-2.01
	7	6665	143	52T	10.53	10.65	10.64
		6825	175	52T	-2.08	-2.09	-2.10
	8	6985	207	52T	-2.04	-2.07	-2.03

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 76 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
5		6025	15	106T	12.45	12.48	12.49
		6185	47	106T	12.53	12.51	12.52
		6345	79	106T	12.02	12.03	12.01
6		6505	111	106T	1.96	1.93	1.98
7		6665	143	106T	10.26	10.29	10.31
		6825	175	106T	1.97	1.92	1.91
8		6985	207	106T	1.89	1.88	1.90
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
5		6025	15	242T	12.56	12.51	12.54
		6185	47	242T	12.49	12.47	12.53
		6345	79	242T	12.00	12.01	12.04
6		6505	111	242T	4.02	4.05	4.01
7		6665	143	242T	10.34	10.33	10.31
		6825	175	242T	4.04	4.02	4.03
8		6985	207	242T	4.06	4.11	4.13
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
5		6025	15	484T	12.46	12.50	
		6185	47	484T	12.53	12.52	
		6345	79	484T	12.07	12.04	
6		6505	111	484T	7.05	7.03	
7		6665	143	484T	10.29	10.27	
		6825	175	484T	7.08	7.10	
8		6985	207	484T	7.06	7.02	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
5		6025	15	996T	12.42		
		6185	47	996T	12.58		
		6345	79	996T	12.02		
6		6505	111	996T	10.05		
7		6665	143	996T	10.09		
		6825	175	996T	10.13		
8		6985	207	996T	10.04		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 77 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
					12.28		
5		6025	15	996Tx2	12.28		
		6185	47	996Tx2	12.42		
		6345	79	996Tx2	11.95		
6		6505	111	996Tx2	11.23		
7		6665	143	996Tx2	10.29		
		6825	175	996Tx2	10.27		
8		6985	207	996Tx2	10.24		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 78 of 96

Table H-7
Maximum 6 GHz 802.11ax RU Output Power – Ant 3b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
	5	5955	1	26T	8.60	8.52	7.17
		6175	45	26T	8.29	8.24	6.87
		6415	93	26T	8.90	8.86	7.31
	6	6435	97	26T	-4.79	-4.78	-4.76
		6475	105	26T	-4.63	-4.69	-4.71
		6515	113	26T	-4.74	-4.73	-4.72
	7	6535	117	26T	8.97	8.82	7.40
		6695	149	26T	8.86	8.87	7.34
		6875	185	26T	-5.09	-5.05	-5.07
	8	6895	189	26T	-5.04	-5.08	-5.03

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
	5	5955	1	52T	10.92	10.93	10.91
		6175	45	52T	10.60	10.60	10.61
		6415	93	52T	9.41	9.36	9.43
	6	6435	97	52T	-1.49	-1.45	-1.47
		6475	105	52T	-1.55	-1.58	-1.60
		6515	113	52T	-1.65	-1.62	-1.63
	7	6535	117	52T	9.33	9.34	9.34
		6695	149	52T	9.22	9.26	9.26
		6875	185	52T	-2.08	-2.09	-2.11
	8	6895	189	52T	-2.14	-2.18	-2.16
		6995	209	52T	-2.17	-2.13	-2.15

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	9.56	9.60	
		6175	45	106T	9.41	9.44	
		6415	93	106T	9.44	9.37	
	6	6435	97	106T	1.51	1.48	
		6475	105	106T	1.43	1.39	
		6515	113	106T	1.42	1.41	
	7	6535	117	106T	9.29	9.36	
		6695	149	106T	9.22	9.17	
		6875	185	106T	1.72	1.75	
	8	6895	189	106T	1.71	1.69	
		6995	209	106T	1.79	1.77	
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	5	5955	1	242T	9.62		
		6175	45	242T	9.33		
		6415	93	242T	9.33		
	6	6435	97	242T	4.21		
		6475	105	242T	4.26		
		6515	113	242T	4.23		
	7	6535	117	242T	7.83		
		6695	149	242T	7.70		
		6875	185	242T	4.05		
	8	6895	189	242T	4.08		
		6995	209	242T	3.96		

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	7.53	7.43	7.45
		6165	43	26T	7.45	7.42	7.43
		6405	91	26T	7.60	7.62	7.59
	6	6445	99	26T	-4.80	-4.75	-4.77
		6485	107	26T	-4.73	-4.69	-4.72
		6525	115	26T	-5.12	-5.14	-5.13
	7	6565	123	26T	7.56	7.64	7.57
		6725	155	26T	7.53	7.51	7.49
		6845	179	26T	7.59	7.62	7.59
	8	6885	187	26T	-5.05	-5.10	-5.07
		7005	211	26T	-5.03	-5.02	-5.04
		7085	227	26T	-4.97	-5.01	-4.92
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	9.52	9.53	9.56
		6165	43	52T	9.51	9.50	9.51
		6405	91	52T	8.68	8.67	8.72
	6	6445	99	52T	-1.59	-1.60	-1.58
		6485	107	52T	-1.66	-1.62	-1.67
		6525	115	52T	-2.04	-1.99	-2.02
	7	6565	123	52T	9.63	9.62	9.59
		6725	155	52T	9.60	9.58	9.61
		6845	179	52T	9.60	9.67	9.57
	8	6885	187	52T	-2.13	-2.09	-2.10
		7005	211	52T	-2.11	-2.07	-2.13
		7085	227	52T	-2.05	-2.09	-2.10

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 81 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	9.53	9.55	9.55
		6165	43	106T	9.50	9.51	9.51
		6405	91	106T	8.68	8.67	8.69
	6	6445	99	106T	2.04	2.05	2.03
		6485	107	106T	2.10	2.07	2.08
		6525	115	106T	2.00	1.97	1.99
	7	6565	123	106T	9.65	9.66	9.66
		6725	155	106T	9.58	9.58	9.60
		6845	179	106T	9.70	9.68	9.60
	8	6885	187	106T	1.93	1.91	1.97
		7005	211	106T	1.98	1.99	1.96
		7085	227	106T	1.87	1.88	1.89
40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	5	5965	3	242T	9.47	9.50	
		6165	43	242T	9.44	9.51	
		6405	91	242T	8.71	8.71	
	6	6445	99	242T	4.21	4.19	
		6485	107	242T	4.27	4.25	
		6525	115	242T	4.05	4.01	
	7	6565	123	242T	9.59	9.64	
		6725	155	242T	9.59	9.56	
		6845	179	242T	9.61	9.61	
	8	6885	187	242T	4.09	4.12	
		7005	211	242T	4.06	4.07	
		7085	227	242T	4.10	4.09	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 82 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	9.53		
		6165	43	484T	9.45		
		6405	91	484T	8.69		
	6	6445	99	484T	7.32		
		6485	107	484T	7.29		
		6525	115	484T	7.12		
	7	6565	123	484T	9.66		
6725		155	484T	9.49			
6845		179	484T	9.66			
8	6885	187	484T	7.13			
	7005	211	484T	7.08			
	7085	227	484T	7.06			
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	8.14	8.25	8.22
		6145	39	26T	8.08	8.10	8.16
		6385	87	26T	8.00	7.95	8.06
	6	6465	103	26T	-4.73	-4.79	-4.80
	7	6545	119	26T	-5.02	-5.06	-5.05
		6705	151	26T	8.01	7.96	8.02
		6865	183	26T	-5.03	-4.99	-5.01
	8	6945	199	26T	-5.14	-5.12	-5.11
		7025	215	26T	-5.15	-5.19	-5.20
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	10.06	10.01	10.12
		6145	39	52T	10.02	9.93	9.96
		6385	87	52T	8.64	8.73	8.59
	6	6465	103	52T	-1.71	-1.69	-1.72
	7	6545	119	52T	-2.05	-2.01	-2.02
		6705	151	52T	9.15	9.09	9.22
		6865	183	52T	-2.13	-2.15	-2.11
	8	6945	199	52T	-2.09	-2.08	-2.10
		7025	215	52T	-2.16	-2.14	-2.07

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 83 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	10.14	10.02	10.13
		6145	39	106T	9.92	10.02	9.90
		6385	87	106T	8.67	8.66	8.67
	6	6465	103	106T	2.19	2.21	2.16
	7	6545	119	106T	1.94	1.97	1.99
		6705	151	106T	9.16	9.11	9.17
		6865	183	106T	0.06	0.10	0.13
	8	6945	199	106T	1.85	1.87	1.86
		7025	215	106T	1.98	1.99	2.00
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	10.12	10.03	10.10
		6145	39	242T	10.02	9.96	9.90
		6385	87	242T	7.69	8.73	8.56
	6	6465	103	242T	4.24	4.28	4.29
	7	6545	119	242T	4.02	4.09	4.10
		6705	151	242T	9.13	9.17	9.19
		6865	183	242T	4.06	4.07	4.11
	8	6945	199	242T	4.01	4.03	4.13
		7025	215	242T	4.10	4.08	4.07
80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	5985	7	484T	10.12	10.07	
		6145	39	484T	10.02	9.90	
		6385	87	484T	8.70	8.69	
	6	6465	103	484T	7.24	7.21	
	7	6545	119	484T	7.02	7.05	
		6705	151	484T	9.11	9.18	
		6865	183	484T	7.03	7.04	
	8	6945	199	484T	7.11	7.06	
		7025	215	484T	7.13	7.15	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 84 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	9.74		
		6145	39	996T	10.01		
		6385	87	996T	8.48		
	6	6465	103	996T	9.02		
	7	6545	119	996T	9.04		
		6705	151	996T	9.07		
		6865	183	996T	9.13		
	8	6945	199	996T	9.11		
		7025	215	996T	9.09		

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	8.10	8.08	8.13
		6185	47	26T	8.23	8.25	8.21
		6345	79	26T	8.65	8.66	8.72
	6	6505	111	26T	-4.13	-4.16	-4.20
	7	6665	143	26T	8.56	8.56	8.55
		6825	175	26T	-4.14	-4.21	-4.17
	8	6985	207	26T	-4.23	-4.30	-4.26

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 85 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	6025	15	52T	9.93	9.96	9.98
		6185	47	52T	10.15	10.11	10.20
		6345	79	52T	8.24	8.05	8.12
	6	6505	111	52T	-2.04	-2.05	-2.03
	7	6665	143	52T	9.20	9.17	9.22
		6825	175	52T	-2.08	-2.09	-2.10
	8	6985	207	52T	-2.04	-2.07	-2.03
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	6025	15	106T	10.02	9.98	10.02
		6185	47	106T	10.19	10.18	10.21
		6345	79	106T	8.27	8.10	8.15
	6	6505	111	106T	1.98	1.92	1.91
	7	6665	143	106T	9.14	9.08	9.13
		6825	175	106T	1.95	1.92	1.96
	8	6985	207	106T	1.96	1.93	1.98
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	6025	15	242T	9.96	9.92	9.95
		6185	47	242T	10.17	10.18	10.27
		6345	79	242T	8.17	8.18	8.29
	6	6505	111	242T	4.02	4.03	3.99
	7	6665	143	242T	9.27	9.14	9.15
		6825	175	242T	4.09	4.02	4.06
	8	6985	207	242T	4.16	4.11	4.13
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	6025	15	484T	9.99	9.92	
		6185	47	484T	10.19	10.23	
		6345	79	484T	8.21	8.22	
	6	6505	111	484T	7.01	7.05	
	7	6665	143	484T	9.26	9.25	
		6825	175	484T	7.09	7.06	
	8	6985	207	484T	7.04	7.02	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 86 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
					67(L)	N/A	N/A
160MHz BW	5	6025	15	996T	9.81		
		6185	47	996T	10.03		
		6345	79	996T	8.52		
	6	6505	111	996T	9.10		
	7	6665	143	996T	9.04		
		6825	175	996T	9.07		
	8	6985	207	996T	9.12		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
					67(L)	N/A	N/A
160MHz BW	5	6025	15	996Tx2	9.99		
		6185	47	996Tx2	10.03		
		6345	79	996Tx2	8.49		
	6	6505	111	996Tx2	9.02		
	7	6665	143	996Tx2	9.11		
		6825	175	996Tx2	9.09		
	8	6985	207	996Tx2	9.06		

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 87 of 96

Table H-8
Maximum 6 GHz 802.11ax RU Output Power – Ant 1b

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	4	8
20MHz BW	5	5955	1	26T	7.25	7.26	7.32
		6175	45	26T	7.34	7.31	7.24
		6415	93	26T	7.58	7.62	7.56
	6	6435	97	26T	-4.91	-4.84	-4.93
		6475	105	26T	-4.78	-4.86	-4.82
		6515	113	26T	-4.87	-4.90	-4.88
	7	6535	117	26T	6.87	6.88	6.80
		6695	149	26T	6.95	7.04	6.98
		6875	185	26T	-5.02	-5.03	-5.01
	8	6895	189	26T	-4.99	-4.96	-5.00
		6995	209	26T	-4.97	-5.00	-4.98
20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	39	40
20MHz BW	5	5955	1	52T	8.04	8.07	8.08
		6175	45	52T	7.28	7.38	7.37
		6415	93	52T	8.61	8.60	8.56
	6	6435	97	52T	-2.01	-2.04	-2.07
		6475	105	52T	-2.06	-2.13	-2.11
		6515	113	52T	-1.94	-1.98	-1.99
	7	6535	117	52T	6.84	6.81	6.84
		6695	149	52T	7.13	7.07	7.11
		6875	185	52T	-2.11	-2.16	-2.12
	8	6895	189	52T	-2.13	-2.14	-2.17
		6995	209	52T	-2.07	-2.08	-2.10

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 88 of 96

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	N/A
	5	5955	1	106T	8.12	8.13	
		6175	45	106T	7.31	7.38	
		6415	93	106T	8.62	8.58	
	6	6435	97	106T	1.19	1.17	
		6475	105	106T	1.28	1.24	
		6515	113	106T	1.36	1.35	
	7	6535	117	106T	6.80	6.84	
		6695	149	106T	7.05	7.10	
		6875	185	106T	1.03	1.05	
	8	6895	189	106T	1.11	1.07	
		6995	209	106T	1.08	1.05	

20MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	N/A	N/A
	5	5955	1	242T	8.12		
		6175	45	242T	7.46		
		6415	93	242T	8.49		
	6	6435	97	242T	4.24		
		6475	105	242T	4.22		
		6515	113	242T	4.29		
	7	6535	117	242T	6.83		
		6695	149	242T	7.12		
		6875	185	242T	4.25		
	8	6895	189	242T	4.04		
		6995	209	242T	3.97		

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	8	17
	5	5965	3	26T	7.72	7.69	7.75
		6165	43	26T	7.74	7.71	7.73
		6405	91	26T	8.35	8.30	8.25
	6	6445	99	26T	-4.70	-4.71	-4.73
		6485	107	26T	-4.77	-4.75	-4.76
		6525	115	26T	-5.00	-4.98	-5.01
	7	6565	123	26T	6.86	6.94	6.93
		6725	155	26T	6.92	6.96	6.88
		6845	179	26T	6.91	6.95	6.94
	8	6885	187	26T	-4.97	-4.98	-4.92
		7005	211	26T	-4.90	-4.89	-4.91
		7085	227	26T	-5.01	-5.05	-5.02

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	40	44
	5	5965	3	52T	7.77	7.76	7.72
		6165	43	52T	7.74	7.75	7.76
		6405	91	52T	8.28	8.32	8.32
	6	6445	99	52T	-1.96	-1.91	-1.93
		6485	107	52T	-1.95	-1.94	-1.92
		6525	115	52T	-2.03	-2.06	-2.05
	7	6565	123	52T	7.02	6.92	6.91
		6725	155	52T	6.91	6.96	6.99
		6845	179	52T	6.81	6.89	6.82
	8	6885	187	52T	-2.06	-2.05	-2.07
		7005	211	52T	-2.01	-2.02	-2.04
		7085	227	52T	-2.03	-1.99	-2.00

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 90 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	54	56
	5	5965	3	106T	7.45	7.34	7.37
		6165	43	106T	7.40	7.30	7.35
		6405	91	106T	8.51	8.59	8.61
	6	6445	99	106T	1.34	1.32	1.31
		6485	107	106T	1.27	1.25	1.22
		6525	115	106T	1.02	1.01	1.04
	7	6565	123	106T	6.58	6.64	6.62
		6725	155	106T	6.64	6.62	6.63
		6845	179	106T	6.60	6.56	6.71
	8	6885	187	106T	1.03	1.05	1.07
		7005	211	106T	1.06	0.98	1.01
		7085	227	106T	1.12	1.16	1.13

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	N/A
	5	5965	3	242T	7.55	7.57	
		6165	43	242T	7.55	7.57	
		6405	91	242T	8.17	8.25	
	6	6445	99	242T	4.29	4.24	
		6485	107	242T	4.30	4.28	
		6525	115	242T	4.01	4.04	
	7	6565	123	242T	6.68	6.66	
		6725	155	242T	6.63	6.70	
		6845	179	242T	6.60	6.64	
	8	6885	187	242T	4.14	4.18	
		7005	211	242T	4.08	4.10	
		7085	227	242T	4.07	4.02	

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 91 of 96

40MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	N/A	N/A
	5	5965	3	484T	6.76		
		6165	43	484T	7.28		
		6405	91	484T	7.54		
	6	6445	99	484T	7.25		
		6485	107	484T	7.22		
		6525	115	484T	7.01		
	7	6565	123	484T	6.94		
		6725	155	484T	6.99		
		6845	179	484T	7.02		
	8	6885	187	484T	6.98		
		7005	211	484T	7.03		
		7085	227	484T	7.06		

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	5985	7	26T	7.55	7.50	7.47
		6145	39	26T	7.56	7.55	7.58
		6385	87	26T	8.19	8.22	8.23
	6	6465	103	26T	-4.74	-4.73	-4.71
	7	6545	119	26T	-5.01	-4.99	-5.02
		6705	151	26T	8.21	8.20	8.24
		6865	183	26T	-5.04	-5.09	-5.06
	8	6945	199	26T	-5.12	-5.15	-5.17
		7025	215	26T	-5.07	-5.04	-5.10

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
	5	5985	7	52T	7.60	7.58	7.54
		6145	39	52T	7.57	7.53	7.60
		6385	87	52T	8.22	8.16	8.14
	6	6465	103	52T	-2.40	-2.38	-2.41
	7	6545	119	52T	-2.06	-2.05	-2.03
		6705	151	52T	8.47	8.50	8.53
		6865	183	52T	-2.02	-2.07	-2.01
	8	6945	199	52T	-2.04	-2.08	-2.12
		7025	215	52T	-2.14	-2.15	-2.13

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 92 of 96

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
	5	5985	7	106T	7.56	7.59	7.60
		6145	39	106T	7.55	7.57	7.54
		6385	87	106T	8.28	8.30	8.36
	6	6465	103	106T	1.34	1.36	1.33
	7	6545	119	106T	1.17	1.15	1.18
		6705	151	106T	8.51	8.50	8.42
		6865	183	106T	1.03	1.04	1.06
	8	6945	199	106T	1.05	1.07	1.01
		7025	215	106T	1.12	1.14	1.13

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
	5	5985	7	242T	7.61	7.67	7.56
		6145	39	242T	7.65	7.58	7.61
		6385	87	242T	8.31	8.37	8.29
	6	6465	103	242T	4.57	4.67	4.55
	7	6545	119	242T	4.11	4.12	4.10
		6705	151	242T	8.45	8.53	8.48
		6865	183	242T	4.04	4.01	4.02
	8	6945	199	242T	4.13	4.16	4.08
		7025	215	242T	4.07	4.14	4.11

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	5985	7	484T	6.69	6.71	
		6145	39	484T	7.24	7.19	
		6385	87	484T	7.53	7.56	
	6	6465	103	484T	6.67	6.72	
	7	6545	119	484T	6.74	6.77	
		6705	151	484T	7.11	7.10	
		6865	183	484T	7.05	7.08	
	8	6945	199	484T	7.06	7.07	
		7025	215	484T	7.02	7.04	

80MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67	N/A	N/A
	5	5985	7	996T	7.39		
		6145	39	996T	7.44		
		6385	87	996T	8.24		
	6	6465	103	996T	6.78		
	7	6545	119	996T	6.74		
		6705	151	996T	8.58		
		6865	183	996T	8.56		
	8	6945	199	996T	7.77		
		7025	215	996T	7.81		

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					0	18	36
	5	6025	15	26T	7.57	7.60	7.59
		6185	47	26T	7.40	7.36	7.37
		6345	79	26T	8.11	8.14	8.05
	6	6505	111	26T	-5.13	-5.06	-5.20
	7	6665	143	26T	8.21	8.15	8.16
		6825	175	26T	-4.86	-5.03	-5.48
	8	6985	207	26T	-5.47	-5.40	-5.50

FCC ID BCGA2995	SAR EVALUATION REPORT	Approved by: Technical Manager
DUT Type: Tablet Device		APPENDIX H: Page 94 of 96

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					37	44	52
5		6025	15	52T	7.46	7.53	7.63
		6185	47	52T	7.45	7.35	7.40
		6345	79	52T	8.36	8.50	8.33
6		6505	111	52T	-2.12	-2.01	-2.03
7		6665	143	52T	8.63	8.74	8.70
		6825	175	52T	-1.71	-1.70	-1.74
8		6985	207	52T	-2.47	-2.29	-2.27

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					53	56	60
5		6025	15	106T	7.63	7.58	7.60
		6185	47	106T	7.37	7.45	7.43
		6345	79	106T	8.43	8.36	8.32
6		6505	111	106T	1.29	1.32	1.29
7		6665	143	106T	8.65	8.61	8.57
		6825	175	106T	1.46	1.29	1.34
8		6985	207	106T	0.82	0.80	0.89

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					61	62	64
5		6025	15	242T	7.52	7.57	7.59
		6185	47	242T	7.45	7.38	7.41
		6345	79	242T	8.42	8.44	8.39
6		6505	111	242T	3.90	3.95	4.12
7		6665	143	242T	8.61	8.60	8.73
		6825	175	242T	4.05	4.11	4.09
8		6985	207	242T	3.50	3.53	3.61

160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					65	66	N/A
	5	6025	15	484T	7.50	7.44	
		6185	47	484T	7.40	7.36	
		6345	79	484T	8.43	8.40	
	6	6505	111	484T	7.09	7.11	
	7	6665	143	484T	8.66	8.65	
		6825	175	484T	7.32	7.26	
	8	6985	207	484T	6.74	6.75	
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					67(L)	N/A	N/A
	5	6025	15	996T	7.65		
		6185	47	996T	7.47		
		6345	79	996T	8.40		
	6	6505	111	996T	6.74		
	7	6665	143	996T	8.58		
		6825	175	996T	8.36		
	8	6985	207	996T	7.79		
160MHz BW	Band	Freq [MHz]	Channel	Tones	Avg Conducted Power (dBm)		
					RU Index		
					68(L)	N/A	N/A
	5	6025	15	996Tx2	7.51		
		6185	47	996Tx2	7.30		
		6345	79	996Tx2	8.26		
	6	6505	111	996Tx2	6.82		
	7	6665	143	996Tx2	8.67		
		6825	175	996Tx2	8.56		
	8	6985	207	996Tx2	7.80		