











		9																																																																																																					
Mode	Band Edge - L																																																																																																						
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2342.58</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>42.69</td><td>27.30</td><td>6.75</td><td>33.37</td><td>9.99</td><td>338</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	2342.58	53.36	74.00	-20.64	42.69	27.30	6.75	33.37	9.99	338	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>98.96</td><td>-----</td><td>-----</td><td>87.82</td><td>27.60</td><td>6.85</td><td>33.31</td><td>10.00</td><td>338</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	1	2440.00	98.96	-----	-----	87.82	27.60	6.85	33.31	10.00	338	260	PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	2342.58	53.36	74.00	-20.64	42.69	27.30	6.75	33.37	9.99	338	260	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																													
1	2440.00	98.96	-----	-----	87.82	27.60	6.85	33.31	10.00	338	260	PEAK																																																																																											
Avg																																																																																																							
	Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:5.600kHz SMT:Auto						Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:5.600kHz SMT:Auto																																																																																																
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th><th></th></tr></thead><tbody><tr><td>1</td><td>2383.58</td><td>44.47</td><td>54.00</td><td>-9.53</td><td>33.59</td><td>27.44</td><td>6.78</td><td>33.34</td><td>10.00</td><td>338</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB			1	2383.58	44.47	54.00	-9.53	33.59	27.44	6.78	33.34	10.00	338	260	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>97.70</td><td>-----</td><td>-----</td><td>86.56</td><td>27.60</td><td>6.85</td><td>33.31</td><td>10.00</td><td>338</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	1	2440.00	97.70	-----	-----	86.56	27.60	6.85	33.31	10.00	338	260	AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																															
1	2383.58	44.47	54.00	-9.53	33.59	27.44	6.78	33.34	10.00	338	260	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	cm	deg																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB																																																																																													
1	2440.00	97.70	-----	-----	86.56	27.60	6.85	33.31	10.00	338	260	AVERAGE																																																																																											







Mode	9																																													
	Band Edge - R																																													
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																													
ANT	1																																													
Pol.	Vertical	Fundamental																																												
Peak	 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200 01620 230017 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.84</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>41.99</td><td>27.70</td><td>6.91</td><td>33.28</td><td>10.00</td><td>338</td><td>260</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.84	53.32	74.00	-20.68	41.99	27.70	6.91	33.28	10.00	338	260	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2485.84	53.32	74.00	-20.68	41.99	27.70	6.91	33.28	10.00	338	260	PEAK																																		
Avg	 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200 01620 230017 VERTICAL : RBW:1000.000kHz VBW:5.600kHz SWT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.86</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>33.61</td><td>27.70</td><td>6.92</td><td>33.28</td><td>10.00</td><td>338</td><td>260</td><td>AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.86	44.95	54.00	-9.05	33.61	27.70	6.92	33.28	10.00	338	260	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	2486.86	44.95	54.00	-9.05	33.61	27.70	6.92	33.28	10.00	338	260	AVERAGE																																		







Mode	9																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_238817 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4080.00</td><td>41.42</td><td>74.00</td><td>-32.58</td><td>55.16</td><td>32.70</td><td>11.46</td><td>58.58</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>51.28</td><td>36.82</td><td>14.58</td><td>58.99</td><td>0.62</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4080.00	41.42	74.00	-32.58	55.16	32.70	11.46	58.58	0.68	--	Peak	2	7320.00	44.31	74.00	-29.69	51.28	36.82	14.58	58.99	0.62	--	Peak	 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_238817 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4080.00</td><td>40.71</td><td>74.00</td><td>-33.29</td><td>54.45</td><td>32.70</td><td>11.46</td><td>58.58</td><td>0.68</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7320.00</td><td>44.58</td><td>74.00</td><td>-29.42</td><td>51.55</td><td>36.82</td><td>14.58</td><td>58.99</td><td>0.62</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4080.00	40.71	74.00	-33.29	54.45	32.70	11.46	58.58	0.68	--	Peak	2	7320.00	44.58	74.00	-29.42	51.55	36.82	14.58	58.99	0.62	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4080.00	41.42	74.00	-32.58	55.16	32.70	11.46	58.58	0.68	--	Peak																																																																																																					
2	7320.00	44.31	74.00	-29.69	51.28	36.82	14.58	58.99	0.62	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4080.00	40.71	74.00	-33.29	54.45	32.70	11.46	58.58	0.68	--	Peak																																																																																																					
2	7320.00	44.58	74.00	-29.42	51.55	36.82	14.58	58.99	0.62	--	Peak																																																																																																					







Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSKF_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 VERTICAL
17.7G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 VERTICAL



		10																																																																																																
Mode	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_230817 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_230817 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.88</td><td>53.92</td><td>74.00</td><td>-20.08</td><td>42.56</td><td>27.70</td><td>6.93</td><td>33.27</td><td>10.00</td><td>129 29 PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.88	53.92	74.00	-20.08	42.56	27.70	6.93	33.27	10.00	129 29 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>104.28</td><td>-----</td><td>-----</td><td>92.98</td><td>27.68</td><td>6.90</td><td>33.28</td><td>10.00</td><td>129 29 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	104.28	-----	-----	92.98	27.68	6.90	33.28	10.00	129 29 PEAK
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2496.88	53.92	74.00	-20.08	42.56	27.70	6.93	33.27	10.00	129 29 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2478.00	104.28	-----	-----	92.98	27.68	6.90	33.28	10.00	129 29 PEAK																																																																																								
Avg																																																																																																		
	Site : 03CH11-HY Condition: AVG_BE_54 3m 91280_01620_230817 HORIZONTAL : RBW:1000.000kHz VBW:5.600kHz SMT:Auto						Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_230817 HORIZONTAL : RBW:1000.000kHz VBW:5.600kHz SMT:Auto																																																																																											
<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2485.50</td><td>45.13</td><td>54.00</td><td>-8.87</td><td>33.00</td><td>27.70</td><td>6.91</td><td>33.28</td><td>10.00</td><td>129 29 AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.50	45.13	54.00	-8.87	33.00	27.70	6.91	33.28	10.00	129 29 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2478.00</td><td>103.03</td><td>-----</td><td>-----</td><td>91.73</td><td>27.68</td><td>6.90</td><td>33.28</td><td>10.00</td><td>129 29 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	103.03	-----	-----	91.73	27.68	6.90	33.28	10.00	129 29 AVERAGE
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2485.50	45.13	54.00	-8.87	33.00	27.70	6.91	33.28	10.00	129 29 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2478.00	103.03	-----	-----	91.73	27.68	6.90	33.28	10.00	129 29 AVERAGE																																																																																								







		10																																																																																																									
Mode	Band Edge																																																																																																										
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Vertical						Fundamental																																																																																																				
Peak																																																																																																											
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto						Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto																																																																																																				
Avg																																																																																																											
	Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:5.600kHz SMT:Auto						Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230817 VERTICAL : RBW:1000.000kHz VBW:5.600kHz SMT:Auto																																																																																																				
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.70</td><td>53.58</td><td>74.00</td><td>-20.42</td><td>42.25</td><td>27.70</td><td>6.91</td><td>33.28</td><td>10.00</td><td>373</td><td>137</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.70	53.58	74.00	-20.42	42.25	27.70	6.91	33.28	10.00	373	137	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>98.74</td><td>-----</td><td>-----</td><td>87.44</td><td>27.68</td><td>6.90</td><td>33.28</td><td>10.00</td><td>373</td><td>137</td><td>PEAK</td></tr></table>													Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	98.74	-----	-----	87.44	27.68	6.90	33.28	10.00	373	137	PEAK
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2483.70	53.58	74.00	-20.42	42.25	27.70	6.91	33.28	10.00	373	137	PEAK																																																																																															
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2478.00	98.74	-----	-----	87.44	27.68	6.90	33.28	10.00	373	137	PEAK																																																																																															
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.67</td><td>45.10</td><td>54.00</td><td>-8.90</td><td>33.74</td><td>27.70</td><td>6.93</td><td>33.27</td><td>10.00</td><td>373</td><td>137</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2495.67	45.10	54.00	-8.90	33.74	27.70	6.93	33.27	10.00	373	137	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>97.49</td><td>-----</td><td>-----</td><td>86.19</td><td>27.68</td><td>6.90</td><td>33.28</td><td>10.00</td><td>373</td><td>137</td><td>AVERAGE</td></tr></table>													Limit	Read	Ant	Cable	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	97.49	-----	-----	86.19	27.68	6.90	33.28	10.00	373	137	AVERAGE
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2495.67	45.10	54.00	-8.90	33.74	27.70	6.93	33.27	10.00	373	137	AVERAGE																																																																																															
	Limit	Read	Ant	Cable	Aux	APos	TPos	Remark																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2478.00	97.49	-----	-----	86.19	27.68	6.90	33.28	10.00	373	137	AVERAGE																																																																																															





Mode	10																																																																																																															
	Harmonic																																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_238817 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.60</td><td>74.00</td><td>-33.40</td><td>54.06</td><td>33.02</td><td>11.59</td><td>58.64</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>43.46</td><td>74.00</td><td>-30.54</td><td>50.71</td><td>36.33</td><td>14.70</td><td>58.91</td><td>0.63</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.60	74.00	-33.40	54.06	33.02	11.59	58.64	0.57	--	Peak	2	7434.00	43.46	74.00	-30.54	50.71	36.33	14.70	58.91	0.63	--	Peak	Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_238817 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4956.00</td><td>40.65</td><td>74.00</td><td>-33.35</td><td>54.11</td><td>33.02</td><td>11.59</td><td>58.64</td><td>0.57</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>7434.00</td><td>44.06</td><td>74.00</td><td>-29.94</td><td>51.31</td><td>36.33</td><td>14.70</td><td>58.91</td><td>0.63</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4956.00	40.65	74.00	-33.35	54.11	33.02	11.59	58.64	0.57	--	Peak	2	7434.00	44.06	74.00	-29.94	51.31	36.33	14.70	58.91	0.63	--	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4956.00	40.60	74.00	-33.40	54.06	33.02	11.59	58.64	0.57	--	Peak																																																																																																					
2	7434.00	43.46	74.00	-30.54	50.71	36.33	14.70	58.91	0.63	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	4956.00	40.65	74.00	-33.35	54.11	33.02	11.59	58.64	0.57	--	Peak																																																																																																					
2	7434.00	44.06	74.00	-29.94	51.31	36.33	14.70	58.91	0.63	--	Peak																																																																																																					
Avg																																																																																																																





Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GSKF_CH38_2478MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 VERTICAL
17.7G ~18G Avg	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 HORIZONTAL	 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_230017 VERTICAL



Mode	11																																																																																																																																																																																																		
	LF																																																																																																																																																																																																		
	2400-2483.5_Bluetooth-LE_GSKF_CH01_2402MHz																																																																																																																																																																																																		
ANT	1																																																																																																																																																																																																		
Pol.	Horizontal								Vertical																																																																																																																																																																																										
QPI Peak																																																																																																																																																																																																			
	Site : 03CH11-HY Condition: QP 3m Bilog_35414_231007 HORIZONTAL								Site : 03CH11-HY Condition: QP 3m Bilog_35414_231007 VERTICAL																																																																																																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>30.97</td><td>33.26</td><td>40.00</td><td>-6.74</td><td>41.38</td><td>23.69</td><td>0.48</td><td>32.45</td><td>0.16 -- -- Peak</td></tr><tr><td>2</td><td>208.48</td><td>23.37</td><td>43.50</td><td>-20.13</td><td>38.76</td><td>15.01</td><td>1.72</td><td>32.33</td><td>0.21 -- -- Peak</td></tr><tr><td>3</td><td>229.82</td><td>24.79</td><td>46.00</td><td>-21.21</td><td>39.03</td><td>15.97</td><td>1.83</td><td>32.24</td><td>0.20 -- -- Peak</td></tr><tr><td>4</td><td>384.05</td><td>27.67</td><td>46.00</td><td>-18.33</td><td>35.66</td><td>21.03</td><td>2.49</td><td>31.72</td><td>0.21 -- -- Peak</td></tr><tr><td>5</td><td>711.91</td><td>30.85</td><td>46.00</td><td>-15.15</td><td>32.10</td><td>26.63</td><td>3.48</td><td>31.67</td><td>0.31 -- -- Peak</td></tr><tr><td>6</td><td>953.44</td><td>32.15</td><td>46.00</td><td>-13.85</td><td>27.78</td><td>30.78</td><td>4.08</td><td>30.96</td><td>0.47 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	30.97	33.26	40.00	-6.74	41.38	23.69	0.48	32.45	0.16 -- -- Peak	2	208.48	23.37	43.50	-20.13	38.76	15.01	1.72	32.33	0.21 -- -- Peak	3	229.82	24.79	46.00	-21.21	39.03	15.97	1.83	32.24	0.20 -- -- Peak	4	384.05	27.67	46.00	-18.33	35.66	21.03	2.49	31.72	0.21 -- -- Peak	5	711.91	30.85	46.00	-15.15	32.10	26.63	3.48	31.67	0.31 -- -- Peak	6	953.44	32.15	46.00	-13.85	27.78	30.78	4.08	30.96	0.47 -- -- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>39.70</td><td>32.03</td><td>40.00</td><td>-7.97</td><td>44.08</td><td>19.64</td><td>0.50</td><td>32.33</td><td>0.14 100 298 QP</td></tr><tr><td>2</td><td>156.10</td><td>26.15</td><td>43.50</td><td>-17.35</td><td>40.19</td><td>16.50</td><td>1.42</td><td>32.21</td><td>0.25 -- -- Peak</td></tr><tr><td>3</td><td>229.82</td><td>21.84</td><td>46.00</td><td>-24.16</td><td>36.00</td><td>15.97</td><td>1.83</td><td>32.24</td><td>0.20 -- -- Peak</td></tr><tr><td>4</td><td>499.48</td><td>24.44</td><td>46.00</td><td>-21.56</td><td>30.11</td><td>23.71</td><td>2.86</td><td>32.47</td><td>0.23 -- -- Peak</td></tr><tr><td>5</td><td>748.77</td><td>30.89</td><td>46.00</td><td>-15.11</td><td>30.54</td><td>27.98</td><td>3.57</td><td>31.53</td><td>0.33 -- -- Peak</td></tr><tr><td>6</td><td>944.71</td><td>33.43</td><td>46.00</td><td>-12.57</td><td>29.73</td><td>30.23</td><td>4.07</td><td>31.05</td><td>0.45 -- -- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	39.70	32.03	40.00	-7.97	44.08	19.64	0.50	32.33	0.14 100 298 QP	2	156.10	26.15	43.50	-17.35	40.19	16.50	1.42	32.21	0.25 -- -- Peak	3	229.82	21.84	46.00	-24.16	36.00	15.97	1.83	32.24	0.20 -- -- Peak	4	499.48	24.44	46.00	-21.56	30.11	23.71	2.86	32.47	0.23 -- -- Peak	5	748.77	30.89	46.00	-15.11	30.54	27.98	3.57	31.53	0.33 -- -- Peak	6	944.71	33.43	46.00	-12.57	29.73	30.23	4.07	31.05
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																										
1	30.97	33.26	40.00	-6.74	41.38	23.69	0.48	32.45	0.16 -- -- Peak																																																																																																																																																																																										
2	208.48	23.37	43.50	-20.13	38.76	15.01	1.72	32.33	0.21 -- -- Peak																																																																																																																																																																																										
3	229.82	24.79	46.00	-21.21	39.03	15.97	1.83	32.24	0.20 -- -- Peak																																																																																																																																																																																										
4	384.05	27.67	46.00	-18.33	35.66	21.03	2.49	31.72	0.21 -- -- Peak																																																																																																																																																																																										
5	711.91	30.85	46.00	-15.15	32.10	26.63	3.48	31.67	0.31 -- -- Peak																																																																																																																																																																																										
6	953.44	32.15	46.00	-13.85	27.78	30.78	4.08	30.96	0.47 -- -- Peak																																																																																																																																																																																										
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																																																																										
1	39.70	32.03	40.00	-7.97	44.08	19.64	0.50	32.33	0.14 100 298 QP																																																																																																																																																																																										
2	156.10	26.15	43.50	-17.35	40.19	16.50	1.42	32.21	0.25 -- -- Peak																																																																																																																																																																																										
3	229.82	21.84	46.00	-24.16	36.00	15.97	1.83	32.24	0.20 -- -- Peak																																																																																																																																																																																										
4	499.48	24.44	46.00	-21.56	30.11	23.71	2.86	32.47	0.23 -- -- Peak																																																																																																																																																																																										
5	748.77	30.89	46.00	-15.11	30.54	27.98	3.57	31.53	0.33 -- -- Peak																																																																																																																																																																																										
6	944.71	33.43	46.00	-12.57	29.73	30.23	4.07	31.05	0.45 -- -- Peak																																																																																																																																																																																										



Mode	28																																																																																															
	SHF																																																																																															
	2400-2483.5_Bluetooth-LE_GSKF_CH01_2402MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal						Vertical																																																																																									
Peak																																																																																																
	Site : 03CH11-HY Condition: PEAK_74 1m SHF_00993_231124 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 1m SHF_00993_231124 VERTICAL																																																																																									
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24805.32</td><td>39.67</td><td>74.00</td><td>-34.33</td><td>34.04</td><td>39.21</td><td>28.14</td><td>52.98</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24805.32	39.67	74.00	-34.33	34.04	39.21	28.14	52.98	-9.54	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24962.32</td><td>40.66</td><td>74.00</td><td>-33.34</td><td>35.50</td><td>39.25</td><td>28.37</td><td>52.92</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24962.32	40.66	74.00	-33.34	35.50	39.25	28.37	52.92	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	24805.32	39.67	74.00	-34.33	34.04	39.21	28.14	52.98	-9.54	--	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	24962.32	40.66	74.00	-33.34	35.50	39.25	28.37	52.92	-9.54	--	PEAK																																																																																					



Appendix D. Duty Cycle Plots

Band	Duty Cycle(%)	T(us)	1/T(kHz)	VBW Setting
Bluetooth - LE for 1Mbps	61.22	382	2.618	2.7KHz
Bluetooth - LE for 2Mbps	31.31	196	5.102	5.6KHz

