






Band Edge NVNT n20 5180MHz Low Ant1



Band Edge NVNT n20 5240MHz High Ant1



Band Edge NVNT n40 5190MHz Low Ant1




Band Edge NVNT n40 5230MHz High Ant1




5.7 CONDUCTED RF SPURIOUS EMISSION

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-38.07	-27	Pass
NVNT	a	5200	Ant1	-38.32	-27	Pass
NVNT	a	5240	Ant1	-38.5	-27	Pass
NVNT	ac20	5180	Ant1	-48.69	-27	Pass
NVNT	ac20	5200	Ant1	-49.11	-27	Pass
NVNT	ac20	5240	Ant1	-47.76	-27	Pass
NVNT	ac40	5190	Ant1	-48.67	-27	Pass
NVNT	ac40	5230	Ant1	-49.09	-27	Pass
NVNT	ac80	5210	Ant1	-48.31	-27	Pass
NVNT	n20	5180	Ant1	-38.79	-27	Pass
NVNT	n20	5200	Ant1	-38.75	-27	Pass
NVNT	n20	5240	Ant1	-38.41	-27	Pass
NVNT	n40	5190	Ant1	-38.6	-27	Pass
NVNT	n40	5230	Ant1	-38.32	-27	Pass


Tx. Spurious NVNT a 5180MHz Ant1 Emission




Tx. Spurious NVNT a 5200MHz Ant1 Emission




Tx. Spurious NVNT a 5240MHz Ant1 Emission




Tx. Spurious NVNT ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT n20 5180MHz Ant1 Emission




Tx. Spurious NVNT n20 5200MHz Ant1 Emission




Tx. Spurious NVNT n20 5240MHz Ant1 Emission



Tx. Spurious NVNT n40 5190MHz Ant1 Emission





Tx. Spurious NVNT n40 5230MHz Ant1 Emission




5.8G WIFI

5.1 DUTY CYCLE


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	86.24	0.64	0.72
NVNT	a	5785	Ant1	88.34	0.54	0.72
NVNT	a	5825	Ant1	88.3	0.54	0.72
NVNT	n20	5745	Ant1	87.21	0.59	0.85
NVNT	n20	5785	Ant1	87.01	0.6	0.85
NVNT	n20	5825	Ant1	86.74	0.62	0.85
NVNT	n40	5755	Ant1	76.96	1.14	1.69
NVNT	n40	5795	Ant1	76.83	1.14	1.69
NVNT	ac20	5745	Ant1	86.36	0.64	0.84
NVNT	ac20	5785	Ant1	87.1	0.6	0.84
NVNT	ac20	5825	Ant1	87.46	0.58	0.84
NVNT	ac40	5755	Ant1	76.42	1.17	1.69
NVNT	ac40	5795	Ant1	76.87	1.14	1.69
NVNT	ac80	5775	Ant1	63.27	1.99	3.45




Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1




Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1







Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1




Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1



Duty Cycle NVNT ac40 5795MHz Ant1



Duty Cycle NVNT ac80 5775MHz Ant1



5.2 MAXIMUM CONDUCTED OUTPUT POWER


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	12.09	30	Pass
NVNT	a	5785	Ant1	12.33	30	Pass
NVNT	a	5825	Ant1	12.73	30	Pass
NVNT	n20	5745	Ant1	12.02	30	Pass
NVNT	n20	5785	Ant1	12.32	30	Pass
NVNT	n20	5825	Ant1	12.74	30	Pass
NVNT	n40	5755	Ant1	12.07	30	Pass
NVNT	n40	5795	Ant1	12.83	30	Pass
NVNT	ac20	5745	Ant1	11.94	30	Pass
NVNT	ac20	5785	Ant1	12.27	30	Pass
NVNT	ac20	5825	Ant1	12.71	30	Pass
NVNT	ac40	5755	Ant1	12.44	30	Pass
NVNT	ac40	5795	Ant1	13.09	30	Pass
NVNT	ac80	5775	Ant1	11.91	30	Pass

5.3 -6DB BANDWIDTH


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	16.452	0.5	Pass
NVNT	a	5785	Ant1	16.344	0.5	Pass
NVNT	a	5825	Ant1	16.539	0.5	Pass
NVNT	n20	5745	Ant1	17.562	0.5	Pass
NVNT	n20	5785	Ant1	17.373	0.5	Pass
NVNT	n20	5825	Ant1	17.694	0.5	Pass
NVNT	n40	5755	Ant1	36	0.5	Pass
NVNT	n40	5795	Ant1	36.006	0.5	Pass
NVNT	ac20	5745	Ant1	17.4	0.5	Pass
NVNT	ac20	5785	Ant1	17.355	0.5	Pass
NVNT	ac20	5825	Ant1	17.421	0.5	Pass
NVNT	ac40	5755	Ant1	36.162	0.5	Pass
NVNT	ac40	5795	Ant1	36.162	0.5	Pass
NVNT	ac80	5775	Ant1	75.3	0.5	Pass

Test Graphs


-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1




-6dB Bandwidth NVNT a 5825MHz Ant1




-6dB Bandwidth NVNT n20 5745MHz Ant1




-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1




-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1




-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1




-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1



-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1




5.4 OCCUPIED CHANNEL BANDWIDTH


Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5745	Ant1	16.564
NVNT	a	5785	Ant1	16.567
NVNT	a	5825	Ant1	16.57
NVNT	n20	5745	Ant1	17.71
NVNT	n20	5785	Ant1	17.638
NVNT	n20	5825	Ant1	17.767
NVNT	n40	5755	Ant1	36.422
NVNT	n40	5795	Ant1	36.458
NVNT	ac20	5745	Ant1	17.623
NVNT	ac20	5785	Ant1	17.644
NVNT	ac20	5825	Ant1	17.599
NVNT	ac40	5755	Ant1	36.464
NVNT	ac40	5795	Ant1	36.392
NVNT	ac80	5775	Ant1	75.34

Test Graphs


OBW NVNT a 5745MHz Ant1




OBW NVNT a 5785MHz Ant1




OBW NVNT a 5825MHz Ant1




OBW NVNT n20 5745MHz Ant1




OBW NVNT n20 5785MHz Ant1




OBW NVNT n20 5825MHz Ant1




OBW NVNT n40 5755MHz Ant1




OBW NVNT n40 5795MHz Ant1




OBW NVNT ac20 5745MHz Ant1




OBW NVNT ac20 5785MHz Ant1




OBW NVNT ac20 5825MHz Ant1




OBW NVNT ac40 5755MHz Ant1



OBW NVNT ac40 5795MHz Ant1



OBW NVNT ac80 5775MHz Ant1



5.5 MAXIMUM POWER SPECTRAL DENSITY LEVEL


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-7.99	0.64	-7.35	30	Pass
NVNT	a	5785	Ant1	-7.23	0.54	-6.69	30	Pass
NVNT	a	5825	Ant1	-7.16	0.54	-6.62	30	Pass
NVNT	n20	5745	Ant1	-9.68	0.59	-9.09	30	Pass
NVNT	n20	5785	Ant1	-10.41	0.6	-9.81	30	Pass
NVNT	n20	5825	Ant1	-9.48	0.62	-8.86	30	Pass
NVNT	n40	5755	Ant1	-17.29	1.14	-16.15	30	Pass
NVNT	n40	5795	Ant1	-17.21	1.14	-16.07	30	Pass
NVNT	ac20	5745	Ant1	-9.34	0.64	-8.7	30	Pass
NVNT	ac20	5785	Ant1	-7.72	0.6	-7.12	30	Pass
NVNT	ac20	5825	Ant1	-7.42	0.58	-6.84	30	Pass
NVNT	ac40	5755	Ant1	-17.44	1.17	-16.27	30	Pass
NVNT	ac40	5795	Ant1	-16.08	1.14	-14.94	30	Pass
NVNT	ac80	5775	Ant1	-25.39	1.99	-23.4	30	Pass

Test Graphs

PSD NVNT a 5745MHz Ant1




PSD NVNT a 5785MHz Ant1




PSD NVNT a 5825MHz Ant1




PSD NVNT n20 5745MHz Ant1




PSD NVNT n20 5785MHz Ant1




PSD NVNT n20 5825MHz Ant1



PSD NVNT n40 5755MHz Ant1




PSD NVNT n40 5795MHz Ant1



PSD NVNT ac20 5745MHz Ant1




PSD NVNT ac20 5785MHz Ant1




PSD NVNT ac20 5825MHz Ant1




PSD NVNT ac40 5755MHz Ant1



PSD NVNT ac40 5795MHz Ant1



PSD NVNT ac80 5775MHz Ant1




5.6 BAND EDGE

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Verdict
NVNT	a	5745	Ant1	-26.42	Pass
NVNT	a	5825	Ant1	-30.65	Pass
NVNT	n20	5745	Ant1	-25.3	Pass
NVNT	n20	5825	Ant1	-29.01	Pass
NVNT	n40	5755	Ant1	-17.55	Pass
NVNT	n40	5795	Ant1	-32.07	Pass
NVNT	ac20	5745	Ant1	-24.64	Pass
NVNT	ac20	5825	Ant1	-27.73	Pass
NVNT	ac40	5755	Ant1	-20.23	Pass
NVNT	ac40	5795	Ant1	-31.97	Pass
NVNT	ac80	5775	Ant1	-32.32	Pass
NVNT	ac80	5775	Ant1	-28.76	Pass

Test Graphs


Band Edge NVNT a 5745MHz Low Ant1



Band Edge NVNT a 5825MHz High Ant1




Band Edge NVNT n20 5745MHz Low Ant1



Band Edge NVNT n20 5825MHz High Ant1




Band Edge NVNT n40 5755MHz Low Ant1



Band Edge NVNT n40 5795MHz High Ant1




Band Edge NVNT ac20 5745MHz Low Ant1




Band Edge NVNT ac20 5825MHz High Ant1




Band Edge NVNT ac40 5755MHz Low Ant1




Band Edge NVNT ac40 5795MHz High Ant1



Band Edge NVNT ac80 5775MHz High Ant1





Band Edge NVNT ac80 5775MHz Low Ant1




5.7 CONDUCTED RF SPURIOUS EMISSION


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-35.17	-27	Pass
NVNT	a	5785	Ant1	-34.75	-27	Pass
NVNT	a	5825	Ant1	-35.63	-27	Pass
NVNT	n20	5745	Ant1	-35.17	-27	Pass
NVNT	n20	5785	Ant1	-35.27	-27	Pass
NVNT	n20	5825	Ant1	-34.52	-27	Pass
NVNT	n40	5755	Ant1	-35.2	-27	Pass
NVNT	n40	5795	Ant1	-34.43	-27	Pass
NVNT	ac20	5745	Ant1	-35.14	-27	Pass
NVNT	ac20	5785	Ant1	-35.58	-27	Pass
NVNT	ac20	5825	Ant1	-35.3	-27	Pass
NVNT	ac40	5755	Ant1	-33.99	-27	Pass
NVNT	ac40	5795	Ant1	-35.19	-27	Pass
NVNT	ac80	5775	Ant1	-35	-27	Pass







Tx. Spurious NVNT a 5825MHz Ant1 Emission







Tx. Spurious NVNT n20 5745MHz Ant1 Emission















END OF REPORT