HelloBaby[®]


Ver:1.2

Digital Audio Baby Monitor

Users manual



<u>What's in the box</u>



Thank you for purchasing the HelloBaby audio baby monitor. HelloBaby is the best device ever for monitoring your baby at all time. You can hear your baby in another room.

If you have any questions or concerns, please feel free to email us at service @hellobaby.net.cn.

Please retain your original purchase receipt for record purpose. For warranty service of your HelloBaby product, you will need to provide a copy of your original purchase receipt to confirm warranty status. Registration is not required for warranty coverage. Please read the safety instructions carefully.

Connect

This is an AC powered audio baby monitor. Connect the baby monitor to a non-switched electric outlet to power on.


ANOTES

 Use only the power adapters supplied with this product

Slide up or down to turn on or off the parent unit

Connect the power adapters in a vertical or floor mount position only. The adapters' prongs are not designed to hold the weight of baby monitor, so do not connect them to any ceiling, under-the-table, or cabinet outlets. Otherwise, the adapters may not properly connect to the outlets.

. Make sure the parent unit, the baby unit and the power adapter cords are out of reach of children




- Make sure the POWER light is on after the power
- Make sure the POWER light is on after the power baby unit.
- Make sure the haby unit is on. If the parent unit is not linked to the baby unit, Visual sound indicator on the parent unit will flash Move the parent unit closer to the baby unit (but not less than 3 feet / 1 meter).

1. Connect the power to the transmitter and receiver (or install 3 AAA batteries in the receiver). Switch on the receiver and ensure that the first LED on the display panel stays illuminated. Then check if the indicator light on the transmitter remains constantly lit.

- 2. Simultaneously press and hold the left and right buttons on the receiver for 3 seconds until you see the first LED on the receiver start flashing.
- 3. Locate a small hole labeled "Pair" on the back of the transmitter. Use a thin paper clip or any other small object to briefly press the button inside the hole. The indicator light on the transmitter will start flashing.
- 4. After successful pairing, the indicator lights on both the receiver and transmitter will stop

The pairing process between the receiver and transmitter must be completed within 30 seconds If the pairing is not successful after 30 seconds, please repeat the pairing steps.



Before use

This baby monitor is intended as an aid. It is not a substitute for proper adult supervision, and should not be used as such.

Test your baby monitor

You may test the baby monitor before initial use, and at regular times thereafter.

⊕CAUTION

For hearing protection, make sure the parent unit is more than 3 feet (1 meter) away from the baby unit. If you hear any high-pitched noise, move the parent unit further until the noise stops. You can also press ◀ on the parent unit to lower or mute the noise



- 1. Make sure your baby unit and parent unit are on
- 2. Speak towards the microphone of the baby unit. You will hear the sound at the parent unit, and see the visual sound indicators light up

⊘NOTE

 When the Visual sound indicator LED light flashes, move the parent unit closer to the baby unit (observe the minimum distance of 3 feet/ 1 meter) You can also check if the baby monitor is connected to a live power socket and switched on


PIT49

 Increase the speaker volume of the parent unit if you cannot hear the sounds transmitted from the

Positioning the baby monitor

- **OCAUTION** Keep the baby unit out of the reach of your baby. Never place or mount the baby unit inside the
- 1. Place the baby unit more than 3 feet (1 meter) away from your baby

haby's crib or playnen.



2. Place the parent unit more than 3 feet (1 meter) away from the baby unit


- The default volume of your parent unit is Level 3, and the maximum volume is level 5. If you experience high-pitched screeching noise from your baby monitor while positioning: Make sure your haby unit and parent unit are
- more than 3 feet (1 meter) apart, OF
- Turn down the volume of your parent unit.

Operating range

The operating range of the baby monitor is up to 1,000 feet (300 meters) outdoors or 160 feet (50 meters) indoors. The actual operating range may vary depending on the environmental conditions and other interferences such as walls, doors and other obstructions.


Overview

Baby unit overview



じ Power liaht . On when the baby unit is turned on. Microphone

Parent unit overview



Power / Low battery light

- · Lights on steadily in green when the parent unit is on and linked to the baby unit
- Flashes in green when the battery is low
- ◀ (Volume down)

Visual sound indicator

 Indicate the sound level detected by the baby unit or show the volume level during speaker volume setting. The visual sound indicator has three

One is to show the sound level detected by the baby unit

Second one is to show the volume level during speaker volume setting

Third is show RED LED flash when there is no link between the baby unit and the parent unit, or when the parent unit is out of range from the baby unit.

▶ (Volume up) Speaker Parent unit alert tones

也 (On/off)

Out of	Beeps three times every 10
range	seconds when there is no link
tone	between the baby unit and
	parent unit, or when the parent
	unit is out of range from the baby
	unit.

	unit.
Low Battery tone	Beeps one time every 30 seconds when the battery is low.

Using the baby monitor

Power on or off the baby unit

- Plug in the DC power plug to turn on, Power light turns on.
- Unplug the DC power plug to turn off, Power light turns off.

Power on or off the parent unit

- . Slide the switch Up until the Power light
- . Slide the switch Down until the Power light turns of

Adjust speaker volume

The speaker volume is preset to Level 3 on the parent unit. You can adjust to your preferred sound level.

Press ◀ to decrease the volume, and ▶ to increase the volume.

 If you continue to press ◀ or ▶ when the volume reaches the minimum or maximum setting, the parent unit will been twice.

To mute the speaker volume:

reaches the minimum

ANOTES

- When the parent unit is in mute, the visual sound indicator will still indicate the sound detected from the baby unit
- To end mute, press repeatedly until it reaches your desired volume

Install batteries for backup use (optional)

This is an AC powered baby monitor. If you want to move around the house with the parent unit for a few minutes, you can install three AAA alkaline batteries for backup use. Re-connect the baby monitor to a non-switched electric outlet once you are settled down.

- · Use 3 x AAA batteries (not included). Alkaline batteries are recommended. If you use other kind of batteries, the performance of the baby monitor
- . NO BATTERY RECHARGING from the parent unit . Do not mix old and new batteries. Do not mix
- alkaline, standard (Carbon-Zinc) or rechargeable (Ni-Cad, Ni-Mh, etc) batteries
- While you insert the batteries, make sure the polarities are correct
- · Replace the batteries when the Power/ /Low battery light flashes on the parent unit.

Install the batteries as shown below.

- 1. Slide open the battery compartment cover
- 2. Insert three AAA alkaline batteries into the
- battery compartment 3. Slide the battery compartment cover until it clicks into place.

Replace the battery

To replace the batteries, slide open the battery compartment cover, and then take out the batteries. Follow the previous steps to install the new batteries.

Note: The ECO energy-saving mode of this product is enabled by default. When the receiver is active and no sound is detected from the baby within 30 seconds, it will automatically enter sleep mode, which means the receiver will be silent. This feature helps save power and extend usage time for

1. When the baby makes a sound, the receiver will automatically exit the ECO energy-saving mode, and the user will be able to hear the baby's sound again. 2. In sleep mode, if the user wants to actively hear the sound, they can press the volume+ or volume- key to wake up the sound. If there is no operation, it will re-enter the ECO energy-saving mode after 30 seconds

General product care

To keep this product working well and looking good follow these guidelines:

- Avoid nutting it near heating appliances and devices that generate electrical noise (for example, motors or fluorescent lamps)
- DO NOT expose it to direct sunlight or moisture. Avoid dropping the product or treating it roughly.
- Clean with a soft cloth.
- DO NOT immerse the parent unit and the baby unit in water and do not clean them under the tap.
- DO NOT use cleaning spray or liquid cleaners.
- Make sure the baby unit and parent unit are dry before you connect them to the mains again

Storage

When you are not going to use the baby monitor for some time, remove the batteries from the parent unit. Store the parent unit, the baby unit and the adapters in a cool and dry place

Operating range

This product operates with the maximum power allowed by the Federal Communications Commission (FCC). Even so, the baby unit and the parent unit can communicate over only a certain distance - which can vary with the locations of the baby unit, the parent unit, the weather, and the layout of your home. When the parent unit is out of range, it will beep three times every 10 seconds and enter searching mode. To improve reception, move closer to the baby unit (but not less than 3 feet / 1 meter).

Frequently asked questions

Below are the questions most frequently asked about the baby monitor

vviiy docoii t
the POWER
light on the
baby unit turn
on when I
switch on the
units?

Perhans the haby unit is not connected to the power supply Connect the baby unit to power supply. The baby unit turns on.

the POWER light on the parent unit switch on the units?

Perhaps the battery of the parent unit is empty and the parent unit is not connected to power supply. Connect the parent unit to power supply: or insert three new AAA alkaline batteries into the parent unit. The parent unit turns on and establishes connection with the oaby unit.

Why does the baby monitor not respond normally?

Try the following (in the order listed) for common cure

- 1. Make sure that both baby unit and parent unit are on. Disconnect the power from the baby unit and the parent unit.
- 2. Remove the batteries from the parent unit.
- Connect the baby unit to the power supply again. The baby unit
- . Connect the parent unit to the power supply again; or insert three new AAA alkaline batterie The parent unit turns on
- 5. Wait for the parent unit to synchronize with the baby unit Allow up to one minute for this to take place.
- 6. Press ◀ or ▶ to adjust the speaker volume on the parent unit

Why does the baby monitor produce a high-pitched noise?	The units may be too close to each other. Make sure the parent unit and the baby unit at least 1 meter / 3 feet away from each other.
Why don't I hear a sound/ Why can't I hear my baby cry?	Make sure that both baby unit and parent unit are on. If you see the visual sound indicators light up, but there is no sound, then you may have muted the volume or set it to a lower level. Adjust the volume to a higher level.
	If the visual sound indicators do not light up, and you cannot hear any sound, it is because the baby sound is too low for the baby unit to detect. This is normal. Place the

baby unit at least 3 feet / 1 meter

The parent unit beens three times

every 10 seconds when the baby

parent unit closer to the baby unit

(but not less than 3 feet / 1 meter)

batteries, the **Power** light flashes

Replace with three new AAA alkaline

in green when the battery is low.

If the parent unit is powered by

batteries, the **Power** light flashes

n green when the battery is low.

batteries, or remove the batteries,

and connect the parent unit to the

Replace with three new AAA alkaline

unit is out of range. Move the

If the parent unit is powered by

away from your baby

hatteries.

nower supply

Why does the

beep?

Why does

unit **Power**

Move the parent unit closer to the Why is the lost every now and then? Why are here sound nterruptions'

Mhy can't I

establish a

auickly?

baby unit (but not less than 3 feet 1 meter). Other electronic products may cause interference with your haby monitor. Try installing your baby monitor as far away from these

The haby unit may be out of range

electronic devices as possible. How come

Alkaline batteries are recommended. If you use other the battery kind of batteries, the performance ackup pow depleted so of the baby monitor varies.

This is an AC powered baby monitor. The three AAA alkaline batteries are for backup powe use, and there is no battery recharging from the parent unit

Do not mix old and new batteries Do not mix alkaline, standard (Carbon-Zinc) or rechargeable (Ni Cad. Ni-Mh. etc) batteries.

Important safety instructions

When using your equipment, basic safety precautions should always be followed to reduce the risk of fire, electric shock and injury, including the following:

- Follow all warnings and instructions marked on the product.
- Adult setup is required
- This product is intended as an aid. It is not a substitute for responsible and proper adult supervision and should not be used as such 4. This product is not intended for use as a medical
- Do not use this product near water. For example, kitchen sink, laundry tub or swimming pool, or in a wet basement or shower

- CAUTION: Use only alkaline batteries (not included). There may be a risk of explosion if a wrong type of battery is used for the parent unit. Do not dispose of batteries in a fire. They may explode. Check with local codes for possible special disposal instructions.
- Use only the adapters included with this product Incorrect adapter polarity or voltage car seriously damage the product. Rahy unit nower adapter Input: 100-120V AC 60Hz Output: 5V DC 1000mA

Input: 100-120V AC 60Hz Output: 5V DC 1000mA

- The power adapters are intended to be correctly oriented in a vertical or floor mount position. The prongs are not designed to hold the plug in place if it is plugged into a ceiling, under-the-table or
- Unplug this product from the wall outlet before cleaning. Do not use liquid or aerosol cleaners. Use a damp cloth for cleaning
- 10. Unplug the power cords before replacing
- 11 Do not cut off the power adapters to replace them with other plugs, as this causes a hazardous situation
- 12. Do not allow anything to rest on the power cords Do not install this product where the cords may be walked on or crimped.
- This product should be operated only from the type of power source indicated on the marking label. If you are not sure of the type of power supply in your home, consult your dealer or local power company
- 14. Do not overload wall outlets or use an extension
- 15. Do not place this product on an unstable table, shelf, stand or other unstable surfaces.
- 16. This product should not be placed in any area where proper ventilation is not provided. Slots and openings in the back or bottom of this product are provided for ventilation. To protect them from overheating, these openings must not be blocked by placing the product on a soft surface such as a bed, sofa or rug. This product should never be placed near or over a radiator o heat register.
- 17. Never push objects of any kind into this product through the slots because they may touch dangerous voltage points or create a short circuit. Never spill liquid of any kind on the

- 18. To prevent fire or shock hazard, do not expose this product to water or any type of moisture.
- 19. To reduce the risk of electric shock, do not disassemble this product, but take it to an authorized service facility. Opening or removing parts of the product other than specified access doors may expose you to dangerous voltages or other risks. Incorrect reassemblin can cause electric shock when the product is subsequently used.
- 20. You should test the sound reception every time you turn on the units or move one of the components
- 21. Periodically examine all components for damage
- 22. Be aware of possible loss of privacy while using public airwayes. Conversations may be nicked up by other nursery monitors, cordless phones, scanners, etc.
- 23. Children should be supervised to ensure that they do not play with the product.
- 24. The product is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety

SAVE THESE INSTRUCTIONS

- Use and store the product at a temperature between 32°F and 104°F.
- Do not expose the product to extreme cold, heat or direct sunlight. Do not put the product close to a heating source.
- Batteries should not be exposed to excessive heat such as bright sunshine or fire.
- Make sure the baby unit and the adapter cord are always out of reach of the haby, at least 3 feet (1 meter) away from the baby or crib, to avoid a possible strangulation hazard.
- Never place the baby unit(s) inside the baby's crib or playpen. Never cover the baby unit(s) or parent unit with anything such as a towel or a blanket.
- Never cover the baby unit or parent unit(s) with anything such as a towel or a blanket.

Other electronic products may cause interference with your baby monitor. Try installing your baby monitor as far away from these electronic devices as possible: wireless routers, radios, cellular telephones, intercoms, room monitors, televisions, personal computers, kitchen appliances and cordless telephones.

Precautions for users of implanted cardiac pacemakers

Cardiac pacemakers (applies only to digital cordless devices):

Wireless Technology Research, LLC (WTR), an independent research entity, led a multidisciplinary evaluation of the interference between portable wireless devices and implanted cardiac pacemakers, Supported by the U.S. Food and Drug Administration, WTR recommends to physicians that

Pacemaker natients

- . Should keep wireless devices at least six inches from the pacemaker. Should NOT place wireless devices directly over
- the pacemaker, such as in a breast pocket, when it is turned ON.

WTR's evaluation did not identify any risk to bystanders with pacemakers from other persons using wireless devices.

FCC and IC regulations

FCC Statement (2AF2R-HB168TX)

This equipment has been tested and found to comply with the limits for a Class B digital device pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

To assure continued compliance, any changes or modifications not expressly approved by the party. Responsible for compliance could void the user's authority to operate this equipment. (Example-use only shielded interface cables when connecting to computer or peripheral devices).

This equipment complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions

(1) This device may not cause harmful interference, and (2) This device must accept any interference received, including interference that may cause undesired operation.

FCC Radiation Exposure Statement:

The equipment complies with ECC Radiation exposure limits set forth for uncontrolled enviroment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your body.

This Class B digital apparatus complies with CAN ICES-3 (B)/NMB-3(B)

For body worn operation, this parent unit has been tested and meets the FCC RF exposure guidelines when used with the accessories supplied or designated for this product. Use of other accessories may not ensure compliance with FCC RF exposure

Industry Canada

This device complies with Industry Canada licence-exempt RSS standard(s)

Operation is subject to the following two conditions: (1) this device may not cause harmful interference received, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Privacy of communications may not be ensured when using this product. The term IC: before the certification/registration

number only signifies that the Industry Canada technical specifications were met.

This product meets the applicable Industry Canada technical specifications.

RF radiation exposure statement

The baby unit complies with FCC RF radiation exposure limits set forth for an uncontrolled environment. The baby unit should be installed nd operated with a minimum distance of 20 cm (8 inches) between the baby unit and all persons body. Use of other accessories may not ensure compliance with FCC RF exposure guidelines. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter This equipment complies also with Industry Canada RSS-102 with respect to Canadas Health Code 6 for Exposure of Humans to RF Fields.

FCC/IC RF Radiation Exposure Statement Caution: This Transmitter must be installed to provide a separation distance of at least 20 cm from all persons.

IC Radiation Déclaration d'exposition Attention: Cet émetteur doit être installé pour fournir une distance de séparation d'au moins 20 cm de toute personne.

FCC Warnning (2AF2R-HB168RX) This equipment has been tested and found to

comply with the limits for a Class B digital device. pursuant to part 15 of the ECC Rules. These limits are designed to provide reasonable protection againstharmful interference in a residential installation. This equipment generates, uses and can radiateradio frequency energy and, if not installed and used in accordance with the instructions, maycause harmful interference to radio communications. However, there is no guarantee thatinterference will not occur in a particular installation. If this equipment does cause harmfulinterference to radio or television reception, which can be determined by turning the equipmentoff and on, the user is encouraged to try to correct the interference by one or more of thefollowing

- Recrient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- . Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Caution: Any changes or modifications to this device not explicitly approved by manufacturer could void your authority to operate this equipment.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:

(1)This device may not cause harmful interference, and (2) this device must accept anyinterference received, including interference that may cause undesired operation. This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 0cm between the radiator and your body.

EU Declaration of Conformity (DOC)

Hereby, HelloBaby Technology (HK) Limited declares that the radio equipment type (Digital Video Baby Monitor HB 168) is in compliance with RED Directive 2014/53/EU. The full text of the EU declaration of conformity is available on the website: www.hellobaby.net.cn

Trade Name: HelloBaby Model: HB168

Responsible Party: Startline LLC Add: 22 Hazelwood Drive, Jericho, NY 11753 Tel: 1-516-681-3729

Shenzhen Videotimes Technology Co., Ltd Room 2106, Building 11, Tianan Yungu Phase

II. Gangtou Community, Bantian Street. Longgang District, Shenzhen, Guangdong,

Improper or incorrect use of batteries may cause corrosion or battery leakage, which could cause personal injury or damage to property. Use only the types of the batteries which are indicated in this manual. CAUTION: Risk of Fire and Burns, Do Not Open, Crush, Heat Above 45 degree C or Incinerate

Follow Manufacturer's Instructions.

Technical specifications

Frequency Hopping Spread control

2402~2080MHz frequency

Transmit

range

Channels Nominal effective

Maximum power allowed by FCC and IC. Actual operating range may vary according to environmental conditions at the time of use.

Power Baby unit adapter: Input: 100 -240VAC 50/60Hz requirements 0.2A 5V-1.0A Parent unit adapter Input: 100-240VAC 50/60Hz

0.2A 5V--1.0A Parent unit battery 3X AAA alkaline batteries For pluggable equipment, the socket-outlet (power adaptor) shall be installed near the equipment and shall be easily accessible.

△WARNING



Strangulation Hazard: Children have STRANGLED in cords. Keep this cord out of the reach of children (more than 3 ft (0.9 m) away). Do not remove this tag.

AVERTISSEMENT

DANGER D'ÉTRANGLEMENT: Des enfants se sont ÉTRANGLÉS avec des cordons électriques. Garde le cordonélectrique hors de la portée des enfants(à plus de 0.9m/3 pi du lit d'enfant). Ne pas enlever cette étiquette.











Made in China