

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #796

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5745(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		25888.00	87.20	-35.93	51.27	74.00	-22.73	peak		
2	*	25888.00	72.35	-35.93	36.42	54.00	-17.58	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #796

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #797

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5700(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25089.00	87.79	-36.90	50.89	74.00	-23.11	peak		
2	*	25089.00	73.42	-36.90	36.52	54.00	-17.48	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #797

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #798

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5700(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24961.50	88.04	-37.01	51.03	74.00	-22.97	peak		
2	*	24961.50	73.43	-37.01	36.42	54.00	-17.58	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #798

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #799

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5600(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25743.50	87.85	-36.10	51.75	74.00	-22.25	peak		
2	*	25743.50	72.31	-36.10	36.21	54.00	-17.79	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #799

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #800

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5600(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24239.00	87.24	-37.10	50.14	74.00	-23.86	peak		
2	*	24239.00	73.38	-37.10	36.28	54.00	-17.72	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #800

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #801

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5500(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		25344.00	87.36	-36.59	50.77	74.00	-23.23	peak		
2	*	25344.00	71.83	-36.59	35.24	54.00	-18.76	AVG		

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #801

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #802

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5500(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25786.00	86.05	-36.05	50.00	74.00	-24.00	peak		
2	*	25786.00	70.81	-36.05	34.76	54.00	-19.24	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #802

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #803

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5320(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		25650.00	86.47	-36.22	50.25	74.00	-23.75	peak		
2	*	25650.00	71.43	-36.22	35.21	54.00	-18.79	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #803

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #804

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5320(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25004.00	88.55	-37.01	51.54	74.00	-22.46	peak		
2	*	25004.00	73.22	-37.01	36.21	54.00	-17.79	AVG		

*: Maximum data x: Over limit !: over margin

Operator: KK

File: TUV HAIXIN Data: #804

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #805

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5280(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		24264.50	87.95	-37.10	50.85	74.00	-23.15	peak		
2	*	24264.50	71.72	-37.10	34.62	54.00	-19.38	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #805

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #806

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5280(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24281.50	86.82	-37.10	49.72	74.00	-24.28	peak		
2	*	24281.50	71.22	-37.10	34.12	54.00	-19.88	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXINData: #806

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #807

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5260(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24298.50	86.28	-37.09	49.19	74.00	-24.81	peak		
2	*	24298.50	71.32	-37.09	34.23	54.00	-19.77	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #807

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #808

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5260(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24621.50	87.19	-37.06	50.13	74.00	-23.87	peak		
2	*	24621.50	71.32	-37.06	34.26	54.00	-19.74	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #808

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #809

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5240(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24740.50	87.13	-37.04	50.09	74.00	-23.91	peak		
2	*	24740.50	71.30	-37.04	34.26	54.00	-19.74	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #809

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #810

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5240(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24630.00	86.92	-37.05	49.87	74.00	-24.13	peak		
2	*	24630.00	71.00	-37.05	33.95	54.00	-20.05	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #810

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #811

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5200(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		24171.00	85.78	-37.11	48.67	74.00	-25.33	peak		
2	*	24171.00	70.37	-37.11	33.26	54.00	-20.74	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #811

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #812

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5200(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		23763.00	87.29	-37.38	49.91	74.00	-24.09	peak		
2	*	23763.00	71.54	-37.38	34.16	54.00	-19.84	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #812

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #813

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5180(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		23686.50	87.38	-37.46	49.92	74.00	-24.08	peak		
2	*	23686.50	71.31	-37.46	33.85	54.00	-20.15	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #813

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #814

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11nHT20 5180(Ant0+Ant1)

Note:

No.	Mk.	Freq. MHz	Reading Level dBuV	Correct Factor dB	Measure- ment dBuV/m	Limit dBuV/m	Over dB	Antenna Height cm	Table Degree	Comment
1		24179.50	86.22	-37.11	49.11	74.00	-24.89	peak		
2	*	24179.50	71.06	-37.11	33.95	54.00	-20.05	AVG		

*: Maximum data x: Over limit l: over margin

Operator: KK

File: TUV HAIXIN Data: #814

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P.R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #815

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5180(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		23627.00	87.69	-37.52	50.17	74.00	-23.83	peak		
2	*	23627.00	72.25	-37.52	34.73	54.00	-19.27	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #815

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #816

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5180(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		23686.50	86.71	-37.46	49.25	74.00	-24.75	peak		
2	*	23686.50	72.34	-37.46	34.88	54.00	-19.12	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #816

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #817

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5200(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		26024.00	86.23	-35.76	50.47	74.00	-23.53	peak		
2	*	26024.00	70.97	-35.76	35.21	54.00	-18.79	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #817

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #818

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5200(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24613.00	87.10	-37.06	50.04	74.00	-23.96	peak		
2	*	24613.00	71.71	-37.06	34.65	54.00	-19.35	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #818

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #819

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5240(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24256.00	87.37	-37.10	50.27	74.00	-23.73	peak		
2	*	24256.00	71.95	-37.10	34.85	54.00	-19.15	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #819

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #820

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5240(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree
1		24944.50	87.10	-37.02	50.08	74.00	-23.92	peak		
2	*	24944.50	71.28	-37.02	34.26	54.00	-19.74	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #820

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #821

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5260(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24961.50	87.74	-37.01	50.73	74.00	-23.27	peak		
2	*	24961.50	71.66	-37.01	34.65	54.00	-19.35	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #821

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #822

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5260(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		23618.50	87.21	-37.53	49.68	74.00	-24.32	peak		
2	*	23618.50	71.51	-37.53	33.98	54.00	-20.02	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #822

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #823

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5280(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		25981.50	85.68	-35.81	49.87	74.00	-24.13	peak		
2	*	25981.50	69.07	-35.81	33.26	54.00	-20.74	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #823

Page: 1

Shenzhen EMTEK Co., Ltd.
Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #824

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5280(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		23040.50	88.75	-38.14	50.61	74.00	-23.39	peak		
2	*	23040.50	72.40	-38.14	34.26	54.00	-19.74	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #824

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #825

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Horizontal**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5320(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	cm	degree Comment
1		24281.50	86.69	-37.10	49.59	74.00	-24.41	peak		
2	*	24281.50	70.34	-37.10	33.24	54.00	-20.76	AVG		

*:Maximum data x:Over limit l:over margin

Operator: KK

File: TUV HAIXIN Data: #825

Page: 1

Shenzhen EMTEK Co., Ltd.
 Bldg. 69, Majialong Industry Zone, Nanshan District, Shenzhen, Guangdong, 518052 P. R. China
 www.emtek.com.cn Tel: +86-755-2695 4280 Fax: +86-755-2695 4282




Radiated Emission Measurement

File: TUV HAIXIN

Data: #826

Date: 2017/03/06

Time:



Site: 3m Chamber #3

Polarization: **Vertical**

Temperature: 24 C

Limit: (RE)FCC PART 15 C

Power:

Humidity: 53 %

EUT: WIFI Module

M/N:

Mode: 11ac20 5320(Ant0+Ant1)

Note:

No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		25327.00	86.41	-36.61	49.80	74.00	-24.20	peak		
2	*	25327.00	70.03	-36.61	33.42	54.00	-20.58	AVG		

*:Maximum data x:Over limit !:over margin

Operator: KK

File: TUV HAIXIN Data: #826

Page: 1