


Appendix B


7.1 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	16.88	0	16.88	30	Pass
NVNT	b	2437	Ant1	16.99	0	16.99	30	Pass
NVNT	b	2462	Ant1	17.12	0	17.12	30	Pass
NVNT	g	2412	Ant1	15.65	0	15.65	30	Pass
NVNT	g	2437	Ant1	15.74	0	15.74	30	Pass
NVNT	g	2462	Ant1	15.95	0	15.95	30	Pass
NVNT	n20	2412	Ant1	14.86	0	14.86	30	Pass
NVNT	n20	2437	Ant1	14.98	0	14.98	30	Pass
NVNT	n20	2462	Ant1	14.01	0	14.01	30	Pass
NVNT	n40	2422	Ant1	13.39	0	13.39	30	Pass
NVNT	n40	2437	Ant1	13.42	0	13.42	30	Pass
NVNT	n40	2452	Ant1	13.54	0	13.54	30	Pass


7.2 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	10.053	0.5	Pass
NVNT	b	2437	Ant1	10.047	0.5	Pass
NVNT	b	2462	Ant1	10.056	0.5	Pass
NVNT	g	2412	Ant1	16.335	0.5	Pass
NVNT	g	2437	Ant1	16.335	0.5	Pass
NVNT	g	2462	Ant1	16.338	0.5	Pass
NVNT	n20	2412	Ant1	17.568	0.5	Pass
NVNT	n20	2437	Ant1	17.58	0.5	Pass
NVNT	n20	2462	Ant1	17.571	0.5	Pass
NVNT	n40	2422	Ant1	36.306	0.5	Pass
NVNT	n40	2437	Ant1	36.306	0.5	Pass
NVNT	n40	2452	Ant1	36.324	0.5	Pass



















7.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/3kHz)	Duty Factor (dB)	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-9.79	0	-9.79	8	Pass
NVNT	b	2437	Ant1	-12.32	0	-12.32	8	Pass
NVNT	b	2462	Ant1	-12.72	0	-12.72	8	Pass
NVNT	g	2412	Ant1	-20.24	0	-20.24	8	Pass
NVNT	g	2437	Ant1	-18.7	0	-18.7	8	Pass
NVNT	g	2462	Ant1	-19.28	0	-19.28	8	Pass
NVNT	n20	2412	Ant1	-16.11	0	-16.11	8	Pass
NVNT	n20	2437	Ant1	-19.7	0	-19.7	8	Pass
NVNT	n20	2462	Ant1	-19.69	0	-19.69	8	Pass
NVNT	n40	2422	Ant1	-19.99	0	-19.99	8	Pass
NVNT	n40	2437	Ant1	-19.78	0	-19.78	8	Pass
NVNT	n40	2452	Ant1	-19.53	0	-19.53	8	Pass


















7.4 Band Edge


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-32.48	-20	Pass
NVNT	b	2462	Ant1	-49.59	-20	Pass
NVNT	g	2412	Ant1	-34.22	-20	Pass
NVNT	g	2462	Ant1	-45.36	-20	Pass
NVNT	n20	2412	Ant1	-37.51	-20	Pass
NVNT	n20	2462	Ant1	-44.52	-20	Pass
NVNT	n40	2422	Ant1	-36.68	-20	Pass
NVNT	n40	2452	Ant1	-41.63	-20	Pass
























Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-49.53	-20	Pass
NVNT	b	2437	Ant1	-51.32	-20	Pass
NVNT	b	2462	Ant1	-52.63	-20	Pass
NVNT	g	2412	Ant1	-44.26	-20	Pass
NVNT	g	2437	Ant1	-44.36	-20	Pass
NVNT	g	2462	Ant1	-44.5	-20	Pass
NVNT	n20	2412	Ant1	-46.25	-20	Pass
NVNT	n20	2437	Ant1	-44.53	-20	Pass
NVNT	n20	2462	Ant1	-45.15	-20	Pass
NVNT	n40	2422	Ant1	-40.14	-20	Pass
NVNT	n40	2437	Ant1	-39.75	-20	Pass
NVNT	n40	2452	Ant1	-38.67	-20	Pass
































7.5 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant1	99.22	0	0.12
NVNT	b	2437	Ant1	99.22	0	0.12
NVNT	b	2462	Ant1	99.22	0	0.12
NVNT	g	2412	Ant1	95.34	0.21	0.72
NVNT	g	2437	Ant1	95.34	0.21	0.72
NVNT	g	2462	Ant1	95.34	0.21	0.72
NVNT	n20	2412	Ant1	98.68	0	0.2
NVNT	n20	2437	Ant1	98.72	0	0.2
NVNT	n20	2462	Ant1	98.68	0	0.2
NVNT	n40	2422	Ant1	97.4	0.11	0.4
NVNT	n40	2437	Ant1	97.4	0.11	0.4
NVNT	n40	2452	Ant1	97.4	0.11	0.4


8. RADIATED TEST RESULTS

The data of the mode (802.11a 2412MHz) are recorded in the following pages.

The worst result as bellow:

DateTime: 2023-06-27 22:30:33


Mode:	FCC 2.4G WIFI 2412MHz
Power:	DC 12V
TE:	Karry
Date:	2023.06.26
Humiture:	24°C 55%
Barometric Pessure	101.5



Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	47.460	52.24	35.09	40.00	4.91	PK+	100.1	V	-0.2	-17.15
2	65.890	54.46	36.05	40.00	3.95	PK+	100.1	V	-0.2	-18.41
3	104.690	56.89	39.27	43.50	4.23	PK+	100.1	V	-0.2	-17.62
4	164.830	55.11	38.96	43.50	4.54	PK+	100.1	V	-0.2	-16.15
5	239.520	53.09	39.93	46.00	6.07	PK+	100.1	V	-0.2	-13.16
6	549.920	44.50	41.21	46.00	4.79	PK+	100.1	V	-0.2	-3.29

Mode:	FCC 2.4G WIFI 2412
Power:	DC 12V
TE:	Karry
Date:	2023.06.26
Humiture:	24°C 55%
Barometric Pessure	101.5



Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	104.690	55.25	37.63	43.50	5.87	PK+	100.1	H	360.1	-17.62
2	128.940	56.05	38.08	43.50	5.42	PK+	100.1	H	360.1	-17.97
3	143.490	55.81	38.90	43.50	4.60	PK+	100.1	H	360.1	-16.91
4	164.830	55.27	39.12	43.50	4.38	PK+	100.1	H	360.1	-16.15
5	250.190	52.96	40.32	46.00	5.68	PK+	100.1	H	360.1	-12.64
6	399.570	45.81	38.29	46.00	7.71	PK+	100.1	H	360.1	-7.52


Note: 1. Result Level = Read Level+ Antenna Factor+ Cable Loss- Amp. Factor

Above 1000MHz~10th Harmonics:

The worst result as bellow:

DateTime: 2023-06-28 21:08:54

Mode:	2.4G WIFI TX 2412 1-18G
Power:	DC 12V
TE:	Karry
Date:	2023.06.28
Humiture:	24°C 55%
Barometric Pressure	101.5




Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	1652.000	64.21	51.81	74.00	22.19	PK+	150.0	V	-0.1	-12.4
2	2394.000	61.54	53.01	74.00	20.99	PK+	150.0	V	-0.1	-8.53
3	2730.000	55.11	46.61	74.00	27.39	PK+	150.0	V	-0.1	-8.5
4	4824.000	73.03	61.56	74.00	12.44	PK+	150.0	V	-0.1	-11.47
5	4953.000	58.51	47.17	74.00	26.83	PK+	150.0	V	-0.1	-11.34
6	7236.000	68.48	61.95	74.00	12.05	PK+	150.0	V	-0.1	-6.53

Final_Result

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	1652.000	54.25	41.85	53.90	12.05	AVG	150.0	V	-0.1	-12.4	PASS
2	2394.000	50.54	42.01	53.90	11.89	AVG	150.0	V	-0.1	-8.53	PASS
3	4824.000	55.03	43.56	53.90	10.34	AVG	150.0	V	-0.1	-11.47	PASS
4	7236.447	52.58	46.05	53.90	7.85	AVG	150.0	V	360.0	-6.53	PASS

Mode:	2.4G WIFI TX 2412 1-18G
Power:	DC 12V
TE:	Karry
Date:	2023.06.28
Humiture:	24°C 55%
Barometric Pressure	101.5




Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	2146.000	56.62	47.57	74.00	26.43	PK+	150.0	H	-0.1	-9.05
2	2410.000	58.03	49.51	74.00	24.49	PK+	150.0	H	-0.1	-8.52
3	4824.000	67.00	55.53	74.00	18.47	PK+	150.0	H	-0.1	-11.47
4	5500.500	56.64	46.95	74.00	27.05	PK+	150.0	H	-0.1	-9.69
5	7237.500	61.14	54.61	74.00	19.39	PK+	150.0	H	-0.1	-6.53
6	16972.500	47.49	53.46	74.00	20.54	PK+	150.0	H	-0.1	5.97

Final_Result

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	4824.000	56.00	44.53	53.90	9.37	AVG	150.0	H	-0.1	-11.47	PASS
2	7237.500	51.14	44.61	53.90	9.29	AVG	150.0	H	-0.1	-6.53	PASS

Mode:	2.4G WIFI TX 2437 1-18G
Power:	DC 12V
TE:	Karry
Date:	2023.06.28
Humiture:	24°C 55%
Barometric Pessure	101.5




Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	1864.000	55.11	44.71	74.00	29.29	PK+	150.0	H	360.0	-10.4
2	2148.000	55.10	46.05	74.00	27.95	PK+	150.0	H	360.0	-9.05
3	2440.000	55.97	47.49	74.00	26.51	PK+	150.0	H	360.0	-8.48
4	4875.000	66.43	55.28	74.00	18.72	PK+	150.0	H	360.0	-11.15
5	7312.500	61.49	55.49	74.00	18.51	PK+	150.0	H	360.0	-6
6	17470.500	46.90	53.08	74.00	20.92	PK+	150.0	H	360.0	6.18

Final_Result

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	4875.000	55.43	44.28	53.90	9.62	AVG	150.0	H	360.0	-11.15	PASS
2	7312.500	50.49	44.49	53.90	9.41	AVG	150.0	H	360.0	-6	PASS

Mode:	2.4G WIFI TX 2437 1-18G
Power:	DC 12V
TE:	Karry
Date:	2023.06.28
Humiture:	24°C 55%
Barometric Pressure	101.5




Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	1654.000	58.53	46.15	74.00	27.85	PK+	150.0	V	-0.1	-12.38
2	2438.000	60.44	51.96	74.00	22.04	PK+	150.0	V	-0.1	-8.48
3	2516.000	58.30	49.79	74.00	24.21	PK+	150.0	V	-0.1	-8.51
4	4875.000	70.86	59.71	74.00	14.29	PK+	150.0	V	-0.1	-11.15
5	7309.500	67.64	61.73	74.00	12.27	PK+	150.0	V	-0.1	-5.91
6	16689.000	46.67	52.89	74.00	21.11	PK+	150.0	V	-0.1	6.22

Final_Result

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	2438.000	50.34	41.86	53.90	12.04	AVG	150.0	V	-0.1	-8.48	PASS
2	4875.000	56.86	45.71	53.90	8.19	AVG	150.0	V	-0.1	-11.15	PASS
3	7309.500	51.74	45.83	53.90	8.07	AVG	150.0	V	-0.1	-5.91	PASS

Mode:	2.4G WIFI TX 2462 1-18G
Power:	DC 12V
TE:	Karry
Date:	2023.06.28
Humiture:	24°C 55%
Barometric Pessure	101.5




Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	1652.000	59.09	46.69	74.00	27.31	PK+	150.0	V	360.0	-12.4
2	2382.000	58.64	50.11	74.00	23.89	PK+	150.0	V	360.0	-8.53
3	2496.000	61.17	52.76	74.00	21.24	PK+	150.0	V	360.0	-8.41
4	4924.500	65.61	54.51	74.00	19.49	PK+	150.0	V	360.0	-11.1
5	7386.000	60.78	54.16	74.00	19.84	PK+	150.0	V	360.0	-6.62
6	16872.000	47.54	53.32	74.00	20.68	PK+	150.0	V	360.0	5.78

Final_Result

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	2496.000	50.17	41.76	53.90	12.14	AVG	150.0	V	360.0	-8.41	PASS
2	4924.500	54.61	43.51	53.90	10.39	AVG	150.0	V	360.0	-11.1	PASS
3	7386.000	49.78	43.16	53.90	10.74	AVG	150.0	V	360.0	-6.62	PASS

Mode:	2.4G WIFI TX 2462 1-18G
Power:	DC 12V
TE:	Karry
Date:	2023.06.28
Humiture:	24°C 55%
Barometric Pessure	101.5



Critical_Freqs

No.	Freq. (MHz)	Reading (dBμV)	Meas. (dBμV/m)	Limit (dBμV/m)	Margin (dBμV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	1868.000	53.84	43.46	74.00	30.54	PK+	150.0	H	0.0	-10.38
2	2144.000	53.52	44.47	74.00	29.53	PK+	150.0	H	0.0	-9.05
3	2502.000	57.25	48.84	74.00	25.16	PK+	150.0	H	0.0	-8.41
4	4924.500	62.30	51.20	74.00	22.80	PK+	150.0	H	0.0	-11.1
5	7386.000	55.20	48.58	74.00	25.42	PK+	150.0	H	0.0	-6.62
6	16402.500	47.71	52.67	74.00	21.33	PK+	150.0	H	0.0	4.96

Other harmonics emissions are lower than 20dB below the allowable limit.

Note: (1) All Readings are Peak Value and AV.

(2) Emission Level= Reading Level+ Probe Factor +Cable Loss.


(3) The average measurement was not performed when the peak measured data under the limit of average detection.

(4) Measuring frequencies from 1GHz to 25GHz.

Band edge:

The worst result as bellow:

Mode:	2412
Power:	DC12V
TE:	BIG
Date	2023/7/20
T/A/P	25°C/55%/101Kpa




Critical_Freqs

No.	Freq. (MHz)	Reading (dBµV)	Meas. (dBµV/m)	Limit (dBµV/m)	Margin (dBµV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	2390.040	86.28	65.24	74.00	8.76	PK+	150.0	H	360.0	-21.04

Final_Result

No.	Freq. (MHz)	Reading (dBµV)	Meas. (dBµV/m)	Limit (dBµV/m)	Margin (dBµV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	2390.040	67.83	46.79	53.90	7.11	AVG	150.0	H	360.0	-21.04	PASS

Mode:	2412
Power:	DC12V
TE:	BIG
Date	2023/7/20
T/A/P	25°C/55%/101Kpa




Critical_Freqs

No.	Freq. (MHz)	Reading (dBµV)	Meas. (dBµV/m)	Limit (dBµV/m)	Margin (dBµV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	2390.040	91.01	69.97	74.00	4.03	PK+	150.0	V	360.0	-21.04

Final_Result

No.	Freq. (MHz)	Reading (dBµV)	Meas. (dBµV/m)	Limit (dBµV/m)	Margin (dBµV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	2390.040	68.19	47.15	53.90	6.75	AVG	150.0	V	360.0	-21.04	PASS

Mode:	2412
Power:	DC12V
TE:	BIG
Date	2023/7/20
T/A/P	25°C/55%/101Kpa




Critical_Freqs

No.	Freq. (MHz)	Reading (dBµV)	Meas. (dBµV/m)	Limit (dBµV/m)	Margin (dBµV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	2483.528	81.06	60.39	74.00	13.61	PK+	150.0	V	360.0	-20.67

Final_Result

No.	Freq. (MHz)	Reading (dBµV)	Meas. (dBµV/m)	Limit (dBµV/m)	Margin (dBµV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)	Verdict
1	2483.528	66.48	45.81	53.90	8.09	AVG	150.0	V	360.0	-20.67	PASS


Mode:	2412
Power:	DC12V
TE:	BIG
Date	2023/7/20
T/A/P	25°C/55%/101Kpa



Critical_Freqs


No.	Freq. (MHz)	Reading (dBµV)	Meas. (dBµV/m)	Limit (dBµV/m)	Margin (dBµV/m)	Det.	Height (cm)	Pol.	Azimuth (deg)	Corr. (dB)
1	2483.528	74.15	53.48	74.00	20.52	PK+	150.0	H	360.0	-20.67

10. AC Power Line Conducted Emission



Mode: 2.4GHz WIFI 11a Phase: L1

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1590	44.74	9.76	54.50	65.52	-11.02	QP
2	0.1635	23.18	9.77	32.95	55.28	-22.33	AVG
3	0.2174	41.38	9.76	51.14	62.92	-11.78	QP
4	0.3840	35.35	9.90	45.25	58.19	-12.94	QP
5	0.6270	21.46	9.75	31.21	46.00	-14.79	AVG
6	1.1940	19.84	9.77	29.61	46.00	-16.39	AVG
7	1.9950	27.40	9.82	37.22	56.00	-18.78	QP
8	1.9950	22.84	9.82	32.66	46.00	-13.34	AVG
9	2.7869	18.73	9.92	28.65	46.00	-17.35	AVG
10	4.9965	18.30	9.77	28.07	56.00	-27.93	QP
11	26.2500	37.09	10.10	47.19	60.00	-12.81	QP
12	26.2500	22.02	10.10	32.12	50.00	-17.88	AVG



Mode: 2.4GHz WIFI 11a Phase: N

No.	Frequency (MHz)	Reading (dBuV)	Correct (dB)	Result (dBuV)	Limit (dBuV)	Margin (dB)	Remark
1	0.1635	43.60	9.71	53.31	65.28	-11.97	QP
2	0.1905	20.95	9.75	30.70	54.01	-23.31	AVG
3	0.2444	42.87	9.84	52.71	61.95	-9.24	QP
4	0.4020	20.83	9.75	30.58	47.81	-17.23	AVG
5	0.6045	37.08	9.95	47.03	56.00	-8.97	QP
6	0.6270	22.26	9.94	32.20	46.00	-13.80	AVG
7	1.1982	22.56	9.74	32.30	46.00	-13.70	AVG
8	1.9995	29.89	9.92	39.81	56.00	-16.19	QP
9	2.7960	30.68	9.95	40.63	56.00	-15.37	QP
10	2.7960	22.47	9.95	32.42	46.00	-13.58	AVG
11	26.2500	35.37	10.06	45.43	60.00	-14.57	QP
12	26.2500	21.44	10.06	31.50	50.00	-18.50	AVG

Note:

1. Result = Reading + Correct Factor.
2. If QP Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 200 Hz (9 kHz ~ 150 kHz), 9 kHz (150 kHz ~ 30 MHz).
4. Step size: 80 Hz (0.009 MHz ~ 0.15 MHz), 4 kHz (0.15 MHz ~ 30 MHz), Scan time: auto.
5. All the modes have been tested, only the worst data was recorded in the report.