Compliance Certification Services Inc. Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue :February 24, 2014

ANSI/IEEE Std. C95.1-1992 In accordance with the requirements of FCC Report and Order: ET Docket 93-62; FCC 47 CFR Part 2 (2.1093)

FCC SAR TEST REPORT

For

Product Name: 3G Feature Phone Brand Name: Bitel Model No.: B8301 Series Model: N/A

Test Report Number: C140218S04-SF

Issued for

Uniphone Communication Co.,Ltd Room 801 B3 Building, Kexing Technology Park, Middle Zone of Hi-tech Park, Nanshan District, Shenzhen, China

Issued by

Compliance Certification Services Inc.

Kun shan Laboratory No.10 Weiye Rd., Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China TEL: 86-512-57355888

FAX: 86-512-57370818



Note: This report shall not be reproduced except in full, without the written approval of Compliance Certification Services Inc. This document may be altered or revised by Compliance Certification Services Inc. personnel only, and shall be noted in the revision section of the document. The client should not use it to claim product endorsement by A2LA or any government agencies. The test results in the report only apply to the tested sample.

Page 1 of 85

This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.



ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe

Date of Issue :February 24, 2014

Revision History

Revision	REPORT NO.	Date	Page Revised	Contents
Original	C140218S04-SF	February 24, 2014	N/A	N/A

Page 2 of 85 This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe



Date of Issue :February 24, 2014

TABLE OF CONTENTS

1.	CERTIFICATE OF COMPLIANCE (SAR EVALUATION)	4
2.	EUT DESCRIPTION	5
3.	REQUIREMENTS FOR COMPLIANCE TESTING DEFINED BY THE FCC	6
4.	TEST METHODOLOGY	6
5.	TEST CONFIGURATION	6
6.	DOSIMETRIC ASSESSMENT SETUP	7
	6.1 MEASUREMENT SYSTEM DIAGRAM	8
	6.2 SYSTEM COMPONENTS	9
7.	EVALUATION PROCEDURES	
8.	MEASUREMENT UNCERTAINTY	
9.	EXPOSURE LIMIT	
10.	EUT ARRANGEMENT	
-	10.1 ANTHROPOMORPHIC HEAD PHANTOM	
	10.2 DEFINITION OF THE "CHEEK/TOUCH" POSITION	
	10.3 DEFINITION OF THE "TILTED" POSITION	20
11.	MEASUREMENT RESULTS	21
	11.1 TEST LIQUIDS CONFIRMATION	21
	11.2 LIQUID MEASUREMENT RESULTS	
	11.3 SYSTEM PERFORMANCE CHECK	23
	11.4 EUT TUNE-UP PROCEDURES AND TEST MODE	25
	11.5 SAR TEST CONFIGURATIONS	
	11.6 EUT SETUP PHOTOS	
	11.7 SAR MEASUREMENT RESULTS	
	11.8 REPEATED SAR MEASUREMENT	35
	11.9 SAR HANDSETS MULTI XMITER ASSESSMENT	
12.	EUT PHOTO	
13.	EQUIPMENT LIST & CALIBRATION STATUS	43
14.	FACILITIES	
15.	REFERENCES	44
16.	ATTACHMENTS	45
Арр	endix A: Plots of Performance Check	
App	endix B: DASY Calibration Certificate	51
App	endix C: Plots of SAR Test Result	85

1. CERTIFICATE OF COMPLIANCE (SAR EVALUATION)

Product Name:	3G Feature Phone				
Brand Name:	Bitel	Bitel			
Model Name.:	B8301				
Series Model:	N/A				
Devices supporting GPRS:	Class B				
Description Test Modes(worst case):	support simultaneous work 2, using SIM 1, SIM 2 will	The product has two SIM, SIM 1 and SIM 2 sharing a chipset does not support simultaneous work, only supports a single transmitter SIM1 or SIM 2, using SIM 1, SIM 2 will be suspended until select SIM 2, stop using the SIM 1, SIM 2 only would working.			
Device Category:	PORTABLE DEVICES				
Exposure Category:	GENERAL POPULATION/UNCONTROLLED EXPOSURE				
Date of Test:	February 19, 2014 to February 22, 2014				
Applicant:	Uniphone Communication Co.,Ltd Room 801 B3 Building, Kexing Technology Park, Middle Zone of Hi-tech Park, Nanshan District, Shenzhen, China				
Manufacturer:	Uniphone Communication Room 801 B3 Building, Ko Park, Nanshan District, She	exing Technology Park, Middle Zone of Hi-tech			
Application Type:	Certification				
AF	PLICABLE STANDARDS A	ND TEST PROCEDURES			
STANDARDS AND TEST PROCEDURES TEST RESULT					
ANSI/IEEE	E C95.1-1992	No non-compliance noted			
Deviation from Applicable Standard					
	None				
be device was tested by Compliance Certification Services Inc. in accordance with the measurement					

The device was tested by Compliance Certification Services Inc. in accordance with the measurement methods and procedures specified in KDB 865664 The test results in this report apply only to the tested sample of the stated device/equipment. Other similar device/equipment will not necessarily produce the same results due to production tolerance and measurement uncertainties.

Approved by:

Jeff fang

Jeff Fang **RF** Manager Compliance Certification Services Inc.

Tested by:

Inch. Fu

Luck.Fu Test Engineer Compliance Certification Services Inc.

Page 4 of 85

2. EUT DESCRIPTION

Product Name:	3G Feature Phone					
Brand Name:	Bitel					
Model Name.:	B8301	B8301				
Series Model:	N/A					
Model Discrepancy:	N/A					
FCC ID:	2ABXQ-B8301					
Power reduction:	NO					
DTM Description:	N/A					
Device Category:	Production unit					
Frequency Range:	GSM 850: 824.2 ~ 848.8 MHz GSM1900: 1850.2 ~ 1909.8 MHz WCDMA BandII:1852.4~1907.6MHz Bluetooth: 2402 ~ 2480 MHz					
	GSM 850:32.86 dBm GPRS 850:32.88 dBm GSM 1900:28.86 dBm GPRS 1900:28.91 dBm WCDMA Band II:22.31 dBm Bluetooth:4.086 dBm					
Max. Reported SAR(1g):	Head: GSM 850:0.749 W/kg GSM 1900:0.011 W/kg WCDMA Band II:0.053 W/kg	Body: GPRS 850:0.633 W/kg GPRS 1900:0.517 W/kg WCDMA Band II:0.264 W/kg				
Modulation Technique:	GSM/GPRS: GMSK RMC/AMR 12.2Kbps Rel 99					
GPRS Level	Class12					
Accessories:	Power supply and ADP (rating) :Battery (rating) :INPUT: 100-240V 50/60Hz 0.15ACapacitance: 1000 mAhOUTPUT: DC5V, 500mARated Voltage:3.7V					
Antenna Specification:	WWAN : PIFA antenna Bluetooth : Dipole antenna					
Operating Mode:	Maximum continuous output					

3. REQUIREMENTS FOR COMPLIANCE TESTING DEFINED BY THE FCC

The US Federal Communications Commission has released the report and order "Guidelines for Evaluating the Environmental Effects of RF Radiation". ET Docket No. 93-62 in August 1996. The order requires routine SAR evaluation prior to equipment authorization of portable transmitter devices, including portable telephones. For consumer products, the applicable limit is 1.6 W/Kg for an uncontrolled environment and 8.0 W/Kg for an occupational/controlled environment as recommended by the ANSI/IEEE standard C95.1-1992.

4. TEST METHODOLOGY

The Specific Absorption Rate (SAR) testing specification, method and procedure for this device is in accordance with the following standards:

General RF Exposure Guidance v05

SAR Test Reduction Procedures GSM/GPRS/EDGE

Measurement 100 MHz to 6 GHz

RF Exposure Reporting

K FCC 47 CFR Part 2 (2.1093)

ANSI/IEEE C95.1-1992

KDB 447498 D01v05r02

KDB 648474 D04v01r02 Handset SAR

KDB 865664 D01v01r03

KDB 865664 D02v01r01

- KDB 941225 D03v01
- KDB 941225 D01v02
 - SAR test for 3G devices

5. TEST CONFIGURATION

For WWAN SAR testing The device was controlled by using a base station emulator R&S CMU200. Communication between the device and the emulator was established by air link. The distance between the DUT and the antenna of the emulator is larger than 50 cm and the output power radiated from the emulator antenna is at least 30 dB smaller than the output power of DUT. The DUT was set from the emulator to radiate maximum output power during all tests.

Date of Issue :February 24, 2014

6. DOSIMETRIC ASSESSMENT SETUP

These measurements were performed with the automated near-field scanning system DASY 5 from ATTENNESSA. The system is based on a high precision robot (working range greater than 0.9 m), which positions the probes with a positional repeatability of better than ± 0.02 mm. Special E- and H-field probes have been developed for measurements close to material discontinuity, the sensors of which are directly loaded with a Schottky diode and connected via highly resistive lines to the data acquisition unit. The SAR measurements were conducted with the E-field PROBE EX3DV4 (manufactured by SPEAG), designed in the classical triangular configuration and optimized for dosimetric evaluation. The probe has been calibrated according to the procedure described in [7] with accuracy of better than ±10%. The spherical isotropy was evaluated with the procedure described in [8] and found to be better than ±0.25 dB. The phantom used was the SAM Twin Phantom as described in FCC supplement C, IEE P1528 and CENELEC EN 62209.

Ingredients	Frequency (MHz)									
(% by weight)	4	450		835		915		1900		50
Tissue Type	Head	Body	Head	Body	Head	Body	Head	Body	Head	Body
Water	38.56	51.16	41.45	52.4	41.05	56.0	54.9	40.4	62.7	73.2
Salt (NaCl)	3.95	1.49	1.45	1.4	1.35	0.76	0.18	0.5	0.5	0.04
Sugar	56.32	46.78	56.0	45.0	56.5	41.76	0.0	58.0	0.0	0.0
HEC	0.98	0.52	1.0	1.0	1.0	1.21	0.0	1.0	0.0	0.0
Bactericide	0.19	0.05	0.1	0.1	0.1	0.27	0.0	0.1	0.0	0.0
Triton X-100	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36.8	0.0
DGBE	0.0	0.0	0.0	0.0	0.0	0.0	44.92	0.0	0.0	26.7
Dielectric Constant	43.42	58.0	42.54	56.1	42.0	56.8	39.9	54.0	39.8	52.5
Conductivity (S/m)	0.85	0.83	0.91	0.95	1.0	1.07	1.42	1.45	1.88	1.78


The following table gives the recipes for tissue simulating liquids.

Page 7 of 85 This report shall not be reproduced except in full, without the written approval of Compliance Certification Services. Compliance Certification Services Inc.

Date of Issue :February 24, 2014

6.1 MEASUREMENT SYSTEM DIAGRAM

Report No: C140218S04-SF



FCC ID: 2ABXQ-B8301

The DASY5 system for performing compliance tests consists of the following items:

- A standard high precision 6-axis robot (St"aubli RX family) with controller, teach pendant and software. An arm extension for accommodating the data acquisition electronics (DAE).
- A dosimetric probe, i.e., an isotropic E-field probe optimized and calibrated for usage in tissue simulating liquid. The probe is equipped with an optical surface detector system.
- A data acquisition electronics (DAE) which performs the signal amplification, signal multiplexing, AD-conversion, offset measurements, mechanical surface detection, collision detection, etc. The unit is battery powered with standard or rechargeable batteries. The signal is optically transmitted to the EOC.
- The Electro-optical converter (EOC) performs the conversion between optical and electrical of the signals for the digital communication to the DAE and for the analog signal from the optical surface detection. The EOC is connected to the measurement server.
- The function of the measurement server is to perform the time critical tasks such as signal filtering, control of the robot operation and fast movement interrupts.
- A probe alignment unit which improves the (absolute) accuracy of the probe positioning.
- A computer operating Windows 7.
- DASY5 software.
- Remote control with teach pendant and additional circuitry for robot safety such as warning lamps, etc.
- The SAM twin phantom enabling testing left-hand and right-hand usage.
- The device holder for handheld mobile phones.
- Tissue simulating liquid mixed according to the given recipes.
- Validation dipole kits allowing validating the proper functioning of the system.

Page 8 of 85

This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Date of Issue :February 24, 2014

6.2 SYSTEM COMPONENTS

DASY5	The DASY5 measurement server is based on a PC/104 CPU board with a 400MHz intel ULV celeron, 128MB chip-disk and 128 MB RAM. The necessary circuits for communication with either the DAE4(or DAE3) electronic box as well as the 16-bit AD-converter system for optical detection and digital I/O interface are contained on the DASY5 I/O-board, which is directly connected to the PC/104 bus of the CPU board. The measurement server performs all real-time data evaluation for field measurements and surface detection, controls robot movements and handles safety operation.					
DASYS	processes. Al disconnection automatically movements. F two expansion note that the e therefore only inserted. Expa	ating system cannot interfere with these time critical I connections are supervised by a watchdog, and of any of the cables to the measurement server will disarm the robot and disable all program-controlled robot Furthermore, the measurement server is equipped with n slots which are reserved for future applications. Please expansion slots do not have a standardized pinout and the expansion cards provided by SPEAG can be ansion cards from any other supplier could seriously measurement server. Calibration: No calibration required.				
Data Acquisition Electronics	(DAE)					
	electrometer g switching mu decoder and server is acco information as The mechanic systems for f mechanical su impedance of	uisition electronics (DAE4) consists of a highly sensitive grade preamplifier with auto-zeroing, a channel and gain- ltiplexer, a fast 16 bit AD converter and a command control logic unit. Transmission to the measurement omplished through an optical downlink for data and status s well as an optical uplink for commands and the clock. cal probe mounting device includes two different sensor rontal and sideways probe contacts. They are used for urface detection and probe collision detection. The input the DAE4 box is 200MOhm; the inputs are symmetrical Common mode rejection is above 80 dB.				
EX3DV4 Isotropic E-Field Pro	be for Dosime	tric Measurements				
	Construction	n: Symmetrical design with triangular core				
1	Calibration:	Built-in shielding against static charges PEEK enclosure material (resistant to organic solvents, e.g., DGBE) Basic Broad Band Calibration in air: 10-3000 MHz.				
Conversion Factors (CF) for HSL 900 and HSL 180 CF-Calibration for other liquids and frequencies upor request.						
	Frequency: 10 MHz to > 6 GHz; Linearity: ± 0.2 dB (30 MHz GHz)					
and the second sec	Directivity: ± 0.3 dB in HSL (rotation around probe axis)					
and the second se	\pm 0.5 dB in HSL (rotation normal to probe axis)					
	Dynamic Rar	nge: 10 μ W/g to > 100 mW/g; Linearity: ± 0.2 dB				
T		(noise: typically < 1 μW/g)				

Page 9 of 85

This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.


Compliance Certification Services Inc. Report No: C140218S04-SF



FCC ID: 2ABXQ-B8301

Date of Issue :February 24, 2014

Dimensions: Overall length: 337 mm (Tip: 9 mm) Tip diameter: 2.5 mm (Body: 10 mm) Distance from probe tip to dipole centers: 1 mm Application: High precision dosimetric measurements in any exposure scenario (e.g., very strong gradient fields). Only probe which enables compliance testing for frequencies up to 6 GHz with precision of better 30%.



SAM Twin Phantom

Construction:

The shell corresponds to the specifications of the Specific Anthropomorphic Mannequin (SAM) phantom defined in IEEE 1528-200X, CENELEC 50360 and IEC 62209. It enables the dosimetric evaluation of left and right hand phone usage as well as body mounted usage at the flat phantom region. A cover prevents evaporation of the liquid. Reference markings on the phantom allow the complete setup of all predefined phantom positions and measurement grids by manually teaching three points with the robot.

Shell Thickness: 2 ±0.2 mm

Filling Volume: Approx. 25 liters

Height: 850mm; Length: 1000mm; Width: Dimensions: 750mm

SAM Phantom (ELI4 v4.0)

Description Construction:

Phantom for compliance testing of handheld and body-mounted wireless devices in the frequency range of 30 MHz to 6 GHz. ELI4 is fully compatible with the latest draft of the standard IEC 62209 Part II and all known tissue simulating liquids. ELI4 has been optimized regarding its performance and can be integrated into our standard phantom tables. A cover prevents evaporation of the liquid. Reference markings on the phantom allow installation of the complete setup, including all predefined phantom positions and measurement grids, by teaching three points. The phantom is supported by software version DASY4/DASY5.5 and higher and is compatible with all SPEAG dosimetric probes and dipoles

Shell Thickness: Filling Volume: Dimensions: Minor axis:

2.0 ± 0.2 mm (sagging: <1%) Approx. 25 liters Major ellipse axis: 600 mm 400 mm 500mm



Page 10 of 85

Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue :February 24, 2014

Device Holder for SAM Twin Phantom

Construction: In combination with the Twin SAM Phantom, the Mounting Device (made from POM) enables the rotation of the mounted transmitter in spherical coordinates, whereby the rotation point is the ear opening. The devices can be easily and accurately positioned according to IEC, IEEE, CENELEC, FCC or other specifications. The device holder can be locked at different phantom locations (left head, right head, and flat phantom).



System Validation Kits for SAM Twin Phantom

Construction: Symmetrical dipole with I/4 balun Enables measurement of feedpoint impedance with NWA Matched for use near flat phantoms filled with brain simulating solutions Includes distance holder and tripod adaptor.

Frequency: 900,1800,2450,5800 MHz

ReTune loss: > 20 dB at specified validation position

Power capability: > 100 W (f < 1GHz); > 40 W (f > 1GHz)

Dimensions:

D835V2: dipole length: 161 mm; overall height: 340 mm D1800V2: dipole length: 72.5 mm; overall height: 300 mm D1900V2: dipole length: 67.7 mm; overall height: 300 mm D2450V2: dipole length: 51.5 mm; overall height: 290 mm D5GHzV2: dipole length: 20.6 mm; overall height: 300mm



System Validation Kits for ELI4 phantom

Construction: Symmetrical dipole with I/4 balun Enables measurement of feedpoint impedance with NWA Matched for use near flat phantoms filled with brain simulating solutions Includes distance holder and tripod adaptor.

Frequency: 900, 1800, 2450, 5800 MHz

ReTune loss: > 20 dB at specified validation position

Power capability: > 100 W (f < 1GHz); > 40 W (f > 1GHz)

Dimensions:

D835V2: dipole length: 161 mm; overall height: 340 mm D1800V2: dipole length: 72.5 mm; overall height: 300 mm D1900V2: dipole length: 67.7 mm; overall height: 300 mm D2450V2: dipole length: 51.5 mm; overall height: 290 mm D5GHzV2: dipole length: 20.6 mm; overall height: 300 mm



Date of Issue : February 24, 2014

7. EVALUATION PROCEDURES

DATA EVALUATION

The DASY 5 post processing software automatically executes the following procedures to calculate the field units from the microvolt readings at the probe connector. The parameters used in the evaluation are stored in the configuration modules of the software:

Probe parameters:	- Sensitivity	Norm _i , a_{i0} , a_{i1} , a_{i2}
	- Conversion factor	ConvF _i
	- Diode compression point	dcpi
Device parameters:	- Frequency	f
	- Crest factor	cf
Media parameters:	- Conductivity	σ
	- Density	ρ

These parameters must be set correctly in the software. They can be found in the component documents or be imported into the software from the configuration files issued for the DASY 5 components. In the direct measuring mode of the multi-meter option, the parameters of the actual system setup are used. In the scan visualization and export modes, the parameters stored in the corresponding document files are used.

The first step of the evaluation is a linearization of the filtered input signal to account for the compression characteristics of the detector diode. The compensation depends on the input signal, the diode type and the DC-transmission factor from the diode to the evaluation electronics. If the exciting field is pulsed, the crest factor of the signal must be known to correctly compensate for peak power. The formula for each channel can be given as:

$$V_i = U_i + U_i^2 \cdot \frac{cf}{dcp_i}$$

with V_i

= Compensated signal of channel i(i = x, y, z)= Input signal of channel i (i = x, y, z)= Crest factor of exciting field

(DASY 5 parameter)

 dcp_i = Diode compression point

(DASY 5 parameter)

From the compensated input signals the primary field data for each channel can be evaluated:

E-field probes:

Ui

cf

$$E_i = \sqrt{\frac{V_i}{Norm_i \bullet ConvF}}$$

H-field probes:

$$H_i = \sqrt{Vi} \cdot \frac{a_{i10} + a_{i11}f + a_{i12}f}{f}$$

with V_i = Compensated signal of channel i(i = x, y, z)

*Norm*_i = Sensor sensitivity of channel i (i = x, y, z)

 μ V/(V/m)² for E0field Probes

ConvF

= Sensitivity enhancement in solution

- = Sensor sensitivity factors for H-field probes aii
- = Carrier frequency (GHz) f
- Ei = Electric field strength of channel i in V/m
- Hi = Magnetic field strength of channel i in A/m

The RSS value of the field components gives the total field strength (Hermitian magnitude):

 $E_{tot} = \sqrt{E_x^2 + E_y^2 + E_z^2}$

Page 12 of 85

This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Date of Issue :February 24, 2014

The primary field data are used to calculate the derived field units.

$$SAR = E_{tot}^2 \cdot \frac{\sigma}{\rho \cdot 1000}$$

with SAR = local specific absorption rate in mW/g

 E_{tot} = total field strength in V/m

 σ = conductivity in [mho/m] or [Siemens/m]

 ρ = equivalent tissue density in g/cm³

Note that the density is normally set to 1 (or 1.06), to account for actual brain density rather than the density of the simulation liquid.

The power flow density is calculated assuming the excitation field as a free space field.

$$P_{pwe} = \frac{E_{tot}^2}{3770}$$
 or $P_{pwe} = H_{tot}^2 \cdot 37.7$

with P_{pwe} = Equivalent power density of a plane wave in mW/cm²

 E_{tot} = total electric field strength in V/m

 H_{tot} = total magnetic field strength in A/m

SAR EVALUATION PROCEDURES

The procedure for assessing the peak spatial-average SAR value consists of the following steps:

Power Reference Measurement

The reference and drift jobs are useful jobs for monitoring the power drift of the device under test in the batch process. Both jobs measure the field at a specified reference position, at a selectable distance from the phantom surface. The reference position can be either the selected section's grid reference point or a user point in this section. The reference job projects the selected point onto the phantom surface, orients the probe perpendicularly to the surface, and approaches the surface using the selected detection method.

Area Scan

The area scan is used as a fast scan in two dimensions to find the area of high field values, before doing a finer measurement around the hot spot. The sophisticated interpolation routines implemented in DASY 5 software can find the maximum locations even in relatively coarse grids. The scan area is defined by an editable grid. This grid is anchored at the grid reference point of the selected section in the phantom. When the area scan's property sheet is brought-up, grid was at to 15 mm by 15 mm and can be edited by a user.

Zoom Scan

Zoom scans are used to assess the peak spatial SAR values within a cubic averaging volume containing 1 g and 10 g of simulated tissue. The default zoom scan measures 5 x 5 x 7 points within a cube whose base faces are centered around the maximum found in a preceding area scan job within the same procedure. If the preceding Area Scan job indicates more then one maximum, the number of Zoom Scans has to be enlarged accordingly (The default number inserted is 1).

Power Drift measurement

The drift job measures the field at the same location as the most recent reference job within the same procedure, and with the same settings. The drift measurement gives the field difference in dB from the reading conducted within the last reference measurement. Several drift measurements are possible for one reference measurement. This allows a user to monitor the power drift of the device under test within a batch process. In the properties of the Drift job, the user can specify a limit for the drift and have DASY 5 software stop the measurements if this limit is exceeded.

Z-Scan

The Z Scan job measures points along a vertical straight line. The line runs along the Z-axis of a one-dimensional grid. A user can anchor the grid to the current probe location. As with any other grids, the local Z-axis of the anchor location establishes the Z-axis of the grid.

SPATIAL PEAK SAR EVALUATION

Report No: C140218S04-SF

The procedure for spatial peak SAR evaluation has been implemented according to the IEEE1529 standard. It can be conducted for 1 g and 10 g.

The DASY 5 system allows evaluations that combine measured data and robot positions, such as:

- maximum search
- extrapolation
- boundary correction
- peak search for averaged SAR

During a maximum search, global and local maximum searches are automatically performed in 2-D after each Area Scan measurement with at least 6 measurement points. It is based on the evaluation of the local SAR gradient calculated by the Quadratic Shepard's method. The algorithm will find the global maximum and all local maxima within -2 dB of the global maxima for all SAR distributions.

Extrapolation

Extrapolation routines are used to obtain SAR values between the lowest measurement points and the inner phantom surface. The extrapolation distance is determined by the surface detection distance and the probe sensor offset. Several measurements at different distances are necessary for the extrapolation.

Extrapolation routines require at least 10 measurement points in 3-D space. They are used in the Cube Scan to obtain SAR values between the lowest measurement points and the inner phantom surface. The routine uses the modified Quadratic Shepard's method for extrapolation. For a grid using 5x5x7 measurement points with 5mm resolution amounting to 343 measurement points, the uncertainty of the extrapolation routines is less than 1% for 1 g and 10 g cubes.

Boundary effect

For measurements in the immediate vicinity of a phantom surface, the field coupling effects between the probe and the boundary influence the probe characteristics. Boundary effect errors of different dosimetric probe types have been analyzed by measurements and using a numerical probe model. As expected, both methods showed an enhanced sensitivity in the immediate vicinity of the boundary. The effect strongly depends on the probe dimensions and disappears with increasing distance from the boundary. The sensitivity can be approximately given as:

$$S \approx S_o + S_b exp(-\frac{z}{a})cos(\pi \frac{z}{\lambda})$$

Since the decay of the boundary effect dominates for small probes ($a <<\lambda$), the cos-term can be omitted. Factors *Sb* (parameter Alpha in the DASY 5 software) and *a* (parameter Delta in the DASY 5 software) are assessed during probe calibration and used for numerical compensation of the boundary effect. Several simulations and measurements have confirmed that the compensation is valid for different field and boundary configurations.

This simple compensation procedure can largely reduce the probe uncertainty near boundaries. It works well as long as:

- the boundary curvature is small
- the probe axis is angled less than 30_ to the boundary normal
- the distance between probe and boundary is larger than 25% of the probe diameter
- the probe is symmetric (all sensors have the same offset from the probe tip)

Since all of these requirements are fulfilled in a DASY 5 system, the correction of the probe boundary effect in the vicinity of the phantom surface is performed in a fully automated manner via the measurement data extraction during post processing.

Page 15 of 85

This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Date of Issue :February 24, 2014

8. MEASUREMENT UNCERTAINTY

UNCERTAI	NTY BUDGE	ACCORDIN	G TO IEE	EE 152	8-2003	
Error Description		Probability distribution	Divisor	C₁1g	Standard unc.(1g) ±%	V ₁ or V _{eff}
Measurement System						
Probe calibration	±5.5	normal	1	1	±5.5	ø
Axial isotropy of probe	±4.7	rectangular	√3	0.7	±1.9	ø
Hemispherical Isotropy of probe	±9.6	rectangular	√3	0.7	±3.9	ø
Probe linearity	±4.7	rectangular	√3	1	±2.7	ø
Detection Limit	±1.0	rectangular	√3	1	±0.6	ø
Boundary effects	±1.0	rectangular	√3	1	±0.6	œ
Readout electronics	±0.3	normal	1	1	±0.3	œ
Response time	±0.8	rectangular	√3	1	±0.5	œ
Integration time	±2.6	rectangular	√3	1	±1.5	∞
Probe positioning	±2.9	rectangular	√3	1	±1.7	ø
Probe positioner	±0.4	rectangular	√3	1	±0.2	ø
RF ambient Noise	±3.0	rectangular	√3	1	±1.7	ø
RF ambient Reflections	±3.0	rectangular	√3	1	±1.7	∞
Max.SAR Eval	±1.0	rectangular	√3	1	±0.6	œ
Test Sample Related						
Device positioning	±2.9	normal	1	1	±2.9	145
Device holder uncertainty	±3.6	normal	1	1	±3.6	5
Power drift	±5.0	rectangular	√3	1	±2.9	∞
Phantom and Set up						
Phantom uncertainty	±4.0	rectangular	√3	1	±2.3	∞
Liquid conductivity(target)	±5.0	rectangular	√3	0.64	±1.8	∞
Liquid conductivity(meas.)	±2.5	rectangular	1	0.64	±1.6	∞
Liquid permittivity(target)	±5.0	rectangular	√3	0.6	±1.7	∞
Liquid permittivity(meas.)	±2.5	rectangular	1	0.6	±1.5	×
Combined Standard Uncertainty	,				±10.7	387
Coverage Factor for 95%		kp=2				
Expanded Standard Uncertainty					±21.4	

Table: Worst-case uncertainty for DASY5 assessed according to IEEE1528-2003.

The budge is valid for the frequency range 300 MHz to 6G Hz and represents a worst-case analysis.

Report No: C140218S04-SF

Date of Issue :February 24, 2014

9. EXPOSURE LIMIT

(A). Limits for Occupational/Controlled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.4	8.0	20.0

(B). Limits for General Population/Uncontrolled Exposure (W/kg)

Whole-Body	Partial-Body	Hands, Wrists, Feet and Ankles
0.08	1.6	4.0

Note: Whole-Body SAR is averaged over the entire body, partial-body SAR is averaged over any 1 gram of tissue defined as a tissue volume in the shape of a cube. SAR for hands, wrists, feet and ankles is averaged over any 10 grams of tissue defined as a tissue volume in the shape of a cube.

Population/Uncontrolled Environments are defined as locations where there is the exposure of individuals who have no knowledge or control of their exposure.

Occupational/Controlled Environments are defined as locations where there is exposure that may be incurred by people who are aware of the potential for exposure, (i.e. as a result of employment or occupation).

> NOTE **GENERAL POPULATION/UNCONTROLLED EXPOSURE** PARTIAL BODY LIMIT 1.6 W/kg

Date of Issue :February 24, 2014

EUT ARRANGEMENT 10.

Please refer to IEEE1528-2003 illustration below.

10.1 ANTHROPOMORPHIC HEAD PHANTOM

Figure 7-1a shows the front, back and side views of SAM. The point "M" is the reference point for the center of mouth, "LE" is the left ear reference point (ERP), and "RE" is the right ERP. The ERPs are 15 mm posterior to the entrance to ear canal (EEC) along the B-M line (Back-Mouth), as shown in Figure 7-1b. The plane passing through the two ear reference points and M is defined as the Reference Plane. The line N-F (Neck-Front) perpendicular to the reference plane and passing through the RE (or LE) is called the Reference Pivoting Line (see Figure 7-1c). Line B-M is perpendicular to the N-F line. Both N-F and B-M lines should be marked on the external phantom shell to facilitate handset positioning. Posterior to the N-F line, the thickness of the phantom shell with the shape of an ear is a flat surface 6 mm thick at the ERPs. Anterior to the N-F line, the ear is truncated as illustrated in Figure 7-1b. The ear truncation is introduced to avoid the handset from touching the ear lobe, which can cause unstable handset positioning at the cheek.




Figure 7-1b Close up side view of phantom showing the ear region






Figure 7-1b Close up side view of phantom showing the ear region

Figure 7-1c Side view of the phantom showing relevant markings and the 7 cross sectional plane locations





Date of Issue :February 24, 2014

10.2 DEFINITION OF THE "CHEEK/TOUCH" POSITION

The "cheek" or "touch" position is defined as follows:

- a. Ready the handset for talk operation, if necessary. For example, for handsets with a cover piece, open the cover. (If the handset can also be used with the cover closed both configurations must be tested.)
- b. Define two imaginary lines on the handset: the vertical centerline and the horizontal line. The vertical centerline passes through two points on the front side of the handset: the midpoint of the width wt of the handset at the level of the acoustic output (point A on Figures 7-2a and 7-2b), and the midpoint of the width wb of the bottom of the handset (point B). The horizontal line is perpendicular to the vertical centerline and passes through the center of the acoustic output (see Figure 7-2a). The two lines intersect at point A. Note that for many handsets, point A coincides with the center of the acoustic output. However, the acoustic output may be located elsewhere on the horizontal line. Also note that the vertical centerline is not necessarily parallel to the front face of the handset (see Figure 7-2b), especially for clamshell handsets, handsets with flip pieces, and other irregularly-shaped handsets.
- c. Position the handset close to the surface of the phantom such that point A is on the (virtual) extension of the line passing through points RE and LE on the phantom (see Figure 7-2c), such that the plane defined by the vertical center line and the horizontal line of the handset is approximately parallel to the sagittal plane of the phantom.
- d. Translate the handset towards the phantom along the line passing through RE and LE until the handset touches the pinna.
- e. e) While maintaining the handset in this plane, rotate it around the LE-RE line until the vertical centerline is in the plane normal to MB-NF including the line MB (called the reference plane).
- f. Rotate the handset around the vertical centerline until the handset (horizontal line) is symmetrical with respect to the line NF.
- g. While maintaining the vertical centerline in the reference plane, keeping point A on the line passing through RE and LE and maintaining the handset contact with the pinna, rotate the handset about the line NF until any point on the handset is in contact with a phantom point below the pinna (cheek). See Figure 7-2c. The physical angles of rotation should be noted.





Figure 7.2c

Phone "cheek" or "touch" position. The reference points for the right ear (RE), left ear (LE) and mouth (M), which define the reference plane for handset positioning, are indicated.

This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Compliance Certification Services Inc. FCC ID: 2ABXQ-B8301

Date of Issue :February 24, 2014



10.3 DEFINITION OF THE "TILTED" POSITION

The "tilted" position is defined as follows:

Report No: C140218S04-SF

- a. Repeat steps (a) (g) of 7.2 to place the device in the "cheek position."
- b. While maintaining the orientation of the handset move the handset away from the pinna along the line passing through RE and LE in order to enable a rotation of the handset by 15 degrees.
- c. Rotate the handset around the horizontal line by 15 degrees.
- d. While maintaining the orientation of the handset, move the handset towards the phantom on a line passing through RE and LE until any part of the handset touches the ear. The tilted position is obtained when the contact is on the pinna. If the contact is at any location other than the pinna (e.g., the antenna with the back of the phantom head), the angle of the handset should be reduced. In this case, the tilted position is obtained if any part of the handset is in contact with the pinna as well as a second part of the handset is contact with the phantom (e.g., the antenna with the back of the head).




Figure 7-3

Phone "tilted" position. The reference points for the right ear (RE), left ear (LE) and mouth (M), which define the reference plane for handset positioning, are indicated.

MEASUREMENT RESULTS 11.

11.1 **TEST LIQUIDS CONFIRMATION**

SIMULATED TISSUE LIQUID PARAMETER CONFIRMATION

The dielectric parameters were checked prior to assessment using the HP85070C dielectric probe kit. The dielectric parameters measured are reported in each correspondent section.

KDB868664 D01 RECOMMENDED TISSUE DIELECTRIC PARAMETERS

The head and Body tissue dielectric parameters recommended by the KDB865664 D01 have been incorporated in the following table.

Target Frequency	Не	ad	Body		
(MHz)	ε _r	σ (S/m)	ε _r	σ (S/m)	
150	52.3	0.76	61.9	0.80	
300	45.3	0.87	58.2	0.92	
450	43.5	0.87	56.7	0.94	
835	41.5	0.90	55.2	0.97	
900	41.5	0.97	55.0	1.05	
915	41.5	0.98	55.0	1.06	
1450	40.5	1.20	54.0	1.30	
1610	40.3	1.29	53.8	1.40	
1800-2000	40.0	1.40	53.3	1.52	
2450	39.2	1.80	52.7	1.95	
3000	38.5	2.40	52.0	2.73	
5800	35.3	5.27	48.2	6.00	

(ε_r = relative permittivity, σ = conductivity and ρ = 1000 kg/m³)

Date of Issue :February 24, 2014

11.2 LIQUID MEASUREMENT RESULTS

The following table show the measuring results for simulating liquid:

Liquid Type	Liquid Temp. (°C)	Parameters	Target	Measured	Deviation (%)	Limited (%)	Measured Date
Head835	21.5	Permitivity(ε)	41.50	41.092	-0.98	± 5	2014-2-19
Ticado000	21.5	Conductivity(σ)	0.90	0.907	0.78	± 5	2014-2-13
Body835	Body835 21.5	Permitivity(ε)	55.20	52.91	-4.15	± 5	2014-2-20
Douyoss		Conductivity(o)	0.97	0.954	-1.65	± 5	
Head1900	21.5	Permitivity(ε)	40.00	38.471	-3.82	± 5	2014-2-21
Tiead 1900	1eau 1900 21.5	Conductivity(o)	1.40	1.423	1.64	± 5	2014-2-21
Body1900 21.5	Permitivity(ε)	53.30	53.654	0.66	± 5	2014-2-22	
Body 1900	21.5	Conductivity(o)	1.52	1.582	4.08	± 5	2014-2-22


Date of Issue : February 24, 2014

SYSTEM PERFORMANCE CHECK 11.3

The system performance check is performed prior to any usage of the system in order to guarantee reproducible results. The system performance check verifies that the system operates within its specifications of ±10%. The system performance check results are tabulated below. And also the corresponding SAR plot is attached as well in the SAR plots files.

SYSTEM PERFORMANCE CHECK MEASUREMENT CONDITIONS

- The measurements were performed in the flat section of the SAM twin phantom filled with head • and body simulating liquid of the following parameters.
- The DASY5 system withan E-fileld probe EX3DV4 SN: 3798 was used for the measurements. .
- The dipole was mounted on the small tripod so that the dipole feed point was positioned below the center marking of the flat phantom section and the dipole was oriented parallel to the body axis (the long side of the phantom). The standard measuring distance was 15 mm (below 1 GHz) and 10 mm (above 1 GHz) from dipole center to the simulating liquid surface.
- The coarse grid with a grid spacing of 10mm was aligned with the dipole.
- Special 7x7x7 fine cube was chosen for cube integration (dx= 5 mm, dy= 5 mm, dz= 5 mm). •
- Distance between probe sensors and phantom surface was set to 2 mm. •
- The dipole input power was 250mW±3%.
- The results are normalized to 1 W input power.



Note: For SAR testing, the depth is 15cm shown above

ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe

Date of Issue :February 24, 2014

SYSTEM PERFORMANCE CHECK RESULTS

Liquid Type	Ambient Temp. (° C)	Liquid Temp. (°C)	Input Power (W)	Measured SAR1g (W/Kg)	1W Target SAR1g(W/Kg)	1W Normalized SAR _{1g} (W/Kg)	Deviation (%)	Limited (%)	Date
Head835	22	21.5	0.25	2.30	9.50	9.2	-3.16	± 10	2014-2-19
Body835	22	21.5	0.25	2.39	9.53	9.56	0.31	± 10	2014-2-20
Head1900	22	21.5	0.25	9.86	40.40	39.44	-2.38	± 10	2014-2-21
Body1900	22	21.5	0.25	9.65	40.50	38.60	-4.69	± 10	2014-2-22

Page 24 of 85 This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Date of Issue : February 24, 2014

11.4 EUT TUNE-UP PROCEDURES AND TEST MODE

The following procedure had been used to prepare the EUT for the SAR test.

To setup the desire channel frequency and the maximum output power. A Radio Communication Tester "CMU200 " was used to program the EUT.

General Note:

- 1. Per KDB 447498 D01v05r02, the maximum output power channel is used for SAR testing and for further SAR test reduction.
- 2. For head SAR testing, the EUT was set in GSM Voice for GSM850 and GSM1900 due to its highest frame-average power.
- 3. For body worn SAR testing, the EUT was set in GSM Voice for GSM850 and GSM1900 due to its highest frame-average power.

GSM Conducted output power(dBm):

Band	-	GSM 850			GSM 1900								
Channel	128	190	251	512	661	810							
Frequency(MHz)	824.2	836.6	848.8	1850.2	1880	1909.8							
Maximum Burst-Averaged Output Power													
GSM(GMSK,1Uplink)	32.35	32.65	32.86	28.86	28.45	28.23							
GPRS 8 (GMSK,1 Uplink)	32.37	32.67	32.88	28.91	28.51	28.26							
GPRS 10 (GMSK,2 Uplink)	31.52	31.81	32.02	27.90	27.50	27.48							
GPRS 11 (GMSK,3 Uplink)	29.83	30.07	30.35	26.05	25.64	25.86							
GPRS 12 (GMSK,4 Uplink)	29.92	29.25	29.51	25.16	24.74	24.94							
Maxin	num Frame	-Averageo	I Output P	ower									
GSM(GMSK,1Uplink)	23.33	23.63	23.84	19.84	19.43	19.21							
GPRS 8 (GMSK,1 Uplink)	23.34	23.64	23.85	19.88	19.48	19.23							
GPRS 10 (GMSK,2 Uplink)	25.49	25.78	25.99	21.87	21.47	21.45							
GPRS 11 (GMSK,3 Uplink)	25.57	25.81	26.09	21.79	21.38	21.60							
GPRS 12 (GMSK,4 Uplink)	26.91	26.24	26.50	22.15	21.73	21.93							

Remark: The frame-averaged power is linearly scaled the maximum burst-averaged power based on time slots. The calculated methods are shown as below:

Frame-averaged power = Burst-averaged power (1 Uplink) – 9.03 dBm

Frame-averaged power = Burst averaged power (2 Uplink) – 6.02 dBm

Frame-averaged power = Burst-averaged power (3 Uplink) – 4.26 dBm

Frame-averaged power = Burst averaged power (4 Uplink) – 3.01 dBm

Note: Per KDB 447498 D01v05r02, the maximum output power channel is used for SAR testing and for further SAR test reduction.

Report No: C140218S04-SF FCC ID: 2ABXQ-B8301

Date of Issue :February 24, 2014

WCDMA Conducted output power(dBm):

As the SAR body tests for WCDMA **Bandll**, we established the radio link through call processing. The maximum output power were verified on high, middle and low channels for each test band according to 3GPP TS 34.121 with the following configuration:a 12.2kbps RMC, 64,144,384 kbps RMC with TPC set to all "all '1's"b Test loop Mode 1

The following procedures had been used to prepare the EUT for the SAR test.

HSDPA Setup Configuration:

Table C.10.1.4: β values for transmitter characteristics tests with HS-DPCCH

Sub-test	βc	βa	βd (SF)	βс/βа	βнs (Note1, Note 2)	CM (dB) (Note 3)	MPR (dB) (Note 3)
1	2/15	15/15	64	2/15	4/15	0.0	0.0
2	12/15 (Note 4)	15/15 (Note 4)	64	12/15 (Note 4)	24/15	1.0	0.0
3	15/15	8/15	64	15/8	30/15	1.5	0.5
4	15/15	4/15	64	15/4	30/15	1.5	0.5
	Magnitude (for the discontinuity with $\beta_{hs} = 2$	EVM) with H in clause 5. 4/15 * eta_c .	IS-DPCCH te 13.1AA, ∆ack	tirement test in cla st in clause 5.13.1 and $\Delta_{NACK} = 30/1$	A, and HSDF 5 with β_{hs} =	PA EVM with phase 30/15 * β_c , and	ase d ∆cqi = 24/15
Note 3:	DPCCH the	MPR is base		. For all other com tive CM difference r releases.			
Note 4:				for the TFC during a factors for the ref			

HSUPA Setup Configuration:

Table C.11.1.3: β values for transmitter characteristics tests with HS-DPCCH and E-DCH

Sub- test	βc	βa	β _d (SF)	βc/βd	βнs (Note1)	β _{ec}	β _{ed} (Note 5) (Note 6)	β _{ed} (SF)	β _{ed} (Codes)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 6)	E- TFCI
1	11/15 (Note 3)	15/15 (Note 3)	64	11/15 (Note 3)	22/15	209/2 25	1309/225	4	1	1.0	0.0	20	75
2	6/15	15/15	64	6/15	12/15	12/15	94/75	4	1	3.0	2.0	12	67
3	15/15	9/15	64	15/9	30/15					15	92		
4	2/15	15/15	64	2/15	4/15	2/15	56/75	4	1	3.0	2.0	17	71
5											81		
Note 1	: Даск,	ANACK and	d Δ _{CQI} =	= 30/15 w	vith $eta_{\scriptscriptstyle hs}$	= 30/15 '	β_c .						
Note 2							her combinatio CM difference		DPDCH, [OPCCH,	HS- DPC	CCH, E-D	PDCH
Note 3							during the more the more the more the more the content of the content						by
Note 4							during the mo te TFC (TF1, T						by
Note 5	: In cas		ng by l	JE using			al Layer categ						
			-			bsolute (

ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe



Date of Issue :February 24, 2014

Band	W	CDMA Ban	d II
Channel	9262	9400	9538
Frequency(MHz)	1852.4	1880	1907.6
AMR	21.87	21.73	21.66
RMC12.2K	22.31	22.29	22.21
HSDPA Subtest-1	21.38	21.44	21.39
HSDPA Subtest-2	21.31	21.36	21.43
HSDPA Subtest-3	21.25	21.21	21.58
HSDPA Subtest-4	21.62	21.33	21.24
HSUPA Subtest-1	21.46	21.74	21.83
HSUPA Subtest-2	21.82	21.48	21.45
HSUPA Subtest-3	21.17	21.63	21.45
HSUPA Subtest-4	21.43	21.32	21.15
HSUPA Subtest-5	21.06	21.21	21.36

Note:

Per KDB 941225 D01, RMC 12.2kbps setting is used to evaluate SAR. If HSDPA/HSUPA output power is < 0.25dB higher than RMC, HSDPA/HSUPA SAR evaluation can be excluded.

Page 27 of 85 This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Date of Issue :February 24, 2014

Bluetooth Conducted output power(dBm):

СН		Average power(dBm)								
	Frequency	Date Rate								
		1Mbps	2Mbps	3Mbps						
CH00	2402MHZ	4.086	3.425	3.498						
CH39	2441MHZ	3.143	2.537	2.597						
CH78	2480MHZ	3.329	1.839	2.026						

According to KDB447498 D01: The 1-g and 10-g SAR test exclusion thresholds for 100 MHz to 6 GHz at test separation distances \leq 50 mm are determined by:

[(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance,

mm)] $\cdot \left[\sqrt{f_{(GHz)}}\right] \le 3.0$ for 1-g SAR and ≤ 7.5 for 10-g extremity SAR,24 where

• f(GHz) is the RF channel transmit frequency in GHz

Power and distance are rounded to the nearest mW and mm before calculation25

• The result is rounded to one decimal place for comparison

• 3.0 and 7.5 are referred to as the numeric thresholds in the step 2 below

If the test separation distance (antenna-user) is < 5mm, 5mm is used for excluded SAR calculation

	Wireless Interface	Bluetooth
Т	une-up Maximum power (dBm)	4.5
Tun	e-up Maximum rated power (mW)	2.818
	Antenna to user (mm)	5
Head	Frequency(GHz)	2.402
	SAR exclusion threshold	0.874
	Antenna to user (mm)	15
Body	Frequency(GHz)	2.402
	SAR exclusion threshold	0.291

Per KDB 447498 D01v05r02 exclusion thresholds is 0.874< 3, Bluetooth RF exposure evaluation is not required.



Mode	The Tune-up Maximum Power(Customer Declared)(dBm)	Range	Measured Conduct Maximum Power(dBm)
GSM 850	32.5+/-1	31.5~33.5	32.86
GPRS 850-1TS	32.5+/-1	31.5~33.5	32.88
GPRS 850-2TS	32+/-1	31~33	32.02
GPRS 850-3TS	30+/-1	29~31	30.35
GPRS 850-4TS	29.5+/-1	28.5~30.5	29.92
GSM 1900	28.5+/-1	27.5~29.5	28.86
GPRS 1900-1TS	28.5+/-1	27.5~29.5	28.91
GPRS 1900-2TS	27.5+/-1	26.5~28.5	27.90
GPRS 1900-3TS	25.5+/-1	24.5~26.5	26.05
GPRS 1900-4TS	24.5+/-1	23.6~25.5	25.16
WCDMA Band II	22+/-1	21~23	22.31
HSDPA Band II	21.5+/-1	20.5~22.5	21.62
HSUPA Band II	21.5+/-1	20.5~22.5	21.83
Bluetooth 2.1	2.5+/-2	0.5~4.5	4.086

So, they are in tune-up range and complied.

Date of Issue : February 24, 2014

11.5 SAR TEST CONFIGURATIONS


Body-Worn Accessory Exposure Conditions

Body-worn accessory exposure is typically related to voice mode operations when handsets are carried in body-worn accessories. The body-worn accessory procedures in KDB 447498 are used to test for body-worn accessory SAR compliance, without a headset connected to it. This enables the test results for such configuration to be compatible with that required for hotspot mode when the body-worn accessory test separation distance is greater than or equal to that required for hotspot mode. When the reported SAR for a body-worn accessory, measured without a headset connected to the handset, is > 1.2 W/kg, the highest reported SAR configuration for that wireless mode and frequency band should be repeated for that body-worn accessory with a headset attached to the handset.

Body-worn accessories that do not contain metallic or conductive components may be tested according to worst-case exposure configurations, typically according to the smallest test separation distance required for the group of body-worn accessories with similar operating and exposure characteristics. All body-worn accessories containing metallic components are tested in conjunction with the host device.


Body-worn accessory SAR compliance is based on a single minimum test separation distance for all wireless and operating modes applicable to each body-worn accessory used by the host, and according to the relevant voice and/or data mode transmissions and operations. If a body-worn accessory supports voice only operations in its normal and expected use conditions, testing of data mode for body-worn compliance is not required.

A conservative minimum test separation distance for supporting off-the-shelf body-worn accessories that may be acquired by users of consumer handsets is used to test for body-worn accessory SAR compliance. This distance is determined by the handset manufacturer, according to the requirements of Supplement C 01-01. Devices that are designed to operate on the body of users using lanyards and straps, or without requiring additional body-worn accessories, will be tested using a conservative minimum test separation distance <= 5 mm to support compliance.



Device separation


Illustration for Body Worn Position



Device dimensions (H x W): 113 x 47 mm

Antennas	Wireless Interface	
WWAN Antenna	GSM850 PCS1900 WCDMA BandII	
Bluetooth Antenna	Bluetooth	
Test Mode		
GSM 850/PCS1900	Data transmission mode(GPRS)/Voice mode(GSM)	
WCDMA	Data transmission mode(12.2k RMC)	

11.6 EUT SETUP PHOTOS



ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe

Date of Issue : February 24, 2014

11.7 SAR MEASUREMENT RESULTS

Head SAR Test Records

GSM SAR


Band	Mode	Test Position	Ch.	Freq. (MHZ)	max Power (dBm)	Tune- Up Limit (dBm)	Scaling Factor	Power Drift (dB)	SAR1g (mW/g)	Scaled SAR1g (mW/g)
GSM850	Voice	Right Cheek	251	848.8	32.86	33.5	1.159	-0.05	0.646	0.749
GSM850	Voice	Right Tilted	251	848.8	32.86	33.5	1.159	-0.02	0.317	0.367
GSM850	Voice	Left Cheek	251	848.8	32.86	33.5	1.159	0.16	0.576	0.667
GSM850	Voice	Left Tilted	251	848.8	32.86	33.5	1.159	-0.02	0.355	0.411
GSM1900	Voice	Right Cheek	512	1850.2	28.86	29.5	1.159	0.00	0.0098	0.011
GSM1900	Voice	Right Tilted	512	1850.2	28.86	29.5	1.159	-0.13	0.00246	0.003
GSM1900	Voice	Left Cheek	512	1850.2	28.86	29.5	1.159	0.01	0.00491	0.006
GSM1900	Voice	Left Tilted	512	1850.2	28.86	29.5	1.159	-0.18	0.00297	0.003

WCDMA

Band	Mode	Test Position	Ch.	Freq. (MHZ)	max Power (dBm)	Tune- Up Limit (dBm)	Scaling Factor	Power Drift (dB)	SAR1g (mW/g)	Scaled SAR1g (mW/g)
Band II	RMC12.2K	Right Cheek	9262	1852.4	22.31	23	1.172	-0.10	0.024	0.028
Band II	RMC12.2K	Right Tilted	9262	1852.4	22.31	23	1.172	-0.14	0.011	0.013
Band II	RMC12.2K	Left Cheek	9262	1852.4	22.31	23	1.172	-0.01	0.045	0.053
Band II	RMC12.2K	Left Tilted	9262	1852.4	22.31	23	1.172	-0.12	0.00582	0.007

ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe

Date of Issue :February 24, 2014



SAR Results for Body-Worn Test Records

Band	Mode	Test Position	Dist. (mm)	Ch.	Freq. (MHZ)	max Power (dBm)	Tune- Up Limit (dBm)	Scaling Factor	Power Drift (dB)	SAR1g (mW/g)	Scaled SAR1g (mW/g)
GSM850	GPRS 4slots	Front	15	128	824.2	29.92	30.5	1.143	-0.12	0.401	0.458
GSM850	GPRS 4slots	Rear	15	128	824.2	29.92	30.5	1.143	-0.01	0.554	0.633
GSM850	Voice	Rear	15	128	824.2	32.86	33.5	1.159	0.15	0.409	0.474
GSM1900	GPRS 4slots	Front	15	512	1850.2	25.16	25.5	1.081	0.16	0.030	0.032
GSM1900	GPRS 4slots	Rear	15	512	1850.2	25.16	25.5	1.081	0.10	0.478	0.517
GSM1900	Voice	Rear	15	512	1850.2	28.86	29.5	1.159	0.14	0.056	0.065
Band II	RMC12.2K	Front	15	9262	1852.4	22.31	23	1.172	0.01	0.023	0.027
Band II	RMC12.2K	Rear	15	9262	1852.4	22.31	23	1.172	0.20	0.225	0.264

11.8 REPEATED SAR MEASUREMENT

Note:

- 1. Per KDB 865664 D01v01r01,for each frequency band, repeated SAR measurement is required only when the measured SAR is \ge 0.8W/Kg
- Per KDB 865664 D01v01r01,if the ratio of largest to smallest SAR for the original and first repeated measurement is ≤1.2 and the measured SAR <1.45W/Kg,only one repeated measurement is required.
- 3. The ratio is the difference in percentage between original and repeated measured SAR.

11.9 SAR HANDSETS MULTI XMITER ASSESSMENT

	Position	Applicable Combination	
Simultaneous Transmission	Head	WWAN (voice) + BT	
	Body-worn	WWAN (voice) + BT	

Note:

- 2.4GHz WLAN and BT share the same antenna, and cannot transmit simultaneously. 1.
- The reported SAR summation is calculated based on the same configuration and test position. 2.
- 3. For simultaneous transmission analysis, Bluetooth SAR is estimated per KDB 447498 D01v05 based on the formula below.

(max. power of channel, including tune-up tolerance, mW)/(min. test separation distance, mm)] • [√ f(GHz)/x] W/kg for test separation distances \leq 50 mm; where x = 7.5 for 1-g SAR, and x = 18.75 for 10-g SAR.

0.4 W/kg for 1-g SAR and 1.0 W/kg for 10-g SAR, when the test separation distances is > 50 mm.

Bluetooth:

	Max power	Head (5mm distance)	Body (15mm distance)
Estimated SAR (W/kg)	4.5dBm	0.116 W/kg	0.039 W/kg

4. Per KDB 447498 D01v05, simultaneous transmission SAR is compliant if,

1) Scalar SAR summation < 1.6W/kg.

2) SPLSR = (SAR1 + SAR2)1.5 / (min. separation distance, mm), and the peak separation distance is determined from the square root of [(x1-x2)2 + (y1-y2)2 + (z1-z2)2], where (x1, y1, z1) and (x2, y2, z2) are the coordinates of the extrapolated peak SAR locations in the zoom scan

If SPLSR \leq 0.04, simultaneously transmission SAR is compliant

3) Simultaneously transmission SAR measurement, and the reported multi-band SAR < 1.6W/kg

Date of Issue :February 24, 2014

Result of SUM ∑SAR1g of Head

		SUM ∑SAR1g (G	SM850+ Bluetooth)
Position	Distance [mm]	Stand alone SA	\R(1g) [W/kg]	SUM SAR(1g)[W/kg]
	[]	Voice	Bluetooth	WWAN + Bluetooth
Right Cheek	0	0.749	0.116	0.865
Right Tilted	0	0.367	0.116	0.483
Left Cheek	0	0.667	0.116	0.783
Left Tilted	0	0.411	0.116	0.527

		SUM ∑SAR1g (GS	SM1900+ Bluetooth	ו)
Position	Distance [mm]	Stand alone SA	\R(1g) [W/kg]	SUM SAR(1g)[W/kg]
	[]	Voice	Bluetooth	WWAN + Bluetooth
Right Cheek	0	0.011	0.116	0.127
Right Tilted	0	0.003	0.116	0.119
Left Cheek	0	0.006	0.116	0.122
Left Tilted	0	0.003	0.116	0.119

		SUM ∑SAR1g (WCDI	MA Band II+ Blueto	ooth)
Position	Distance [mm]	Stand alone SA	\R(1g) [W/kg]	SUM SAR(1g)[W/kg]
	[mm]	12.2K	Bluetooth	WWAN + Bluetooth
Right Cheek	0	0.028	0.116	0.144
Right Tilted	0	0.013	0.116	0.129
Left Cheek	0	0.053	0.116	0.169
Left Tilted	0	0.007	0.116	0.123

Result of SUM ∑SAR1g for Body worn

		SUM ∑SAR1g (G	SM850+ Bluetoot	:h)
Position	Distance [mm]	Stand alone SAF	R(1g) [W/kg]	SUM SAR(1g)[W/kg]
	[]	GPRS850	Bluetooth	WWAN + Bluetooth
Front	15	0.458	0.039	0.497
Rear	15	0.633	0.039	0.672

		SUM ∑SAR1g (G	SM1900+ Bluetoo	th)
Position	Distance [mm]	Stand alone SAF	R(1g) [W/kg]	SUM SAR(1g)[W/kg]
	[]	GPRS1900	Bluetooth	WWAN + Bluetooth
Front	10	0.032	0.039	0.071
Rear	10	0.517	0.039	0.556

		SUM ∑SAR1g (WCD	MA Band II + Blue	etooth)
Position	Distance [mm]	Stand alone SAF	R(1g) [W/kg]	SUM SAR(1g)[W/kg]
	[]	RMC12.2K	Bluetooth	WWAN + Bluetooth
Front	15	0.027	0.039	0.066
Rear	15	0.264	0.039	0.303

Date of Issue : February 24, 2014

EUT PHOTO 12.





Date of Issue :February 24, 2014





Date of Issue : February 24, 2014







Date of Issue :February 24, 2014

Date of Issue : February 24, 2014

EQUIPMENT LIST & CALIBRATION STATUS 13.

Name of Equipment	Manufacturer	Type/Model	Serial Number	Last Calibration	Calibration Due
PC	HP	Core(rm)3.16G	CZCO48171H	N/A	N/A
Signal Generator	Agilent	E8257C	MY43321570	05/13/2013	05/12/2014
S-Parameter Network Analyzer	Agilent	E5071B	MY42301382	03/11/2013	03/10/2014
Wireless Communication Test Set	R&S	CMU200	SN:109525	01/23/2013	01/22/2014
Power Meter	Agilent	E4416A	GB41292714	03/16/2013	03/15/2014
Peak & Average sensor	Agilent	E9327A	CF0001	03/16/2013	03/15/2014
E-field PROBE	SPEAG	EX3DV4	3798	07/26/2013	07/25/2014
DAE	SPEAG	DEA4	1245	07/25/2013	07/24/2014
DIPOLE 835MHZ ANTENNA	SPEAG	D835V2	4d114	07/30/2013	07/29/2014
DIPOLE 1900MHZ ANTENNA	SPEAG	D1900V2	5d136	07/22/2013	07/21/2014
DUMMY PROBE	SPEAG	DP_2	SPDP2001AA	N/A	N/A
SAM PHANTOM (ELI4 v4.0)	SPEAG	QDOVA001BB	1102	N/A	N/A
Twin SAM Phantom	SPEAG	QD000P40CD	1609	N/A	N/A
ROBOT	SPEAG	TX60	F10/5E6AA1/A101	N/A	N/A
ROBOT KRC	SPEAG	CS8C	F10/5E6AA1/C101	N/A	N/A
LIQUID CALIBRATION KIT	ANTENNESSA	41/05 OCP9	00425167	N/A	N/A

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

14. FACILITIES

All measurement facilities used to collect the measurement data are located at

🔀 No.10, Weiye Rd., Innovation Park, Eco & Tec. Development Part, Kunshan City, Jiangsu Province, China.

REFERENCES 15.

- [1] Federal Communications Commission, Report and order: Guidelines for evaluating the environ-mental effects of radiofrequency radiation", Tech. Rep. FCC 96-326, FCC, Washington, D.C. 20554, 1996.
- David L. Means Kwok Chan, Robert F. Cleveland, \Evaluating compliance with FCC guidelines [2] for human exposure to radiofrequency electromagnetic fields", Tech. Rep., Federal Communication Commision, O_ce of Engineering & Technology, Washington, DC, 1997.
- Thomas Schmid, Oliver Egger, and Niels Kuster, \Automated E- eld scanning system for [3] dosimetric assessments", IEEE Transactions on Microwave Theory and Techniques, vol. 44, pp. 105{113, Jan. 1996.
- Niels Kuster, Ralph K.astle, and Thomas Schmid, \Dosimetric evaluation of mobile [4] communications equipment with known precision", IEICE Transactions on Communications, vol. E80-B, no. 5, pp. 645{652, May 1997.
- [5] CENELEC. Considerations for evaluating of human exposure to electromagnetic fields (EMFs) from mobile telecommunication equipment (MTE) in the frequency range 30MHz - 6GHz", Tech. Rep., CENELEC, European Committee for Electrotechnical Standardization, Brussels, 1997.
- [6] ANSI, ANSI/IEEE C95.1-1999: IEEE Standard for Safety Levels with Respect to Human Exposure to Radio Frequency Electromagnetic Fields, 3 kHz to 300 GHz, The Institute of Electrical and Electronics Engineers, Inc., New York, NY 10017, 1992.
- [7] Katja Pokovic, Thomas Schmid, and Niels Kuster, \Robust setup for precise calibration of Eeld probes in tissue simulating liquids at mobile communications frequencies", in ICECOM 97, Dubrovnik, October 15{17, 1997, pp. 120{124.
- Katja Pokovic, Thomas Schmid, and Niels Kuster, \E- eld probe with improved isotropy in [8] brain simulating liquids", in Proceedings of the ELMAR, Zadar, Croatia, 23(25 June, 1996, pp. 172{175.
- Volker Hombach, Klaus Meier, Michael Burkhardt, Eberhard K. uhn, and Niels Kuster, \The [9] dependence of EM energy absorption upon human head modeling at 900 MHz", IEEE Transactions on Microwave Theory and Techniques, vol. 44, no. 10, pp. 1865(1873, Oct. 1996.
- [10] Klaus Meier, Ralf Kastle, Volker Hombach, Roger Tay, and Niels Kuster, \The dependence of EM energy absorption upon human head modeling at 1800 MHz", IEEE Transactions on Microwave Theory and Techniques, Oct. 1997, in press.
- [11] W. Gander, Computermathematik, Birkhaeuser, Basel, 1992.
- [12] W. H. Press, S. A. Teukolsky, W. T. Vetterling, and B. P. Flannery, Numerical Receptes in C, The Art of Scientific Computing, Second Edition, Cambridge University Press, 1992...Dosimetric Evaluation of Sample device, month 1998 9
- [13] NIS81 NAMAS, \The treatment of uncertainity in EMC measurement", Tech. Rep., NAMAS Executive, National Physical Laboratory, Teddington, Middlesex, England, 1994.
- [14] Barry N. Taylor and Christ E. Kuyatt, \Guidelines for evaluating and expressing the uncertainty of NIST measurement results", Tech. Rep., National Institute of Standards and Technology, 1994. Dosimetric Evaluation of Sample device, month 1998 10

Page 44 of 85

Date of Issue : February 24, 2014

ATTACHMENTS 16.

Exhibit

Content

- 1 System Performance Check Plots
- 2 Dipole calibration report D835V2 SN:4d114
- 3 Dipole calibration report D1900V2-SN:5d136
- Probe calibration report EX3DV4 SN3798 4
- 5 DAE calibration report DEA4 SD000D04BJ SN:1245
- SAR Test Plots 6



APPENDIX A: PLOTS OF PERFORMANCE CHECK

The plots are showing as followings.

Date of Issue : February 24, 2014

Test Laboratory: Compliance Certification Services Inc. Date: 2/19/2014 System Performance Check-Head D835 DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN4d114 Communication System: CW; Communication System Band: D835 (835.0 MHz); Frequency: 835 MHz; Duty Cycle: 1:1 Medium parameters used: f = 835 MHz; σ = 0.907 S/m; ε_r = 41.092; ρ = 1000 kg/m³ Room Ambient Temperature: 22°C; Liquid Temperature: 21.5°C Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007) DASY Configuration: Probe: EX3DV4 - SN3798; ConvF(9.16, 9.16, 9.16); Calibrated: 7/26/2013; • Sensor-Surface: 2mm (Mechanical Surface Detection) Electronics: DAE4 Sn1245; Calibrated: 7/25/2013 • Phantom: Twin SAM Phantom; Type: QD 000 P40 CD; Serial: 1609 •

- DASY52 52.8.5(1059);
- SEMCAD X Version 14.6.8 (7028)

System Performance Check at Frequencies Low 1 GHz/d=15mm, Pin=250 mW, dist=3.0mm (EX-Probe)/Area Scan (7x12x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (measured) = 2.96 W/kg

System Performance Check at Frequencies Low 1 GHz/d=15mm, Pin=250 mW, dist=3.0mm (EX-Probe)/Zoom Scan (7x7x7) /Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 61.401 V/m; Power Drift = -0.04 dB

Peak SAR (extrapolated) = 3.44 W/kg

SAR(1 g) = 2.3 W/kg; SAR(10 g) = 1.51 W/kg

Maximum value of SAR (measured) = 2.92 W/kg



Date of Issue : February 24, 2014

Test Laboratory: Compliance Certification Services Inc. Date: 2/20/2014 System Performance Check-Body D835 DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN4d114 Communication System: CW; Communication System Band: D835 (835.0 MHz); Frequency: 835 MHz; Duty Cycle: 1:1 Medium parameters used: f = 835 MHz; σ = 0.954 S/m; ϵ_r = 52.91; ρ = 1000 kg/m³ Room Ambient Temperature: 22°C; Liquid Temperature: 21.5°C Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007) DASY Configuration: Probe: EX3DV4 - SN3798; ConvF(9.27, 9.27, 9.27); Calibrated: 7/26/2013; • Sensor-Surface: 2mm (Mechanical Surface Detection) Electronics: DAE4 Sn1245; Calibrated: 7/25/2013 • Phantom: Twin SAM Phantom; Type: QD 000 P40 CD; Serial: 1609 •

- DASY52 52.8.5(1059);
- SEMCAD X Version 14.6.8 (7028)

System Performance Check at Frequencies Low 1 GHz/d=15mm, Pin=250 mW, dist=2.0mm (EX-Probe)/Area Scan (7x12x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (measured) = 3.02 W/kg

System Performance Check at Frequencies Low 1 GHz/d=15mm, Pin=250 mW, dist=2.0mm (EX-Probe)/Zoom Scan (7x7x7) /Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 57.236 V/m; Power Drift = 0.07 dB

Peak SAR (extrapolated) = 3.55 W/kg

SAR(1 g) = 2.39 W/kg; SAR(10 g) = 1.57 W/kg

Maximum value of SAR (measured) = 3.03 W/kg



Compliance Certification Services Inc.

FCC ID: 2ABXQ-B8301

Date of Issue :February 24, 2014

Test Laboratory: Compliance Certification Services Inc. Date: 2/21/2014 System Performance Check-Head D1900 DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d136 Communication System: CW; Communication System Band: D1900 (1900.0 MHz); Frequency: 1900 MHz; Duty Cycle: 1:1 Medium parameters used: f = 1900 MHz; σ = 1.423 S/m; ϵ_r = 38.471; ρ = 1000 kg/m³ Room Ambient Temperature: 22°C; Liquid Temperature: 21.5°C Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007) DASY Configuration: Probe: EX3DV4 - SN3798; ConvF(7.73, 7.73, 7.73); Calibrated: 7/26/2013; • Sensor-Surface: 2mm (Mechanical Surface Detection) Electronics: DAE4 Sn1245; Calibrated: 7/25/2013 • Phantom: Twin SAM Phantom; Type: QD 000 P40 CD; Serial: 1609 • DASY52 52.8.5(1059); •

• SEMCAD X Version 14.6.8 (7028)

Report No: C140218S04-SF

System Performance Check at Frequencies above 1 GHz/d=10mm, Pin=250 mW, dist=2.0mm (EX-Probe)/Area Scan (7x7x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (measured) = 13.3 W/kg

System Performance Check at Frequencies above 1 GHz/d=10mm, Pin=250 mW, dist=2.0mm (EX-Probe)/Zoom Scan (7x7x7) /Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 98.911 V/m; Power Drift = 0.02 dB

Peak SAR (extrapolated) = 21.9 W/kg

SAR(1 g) = 9.86 W/kg; SAR(10 g) = 4.62 W/kg

Maximum value of SAR (measured) = 15.2 W/kg



Compliance Certification Services Inc.

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

Test Laboratory: Compliance Certification Services Inc. Date: 2/22/2014 System Performance Check-Body D1900 DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN:5d136 Communication System: CW; Communication System Band: D1900 (1900.0 MHz); Frequency: 1900 MHz; Duty Cycle: 1:1 Medium parameters used: f = 1900 MHz; σ = 1.582 S/m; ϵ_r = 53.654; ρ = 1000 kg/m³ Room Ambient Temperature: 22°C; Liquid Temperature: 21.5°C Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007) DASY Configuration: Probe: EX3DV4 - SN3798; ConvF(7.32, 7.32, 7.32); Calibrated: 7/26/2013; • Sensor-Surface: 2mm (Mechanical Surface Detection) Electronics: DAE4 Sn1245; Calibrated: 7/25/2013 • Phantom: Twin SAM Phantom; Type: QD 000 P40 CD; Serial: 1609 • DASY52 52.8.5(1059); •

• SEMCAD X Version 14.6.8 (7028)

Report No: C140218S04-SF

System Performance Check at Frequencies above 1 GHz/d=10mm, Pin=250 mW, dist=2.0mm (EX-Probe)/Area Scan (7x7x1): Measurement grid: dx=15mm, dy=15mm


Maximum value of SAR (measured) = 14.1 W/kg

System Performance Check at Frequencies above 1 GHz/d=10mm, Pin=250 mW, dist=2.0mm (EX-Probe)/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 96.130 V/m; Power Drift = 0.04 dB

Peak SAR (extrapolated) = 21.2 W/kg

SAR(1 g) = 9.65 W/kg; SAR(10 g) = 4.53 W/kg

Maximum value of SAR (measured) = 14.8 W/kg





APPENDIX B: DASY CALIBRATION CERTIFICATE

The DASY Calibration Certificates are showing as followings .

Calibration Laboratory	y of	ATT ANISO	S Schweizerischer Kalibrierdie
Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich	, Switzerland	HACHEA (C C Z	C Service suisse d'étaionnage Servizio svizzero di taratura Swiss Calibration Service
Accredited by the Swiss Accredital The Swiss Accreditation Service Multilateral Agreement for the re	is one of the signatories	s to the EA	on No.: SCS 108
Client CCS-CN (Auder	n)	Certificate	No: D835V2-4d114_Jul1
CALIBRATION C	ERTIFICATE		
Object	D835V2 - SN: 4d	114	
Calibration procedure(s)	QA CAL-05.v9 Calibration proce	dure for dipole validation kits a	bove 700 MHz
Calibration date:	July 30, 2013		
		onal standards, which realize the physical robability are given on the following pages	
The measurements and the unce	rtainties with confidence p		and are part of the certificate.
The measurements and the unce All calibrations have been conduc	rtainties with confidence p	robability are given on the following pages	and are part of the certificate.
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPN-442A	rtainties with confidence p ted in the closed laborator "E critical for calibration) ID # GB37480704	robability are given on the following pages y facility: environment temperature (22 ± 3 Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640)	and are part of the certificate. 3)°C and humidity < 70%. <u>Scheduled Calibration</u> Oct-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards	rtainties with confidence p ited in the closed laborator TE critical for calibration)	robability are given on the following pages y facility: environment temperature (22 ± 3 Cal Date (Certificate No.)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination	tainties with confidence p ted in the closed laborator "E critical for calibration) ID # GB37480704 US37292785 SN: 5056 (20k) SN: 5047.3 / 06327	robability are given on the following pages y facility: environment temperature (22 ± 3 Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator	rtainties with confidence p ted in the closed laborator "E critical for calibration) ID # GB37480704 US37292785 SN: 5056 (20k)	robability are given on the following pages y facility: environment temperature (22 ± 3 Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPN-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4	tainties with confidence p ted in the closed laborator "E critical for calibration) ID # GB37480704 US37292785 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205 SN: 601	robability are given on the following pages ry facility: environment temperature (22 ± 3 Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3	tainties with confidence p ted in the closed laborator "E critical for calibration) ID # GB37480704 US37292785 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205	robability are given on the following pages y facility: environment temperature (22 ± 3 Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Apr-14 Dec-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPN-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards	rtainties with confidence p ted in the closed laborator TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 5047.3 / 06327 SN: 3205 SN: 601 ID #	cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Scheduled Check In house check: Oct-13 In house check: Oct-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPN-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A	tainties with confidence p ted in the closed laborator TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3206 SN: 601 ID # MY41092317	cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	tainties with confidence p ted in the closed laborator TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5058 (20k) SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3206 SN: 601 ID # MY41092317 100005 US37390585 S4206 Name	cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11) 18-Oct-01 (in house check Oct-12)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Scheduled Check In house check: Oct-13 In house check: Oct-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	tainties with confidence p ted in the closed laborator TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5058	cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-12)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Scheduled Check In house check: Oct-13 In house check: Oct-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RIF generator R&S SMT-06 Network Analyzer HP 8753E	tainties with confidence p ted in the closed laborator TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5058 (20k) SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3206 SN: 601 ID # MY41092317 100005 US37390585 S4206 Name	cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11) 18-Oct-01 (in house check Oct-12)	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Scheduled Check In house check: Oct-13 In house check: Oct-13 In house check: Oct-13
The measurements and the unce All calibrations have been conduc Calibration Equipment used (M&T Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combination Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E Calibrated by: Approved by:	tainties with confidence p ted in the closed laborator TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5058	robability are given on the following pages y facility: environment temperature (22 ± 3 Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11) 18-Oct-01 (in house check Oct-12) Function Laboratory Technician	and are part of the certificate. 3)°C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Scheduled Check In house check: Oct-13 In

Compliance Certification Services Inc. Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland





s

C

Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossarv:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) Federal Communications Commission Office of Engineering & Technology (FCC OET), "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields; Additional Information for Evaluating Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions", Supplement C (Edition 01-01) to Bulletin 65

Additional Documentation:

d) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed point exactly below the center marking of the flat phantom section, with the arms oriented parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole positioned under the liquid filled phantom. The impedance stated is transformed from the measurement at the SMA connector to the feed point. The Return Loss ensures low reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D835V2-4d114_Jul13

Page 2 of 8

Page 53 01 85

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.8.7
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	15 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	835 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	41.5	0.90 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	41.8 ± 6 %	0.92 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C	****	

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	2.41 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	9.50 W/kg ± 17.0 % (k=2)
SAR averaged over 10 cm ³ (10 g) of Head TSL	condition	
SAR averaged over 10 cm ³ (10 g) of Head TSL SAR measured	condition 250 mW input power	1.58 W/kg

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	55.2	0.97 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	54.9 ± 6 %	1.00 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	2.44 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	9.53 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	1.61 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	6.32 W/kg ± 16.5 % (k=2)

Certificate No: D835V2-4d114_Jul13

Page 3 of 8

rage 54 01 05

Appendix

Antenna Parameters with Head TSL

Impedance, transformed to feed point	52.1 Ω - 1.3 jΩ	
Return Loss	- 32.1 dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	48.2 Ω - 3.0 jΩ	
Return Loss	- 29.1 dB	

General Antenna Parameters and Design

Electrical Delay (one direction)	1.399 ns
----------------------------------	----------

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	June 29, 2010

Page 4 of 8

Page 55 01 65

Compliance Certification Services Inc. Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

DASY5 Validation Report for Head TSL

Date: 30.07.2013

Test Laboratory: SPEAG, Zurich, Switzerland


DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN: 4d114

Communication System: UID 0 - CW ; Frequency: 835 MHz Medium parameters used: f = 835 MHz; $\sigma = 0.92$ S/m; $\varepsilon_r = 41.8$; $\rho = 1000$ kg/m³ Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY52 Configuration:

- Probe: ES3DV3 SN3205; ConvF(6.05, 6.05, 6.05); Calibrated: 28.12.2012;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 25.04.2013 .
- Phantom: Flat Phantom 4.9L; Type: QD000P49AA; Serial: 1001 ÷
- DASY52 52.8.7(1137); SEMCAD X 14.6.10(7164)

Dipole Calibration for Head Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 56.702 V/m; Power Drift = 0.05 dB Peak SAR (extrapolated) = 3.60 W/kg SAR(1 g) = 2.41 W/kg; SAR(10 g) = 1.58 W/kg Maximum value of SAR (measured) = 2.81 W/kg




0 dB = 2.81 W/kg = 4.49 dBW/kg

Certificate No: D835V2-4d114_Jul13

Page 5 of 8

Page 50 01 85

Date of Issue : February 24, 2014



Page 57 OT 85

Compliance Certification Services Inc. Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

DASY5 Validation Report for Body TSL

Date: 22.07.2013

Test Laboratory: SPEAG, Zurich, Switzerland


DUT: Dipole 835 MHz; Type: D835V2; Serial: D835V2 - SN: 4d114

Communication System: UID 0 - CW ; Frequency: 835 MHz Medium parameters used: f = 835 MHz; $\sigma = 1$ S/m; $\varepsilon_r = 54.9$; $\rho = 1000$ kg/m³ Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY52 Configuration:

- Probe: ES3DV3 SN3205; ConvF(6.04, 6.04, 6.04); Calibrated: 28.12.2012;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 25.04.2013
- Phantom: Flat Phantom 4.9L; Type: QD000P49AA; Serial: 1001
- DASY52 52.8.7(1137); SEMCAD X 14.6.10(7164)

Dipole Calibration for Body Tissue/Pin=250 mW, d=15mm/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm Reference Value = 54.853 V/m; Power Drift = 0.05 dB Peak SAR (extrapolated) = 3.56 W/kg SAR(1 g) = 2.44 W/kg; SAR(10 g) = 1.61 W/kg Maximum value of SAR (measured) = 2.83 W/kg



0 dB = 2.83 W/kg = 4.52 dBW/kg


Certificate No: D835V2-4d114_Jul13

Page 7 of 8

наде эх от хэ

ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe Date of Issue : February 24, 2014

Impedance Measurement Plot for Body TSL



Certificate No: D835V2-4d114_Jul13

Page 8 of 8

наде ря огор

Calibration Laborat Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zu		HAC MEA	Service sulsse d'étalonnage Servizio svizzero di taratura
Accredited by the Swiss Accre The Swiss Accreditation Ser Multilateral Agreement for th	rice is one of the signatorie	s to the EA	n No.: SCS 108
Client CCS-CN (Au	den)	Certificate N	o: D1900V2-5d136_Jul1
CALIBRATION	CERTIFICATE		
Object	D1900V2 - SN: 5	d136	-
Calibration procedure(s)	QA CAL-05.v9 Calibration proce	dure for dipole validation kits ab	ove 700 MHz
Calibration date:	July 22, 2013		
This calibration certificate doo The measurements and the u All calibrations have been cor Calibration Equipment used (July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato A&TE critical for calibration)	ional standards, which realize the physical u robability are given on the following pages a ry facility: environment temperature (22 ± 3) ⁴	nits of measurements (SI). nd are part of the certificate. °C and humidity < 70%.
This calibration certificate doo The measurements and the u All calibrations have been cor	July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato	ional standards, which realize the physical u robability are given on the following pages a	nits of measurements (SI). nd are part of the certificate.
This calibration certificate doo The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A	July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato A&TE critical for calibration)	ional standards, which realize the physical u robability are given on the following pages a ry facility: environment temperature (22 ± 3) ⁴ <u>Cal Date (Certificate No.)</u> 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640)	nits of measurements (SI). nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13
This calibration certificate doo The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator	July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k)	ional standards, which realize the physical u robability are given on the following pages a ry facility: environment temperature (22 ± 3) ⁴ Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736)	nits of measurements (SI). nd are part of the certificate. *C and humidity < 70%. Cet-13 Oct-13 Oct-13 Apr-14
This calibration certificate doo The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A	July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k)	ional standards, which realize the physical u robability are given on the following pages a ry facility: environment temperature (22 ± 3) ⁴ <u>Cal Date (Certificate No.)</u> 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640)	nits of measurements (SI). nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13
This calibration certificate doo The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio	July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327	Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739)	nits of measurements (SI), nd are part of the certificate. *C and humidity < 70%. Cet-13 Oct-13 Oct-13 Apr-14 Apr-14
This calibration certificate doc The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio Reference Probe ES3DV3 DAE4	July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13)	nits of measurements (SI). nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Apr-14 Dec-13
This calibration certificate doo The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio Reference Probe ES3DV3	July 22, 2013 uments the traceability to nati neertainties with confidence p ducted in the closed laborato A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205 SN: 601	Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12)	nits of measurements (SI). nd are part of the certificate. YC and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14
This calibration certificate doc The measurements and the u All calibrations have been cor Calibration Equipment used (i Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	July 22, 2013 uments the traceability to nation certainties with confidence p ducted in the closed laborator A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205 SN: 5047 SN: 3205 SN: 601 ID # MY41092317 100005	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11)	nits of measurements (SI). nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14
This calibration certificate doc The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A	July 22, 2013 uments the traceability to nation certainties with confidence p ducted in the closed laborator A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205 SN: 601 ID # MY41092317	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 01-Nov-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11)	nits of measurements (SI). nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14
This calibration certificate doc The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	July 22, 2013 uments the traceability to nation certainties with confidence p ducted in the closed laborator A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205 SN: 5047.3 / 06327 SN: 3205 SN: 601 ID # MY41092317 100005 US37390585 S4206 Name	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Nor-12 (No. 217-01640) 01-Nor-12 (No. 217-01640) 01-Nor-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11) 18-Oct-01 (in house check Oct-12) Function	nits of measurements (SI). nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14
This calibration certificate doc The measurements and the u All calibrations have been cor Calibration Equipment used (i Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06	July 22, 2013 uments the traceability to nation certainties with confidence p ducted in the closed laborator A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205 SN: 5047.3 / 06327 SN: 3205 SN: 601 ID # MY41092317 100005 US37390585 S4206	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Nor-12 (No. 217-01640) 01-Nor-12 (No. 217-01640) 01-Nor-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11) 18-Oct-01 (in house check Oct-12)	nits of measurements (SI), nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14
This calibration certificate doc The measurements and the u All calibrations have been cor Calibration Equipment used (Primary Standards Power meter EPM-442A Power sensor HP 8481A Reference 20 dB Attenuator Type-N mismatch combinatio Reference Probe ES3DV3 DAE4 Secondary Standards Power sensor HP 8481A RF generator R&S SMT-06 Network Analyzer HP 8753E	July 22, 2013 uments the traceability to nation certainties with confidence p ducted in the closed laborator A&TE critical for calibration) ID # GB37480704 US37292783 SN: 5058 (20k) SN: 5047.3 / 06327 SN: 3205 SN: 5047.3 / 06327 SN: 3205 SN: 601 ID # MY41092317 100005 US37390585 S4206 Name	Cal Date (Certificate No.) Cal Date (Certificate No.) 01-Nor-12 (No. 217-01640) 01-Nor-12 (No. 217-01640) 01-Nor-12 (No. 217-01640) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01736) 04-Apr-13 (No. 217-01739) 28-Dec-12 (No. ES3-3205_Dec12) 25-Apr-13 (No. DAE4-601_Apr13) Check Date (in house) 18-Oct-02 (in house check Oct-11) 04-Aug-99 (in house check Oct-11) 18-Oct-01 (in house check Oct-12) Function	nits of measurements (SI), nd are part of the certificate. *C and humidity < 70%. Scheduled Calibration Oct-13 Oct-13 Oct-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14 Dec-13 Apr-14

Compliance Certification Services Inc.

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland

Report No: C140218S04-SF



SNISS S C C

Schweizerischer Kalibrierdienst

- Service suisse d'étalonnage
- Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service Is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

TSL	tissue simulating liquid
ConvF	sensitivity in TSL / NORM x,y,z
N/A	not applicable or not measured

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005
- c) Federal Communications Commission Office of Engineering & Technology (FCC OET), "Evaluating Compliance with FCC Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields; Additional Information for Evaluating Compliance of Mobile and Portable Devices with FCC Limits for Human Exposure to Radiofrequency Emissions", Supplement C (Edition 01-01) to Bulletin 65

Additional Documentation:

d) DASY4/5 System Handbook

Methods Applied and Interpretation of Parameters:

- Measurement Conditions: Further details are available from the Validation Report at the end
 of the certificate. All figures stated in the certificate are valid at the frequency indicated.
- Antenna Parameters with TSL: The dipole is mounted with the spacer to position its feed
 point exactly below the center marking of the flat phantom section, with the arms oriented
 parallel to the body axis.
- Feed Point Impedance and Return Loss: These parameters are measured with the dipole
 positioned under the liquid filled phantom. The impedance stated is transformed from the
 measurement at the SMA connector to the feed point. The Return Loss ensures low
 reflected power. No uncertainty required.
- Electrical Delay: One-way delay between the SMA connector and the antenna feed point. No uncertainty required.
- · SAR measured: SAR measured at the stated antenna input power.
- SAR normalized: SAR as measured, normalized to an input power of 1 W at the antenna connector.
- SAR for nominal TSL parameters: The measured TSL parameters are used to calculate the nominal SAR result.

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

Certificate No: D1900V2-5d136_Jul13

Page 2 of 8

Page o Lor op

Measurement Conditions

DASY system configuration, as far as not given on page 1.

DASY Version	DASY5	V52.8.7
Extrapolation	Advanced Extrapolation	
Phantom	Modular Flat Phantom	
Distance Dipole Center - TSL	10 mm	with Spacer
Zoom Scan Resolution	dx, dy, dz = 5 mm	
Frequency	1900 MHz ± 1 MHz	

Head TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Head TSL parameters	22.0 °C	40.0	1.40 mho/m
Measured Head TSL parameters	(22.0 ± 0.2) °C	38.9 ± 6 %	1.36 mho/m ± 6 %
Head TSL temperature change during test	< 0.5 °C		

SAR result with Head TSL

SAR averaged over 1 cm ³ (1 g) of Head TSL	Condition	
SAR measured	250 mW input power	10.0 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	40.4 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ² (10 g) of Head TSL	condition	
SAR measured	250 mW input power	5.29 W/kg
SAR for nominal Head TSL parameters	normalized to 1W	21.3 W/kg ± 16.5 % (k=2)

Body TSL parameters

The following parameters and calculations were applied.

	Temperature	Permittivity	Conductivity
Nominal Body TSL parameters	22.0 °C	53.3	1.52 mho/m
Measured Body TSL parameters	(22.0 ± 0.2) °C	53.4 ± 6 %	1.49 mho/m ± 6 %
Body TSL temperature change during test	< 0.5 °C		

SAR result with Body TSL

SAR averaged over 1 cm ³ (1 g) of Body TSL	Condition	
SAR measured	250 mW input power	10.0 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	40.5 W/kg ± 17.0 % (k=2)

SAR averaged over 10 cm ³ (10 g) of Body TSL	condition	
SAR measured	250 mW input power	5.37 W/kg
SAR for nominal Body TSL parameters	normalized to 1W	21.6 W/kg ± 16.5 % (k=2)

Certificate No: D1900V2-5d136_Jul13

Appendix

Antenna Parameters with Head TSL

Impedance, transformed to feed point	52.9 Ω + 7.2 jΩ	
Return Loss	- 22.5 dB	

Antenna Parameters with Body TSL

Impedance, transformed to feed point	47.7 Ω + 7.3 jΩ
Return Loss	- 22.1 dB

General Antenna Parameters and Design

Electrical Delay (one direction)	1.203 ns	
----------------------------------	----------	--

After long term use with 100W radiated power, only a slight warming of the dipole near the feedpoint can be measured.

The dipole is made of standard semirigid coaxial cable. The center conductor of the feeding line is directly connected to the second arm of the dipole. The antenna is therefore short-circuited for DC-signals. On some of the dipoles, small end caps are added to the dipole arms in order to improve matching when loaded according to the position as explained in the "Measurement Conditions" paragraph. The SAR data are not affected by this change. The overall dipole length is still according to the Standard.

No excessive force must be applied to the dipole arms, because they might bend or the soldered connections near the feedpoint may be damaged.

Additional EUT Data

Manufactured by	SPEAG
Manufactured on	April 14, 2010

Page 4 of 8

rage os or os

Compliance Certification Services Inc. Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

DASY5 Validation Report for Head TSL

Date: 22.07.2013

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN: 5d136


Communication System: UID 0 - CW ; Frequency: 1900 MHz Medium parameters used: f = 1900 MHz; $\sigma = 1.36 \text{ S/m}$; $\varepsilon_r = 38.9$; $\rho = 1000 \text{ kg/m}^3$ Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY52 Configuration:

- Probe: ES3DV3 SN3205; ConvF(4.98, 4.98, 4.98); Calibrated: 28.12.2012;
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 25.04.2013
- Phantom: Flat Phantom 5.0 (front); Type: QD000P50AA; Serial: 1001
- DASY52 52.8.7(1137); SEMCAD X 14.6.10(7164)

Dipole Calibration for Head Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0; Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 95.803 V/m; Power Drift = 0.03 dB Peak SAR (extrapolated) = 18.1 W/kg SAR(1 g) = 10 W/kg; SAR(10 g) = 5.29 W/kg Maximum value of SAR (measured) = 12.4 W/kg




Certificate No: D1900V2-5d136_Jul13

Page 5 of 8

Page 04 01 05

Date of Issue : February 24, 2014



rage op of op

Compliance Certification Services Inc. Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

DASY5 Validation Report for Body TSL

Date: 22.07.2013

Test Laboratory: SPEAG, Zurich, Switzerland

DUT: Dipole 1900 MHz; Type: D1900V2; Serial: D1900V2 - SN: 5d136


Communication System: UID 0 - CW ; Frequency: 1900 MHz Medium parameters used: f = 1900 MHz; $\sigma = 1.49 \text{ S/m}$; $\varepsilon_r = 53.4$; $\rho = 1000 \text{ kg/m}^3$ Phantom section: Flat Section Measurement Standard: DASY5 (IEEE/IEC/ANSI C63.19-2007)

DASY52 Configuration:

- Probe: ES3DV3 SN3205; ConvF(4.6, 4.6, 4.6); Calibrated: 28.12.2012; .
- Sensor-Surface: 3mm (Mechanical Surface Detection)
- Electronics: DAE4 Sn601; Calibrated: 25.04.2013
- Phantom: Flat Phantom 5.0 (back); Type: QD000P50AA; Serial: 1002 ٠
- DASY52 52.8.7(1137); SEMCAD X 14.6.10(7164)

Dipole Calibration for Body Tissue/Pin=250 mW, d=10mm/Zoom Scan (7x7x7)/Cube 0: Measurement grid: dx=5mm, dy=5mm, dz=5mm

Reference Value = 95.803 V/m; Power Drift = 0.00 dB Peak SAR (extrapolated) = 17.0 W/kg SAR(1 g) = 10 W/kg; SAR(10 g) = 5.37 W/kg Maximum value of SAR (measured) = 12.5 W/kg




Certificate No: D1900V2-5d136_Jul13

Page 7 of 8

Page bb of 85

Date of Issue : February 24, 2014



Page 67 OT 85

FCC ID: 2ABXQ-B8301

 Schmid & Partner Engineering AG
 Speag

 Zeughausstrasse 43, 8004 Zurich, Switzerland

 Phone +41 44 245 9700, Fax +41 44 245 9779

 info@speag.com, http://www.speag.com

 IMPORTANT NOTICE

 USAGE OF THE DAE 4

The DAE unit is a delicate, high precision instrument and requires careful treatment by the user. There are no serviceable parts inside the DAE. Special attention shall be given to the following points:

Battery Exchange: The battery cover of the DAE4 unit is closed using a screw, over tightening the screw may cause the threads inside the DAE to wear out.

Shipping of the DAE: Before shipping the DAE to SPEAG for calibration, remove the batteries and pack the DAE in an antistatic bag. This antistatic bag shall then be packed into a larger box or container which protects the DAE from impacts during transportation. The package shall be marked to indicate that a fragile instrument is inside.

E-Stop Failures: Touch detection may be malfunctioning due to broken magnets in the E-stop. Rough handling of the E-stop may lead to damage of these magnets. Touch and collision errors are often caused by dust and dirt accumulated in the E-stop. To prevent E-stop failure, the customer shall always mount the probe to the DAE carefully and keep the DAE unit in a non-dusty environment if not used for measurements.

Repair: Minor repairs are performed at no extra cost during the annual calibration. However, SPEAG reserves the right to charge for any repair especially if rough unprofessional handling caused the defect.

DASY Configuration Files: Since the exact values of the DAE input resistances, as measured during the calibration procedure of a DAE unit, are not used by the DASY software, a nominal value of 200 MOhm is given in the corresponding configuration file.

Important Note:

Report No: C140218S04-SF

Warranty and calibration is void if the DAE unit is disassembled partly or fully by the Customer.

Important Note:

Never attempt to grease or oil the E-stop assembly. Cleaning and readjusting of the Estop assembly is allowed by certified SPEAG personnel only and is part of the annual calibration procedure.

Important Note:

To prevent damage of the DAE probe connector pins, use great care when installing the probe to the DAE. Carefully connect the probe with the connector notch oriented in the mating position. Avoid any rotational movement of the probe body versus the DAE while turning the locking nut of the connector. The same care shall be used when disconnecting the probe from the DAE.

Schmid & Partner Engineering

TN_BR040315AD DAE4.doc

11.12.2009

наде ро от ор

Calibration Laborato Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zuri		AC MRA (C C Z) C	Schweizerischer Kalibrierdier Service suisse d'étalonnage Servizìo svizzero di taratura Swiss Calibration Service
Accredited by the Swiss Accredit The Swiss Accreditation Servio Multilateral Agreement for the	e is one of the signatories	to the EA	o.: SCS 108
Client CCS-CN (Aud	en)	Certificate No:	DAE4-1245_Jul13
CALIBRATION	CERTIFICATE		
Object	DAE4 - SD 000 D	04 BM - SN: 1245	
Calibration procedure(s)	QA CAL-06.v26 Calibration proces	lure for the data acquisition electr	onics (DAE)
	이 가지 않는 것이 같았다. 가지 않는 것은 것이 많은 것이 같이 많이 많이 많이 했다. 것이 같이 많이	nal standards, which realize the physical units	
This calibration certificate docur The measurements and the unc	ments the traceability to natio sertainties with confidence pro uoted in the closed laboratory		are part of the certificate.
This calibration certificate docur The measurements and the unc All calibrations have been cond Calibration Equipment used (Mi Primary Standards	ments the traceability to natio sertainties with confidence pro uoted in the closed laboratory STE critical for calibration)	obability are given on the following pages and r facility: environment temperature (22 ± 3)°C = Cal Date (Certificate No.)	are part of the certificate. and humidity < 70%. Scheduled Calibration
This calibration certificate docur The measurements and the unc All calibrations have been cond Calibration Equipment used (Mi	ments the traceability to natio artainties with confidence pro uoted in the closed laboratory STE critical for calibration)	obability are given on the following pages and r facility: environment temperature (22 \pm 3)°C :	are part of the certificate. and humidity < 70%.
This calibration certificate docur The measurements and the unc All calibrations have been cond Calibration Equipment used (Ma Primary Standards Keithley Multimeter Type 2001 Secondary Standards	nents the traceability to natio antainties with confidence pro- uoted in the closed laboratory STE critical for calibration) ID # SN: 0610278	obability are given on the following pages and r facility: environment temperature (22 ± 3)°C = Cal Date (Certificate No.) 02-Oct-12 (No:12728) Check Date (in house)	are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Scheduled Check
This calibration certificate docur The measurements and the unc All calibrations have been cond Calibration Equipment used (Mi Primary Standards Keithley Multimeter Type 2001	nents the traceability to natio artainties with confidence pro- uoted in the closed laboratory STE critical for calibration)	obability are given on the following pages and r facility: environment temperature (22 ± 3)°C = Cal Date (Certificate No.) D2-Oct-12 (No:12728) Check Date (in house) 07-Jan-13 (in house check)	are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13
This calibration certificate docur The measurements and the unc All calibrations have been cond Calibration Equipment used (Ma Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit	nents the traceability to natio antainties with confidence pro- uoted in the closed laboratory STE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UWS 006 AA 1002 Name	obability are given on the following pages and r facility: environment temperature (22 ± 3)°C = Cal Date (Certificate No.) D2-Oct-12 (No:12728) Check Date (in house) 07-Jan-13 (in house check)	are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Scheduled Check In house check: Jan-14
This calibration certificate docur The measurements and the unc All calibrations have been cond Calibration Equipment used (Ma Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit	ments the traceability to natio sertainties with confidence pro- ucted in the closed laboratory \$TE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UWS 006 AA 1002	obability are given on the following pages and r facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) D2-Oct-12 (No:12728) Check Date (in house) 07-Jan-13 (in house check) 07-Jan-13 (in house check)	are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Scheduled Check In house check: Jan-14 In house check: Jan-14
This calibration certificate docur The measurements and the unc All calibrations have been cond Calibration Equipment used (Ma Primary Standards Keithley Multimeter Type 2001 Secondary Standards Auto DAE Calibration Unit Calibrator Box V2.1	nents the traceability to natio antainties with confidence pro- uoted in the closed laboratory STE critical for calibration) ID # SN: 0810278 ID # SE UWS 053 AA 1001 SE UWS 006 AA 1002 Name	bibbility are given on the following pages and r facility: environment temperature (22 ± 3)°C Cal Date (Certificate No.) D2-Oct-12 (No:12728) Check Date (in house) 07-Jan-13 (in house check) 07-Jan-13 (in house check) Function	are part of the certificate. and humidity < 70%. Scheduled Calibration Oct-13 Scheduled Check In house check: Jan-14 In house check: Jan-14

Compliance Certification Services Inc. Report No: C140218S04-SF

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

Calibration Laboratory of Schmid & Partner Engineering AG Zoughausstrasse 43, 8004 Zurich, Switzerland





Schweizerischer Kalibrierdienst

- Service suisse d'étalonnage c
- Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

s

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary

DAE Connector angle data acquisition electronics information used in DASY system to align probe sensor X to the robot coordinate system.

Methods Applied and Interpretation of Parameters

- DC Voltage Measurement: Calibration Factor assessed for use in DASY system by comparison with a calibrated instrument traceable to national standards. The figure given corresponds to the full scale range of the voltmeter in the respective range.
- Connector angle: The angle of the connector is assessed measuring the angle mechanically by a tool inserted. Uncertainty is not required.
- The following parameters as documented in the Appendix contain technical information as a result from the performance test and require no uncertainty.
 - DC Voltage Measurement Linearity: Verification of the Linearity at +10% and -10% of . the nominal calibration voltage. Influence of offset voltage is included in this measurement.
 - Common mode sensitivity: Influence of a positive or negative common mode voltage on the differential measurement.
 - Channel separation: Influence of a voltage on the neighbor channels not subject to an . input voltage.
 - AD Converter Values with inputs shorted: Values on the internal AD converter • corresponding to zero input voltage
 - Input Offset Measurement: Output voltage and statistical results over a large number of zero voltage measurements.
 - Input Offset Current: Typical value for information; Maximum channel input offset . current, not considering the input resistance.
 - Input resistance: Typical value for information: DAE input resistance at the connector, . during internal auto-zeroing and during measurement.
 - Low Battery Alarm Voltage: Typical value for information. Below this voltage, a battery alarm signal is generated.
 - Power consumption: Typical value for information. Supply currents in various operating modes.

Certificate No: DAE4-1245 Jul13

Page 2 of 5

Page /U OT 85

Date of Issue : February 24, 2014

DC V	oltage	Measurement	
------	--------	-------------	--

A/D - Converter	Resolution	nominal	
-----------------	------------	---------	--

High Range:	1LSB =	6.1µV.	full range =	-100+300 mV	*
Low Range:	1LSB =	61nV ,	full range =	-1+3mV	
DASY measurement	parameters: Aut	to Zero Time: 3	sec; Measuring	time: 3 sec	

Calibration Factors	X	Y	z
High Range	405.940 ± 0.02% (k=2)	404.664 ± 0.02% (k=2)	405.801 ± 0.02% (k=2)
Low Range	4.00386 ± 1.50% (k=2)	3.98278 ± 1.50% (k=2)	4.02487 ± 1.50% (k=2)

Connector Angle

Connector Angle to be used in DASY system	30.5°±1°
---	----------

Certificate No: DAE4-1245_Jul13

Page 3 of 5

Page / LOL 85

Date of Issue : February 24, 2014

Appendix

1. DC Voltage Linearity

High Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	199992.97	-4.47	-0.00
Channel X + Input	20001.91	0.89	0.00
Channel X - Input	-19999.11	1.66	-0.01
Channel Y + Input	199994.30	-3.32	-0.00
Channel Y + Input	20001.64	0.75	0.00
Channel Y - Input	-20000.51	0.28	-0.00
Channel Z + Input	199995.90	-1.30	-0.00
Channel Z + Input	20000.30	-0.60	-0.00
Channel Z - Input	-19999.90	0.89	-0.00

Low Range	Reading (µV)	Difference (µV)	Error (%)
Channel X + Input	2001.51	0.38	0.02
Channel X + Input	201.72	0.21	0.11
Channel X - Input	-198.76	-0.28	0.14
Channel Y + Input	2000.72	-0.41	-0.02
Channel Y + Input	199.98	-1.50	-0.74
Channel Y - Input	-198.85	-0.28	0.14
Channel Z + Input	2000.21	-0.84	-0.04
Channel Z + Input	200.77	-0.56	-0.28
Channel Z - Input	-199.95	-1.29	0.65

2. Common mode sensitivity

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Common mode Input Voltage (mV)	High Range Average Reading (µV)	Low Range Average Reading (µV)
Channel X	200	-8.24	-10.01
3	- 200	10.27	8.63
Channel Y	200	-7.32	-7.74
	- 200	6.53	6.34
Channel Z	200	-5.94	-6.42
	- 200	- 5.13	4.65

3. Channel separation

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	Input Voltage (mV)	Channel X (µV)	Channel Y (µV)	Channel Z (µV)
Channel X	200	-	4.16	-2.61
Channel Y	200	8.79	-	3.99
Channel Z	200	9.96	7.22	-

Certificate No: DAE4-1245_Jul13

Page 4 of 5

4. AD-Converter Values with inputs shorted

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec

	High Range (LSB)	Low Range (LSB)	
Channel X	15874	16183	
Channel Y	16451	15694	
Channel Z	15932	15717	

5. Input Offset Measurement

DASY measurement parameters: Auto Zero Time: 3 sec; Measuring time: 3 sec Input 10MQ

	Average (µV)	min. Offset (µV)	max. Offset (µV)	Std. Deviation (µV)
Channel X	0.94	-0.24	2.04	0.48
Channel Y	-0.42	-1.91	0.54	0.47
Channel Z	-0.83	-2.62	0.57	0.60

6. Input Offset Current

Nominal Input circuitry offset current on all channels: <25fA

7. Input Resistance (Typical values for information)

	Zeroing (kOhm)	Measuring (MOhm)
Channel X	200	200
Channel Y	200	200
Channel Z	200	200

8. Low Battery Alarm Voltage (Typical values for information)

Typical values	Alarm Level (VDC)
Supply (+ Vcc)	+7.9
Supply (- Vcc)	-7.6

9. Power Consumption (Typical values for information)

Typical values	Switched off (mA)	Stand by (mA)	Transmitting (mA)
Supply (+ Vcc)	+0.01	+6	+14
Supply (- Vcc)	-0.01	-8	-9

Page 5 of 5

Calibration Labora Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 2		HACE MEA	Schweizerischer Kalibrierdienst Service suisse d'étalonnage Servizio svizzero di taratura Swiss Calibration Service
Accredited by the Swiss Accre The Swiss Accreditation Se	rvice is one of the signator	ries to the EA	No.: SCS 108
Multilateral Agreement for t Client CCS-CN (At			EX3-3798_Jul13
CALIBRATION	CERTIFICAT	re	
Object	EX3DV4 - SN:3	3798	
Calibration procedure(s)		QA CAL-14.v3, QA CAL-23.v4, QA cedure for dosimetric E-field probes	CAL-25.v4
Calibration date:	July 26, 2013		NEW DEPARTMENT
The measurements and the	incertainties with confidence	ational standards, which realize the physical units probability are given on the following pages and tory facility: environment temperature (22 ± 3)°C (are part of the certificate.
The measurements and the	incertainties with confidence	probability are given on the following pages and tory facility: environment temperature (22 ± 3)*C of	are part of the certificate.
The measurements and the All calibrations have been co Calibration Equipment used	incertainties with confidence inducted in the closed labora M&TE critical for calibration;	probability are given on the following pages and tory facility: environment temperature (22 ± 3) °C (are part of the certificate. and humidity < 70%.
The measurements and the All calibrations have been co	incertainties with confidence	probability are given on the following pages and tory facility: environment temperature (22 ± 3)*C () Cal Date (Certificate No.)	are part of the certificate. and humidity < 70%. Scheduled Calibration
The measurements and the in All calibrations have been co Calibration Equipment used Primary Standards	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) 1D	probability are given on the following pages and tory facility: environment temperature (22 ± 3) °C (are part of the certificate. and humidity < 70%.
The measurements and the in All calibrations have been co Calibration Equipment used Primary Standards Power meter E4419B	Incertainties with confidence inducted in the closed labora M&TE critical for calibration; ID GB41293874	control of the terminal temperature (22 ± 3)°C () Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14
The measurements and the in All calibrations have been con- Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5277 (2cx)	control of the terminal temperature (22 ± 3)°C (cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b)	corobability are given on the following pages and tory facility: environment temperature (22 ± 3)*C i) Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14
The measurements and the in All calibrations have been con- Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5277 (20x) SN: S5129 (30b) SN: 3013	corbability are given on the following pages and tory facility: environment temperature (22 ± 3)°C () Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b)	corobability are given on the following pages and tory facility: environment temperature (22 ± 3)*C i) Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14
The measurements and the in All calibrations have been con- Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5277 (20x) SN: S5129 (30b) SN: 3013	corbability are given on the following pages and tory facility: environment temperature (22 ± 3)°C () Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 660	corbability are given on the following pages and tory facility: environment temperature (22 ± 3)°C () Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator Reference 30 dB Attenuator Reference Probe ES3DV2 DAE4 Secondary Standards	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 680 ID US3642U01700	context of the text of tex	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 dB Attenuator	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 680 ID US3642U01700	corbability are given on the following pages and tory facility: environment temperature (22 ± 3)*C i Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jaen-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
The measurements and the in All calibrations have been con- Calibration Equipment used Primary Standards Power meter E44198 Power sensor E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 3 dB Attenuator Reference 30 dB Atten	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S50577 (20x) SN: S5277 (20x) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 680 ID US3642U01700 US37390585	Cal Date (Certificate No.) Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12)	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15
The measurements and the in All calibrations have been con- Calibration Equipment used Primary Standards Power meter E44198 Power sensor E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 3 dB Attenuator Reference 30 dB Attenuator	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498087 SN: S5054 (3c) SN: S50277 (20x) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37380585 Name	Cal Date (Certificate No.) Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-69 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jaen-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
The measurements and the in All calibrations have been con- Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 3 dB Attenuator Reference 20 dB Attenuator Reference 30 d	Incertainties with confidence inducted in the closed labora IM&TE critical for calibration) ID GB41293874 MY41498067 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 US37390685 Name Dimce lliev	corobability are given on the following pages and tory facility: environment temperature (22 ± 3)°C (2000) Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function Laboratory Technician	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13 Signature D. W.W.
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 30 dB	Incertainties with confidence inducted in the closed labora IM&TE critical for calibration) ID GB41293874 MY41498067 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (control Cel Date (Certificate No.) Cel Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01738) 04-Apr-13 (No. 217-01738) 04-Apr-13 (No. 217-01738) 13-Dect-21 (No. ES3-3013_Dect2) 31-Jan-13 (No. DAE4-660_Jan13) 04-Apr-99 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) Technical Manager Technician	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jaen-14 Scheduled Check In house check: Apr-15 In house check: Oct-13
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 30 dB	Incertainties with confidence inducted in the closed labora IM&TE critical for calibration) ID GB41293874 MY41498067 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (corobability are given on the following pages and tory facility: environment temperature (22 ± 3)°C (2000) Cal Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01735) 04-Apr-13 (No. 217-01738) 28-Dec-12 (No. ES3-3013_Dec12) 31-Jan-13 (No. DAE4-660_Jan13) Check Date (in house) 4-Aug-99 (in house check Apr-13) 18-Oct-01 (in house check Oct-12) Function Laboratory Technician	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13 Signature D. W.W.
The measurements and the in All calibrations have been on Calibration Equipment used Primary Standards Power meter E44198 Power sensor E4412A Reference 3 dB Attenuator Reference 30 dB	Incertainties with confidence inducted in the closed labora (M&TE critical for calibration) ID GB41293874 MY41498067 SN: S5054 (3c) SN: S5054 (3c) SN: S5129 (30b) SN: S5129 (30b) SN: 3013 SN: 660 ID US3642U01700 EUS37390585 Name Dimce Illev Katja Pokovic	control Cel Date (Certificate No.) Cel Date (Certificate No.) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01733) 04-Apr-13 (No. 217-01737) 04-Apr-13 (No. 217-01738) 04-Apr-13 (No. 217-01738) 04-Apr-13 (No. 217-01738) 13-Dect-21 (No. ES3-3013_Dect2) 31-Jan-13 (No. DAE4-660_Jan13) 04-Apr-99 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) 18-Oct-01 (in house check Apr-13) Technical Manager Technician	are part of the certificate. and humidity < 70%. Scheduled Calibration Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Apr-14 Dec-13 Jan-14 Scheduled Check In house check: Apr-15 In house check: Oct-13 Signature D. W.W.

Compliance Certification Services Inc. Report No: C140218S04-SF FCC ID: 2ABXQ-B8301 Date of Issue :F

Date of Issue :February 24, 2014

Calibration Laboratory of Schmid & Partner Engineering AG Zeughausstrasse 43, 8004 Zurich, Switzerland



NIS.

GRP

S

C

s

Schweizerischer Kalibrierdienst Service suisse d'étalonnage

Servizio svizzero di taratura Swiss Calibration Service

Accreditation No.: SCS 108

Accredited by the Swiss Accreditation Service (SAS) The Swiss Accreditation Service is one of the signatories to the EA Multilateral Agreement for the recognition of calibration certificates

Glossary:

arreson yr	
TSL	tissue simulating liquid
NORMx,y,z	sensitivity in free space
ConvF	sensitivity in TSL / NORMx,y,z
DCP	diode compression point
CF	crest factor (1/duty_cycle) of the RF signal
A, B, C, D	modulation dependent linearization parameters
Polarization ϕ	φ rotation around probe axis
Polarization 9	9 rotation around an axis that is in the plane normal to probe axis (at measurement center), i.e., 9 = 0 is normal to probe axis

Calibration is Performed According to the Following Standards:

- a) IEEE Std 1528-2003, "IEEE Recommended Practice for Determining the Peak Spatial-Averaged Specific Absorption Rate (SAR) in the Human Head from Wireless Communications Devices: Measurement Techniques", December 2003
- Techniques", December 2003 b) IEC 62209-1, "Procedure to measure the Specific Absorption Rate (SAR) for hand-held devices used in close proximity to the ear (frequency range of 300 MHz to 3 GHz)", February 2005

Methods Applied and Interpretation of Parameters:

- NORMx,y,z: Assessed for E-field polarization 9 = 0 (f ≤ 900 MHz in TEM-cell; f > 1800 MHz; R22 waveguide). NORMx,y,z are only intermediate values, i.e., the uncertainties of NORMx,y,z does not affect the E²-field uncertainty inside TSL (see below ConvF).
- NORM(f)x,y,z = NORMx,y,z * frequency_response (see Frequency Response Chart). This linearization is
 implemented in DASY4 software versions later than 4.2. The uncertainty of the frequency response is included
 in the stated uncertainty of ConvF.
- DCPx,y,z: DCP are numerical linearization parameters assessed based on the data of power sweep with CW signal (no uncertainty required). DCP does not depend on frequency nor media.
- PAR: PAR is the Peak to Average Ratio that is not calibrated but determined based on the signal characteristics
- Ax,y,z; Bx,y,z; Cx,y,z; Dx,y,z; VRx,y,z; A, B, C, D are numerical linearization parameters assessed based on the data of power sweep for specific modulation signal. The parameters do not depend on frequency nor media. VR is the maximum calibration range expressed in RMS voltage across the diode.
- ConvF and Boundary Effect Parameters: Assessed in flat phantom using E-field (or Temperature Transfer Standard for f ≤ 800 MHz) and inside waveguide using analytical field distributions based on power measurements for f > 800 MHz. The same setups are used for assessment of the parameters applied for boundary compensation (alpha, depth) of which typical uncertainty values are given. These parameters are used in DASY4 software to improve probe accuracy close to the boundary. The sensitivity in TSL corresponds to NORMx,y,z * ConvF whereby the uncertainty corresponds to that given for ConvF. A frequency dependent ConvF is used in DASY version 4.4 and higher which allows extending the validity from ± 50 MHz to ± 100 MHz.
- Spherical isotropy (3D deviation from isotropy): in a field of low gradients realized using a flat phantom exposed by a patch antenna.
- Sensor Offset: The sensor offset corresponds to the offset of virtual measurement center from the probe tip (on probe axis). No tolerance required.

Certificate No: EX3-3798_Jul13

Page 2 of 11

Page 15 01 85



ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe

Date of Issue : February 24, 2014

EX3DV4 - SN:3798

July 26, 2013

Probe EX3DV4

SN:3798

Manufactured: April 5, 2011

Calibrated: July 26, 2013

Calibrated for DASY/EASY Systems (Note: non-compatible with DASY2 system!)

Certificate No: EX3-3798_Jul13

Page 3 of 11

Page / b of 85

FCC ID: 2ABXQ-B8301

Date of Issue : February 24, 2014

EX3DV4-SN:3798

July 26, 2013

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3798

Basic Calibration Parameters

	Sensor X	Sensor Y	Sensor Z	Unc (k=2)
Norm (µV/(V/m)2) ^A	0.54	0.51	0.59	± 10.1 %
DCP (mV) ⁸	95.9	98.8	98.6	

Modulation Calibration Parameters

UID	D Communication System Name		A dB	B dBõV	с	D dB	VR mV	Unc ^E (k=2)
0	CW	X	0.0	0.0	1.0	0.00	164.4	±3.0 %
		Y	0.0	0.0	1.0		168.1	
		Z	0.0	0.0	1.0		130.9	

The reported uncertainty of measurement is stated as the standard uncertainty of measurement multiplied by the coverage factor k=2, which for a normal distribution corresponds to a coverage probability of approximately 95%.

^A The uncertainties of NormX,Y,Z do not affect the E²-field uncertainty inside TSL (see Pages 5 and 6).

^a Numerical linearization parameter: uncertainty not required, ^c Uncertainty is determined using the max, deviation from linear response applying rectangular distribution and is expressed for the square of the field value.

Certificate No: EX3-3798_Jul13

Page 4 of 11

Page // 01 05

Date of Issue : February 24, 2014

EX3DV4-SN:3798

July 26, 2013

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3798

f (MHz) ^c	Relative Permittivity ^F	Conductivity (S/m) ^F	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
835	41.5	0.90	9.16	9.16	9.16	0.35	0.94	± 12.0 %
900	41.5	0.97	9.01	9.01	9.01	0.35	0.93	± 12.0 %
1810	40.0	1.40	7.79	7.79	7.79	0.73	0.59	± 12.0 %
1900	40.0	1.40	7.73	7.73	7.73	0.68	0.62	± 12.0 %
2000	40.0	1.40	7.73	7.73	7.73	0.80	0.58	± 12.0 %
2450	39.2	1.80	7.08	7.08	7.08	0.66	0.62	± 12.0 %
5200	36.0	4.66	4.85	4.85	4.85	0.37	1.80	± 13.1 %
5300	35.9	4.76	4.71	4.71	4.71	0.38	1.80	± 13.1 %
5500	35.6	4.96	4.76	4.76	4.76	0.36	1.80	± 13.1 %
5600	35.5	5.07	4.51	4.51	4.51	0.42	1.80	± 13,1 %
5800	35.3	5.27	4.48	4.48	4.48	0.40	1.80	± 13.1 %

Calibration Parameter Determined in Head Tissue Simulating Media

⁶ Frequency validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS

of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. ⁶ At frequencies below 3 GHz, the validity of tissue parameters (s and s) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (s and s) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.

Certificate No: EX3-3798_Jul13

2

Page 5 of 11

Page 78 01 85

Date of Issue : February 24, 2014

EX3DV4-SN:3798

July 26, 2013

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3798

f (MHz) ^C	Relative Permittivity ^r	Conductivity (S/m)	ConvF X	ConvF Y	ConvF Z	Alpha	Depth (mm)	Unct. (k=2)
835	55.2	0.97	9.27	9.27	9.27	0.49	0.84	± 12.0 %
900	55.0	1.05	9.11	9.11	9.11	0.80	0.62	± 12.0 %
1810	53.3	1.52	7.45	7.45	7.45	0.37	88.0	± 12.0 %
1900	53.3	1.52	7.32	7.32	7.32	0.37	0.86	± 12.0 %
2000	53.3	1.52	7.54	7.54	7.54	0.29	1.01	± 12.0 %
2450	52.7	1.95	7.08	7.08	7.08	0.80	0.57	± 12.0 %
5200	49.0	5.30	4.38	4.38	4.38	0.41	1.90	± 13.1 %
5300	48.9	5.42	4.22	4.22	4.22	0.41	1.90	± 13.1 %
5500	48.6	5.65	3.93	3.93	3.93	0.46	1.90	± 13.1 %
5600	48.5	5.77	3.92	3.92	3.92	0.38	1.90	± 13.1 %
5800	48.2	6.00	4.24	4.24	4.24	0.46	1.90	± 13.1 %

Calibration Parameter Determined in Body Tissue Simulating Media


^o Frequency validity of ± 100 MHz only applies for DASY v4.4 and higher (see Page 2), else it is restricted to ± 50 MHz. The uncertainty is the RSS.

of the ConvF uncertainty at calibration frequency and the uncertainty for the indicated frequency band. At frequencies below 3 GHz, the validity of tissue parameters (c and c) can be relaxed to ± 10% if liquid compensation formula is applied to measured SAR values. At frequencies above 3 GHz, the validity of tissue parameters (c and c) is restricted to ± 5%. The uncertainty is the RSS of the ConvF uncertainty for indicated target tissue parameters.


Certificate No: EX3-3798_Jul13

Page 6 of 11

Page 79 01 05



This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.



Certificate No: EX3-3798_Jul13

Page 8 of 11


наде в і от вр




EX3DV4- SN:3798

July 26, 2013





۲age مد ۲۵ میں ۲age مح ۲۵ میں ۲his report shall not be reproduced except in full, without the written approval of Compliance Certification Services.



This report shall not be reproduced except in full, without the written approval of Compliance Certification Services.

Date of Issue :February 24, 2014

EX3DV4-SN:3798

July 26, 2013

DASY/EASY - Parameters of Probe: EX3DV4 - SN:3798

Other Probe Parameters

Sensor Arrangement	Triangular
Connector Angle (°)	-42.4
Mechanical Surface Detection Mode	enabled
Optical Surface Detection Mode	disabled
Probe Overall Length	337 mm
Probe Body Diameter	10 mm
Tip Length	9 mm
Tip Diameter	2.5 mm
Probe Tip to Sensor X Calibration Point	1 mm
Probe Tip to Sensor Y Calibration Point	1 mm
Probe Tip to Sensor Z Calibration Point	1 mm
Recommended Measurement Distance from Surface	2 mm

Certificate No: EX3-3798_Jul13

Page 11 of 11

Page 84 of 85

ComplianceCertificationServicesInc.Report No: C140218S04-SFFCC ID: 2ABXQ-B8301Date of Issue :Fe

APPENDIX C: PLOTS OF SAR TEST RESULT

The plots are showing in the file named Appendix C Plots of SAR Test Result

END REPORT