



















Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China
Tel: +86-755-28230888 Fax: +86-755-28230886 E-mail: info@uttlab.com <http://www.uttlab.com>
UTTR-RF-FCCPART15.407-V1.2

For U-NII-3 band

Mode	Channel	Ant.	99% BW (MHz)
IEEE 802.11a	149	0	16.724
	157		16.732
	165		16.759
IEEE 802.11n_20	149		17.701
	157		17.694
	165		17.719
IEEE 802.11n_40	151		36.336
	159		36.407
IEEE 802.11ac_20	149		17.725
	157		17.743
	165		17.684
IEEE 802.11ac_40	151		36.358
	159		36.388
IEEE 802.11ac_80	155		75.402

Test Graphs



Shenzhen UnionTrust Quality and Technology Co., Ltd.

Address: Unit D/E of 9/F and 16/F, Block A, Building 6, Baoneng science and technology park, Longhua district, Shenzhen, China


Tel: +86-755-28230888


Fax: +86-755-28230886

E-mail: info@uttlab.com


<http://www.uttlab.com>

UTTR-RF-FCCPART15.407-V1.2







IEEE 802.11ac_Channel 165_20MHz_Antenna 0



IEEE 802.11ac_Channel 151_40MHz_Antenna 0



IEEE 802.11ac_Channel 159_40MHz_Antenna 0



IEEE 802.11ac_Channel 155_80MHz_Antenna 0

A.2 26DB BANDWIDTH

For U-NII-1, U-NII-2A, U-NII-2C band

Mode	Channel	Ant.	Center Frequency (MHz)	26 dB Bandwidth (MHz)
IEEE 802.11a	36	0	5180	26.40
	44		5220	27.04
	48		5240	25.81
	52		5260	26.41
	60		5300	28.00
	64		5320	27.24
	100		5500	27.07
	116		5580	26.41
	140		5700	25.92
IEEE 802.11n_20	36		5180	28.43
	44		5220	29.00
	48		5240	25.93
	52		5260	27.60
	60		5300	26.41
	64		5320	27.36
	100		5500	28.14
	116		5580	29.04
	140		5700	28.32
IEEE 802.11n_40	38		5190	51.21
	46		5230	50.10
	54		5270	49.24
	62		5310	52.08
	102		5510	48.96
	110		5550	50.73
	134		5670	48.38
IEEE 802.11ac_20	36		5180	28.21
	44		5220	27.83
	48		5240	28.53
	52		5260	25.52
	60		5300	26.54
	64		5320	27.53
	100		5500	28.49
	116		5580	28.30
IEEE 802.11ac_40	140		5700	28.18
	38		5190	46.94
	46		5230	50.63
	54		5270	54.39
	62		5310	48.58
	102		5510	43.79
	110		5550	53.06
IEEE 802.11ac_80	134		5670	49.73
	42		5210	85.06
	58		5290	84.39
	106		5530	86.14
	122		5610	83.92

Test Graphs

