

Appendix Report

Report No.: CISRR25031108702

Test Engineer: Mark Fu


Supervised by: Rory Huang





1) Duty Cycle

Test Result

Mode	Channel	On Time (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle (linear)	Duty Cycle Factor (dB)	1/T
BLE 1M	0	2.133	2.500	85.33	0.8533	0.689	0.4688
	19	2.133	2.499	85.37	0.8537	0.6869	0.4688
	39	2.133	2.499	85.37	0.8537	0.6869	0.4688











2) Power Spectral Density

Test Result

Mode	Channel	PSD (dBm/3kHz)	Limit (dBm/3kHz)	Result
BLE 1M	0	-10.650	≤8	PASS
BLE 1M	19	-11.240	≤8	PASS
BLE 1M	39	-12.410	≤8	PASS











3) Conducted Output Power

Test Result

Mode	Channel	Peak Output Power (dBm)	Peak Output Power (mW)	Limit (dBm)	Result
BLE 1M	0	6.14	4.11	≤30	PASS
	19	5.65	3.67	≤30	PASS
	39	4.24	2.65	≤30	PASS


Test Graphs





Peak Output Power

Peak Output Power
BLE 1M_Channel 19



Peak Output Power BLE 1M_Channel 39



4) 6dB Bandwidth

Test Result

Mode	Channel	Center Frequency (MHz)	6 dB Bandwidth (MHz)	Limit (MHz)	Result
BLE 1M	0	2402	0.6600		PASS
	19	2440	0.6700	≥0.5	PASS
	39	2480	0.6700		PASS











5) Conducted Out Of Band Emission

Test Result

Mode	Channel	OOB Emission Frequency (MHz)	OOB Emission Level (dBm)	Limit (dBm)	Over Limit (dB)	Result
BLE 1M	0	2398.97	-37.072	-14.13	-22.942	PASS
		2400.00	-47.930	-14.13	-33.800	PASS
		9602.20	-42.187	-14.13	-28.057	PASS
	19	9753.73	-40.711	-14.62	-26.091	PASS
	20	2483.50 -44.760 -16.02	-16.02	-28.740	PASS	
	39	9914.37	-37.857	-16.02	-21.837	PASS







-----End of the report-----