


9. Maximum power spectral density

9.1. Block diagram of test setup



9.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Power Spectral Density	For FCC: Other than Mobile and portable:17 dBm/MHz Mobile and portable client devices:11 dBm/MHz	5150-5250
	For RSS eirp: 10 dBm/MHz	
	11 dBm/MHz	5250-5350
	11 dBm/MHz	For FCC: 5470 - 5725 For ISSED: 5470 - 5600 5650 - 5725
	30 dBm/500 kHz	5725-5850
Note: The EUT incorporates a MIMO function. The Antenna directional gain is 11.75 dBi. For FCC and 5725-5850MHz of ISSED, the Power Spectral Density limit is the above limits-(11.75-6) dB		

9.3. Test procedure

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW.

Connect the UUT to the spectrum analyser and use the following settings:

5150 MHz~5250 MHz, 5250 MHz~5350 MHz, 5470 MHz~5725 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS
RBW	1MHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

5725 MHz-5850 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS

RBW	500 kHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

9.4. Test Result

Test Engineer:	Haofeng	Test Site:	RF Measurement System 4#
Ambient Condition:	24.9℃,50.5%RH	Test Date:	2024.04.19-2024.04.23
Test Power Supply:	AC 120V/60Hz	Sample Number:	S24032709-002

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	-7.58	≤ 16.02	-0.60	≤ 10.00	PASS
	Ant2	5180	-7.24	≤ 16.02	-0.26	≤ 10.00	PASS
	Ant3	5180	-8.79	≤ 16.02	-1.81	≤ 10.00	PASS
	total	5180	-3.05	≤ 11.25	8.70	≤ 10.00	PASS
	Ant1	5200	-7.36	≤ 16.02	-0.38	≤ 10.00	PASS
	Ant2	5200	-7.11	≤ 16.02	-0.13	≤ 10.00	PASS
	Ant3	5200	-8.42	≤ 16.02	-1.44	≤ 10.00	PASS
	total	5200	-2.82	≤ 11.25	8.93	≤ 10.00	PASS
	Ant1	5240	-6.94	≤ 16.02	0.04	≤ 10.00	PASS
	Ant2	5240	-6.72	≤ 16.02	0.26	≤ 10.00	PASS
	Ant3	5240	-8.14	≤ 16.02	-1.16	≤ 10.00	PASS
	total	5240	-2.45	≤ 11.25	9.30	≤ 10.00	PASS
	Ant1	5260	-0.88	≤ 10.02	6.10	---	PASS
	Ant2	5260	-0.83	≤ 10.02	6.15	---	PASS
	Ant3	5260	0.39	≤ 10.02	7.37	---	PASS
	total	5260	4.37	≤ 5.25	16.12	---	PASS
	Ant1	5280	-0.65	≤ 10.02	6.33	---	PASS
	Ant2	5280	-0.71	≤ 10.02	6.27	---	PASS
	Ant3	5280	0.44	≤ 10.02	7.42	---	PASS
	total	5280	4.50	≤ 5.25	16.25	---	PASS
	Ant1	5320	-1.54	≤ 10.02	5.44	---	PASS
	Ant2	5320	-1.58	≤ 10.02	5.40	---	PASS
	Ant3	5320	-0.47	≤ 10.02	6.51	---	PASS
	total	5320	3.61	≤ 5.25	15.36	---	PASS
	Ant1	5500	-1.40	≤ 10.02	5.58	---	PASS
	Ant2	5500	-1.21	≤ 10.02	5.77	---	PASS
	Ant3	5500	-2.08	≤ 10.02	4.90	---	PASS
	total	5500	3.22	≤ 5.25	14.97	---	PASS
	Ant1	5580	-1.93	≤ 10.02	5.05	---	PASS
	Ant2	5580	-1.72	≤ 10.02	5.26	---	PASS
	Ant3	5580	-1.10	≤ 10.02	5.88	---	PASS
	total	5580	3.20	≤ 5.25	14.95	---	PASS
	Ant1	5700	-1.13	≤ 10.02	5.85	---	PASS
	Ant2	5700	-1.48	≤ 10.02	5.50	---	PASS
	Ant3	5700	-1.72	≤ 10.02	5.26	---	PASS
	total	5700	3.33	≤ 5.25	15.08	---	PASS
	Ant1	5720 UNII-2C	-0.90	≤ 10.02	6.08	---	PASS
	Ant2	5720 UNII-2C	-1.26	≤ 10.02	5.72	---	PASS
	Ant3	5720 UNII-2C	-1.62	≤ 10.02	5.36	---	PASS
	total	5720 UNII-2C	3.52	≤ 5.25	15.27	---	PASS
	Ant1	5720 UNII-3	-5.36	≤ 29.02	1.62	---	PASS
	Ant2	5720 UNII-3	-4.80	≤ 29.02	2.18	---	PASS
	Ant3	5720 UNII-3	-5.74	≤ 29.02	1.24	---	PASS

	total	5720 UNII-3	-0.51	≤24.25	11.24	---	PASS
	Ant1	5745	-1.55	≤29.02	5.43	---	PASS
	Ant2	5745	-1.67	≤29.02	5.31	---	PASS
	Ant3	5745	-2.88	≤29.02	4.10	---	PASS
	total	5745	2.78	≤24.25	14.53	---	PASS
	Ant1	5785	-2.60	≤29.02	4.38	---	PASS
	Ant2	5785	-2.81	≤29.02	4.17	---	PASS
	Ant3	5785	-2.76	≤29.02	4.22	---	PASS
	total	5785	2.05	≤24.25	13.80	---	PASS
	Ant1	5825	-2.22	≤29.02	4.76	---	PASS
	Ant2	5825	-2.08	≤29.02	4.90	---	PASS
	Ant3	5825	-3.42	≤29.02	3.56	---	PASS
	total	5825	2.24	≤24.25	13.99	---	PASS
	Ant1	5180	-2.59	≤16.02	4.39	≤10.00	PASS
	Ant2	5180	-2.37	≤16.02	4.61	≤10.00	PASS
11N20MI MO	Ant3	5180	-3.76	≤16.02	3.22	≤10.00	PASS
	total	5180	1.91	≤16.02	8.89	≤10.00	PASS
	Ant1	5200	-2.43	≤16.02	4.55	≤10.00	PASS
	Ant2	5200	-2.35	≤16.02	4.63	≤10.00	PASS
	Ant3	5200	-3.51	≤16.02	3.47	≤10.00	PASS
	total	5200	2.04	≤16.02	9.02	≤10.00	PASS
	Ant1	5240	-1.96	≤16.02	5.02	≤10.00	PASS
	Ant2	5240	-1.99	≤16.02	4.99	≤10.00	PASS
	Ant3	5240	-3.11	≤16.02	3.87	≤10.00	PASS
	total	5240	2.45	≤16.02	9.43	≤10.00	PASS
	Ant1	5260	-1.04	≤10.02	5.94	---	PASS
	Ant2	5260	-1.14	≤10.02	5.84	---	PASS
	Ant3	5260	0.34	≤10.02	7.32	---	PASS
	total	5260	4.21	≤10.02	11.19	---	PASS
	Ant1	5280	-0.84	≤10.02	6.14	---	PASS
	Ant2	5280	-0.98	≤10.02	6.00	---	PASS
	Ant3	5280	0.34	≤10.02	7.32	---	PASS
	total	5280	4.32	≤10.02	11.30	---	PASS
	Ant1	5320	-1.90	≤10.02	5.08	---	PASS
	Ant2	5320	-1.64	≤10.02	5.34	---	PASS
	Ant3	5320	-0.60	≤10.02	6.38	---	PASS
	total	5320	3.43	≤10.02	10.41	---	PASS
	Ant1	5500	-1.73	≤10.02	5.25	---	PASS
	Ant2	5500	-1.54	≤10.02	5.44	---	PASS
	Ant3	5500	-2.29	≤10.02	4.69	---	PASS
	total	5500	2.93	≤10.02	9.91	---	PASS
	Ant1	5580	-2.26	≤10.02	4.72	---	PASS
	Ant2	5580	-1.91	≤10.02	5.07	---	PASS
	Ant3	5580	-1.19	≤10.02	5.79	---	PASS
	total	5580	3.01	≤10.02	9.99	---	PASS
	Ant1	5700	-1.53	≤10.02	5.45	---	PASS
	Ant2	5700	-1.49	≤10.02	5.49	---	PASS
	Ant3	5700	-1.98	≤10.02	5.00	---	PASS
	total	5700	3.11	≤10.02	10.09	---	PASS
	Ant1	5720 UNII-2C	-1.39	≤10.02	5.59	---	PASS
	Ant2	5720 UNII-2C	-1.30	≤10.02	5.68	---	PASS
	Ant3	5720 UNII-2C	-1.85	≤10.02	5.13	---	PASS
	total	5720 UNII-2C	3.26	≤10.02	10.24	---	PASS
	Ant1	5720 UNII-3	-5.32	≤29.02	1.66	---	PASS
	Ant2	5720 UNII-3	-5.24	≤29.02	1.74	---	PASS
	Ant3	5720 UNII-3	-5.70	≤29.02	1.28	---	PASS
	total	5720 UNII-3	-0.64	≤29.02	6.34	---	PASS
	Ant1	5745	-3.97	≤29.02	3.01	---	PASS
	Ant2	5745	-3.70	≤29.02	3.28	---	PASS
	Ant3	5745	-4.02	≤29.02	2.96	---	PASS
	total	5745	0.88	≤29.02	7.86	---	PASS
	Ant1	5785	-5.17	≤29.02	1.81	---	PASS
	Ant2	5785	-5.05	≤29.02	1.93	---	PASS
	Ant3	5785	-5.42	≤29.02	1.56	---	PASS

	total	5785	-0.44	≤29.02	6.54	---	PASS
	Ant1	5825	-4.67	≤29.02	2.31	---	PASS
	Ant2	5825	-4.45	≤29.02	2.53	---	PASS
	Ant3	5825	-5.31	≤29.02	1.67	---	PASS
	total	5825	-0.02	≤29.02	6.96	---	PASS
	Ant1	5190	-3.52	≤16.02	3.46	≤10.00	PASS
	Ant2	5190	-3.31	≤16.02	3.67	≤10.00	PASS
	Ant3	5190	-4.63	≤16.02	2.35	≤10.00	PASS
	total	5190	0.99	≤16.02	7.97	≤10.00	PASS
	Ant1	5230	-2.83	≤16.02	4.15	≤10.00	PASS
	Ant2	5230	-2.98	≤16.02	4.00	≤10.00	PASS
	Ant3	5230	-3.84	≤16.02	3.14	≤10.00	PASS
	total	5230	1.58	≤16.02	8.56	≤10.00	PASS
	Ant1	5270	-0.83	≤10.02	6.15	---	PASS
	Ant2	5270	-0.83	≤10.02	6.15	---	PASS
	Ant3	5270	0.48	≤10.02	7.46	---	PASS
	total	5270	4.42	≤10.02	11.40	---	PASS
	Ant1	5310	-1.43	≤10.02	5.55	---	PASS
	Ant2	5310	-1.43	≤10.02	5.55	---	PASS
	Ant3	5310	-0.43	≤10.02	6.55	---	PASS
	total	5310	3.70	≤10.02	10.68	---	PASS
	Ant1	5510	-1.34	≤10.02	5.64	---	PASS
	Ant2	5510	-1.28	≤10.02	5.70	---	PASS
	Ant3	5510	-2.21	≤10.02	4.77	---	PASS
	total	5510	3.18	≤10.02	10.16	---	PASS
	Ant1	5550	-0.73	≤10.02	6.25	---	PASS
	Ant2	5550	-0.55	≤10.02	6.43	---	PASS
	Ant3	5550	-1.67	≤10.02	5.31	---	PASS
	total	5550	3.81	≤10.02	10.79	---	PASS
	Ant1	5670	-1.81	≤10.02	5.17	---	PASS
	Ant2	5670	-2.54	≤10.02	4.44	---	PASS
	Ant3	5670	-1.26	≤10.02	5.72	---	PASS
	total	5670	2.93	≤10.02	9.91	---	PASS
	Ant1	5710 UNII-2C	-0.99	≤10.02	5.99	---	PASS
	Ant2	5710 UNII-2C	-1.16	≤10.02	5.82	---	PASS
	Ant3	5710 UNII-2C	-1.65	≤10.02	5.33	---	PASS
	total	5710 UNII-2C	3.51	≤10.02	10.49	---	PASS
	Ant1	5710 UNII-3	-7.03	≤29.02	-0.05	---	PASS
	Ant2	5710 UNII-3	-7.27	≤29.02	-0.29	---	PASS
	Ant3	5710 UNII-3	-7.66	≤29.02	-0.68	---	PASS
	total	5710 UNII-3	-2.54	≤29.02	4.44	---	PASS
	Ant1	5755	-6.13	≤29.02	0.85	---	PASS
	Ant2	5755	-5.96	≤29.02	1.02	---	PASS
	Ant3	5755	-7.42	≤29.02	-0.44	---	PASS
	total	5755	-1.68	≤29.02	5.30	---	PASS
	Ant1	5795	-6.63	≤29.02	0.35	---	PASS
	Ant2	5795	-7.11	≤29.02	-0.13	---	PASS
	Ant3	5795	-7.04	≤29.02	-0.06	---	PASS
	total	5795	-2.15	≤29.02	4.83	---	PASS
	Ant1	5180	-2.65	≤16.02	4.33	≤10.00	PASS
	Ant2	5180	-2.55	≤16.02	4.43	≤10.00	PASS
	Ant3	5180	-3.77	≤16.02	3.21	≤10.00	PASS
	total	5180	1.82	≤16.02	8.80	≤10.00	PASS
	Ant1	5200	-2.51	≤16.02	4.47	≤10.00	PASS
	Ant2	5200	-2.49	≤16.02	4.49	≤10.00	PASS
	Ant3	5200	-3.47	≤16.02	3.51	≤10.00	PASS
	total	5200	1.97	≤16.02	8.95	≤10.00	PASS
	Ant1	5240	-2.12	≤16.02	4.86	≤10.00	PASS
	Ant2	5240	-2.18	≤16.02	4.80	≤10.00	PASS
	Ant3	5240	-3.17	≤16.02	3.81	≤10.00	PASS
	total	5240	2.31	≤16.02	9.29	≤10.00	PASS
	Ant1	5260	-0.58	≤10.02	6.40	---	PASS
	Ant2	5260	-0.51	≤10.02	6.47	---	PASS
	Ant3	5260	0.79	≤10.02	7.77	---	PASS

	total	5260	4.72	≤10.02	11.70	---	PASS
	Ant1	5280	-0.41	≤10.02	6.57	---	PASS
	Ant2	5280	-0.38	≤10.02	6.60	---	PASS
	Ant3	5280	0.76	≤10.02	7.74	---	PASS
	total	5280	4.80	≤10.02	11.78	---	PASS
	Ant1	5320	-1.50	≤10.02	5.48	---	PASS
	Ant2	5320	-1.08	≤10.02	5.90	---	PASS
	Ant3	5320	-0.03	≤10.02	6.95	---	PASS
	total	5320	3.95	≤10.02	10.93	---	PASS
	Ant1	5500	-1.17	≤10.02	5.81	---	PASS
	Ant2	5500	-0.92	≤10.02	6.06	---	PASS
	Ant3	5500	-1.87	≤10.02	5.11	---	PASS
	total	5500	3.47	≤10.02	10.45	---	PASS
	Ant1	5580	-1.93	≤10.02	5.05	---	PASS
	Ant2	5580	-1.34	≤10.02	5.64	---	PASS
	Ant3	5580	-0.76	≤10.02	6.22	---	PASS
	total	5580	3.45	≤10.02	10.43	---	PASS
	Ant1	5700	-0.98	≤10.02	6.00	---	PASS
	Ant2	5700	-0.88	≤10.02	6.10	---	PASS
	Ant3	5700	-1.38	≤10.02	5.60	---	PASS
	total	5700	3.70	≤10.02	10.68	---	PASS
	Ant1	5720 UNII-2C	-0.92	≤10.02	6.06	---	PASS
	Ant2	5720 UNII-2C	-0.67	≤10.02	6.31	---	PASS
	Ant3	5720 UNII-2C	-1.41	≤10.02	5.57	---	PASS
	total	5720 UNII-2C	3.78	≤10.02	10.76	---	PASS
	Ant1	5720 UNII-3	-5.00	≤29.02	1.98	---	PASS
	Ant2	5720 UNII-3	-4.46	≤29.02	2.52	---	PASS
	Ant3	5720 UNII-3	-5.51	≤29.02	1.47	---	PASS
	total	5720 UNII-3	-0.20	≤29.02	6.78	---	PASS
	Ant1	5745	-4.15	≤29.02	2.83	---	PASS
	Ant2	5745	-3.92	≤29.02	3.06	---	PASS
	Ant3	5745	-5.72	≤29.02	1.26	---	PASS
	total	5745	0.24	≤29.02	7.22	---	PASS
	Ant1	5785	-5.26	≤29.02	1.72	---	PASS
	Ant2	5785	-5.09	≤29.02	1.89	---	PASS
	Ant3	5785	-5.65	≤29.02	1.33	---	PASS
	total	5785	-0.56	≤29.02	6.42	---	PASS
	Ant1	5825	-4.80	≤29.02	2.18	---	PASS
	Ant2	5825	-4.46	≤29.02	2.52	---	PASS
	Ant3	5825	-5.55	≤29.02	1.43	---	PASS
	total	5825	-0.14	≤29.02	6.84	---	PASS
11AC40M IMO	Ant1	5190	-3.54	≤16.02	3.44	≤10.00	PASS
	Ant2	5190	-3.39	≤16.02	3.59	≤10.00	PASS
	Ant3	5190	-4.65	≤16.02	2.33	≤10.00	PASS
	total	5190	0.95	≤16.02	7.93	≤10.00	PASS
	Ant1	5230	-3.12	≤16.02	3.86	≤10.00	PASS
	Ant2	5230	-3.06	≤16.02	3.92	≤10.00	PASS
	Ant3	5230	-4.12	≤16.02	2.86	≤10.00	PASS
	total	5230	1.36	≤16.02	8.34	≤10.00	PASS
	Ant1	5270	-0.47	≤10.02	6.51	---	PASS
	Ant2	5270	-0.20	≤10.02	6.78	---	PASS
	Ant3	5270	0.81	≤10.02	7.79	---	PASS
	total	5270	4.85	≤10.02	11.83	---	PASS
	Ant1	5310	-1.29	≤10.02	5.69	---	PASS
	Ant2	5310	-1.16	≤10.02	5.82	---	PASS
	Ant3	5310	-0.08	≤10.02	6.90	---	PASS
	total	5310	3.96	≤10.02	10.94	---	PASS
	Ant1	5510	-0.99	≤10.02	5.99	---	PASS
	Ant2	5510	-0.87	≤10.02	6.11	---	PASS
	Ant3	5510	-1.58	≤10.02	5.40	---	PASS
	total	5510	3.64	≤10.02	10.62	---	PASS
	Ant1	5550	-0.48	≤10.02	6.50	---	PASS
	Ant2	5550	-0.22	≤10.02	6.76	---	PASS
	Ant3	5550	-1.24	≤10.02	5.74	---	PASS

	total	5550	4.15	≤10.02	11.13	---	PASS
	Ant1	5670	-1.21	≤10.02	5.77	---	PASS
	Ant2	5670	-1.49	≤10.02	5.49	---	PASS
	Ant3	5670	-0.75	≤10.02	6.23	---	PASS
	total	5670	3.63	≤10.02	10.61	---	PASS
	Ant1	5710 UNII-2C	-0.90	≤10.02	6.08	---	PASS
	Ant2	5710 UNII-2C	-0.78	≤10.02	6.20	---	PASS
	Ant3	5710 UNII-2C	-1.20	≤10.02	5.78	---	PASS
	total	5710 UNII-2C	3.81	≤10.02	10.79	---	PASS
	Ant1	5710 UNII-3	-7.05	≤29.02	-0.07	---	PASS
	Ant2	5710 UNII-3	-6.68	≤29.02	0.30	---	PASS
	Ant3	5710 UNII-3	-7.63	≤29.02	-0.65	---	PASS
	total	5710 UNII-3	-2.33	≤29.02	4.65	---	PASS
	Ant1	5755	-6.34	≤29.02	0.64	---	PASS
	Ant2	5755	-6.36	≤29.02	0.62	---	PASS
	Ant3	5755	-7.94	≤29.02	-0.96	---	PASS
	total	5755	-2.05	≤29.02	4.93	---	PASS
	Ant1	5795	-6.88	≤29.02	0.10	---	PASS
	Ant2	5795	-7.19	≤29.02	-0.21	---	PASS
	Ant3	5795	-7.53	≤29.02	-0.55	---	PASS
	total	5795	-2.42	≤29.02	4.56	---	PASS
11AC80M IMO	Ant1	5210	-6.37	≤16.02	0.61	≤10.00	PASS
	Ant2	5210	-6.30	≤16.02	0.68	≤10.00	PASS
	Ant3	5210	-7.39	≤16.02	-0.41	≤10.00	PASS
	total	5210	-1.89	≤16.02	5.09	≤10.00	PASS
	Ant1	5290	-4.32	≤10.02	2.66	---	PASS
	Ant2	5290	-3.86	≤10.02	3.12	---	PASS
	Ant3	5290	-2.84	≤10.02	4.14	---	PASS
	total	5290	1.14	≤10.02	8.12	---	PASS
	Ant1	5530	-3.97	≤10.02	3.01	---	PASS
	Ant2	5530	-3.57	≤10.02	3.41	---	PASS
	Ant3	5530	-4.56	≤10.02	2.42	---	PASS
	total	5530	0.76	≤10.02	7.74	---	PASS
	Ant1	5610	-4.49	≤10.02	2.49	---	PASS
	Ant2	5610	-4.14	≤10.02	2.84	---	PASS
	Ant3	5610	-3.40	≤10.02	3.58	---	PASS
	total	5610	0.79	≤10.02	7.77	---	PASS
	Ant1	5690 UNII-2C	-4.23	≤10.02	2.75	---	PASS
	Ant2	5690 UNII-2C	-4.46	≤10.02	2.52	---	PASS
	Ant3	5690 UNII-2C	-3.79	≤10.02	3.19	---	PASS
	total	5690 UNII-2C	0.62	≤10.02	7.60	---	PASS
	Ant1	5690 UNII-3	-10.76	≤29.02	-3.78	---	PASS
	Ant2	5690 UNII-3	-11.29	≤29.02	-4.31	---	PASS
	Ant3	5690 UNII-3	-10.90	≤29.02	-3.92	---	PASS
	total	5690 UNII-3	-6.21	≤29.02	0.77	---	PASS
	Ant1	5775	-10.99	≤29.02	-4.01	---	PASS
	Ant2	5775	-11.22	≤29.02	-4.24	---	PASS
	Ant3	5775	-12.03	≤29.02	-5.05	---	PASS
	total	5775	-6.62	≤29.02	0.36	---	PASS
11AC160 MIMO	Ant1	5250 UNII-1	-8.32	≤16.02	-1.34	≤10.00	PASS
	Ant2	5250 UNII-1	-8.40	≤16.02	-1.42	≤10.00	PASS
	Ant3	5250 UNII-1	-9.54	≤16.02	-2.56	≤10.00	PASS
	total	5250 UNII-1	-3.95	≤16.02	3.03	≤10.00	PASS
	Ant1	5250 UNII-2A	-8.23	≤10.02	-1.25	---	PASS
	Ant2	5250 UNII-2A	-8.24	≤10.02	-1.26	---	PASS
	Ant3	5250 UNII-2A	-9.57	≤10.02	-2.59	---	PASS
	total	5250 UNII-2A	-3.86	≤10.02	3.12	---	PASS
	Ant1	5570	-7.16	≤10.02	-0.18	---	PASS
	Ant2	5570	-6.84	≤10.02	0.14	---	PASS
	Ant3	5570	-8.12	≤10.02	-1.14	---	PASS
	total	5570	-2.57	≤10.02	4.41	---	PASS
11AX20M IMO	Ant1	5180	-2.35	≤16.02	4.63	≤10.00	PASS
	Ant2	5180	-2.38	≤16.02	4.60	≤10.00	PASS
	Ant3	5180	-3.48	≤16.02	3.50	≤10.00	PASS

	total	5180	2.07	≤16.02	9.05	≤10.00	PASS
	Ant1	5200	-2.13	≤16.02	4.85	≤10.00	PASS
	Ant2	5200	-2.28	≤16.02	4.70	≤10.00	PASS
	Ant3	5200	-3.45	≤16.02	3.53	≤10.00	PASS
	total	5200	2.19	≤16.02	9.17	≤10.00	PASS
	Ant1	5240	-1.92	≤16.02	5.06	≤10.00	PASS
	Ant2	5240	-1.88	≤16.02	5.10	≤10.00	PASS
	Ant3	5240	-2.86	≤16.02	4.12	≤10.00	PASS
	total	5240	2.57	≤16.02	9.55	≤10.00	PASS
	Ant1	5260	-0.82	≤10.02	6.16	---	PASS
	Ant2	5260	-1.10	≤10.02	5.88	---	PASS
	Ant3	5260	0.42	≤10.02	7.40	---	PASS
	total	5260	4.32	≤10.02	11.30	---	PASS
	Ant1	5280	-0.69	≤10.02	6.29	---	PASS
	Ant2	5280	-0.82	≤10.02	6.16	---	PASS
	Ant3	5280	0.46	≤10.02	7.44	---	PASS
	total	5280	4.46	≤10.02	11.44	---	PASS
	Ant1	5320	-1.76	≤10.02	5.22	---	PASS
	Ant2	5320	-1.65	≤10.02	5.33	---	PASS
	Ant3	5320	-0.33	≤10.02	6.65	---	PASS
	total	5320	3.57	≤10.02	10.55	---	PASS
	Ant1	5500	-1.56	≤10.02	5.42	---	PASS
	Ant2	5500	-1.40	≤10.02	5.58	---	PASS
	Ant3	5500	-2.15	≤10.02	4.83	---	PASS
	total	5500	3.08	≤10.02	10.06	---	PASS
	Ant1	5580	-2.33	≤10.02	4.65	---	PASS
	Ant2	5580	-1.84	≤10.02	5.14	---	PASS
	Ant3	5580	-1.28	≤10.02	5.70	---	PASS
	total	5580	2.98	≤10.02	9.96	---	PASS
	Ant1	5700	-1.32	≤10.02	5.66	---	PASS
	Ant2	5700	-1.17	≤10.02	5.81	---	PASS
	Ant3	5700	-1.66	≤10.02	5.32	---	PASS
	total	5700	3.39	≤10.02	10.37	---	PASS
	Ant1	5720 UNII-2C	-1.21	≤10.02	5.77	---	PASS
	Ant2	5720 UNII-2C	-0.97	≤10.02	6.01	---	PASS
	Ant3	5720 UNII-2C	-1.84	≤10.02	5.14	---	PASS
	total	5720 UNII-2C	3.45	≤10.02	10.43	---	PASS
	Ant1	5720 UNII-3	-5.10	≤29.02	1.88	---	PASS
	Ant2	5720 UNII-3	-4.73	≤29.02	2.25	---	PASS
	Ant3	5720 UNII-3	-5.78	≤29.02	1.20	---	PASS
	total	5720 UNII-3	-0.41	≤29.02	6.57	---	PASS
	Ant1	5745	-3.97	≤29.02	3.01	---	PASS
	Ant2	5745	-3.75	≤29.02	3.23	---	PASS
	Ant3	5745	-4.45	≤29.02	2.53	---	PASS
	total	5745	0.72	≤29.02	7.70	---	PASS
	Ant1	5785	-5.04	≤29.02	1.94	---	PASS
	Ant2	5785	-4.71	≤29.02	2.27	---	PASS
	Ant3	5785	-5.26	≤29.02	1.72	---	PASS
	total	5785	-0.23	≤29.02	6.75	---	PASS
	Ant1	5825	-4.69	≤29.02	2.29	---	PASS
	Ant2	5825	-4.27	≤29.02	2.71	---	PASS
	Ant3	5825	-5.23	≤29.02	1.75	---	PASS
	total	5825	0.06	≤29.02	7.04	---	PASS
11AX40M IMO	Ant1	5190	-3.31	≤16.02	3.67	≤10.00	PASS
	Ant2	5190	-3.33	≤16.02	3.65	≤10.00	PASS
	Ant3	5190	-4.46	≤16.02	2.52	≤10.00	PASS
	total	5190	1.10	≤16.02	8.08	≤10.00	PASS
	Ant1	5230	-2.87	≤16.02	4.11	≤10.00	PASS
	Ant2	5230	-2.70	≤16.02	4.28	≤10.00	PASS
	Ant3	5230	-3.75	≤16.02	3.23	≤10.00	PASS
	total	5230	1.69	≤16.02	8.67	≤10.00	PASS
	Ant1	5270	-0.84	≤10.02	6.14	---	PASS
	Ant2	5270	-0.74	≤10.02	6.24	---	PASS
	Ant3	5270	0.27	≤10.02	7.25	---	PASS

	total	5270	4.36	≤10.02	11.34	---	PASS
	Ant1	5310	-1.58	≤10.02	5.40	---	PASS
	Ant2	5310	-1.58	≤10.02	5.40	---	PASS
	Ant3	5310	-0.35	≤10.02	6.63	---	PASS
	total	5310	3.64	≤10.02	10.62	---	PASS
	Ant1	5510	-1.26	≤10.02	5.72	---	PASS
	Ant2	5510	-1.16	≤10.02	5.82	---	PASS
	Ant3	5510	-2.09	≤10.02	4.89	---	PASS
	total	5510	3.29	≤10.02	10.27	---	PASS
	Ant1	5550	-0.65	≤10.02	6.33	---	PASS
	Ant2	5550	-0.50	≤10.02	6.48	---	PASS
	Ant3	5550	-1.60	≤10.02	5.38	---	PASS
	total	5550	3.88	≤10.02	10.86	---	PASS
	Ant1	5670	-1.55	≤10.02	5.43	---	PASS
	Ant2	5670	-2.15	≤10.02	4.83	---	PASS
	Ant3	5670	-1.18	≤10.02	5.80	---	PASS
	total	5670	3.16	≤10.02	10.14	---	PASS
	Ant1	5710 UNII-2C	-0.94	≤10.02	6.04	---	PASS
	Ant2	5710 UNII-2C	-1.03	≤10.02	5.95	---	PASS
	Ant3	5710 UNII-2C	-1.58	≤10.02	5.40	---	PASS
	total	5710 UNII-2C	3.60	≤10.02	10.58	---	PASS
	Ant1	5710 UNII-3	-7.17	≤29.02	-0.19	---	PASS
	Ant2	5710 UNII-3	-6.98	≤29.02	0.00	---	PASS
	Ant3	5710 UNII-3	-7.88	≤29.02	-0.90	---	PASS
	total	5710 UNII-3	-2.56	≤29.02	4.42	---	PASS
	Ant1	5755	-6.12	≤29.02	0.86	---	PASS
	Ant2	5755	-6.08	≤29.02	0.90	---	PASS
	Ant3	5755	-6.01	≤29.02	0.97	---	PASS
	total	5755	-1.30	≤29.02	5.68	---	PASS
	Ant1	5795	-7.04	≤29.02	-0.06	---	PASS
	Ant2	5795	-6.77	≤29.02	0.21	---	PASS
	Ant3	5795	-5.83	≤29.02	1.15	---	PASS
	total	5795	-1.74	≤29.02	5.24	---	PASS
11AX80M IMO	Ant1	5210	-6.17	≤16.02	0.81	≤10.00	PASS
	Ant2	5210	-6.19	≤16.02	0.79	≤10.00	PASS
	Ant3	5210	-7.15	≤16.02	-0.17	≤10.00	PASS
	total	5210	-1.71	≤16.02	5.27	≤10.00	PASS
	Ant1	5290	-3.42	≤10.02	3.56	---	PASS
	Ant2	5290	-3.17	≤10.02	3.81	---	PASS
	Ant3	5290	-2.23	≤10.02	4.75	---	PASS
	total	5290	1.86	≤10.02	8.84	---	PASS
	Ant1	5530	-2.79	≤10.02	4.19	---	PASS
	Ant2	5530	-2.88	≤10.02	4.10	---	PASS
	Ant3	5530	-4.05	≤10.02	2.93	---	PASS
	total	5530	1.57	≤10.02	8.55	---	PASS
	Ant1	5610	-3.59	≤10.02	3.39	---	PASS
	Ant2	5610	-3.24	≤10.02	3.74	---	PASS
	Ant3	5610	-2.50	≤10.02	4.48	---	PASS
	total	5610	1.69	≤10.02	8.67	---	PASS
	Ant1	5690 UNII-2C	-3.34	≤10.02	3.64	---	PASS
	Ant2	5690 UNII-2C	-3.77	≤10.02	3.21	---	PASS
	Ant3	5690 UNII-2C	-3.49	≤10.02	3.49	---	PASS
	total	5690 UNII-2C	1.24	≤10.02	8.22	---	PASS
	Ant1	5690 UNII-3	-10.10	≤29.02	-3.12	---	PASS
	Ant2	5690 UNII-3	-10.64	≤29.02	-3.66	---	PASS
	Ant3	5690 UNII-3	-10.61	≤29.02	-3.63	---	PASS
	total	5690 UNII-3	-5.67	≤29.02	1.31	---	PASS
	Ant1	5775	-11.10	≤29.02	-4.12	---	PASS
	Ant2	5775	-10.77	≤29.02	-3.79	---	PASS
	Ant3	5775	-10.01	≤29.02	-3.03	---	PASS
	total	5775	-5.83	≤29.02	1.15	---	PASS
11AX160 MIMO	Ant1	5250 UNII-1	-8.62	≤16.02	-1.64	≤10.00	PASS
	Ant2	5250 UNII-1	-8.49	≤16.02	-1.51	≤10.00	PASS
	Ant3	5250 UNII-1	-9.68	≤16.02	-2.70	≤10.00	PASS

	total	5250 UNII-1	-4.13	≤16.02	2.85	≤10.00	PASS
	Ant1	5250 UNII-2A	-8.43	≤10.02	-1.45	---	PASS
	Ant2	5250 UNII-2A	-8.12	≤10.02	-1.14	---	PASS
	Ant3	5250 UNII-2A	-9.54	≤10.02	-2.56	---	PASS
	total	5250 UNII-2A	-3.88	≤10.02	3.10	---	PASS
	Ant1	5570	-6.76	≤10.02	0.22	---	PASS
	Ant2	5570	-6.50	≤10.02	0.48	---	PASS
	Ant3	5570	-7.91	≤10.02	-0.93	---	PASS
11BE20M IMO	total	5570	-2.24	≤10.02	4.74	---	PASS
	Ant1	5180	-2.37	≤16.02	4.61	≤10.00	PASS
	Ant2	5180	-2.39	≤16.02	4.59	≤10.00	PASS
	Ant3	5180	-3.63	≤16.02	3.35	≤10.00	PASS
	total	5180	2.01	≤16.02	8.99	≤10.00	PASS
	Ant1	5200	-2.26	≤16.02	4.72	≤10.00	PASS
	Ant2	5200	-2.07	≤16.02	4.91	≤10.00	PASS
	Ant3	5200	-3.12	≤16.02	3.86	≤10.00	PASS
	total	5200	2.31	≤16.02	9.29	≤10.00	PASS
	Ant1	5240	-1.78	≤16.02	5.20	≤10.00	PASS
	Ant2	5240	-1.81	≤16.02	5.17	≤10.00	PASS
	Ant3	5240	-2.75	≤16.02	4.23	≤10.00	PASS
	total	5240	2.68	≤16.02	9.66	≤10.00	PASS
	Ant1	5260	-0.93	≤10.02	6.05	---	PASS
	Ant2	5260	-0.83	≤10.02	6.15	---	PASS
	Ant3	5260	0.51	≤10.02	7.49	---	PASS
	total	5260	4.41	≤10.02	11.39	---	PASS
	Ant1	5280	-0.71	≤10.02	6.27	---	PASS
	Ant2	5280	-0.92	≤10.02	6.06	---	PASS
	Ant3	5280	0.44	≤10.02	7.42	---	PASS
	total	5280	4.42	≤10.02	11.40	---	PASS
	Ant1	5320	-1.72	≤10.02	5.26	---	PASS
	Ant2	5320	-1.73	≤10.02	5.25	---	PASS
	Ant3	5320	-0.29	≤10.02	6.69	---	PASS
	total	5320	3.58	≤10.02	10.56	---	PASS
	Ant1	5500	-1.68	≤10.02	5.30	---	PASS
	Ant2	5500	-1.58	≤10.02	5.40	---	PASS
	Ant3	5500	-2.32	≤10.02	4.66	---	PASS
	total	5500	2.92	≤10.02	9.90	---	PASS
	Ant1	5580	-2.22	≤10.02	4.76	---	PASS
	Ant2	5580	-1.93	≤10.02	5.05	---	PASS
	Ant3	5580	-1.43	≤10.02	5.55	---	PASS
	total	5580	2.92	≤10.02	9.90	---	PASS
	Ant1	5700	-1.43	≤10.02	5.55	---	PASS
	Ant2	5700	-1.10	≤10.02	5.88	---	PASS
	Ant3	5700	-1.66	≤10.02	5.32	---	PASS
	total	5700	3.38	≤10.02	10.36	---	PASS
	Ant1	5720 UNII-2C	-1.33	≤10.02	5.65	---	PASS
	Ant2	5720 UNII-2C	-1.08	≤10.02	5.90	---	PASS
	Ant3	5720 UNII-2C	-2.01	≤10.02	4.97	---	PASS
	total	5720 UNII-2C	3.32	≤10.02	10.30	---	PASS
	Ant1	5720 UNII-3	-5.06	≤29.02	1.92	---	PASS
	Ant2	5720 UNII-3	-4.99	≤29.02	1.99	---	PASS
	Ant3	5720 UNII-3	-5.97	≤29.02	1.01	---	PASS
	total	5720 UNII-3	-0.55	≤29.02	6.43	---	PASS
	Ant1	5745	-3.76	≤29.02	3.22	---	PASS
	Ant2	5745	-3.55	≤29.02	3.43	---	PASS
	Ant3	5745	-3.82	≤29.02	3.16	---	PASS
	total	5745	1.06	≤29.02	8.04	---	PASS
	Ant1	5785	-4.73	≤29.02	2.25	---	PASS
	Ant2	5785	-4.32	≤29.02	2.66	---	PASS
	Ant3	5785	-3.59	≤29.02	3.39	---	PASS
	total	5785	0.58	≤29.02	7.56	---	PASS
	Ant1	5825	-4.40	≤29.02	2.58	---	PASS
	Ant2	5825	-4.27	≤29.02	2.71	---	PASS
	Ant3	5825	-3.90	≤29.02	3.08	---	PASS

11BE40M IMO	total	5825	0.59	≤29.02	7.57	---	PASS
	Ant1	5190	-3.22	≤16.02	3.76	≤10.00	PASS
	Ant2	5190	-3.21	≤16.02	3.77	≤10.00	PASS
	Ant3	5190	-4.40	≤16.02	2.58	≤10.00	PASS
	total	5190	1.20	≤16.02	8.18	≤10.00	PASS
	Ant1	5230	-2.78	≤16.02	4.20	≤10.00	PASS
	Ant2	5230	-2.66	≤16.02	4.32	≤10.00	PASS
	Ant3	5230	-3.69	≤16.02	3.29	≤10.00	PASS
	total	5230	1.75	≤16.02	8.73	≤10.00	PASS
	Ant1	5270	-0.72	≤10.02	6.26	---	PASS
	Ant2	5270	-0.74	≤10.02	6.24	---	PASS
	Ant3	5270	0.38	≤10.02	7.36	---	PASS
	total	5270	4.44	≤10.02	11.42	---	PASS
	Ant1	5310	-1.41	≤10.02	5.57	---	PASS
	Ant2	5310	-1.44	≤10.02	5.54	---	PASS
	Ant3	5310	-0.17	≤10.02	6.81	---	PASS
	total	5310	3.81	≤10.02	10.79	---	PASS
	Ant1	5510	-1.20	≤10.02	5.78	---	PASS
	Ant2	5510	-1.21	≤10.02	5.77	---	PASS
	Ant3	5510	-2.19	≤10.02	4.79	---	PASS
	total	5510	3.26	≤10.02	10.24	---	PASS
	Ant1	5550	-0.59	≤10.02	6.39	---	PASS
	Ant2	5550	-0.39	≤10.02	6.59	---	PASS
	Ant3	5550	-1.54	≤10.02	5.44	---	PASS
	total	5550	3.96	≤10.02	10.94	---	PASS
	Ant1	5670	-1.50	≤10.02	5.48	---	PASS
	Ant2	5670	-2.34	≤10.02	4.64	---	PASS
	Ant3	5670	-1.12	≤10.02	5.86	---	PASS
	total	5670	3.15	≤10.02	10.13	---	PASS
	Ant1	5710 UNII-2C	-0.94	≤10.02	6.04	---	PASS
	Ant2	5710 UNII-2C	-1.02	≤10.02	5.96	---	PASS
	Ant3	5710 UNII-2C	-1.66	≤10.02	5.32	---	PASS
	total	5710 UNII-2C	3.58	≤10.02	10.56	---	PASS
	Ant1	5710 UNII-3	-7.21	≤29.02	-0.23	---	PASS
	Ant2	5710 UNII-3	-6.92	≤29.02	0.06	---	PASS
	Ant3	5710 UNII-3	-8.03	≤29.02	-1.05	---	PASS
	total	5710 UNII-3	-2.59	≤29.02	4.39	---	PASS
	Ant1	5755	-6.43	≤29.02	0.55	---	PASS
	Ant2	5755	-5.73	≤29.02	1.25	---	PASS
	Ant3	5755	-6.03	≤29.02	0.95	---	PASS
	total	5755	-1.28	≤29.02	5.70	---	PASS
	Ant1	5795	-6.65	≤29.02	0.33	---	PASS
	Ant2	5795	-6.78	≤29.02	0.20	---	PASS
	Ant3	5795	-5.72	≤29.02	1.26	---	PASS
	total	5795	-1.59	≤29.02	5.39	---	PASS
11BE80M IMO	Ant1	5210	-6.54	≤16.02	0.44	≤10.00	PASS
	Ant2	5210	-6.22	≤16.02	0.76	≤10.00	PASS
	Ant3	5210	-7.34	≤16.02	-0.36	≤10.00	PASS
	total	5210	-1.90	≤16.02	5.08	≤10.00	PASS
	Ant1	5290	-3.43	≤10.02	3.55	---	PASS
	Ant2	5290	-2.94	≤10.02	4.04	---	PASS
	Ant3	5290	-2.14	≤10.02	4.84	---	PASS
	total	5290	1.97	≤10.02	8.95	---	PASS
	Ant1	5530	-2.99	≤10.02	3.99	---	PASS
	Ant2	5530	-3.02	≤10.02	3.96	---	PASS
	Ant3	5530	-4.14	≤10.02	2.84	---	PASS
	total	5530	1.42	≤10.02	8.40	---	PASS
	Ant1	5610	-3.50	≤10.02	3.48	---	PASS
	Ant2	5610	-3.22	≤10.02	3.76	---	PASS
	Ant3	5610	-2.64	≤10.02	4.34	---	PASS
	total	5610	1.67	≤10.02	8.65	---	PASS
	Ant1	5690 UNII-2C	-3.40	≤10.02	3.58	---	PASS
	Ant2	5690 UNII-2C	-3.70	≤10.02	3.28	---	PASS
	Ant3	5690 UNII-2C	-3.21	≤10.02	3.77	---	PASS

	total	5690 UNII-2C	1.34	≤10.02	8.32	---	PASS
	Ant1	5690 UNII-3	-10.36	≤29.02	-3.38	---	PASS
	Ant2	5690 UNII-3	-10.98	≤29.02	-4.00	---	PASS
	Ant3	5690 UNII-3	-10.42	≤29.02	-3.44	---	PASS
	total	5690 UNII-3	-5.81	≤29.02	1.17	---	PASS
	Ant1	5775	-11.04	≤29.02	-4.06	---	PASS
	Ant2	5775	-10.68	≤29.02	-3.70	---	PASS
	Ant3	5775	-10.24	≤29.02	-3.26	---	PASS
11BE160 MIMO	total	5775	-5.87	≤29.02	1.11	---	PASS
	Ant1	5250 UNII-1	-8.47	≤16.02	-1.49	≤10.00	PASS
	Ant2	5250 UNII-1	-8.24	≤16.02	-1.26	≤10.00	PASS
	Ant3	5250 UNII-1	-9.76	≤16.02	-2.78	≤10.00	PASS
	total	5250 UNII-1	-4.00	≤16.02	2.98	≤10.00	PASS
	Ant1	5250 UNII-2A	-8.48	≤10.02	-1.50	---	PASS
	Ant2	5250 UNII-2A	-8.23	≤10.02	-1.25	---	PASS
	Ant3	5250 UNII-2A	-9.83	≤10.02	-2.85	---	PASS
	total	5250 UNII-2A	-4.02	≤10.02	2.96	---	PASS
	Ant1	5570	-6.96	≤10.02	0.02	---	PASS
	Ant2	5570	-6.61	≤10.02	0.37	---	PASS
	Ant3	5570	-7.67	≤10.02	-0.69	---	PASS
	total	5570	-2.29	≤10.02	4.69	---	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Result [dBm/MHz]	Limit [dBm/MHz]	E.I.R.P Result [dBm/MHz]	E.I.R.P Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5180	52+26	1	-3.24	≤11.25	3.74	≤10	PASS
				2	-3.17	≤11.25	3.81	≤10	PASS
				3	-3.43	≤10.02	3.55	≤10	PASS
			106+26	1	-2.88	≤10.02	4.1	≤10	PASS
				2	-2.80	≤10.02	4.18	≤10	PASS
				1	-3.15	≤10.02	3.83	≤10	PASS
	Ant2	5180	52+26	2	-2.84	≤10.02	4.14	≤10	PASS
				3	-3.10	≤10.02	3.88	≤10	PASS
				1	-2.40	≤10.02	4.58	≤10	PASS
			106+26	2	-2.65	≤10.02	4.33	≤10	PASS
				1	-4.40	≤10.02	2.58	≤10	PASS
				2	-4.49	≤10.02	2.49	≤10	PASS
	Ant3	5180	52+26	3	-4.72	≤10.02	2.26	≤10	PASS
				1	-4.05	≤10.02	2.93	≤10	PASS
				2	-4.11	≤10.02	2.87	≤10	PASS
			106+26	1	1.21	≤10.02	8.19	≤10	PASS
				2	1.33	≤10.02	8.31	≤10	PASS
				3	1.08	≤10.02	8.06	≤10	PASS
	total	5180	52+26	1	1.71	≤10.02	8.69	≤10	PASS
				2	1.63	≤10.02	8.61	≤10	PASS
				1	-3.18	≤10.02	3.8	≤10	PASS
		5200	52+26	2	-3.04	≤10.02	3.94	≤10	PASS
				3	-3.26	≤10.02	3.72	≤10	PASS
				1	-2.49	≤10.02	4.49	≤10	PASS
	Ant2	5200	106+26	2	-2.52	≤10.02	4.46	≤10	PASS
				1	-3.07	≤10.02	3.91	≤10	PASS
				2	-2.75	≤10.02	4.23	≤10	PASS
			52+26	3	-2.95	≤10.02	4.03	≤10	PASS
				1	-2.26	≤10.02	4.72	≤10	PASS
				2	-2.34	≤10.02	4.64	≤10	PASS
	Ant3	5200	106+26	1	-4.33	≤10.02	2.65	≤10	PASS
				2	-3.96	≤10.02	3.02	≤10	PASS
				3	-4.36	≤10.02	2.62	≤10	PASS
			52+26	1	-3.69	≤10.02	3.29	≤10	PASS
				2	-3.50	≤10.02	3.48	≤10	PASS
				1	1.28	≤10.02	8.26	≤10	PASS
	total	5200	52+26	2	1.55	≤10.02	8.53	≤10	PASS
				3	1.29	≤10.02	8.27	≤10	PASS
				1	2.00	≤10.02	8.98	≤10	PASS
			106+26	2	2.01	≤10.02	8.99	≤10	PASS
				1	-2.68	≤10.02	4.3	≤10	PASS
				2	-2.54	≤10.02	4.44	≤10	PASS
	Ant1	5240	52+26	3	-2.85	≤10.02	4.13	≤10	PASS
				1	-2.10	≤10.02	4.88	≤10	PASS

	Ant2	5240	52+26	2	-2.12	≤10.02	4.86	≤10	PASS
				1	-2.60	≤10.02	4.38	≤10	PASS
				2	-2.21	≤10.02	4.77	≤10	PASS
			106+26	3	-2.63	≤10.02	4.35	≤10	PASS
				1	-1.86	≤10.02	5.12	≤10	PASS
				2	-1.96	≤10.02	5.02	≤10	PASS
	Ant3	5240	52+26	1	-3.67	≤10.02	3.31	≤10	PASS
				2	-3.51	≤10.02	3.47	≤10	PASS
				3	-3.84	≤10.02	3.14	≤10	PASS
			106+26	1	-3.31	≤10.02	3.67	≤10	PASS
				2	-3.19	≤10.02	3.79	≤10	PASS
				total	5240	52+26	1	1.81	≤10.02
	2	2.05	≤10.02				9.03	≤10	PASS
	3	1.70	≤10.02				8.68	≤10	PASS
	106+26	1	2.39			≤10.02	9.37	≤10	PASS
		2	2.38			≤10.02	9.36	≤10	PASS
		Ant1	5260			52+26	1	-2.04	≤10.02
	2			-1.68	≤10.02		5.3	--	PASS
	3			-1.96	≤10.02		5.02	--	PASS
	106+26			1	-1.40	≤10.02	5.58	--	PASS
				2	-1.20	≤10.02	5.78	--	PASS
				Ant2	5260	52+26	1	-2.17	≤10.02
	2	-1.40	≤10.02				5.58	--	PASS
	3	-1.97	≤10.02				5.01	--	PASS
	106+26	1	-1.25			≤10.02	5.73	--	PASS
		2	-1.27			≤10.02	5.71	--	PASS
		Ant3	5260			52+26	1	-0.41	≤10.02
	2			-0.05	≤10.02		6.93	--	PASS
	3			-0.30	≤10.02		6.68	--	PASS
	106+26			1	0.17	≤10.02	7.15	--	PASS
				2	0.33	≤10.02	7.31	--	PASS
				total	5260	52+26	1	3.31	≤10.02
	2	3.79	≤10.02				10.77	--	PASS
	3	3.43	≤10.02				10.41	--	PASS
	106+26	1	4.00			≤10.02	10.98	--	PASS
		2	4.12			≤10.02	11.1	--	PASS
		Ant1	5280			52+26	1	-1.97	≤10.02
	2			-1.55	≤10.02		5.43	--	PASS
	3			-2.02	≤10.02		4.96	--	PASS
	106+26			1	-1.24	≤10.02	5.74	--	PASS
				2	-1.14	≤10.02	5.84	--	PASS
				Ant2	5280	52+26	1	-1.97	≤10.02
	2	-1.42	≤10.02				5.56	--	PASS
	3	-1.93	≤10.02				5.05	--	PASS
	106+26	1	-0.95			≤10.02	6.03	--	PASS
		2	-1.27			≤10.02	5.71	--	PASS
		Ant3	5280			52+26	1	-0.77	≤10.02
	2			-0.44	≤10.02		6.54	--	PASS
	3			-0.74	≤10.02		6.24	--	PASS
	106+26			1	-0.11	≤10.02	6.87	--	PASS
				2	-0.09	≤10.02	6.89	--	PASS
				total	5280	52+26	1	3.24	≤10.02
	2	3.66	≤10.02				10.64	--	PASS
	3	3.25	≤10.02				10.23	--	PASS
	106+26	1	4.03			≤10.02	11.01	--	PASS
		2	3.97			≤10.02	10.95	--	PASS
		Ant1	5320			52+26	1	-3.06	≤10.02
	2			-2.61	≤10.02		4.37	--	PASS
	3			-3.10	≤10.02		3.88	--	PASS
	106+26			1	-2.17	≤10.02	4.81	--	PASS
				2	-2.19	≤10.02	4.79	--	PASS
				Ant2	5320	52+26	1	-2.37	≤10.02
	2	-1.99	≤10.02				4.99	--	PASS
	3	-2.41	≤10.02				4.57	--	PASS
	106+26	1	-1.47			≤10.02	5.51	--	PASS
		2	-1.66			≤10.02	5.32	--	PASS
		Ant3	5320			52+26	1	-1.22	≤10.02
	2			-0.92	≤10.02		6.06	--	PASS
	3			-1.27	≤10.02		5.71	--	PASS
	106+26			1	-0.53	≤10.02	6.45	--	PASS
				2	-0.59	≤10.02	6.39	--	PASS

	total	5320	52+26	1	2.62	≤10.02	9.6	--	PASS
				2	2.99	≤10.02	9.97	--	PASS
				3	2.58	≤10.02	9.56	--	PASS
			106+26	1	3.43	≤10.02	10.41	--	PASS
				2	3.34	≤10.02	10.32	--	PASS
				3	3.43	≤10.02	10.41	--	PASS
	Ant1	5500	52+26	1	-3.20	≤10.02	3.78	--	PASS
				2	-2.81	≤10.02	4.17	--	PASS
				3	-3.09	≤10.02	3.89	--	PASS
			106+26	1	-2.21	≤10.02	4.77	--	PASS
				2	-2.09	≤10.02	4.89	--	PASS
				3	-2.09	≤10.02	4.89	--	PASS
	Ant2	5500	52+26	1	-2.68	≤10.02	4.3	--	PASS
				2	-2.22	≤10.02	4.76	--	PASS
				3	-2.47	≤10.02	4.51	--	PASS
			106+26	1	-1.76	≤10.02	5.22	--	PASS
				2	-1.80	≤10.02	5.18	--	PASS
				3	-1.80	≤10.02	5.18	--	PASS
	Ant3	5500	52+26	1	-3.20	≤10.02	3.78	--	PASS
				2	-3.00	≤10.02	3.98	--	PASS
				3	-3.49	≤10.02	3.49	--	PASS
			106+26	1	-2.70	≤10.02	4.28	--	PASS
				2	-2.49	≤10.02	4.49	--	PASS
				3	-2.49	≤10.02	4.49	--	PASS
	total	5500	52+26	1	1.75	≤10.02	8.73	--	PASS
				2	2.11	≤10.02	9.09	--	PASS
				3	1.77	≤10.02	8.75	--	PASS
			106+26	1	2.56	≤10.02	9.54	--	PASS
				2	2.65	≤10.02	9.63	--	PASS
				3	2.65	≤10.02	9.63	--	PASS
	Ant1	5580	52+26	1	-3.25	≤10.02	3.73	--	PASS
				2	-2.92	≤10.02	4.06	--	PASS
				3	-3.37	≤10.02	3.61	--	PASS
			106+26	1	-2.58	≤10.02	4.4	--	PASS
				2	-2.49	≤10.02	4.49	--	PASS
				3	-2.49	≤10.02	4.49	--	PASS
	Ant2	5580	52+26	1	-2.86	≤10.02	4.12	--	PASS
				2	-2.42	≤10.02	4.56	--	PASS
				3	-2.90	≤10.02	4.08	--	PASS
			106+26	1	-1.99	≤10.02	4.99	--	PASS
				2	-2.33	≤10.02	4.65	--	PASS
				3	-2.33	≤10.02	4.65	--	PASS
	Ant3	5580	52+26	1	-2.29	≤10.02	4.69	--	PASS
				2	-2.13	≤10.02	4.85	--	PASS
				3	-2.50	≤10.02	4.48	--	PASS
			106+26	1	-1.70	≤10.02	5.28	--	PASS
				2	-1.65	≤10.02	5.33	--	PASS
				3	-1.65	≤10.02	5.33	--	PASS
	total	5580	52+26	1	1.99	≤10.02	8.97	--	PASS
				2	2.29	≤10.02	9.27	--	PASS
				3	1.86	≤10.02	8.84	--	PASS
			106+26	1	2.70	≤10.02	9.68	--	PASS
				2	2.63	≤10.02	9.61	--	PASS
				3	2.63	≤10.02	9.61	--	PASS
	Ant1	5700	52+26	1	-2.56	≤10.02	4.42	--	PASS
				2	-1.95	≤10.02	5.03	--	PASS
				3	-2.48	≤10.02	4.5	--	PASS
			106+26	1	-1.51	≤10.02	5.47	--	PASS
				2	-1.63	≤10.02	5.35	--	PASS
				3	-1.63	≤10.02	5.35	--	PASS
	Ant2	5700	52+26	1	-2.38	≤10.02	4.6	--	PASS
				2	-1.96	≤10.02	5.02	--	PASS
				3	-2.49	≤10.02	4.49	--	PASS
			106+26	1	-1.57	≤10.02	5.41	--	PASS
				2	-1.80	≤10.02	5.18	--	PASS
				3	-1.80	≤10.02	5.18	--	PASS
	Ant3	5700	52+26	1	-2.69	≤10.02	4.29	--	PASS
				2	-2.54	≤10.02	4.44	--	PASS
				3	-2.86	≤10.02	4.12	--	PASS
			106+26	1	-2.00	≤10.02	4.98	--	PASS
				2	-2.00	≤10.02	4.98	--	PASS
				3	-2.00	≤10.02	4.98	--	PASS
	total	5700	52+26	1	2.23	≤10.02	9.21	--	PASS
				2	2.63	≤10.02	9.61	--	PASS
				3	2.16	≤10.02	9.14	--	PASS
			106+26	1	3.08	≤10.02	10.06	--	PASS
				2	2.96	≤10.02	9.94	--	PASS
				3	2.96	≤10.02	9.94	--	PASS
	Ant1	5720_UNII-2C	52+26	1	-2.39	≤10.02	4.59	--	PASS
				2	-1.90	≤10.02	5.08	--	PASS
				3	-2.43	≤10.02	4.55	--	PASS
			106+26	1	-1.48	≤10.02	5.5	--	PASS
				2	-1.52	≤10.02	5.46	--	PASS
				3	-1.52	≤10.02	5.46	--	PASS
	Ant2	5720_UNII-	52+26	1	-2.18	≤10.02	4.8	--	PASS

		2C		2	-1.91	≤10.02	5.07	--	PASS
				3	-2.17	≤10.02	4.81	--	PASS
			106+26	1	-1.55	≤10.02	5.43	--	PASS
				2	-1.55	≤10.02	5.43	--	PASS
Ant3	5720_UNII-2C	52+26		1	-2.81	≤10.02	4.17	--	PASS
				2	-2.39	≤10.02	4.59	--	PASS
				3	-2.87	≤10.02	4.11	--	PASS
		106+26		1	-2.02	≤10.02	4.96	--	PASS
				2	-2.11	≤10.02	4.87	--	PASS
total	5720_UNII-2C	52+26		1	2.32	≤10.02	9.3	--	PASS
				2	2.71	≤10.02	9.69	--	PASS
				3	2.29	≤10.02	9.27	--	PASS
		106+26		1	3.09	≤10.02	10.07	--	PASS
				2	3.05	≤10.02	10.03	--	PASS
Ant1	5720_UNII-3	52+26		1	-20.35	≤29.02	-13.37	--	PASS
				2	-19.62	≤29.02	-12.64	--	PASS
				3	-6.13	≤29.02	0.85	--	PASS
		106+26		1	-17.24	≤29.02	-10.26	--	PASS
				2	-5.65	≤29.02	1.33	--	PASS
Ant2	5720_UNII-3	52+26		1	-19.24	≤29.02	-12.26	--	PASS
				2	-19.27	≤29.02	-12.29	--	PASS
				3	-6.41	≤29.02	0.57	--	PASS
		106+26		1	-18.02	≤29.02	-11.04	--	PASS
				2	-5.67	≤29.02	1.31	--	PASS
Ant3	5720_UNII-3	52+26		1	-20.82	≤29.02	-13.84	--	PASS
				2	-20.43	≤29.02	-13.45	--	PASS
				3	-6.63	≤29.02	0.35	--	PASS
		106+26		1	-18.87	≤29.02	-11.89	--	PASS
				2	-6.10	≤29.02	0.88	--	PASS
total	5720_UNII-3	52+26		1	-15.31	≤29.02	-8.33	--	PASS
				2	-14.98	≤29.02	-8	--	PASS
				3	-1.61	≤29.02	5.37	--	PASS
		106+26		1	-13.22	≤29.02	-6.24	--	PASS
				2	-1.03	≤29.02	5.95	--	PASS
Ant1	5745	52+26		1	-4.52	≤29.02	2.46	--	PASS
				2	-4.07	≤29.02	2.91	--	PASS
				3	-4.71	≤29.02	2.27	--	PASS
		106+26		1	-3.97	≤29.02	3.01	--	PASS
				2	-4.11	≤29.02	2.87	--	PASS
Ant2	5745	52+26		1	-4.14	≤29.02	2.84	--	PASS
				2	-4.04	≤29.02	2.94	--	PASS
				3	-4.33	≤29.02	2.65	--	PASS
		106+26		1	-3.96	≤29.02	3.02	--	PASS
				2	-3.99	≤29.02	2.99	--	PASS
Ant3	5745	52+26		1	-4.52	≤29.02	2.46	--	PASS
				2	-4.13	≤29.02	2.85	--	PASS
				3	-4.58	≤29.02	2.4	--	PASS
		106+26		1	-4.03	≤29.02	2.95	--	PASS
				2	-4.07	≤29.02	2.91	--	PASS
total	5745	52+26		1	0.38	≤29.02	7.36	--	PASS
				2	0.69	≤29.02	7.67	--	PASS
				3	0.23	≤29.02	7.21	--	PASS
		106+26		1	0.78	≤29.02	7.76	--	PASS
				2	0.71	≤29.02	7.69	--	PASS
Ant1	5785	52+26		1	-6.06	≤29.02	0.92	--	PASS
				2	-5.66	≤29.02	1.32	--	PASS
				3	-6.18	≤29.02	0.8	--	PASS
		106+26		1	-5.04	≤29.02	1.94	--	PASS
				2	-5.14	≤29.02	1.84	--	PASS
Ant2	5785	52+26		1	-5.26	≤29.02	1.72	--	PASS
				2	-5.19	≤29.02	1.79	--	PASS
				3	-5.28	≤29.02	1.7	--	PASS
		106+26		1	-5.26	≤29.02	1.72	--	PASS
				2	-5.14	≤29.02	1.84	--	PASS
Ant3	5785	52+26		1	-4.93	≤29.02	2.05	--	PASS
				2	-4.72	≤29.02	2.26	--	PASS
				3	-5.11	≤29.02	1.87	--	PASS
		106+26		1	-4.09	≤29.02	2.89	--	PASS
				2	-4.00	≤29.02	2.98	--	PASS
total	5785	52+26		1	-0.62	≤29.02	6.36	--	PASS
				2	-0.40	≤29.02	6.58	--	PASS

11BE40MIMO			106+26	3	-0.73	≤29.02	6.25	--	PASS
				1	0.00	≤29.02	6.98	--	PASS
				2	0.05	≤29.02	7.03	--	PASS
	Ant1	5825	52+26	1	-5.44	≤29.02	1.54	--	PASS
				2	-5.13	≤29.02	1.85	--	PASS
				3	-5.48	≤29.02	1.5	--	PASS
			106+26	1	-4.70	≤29.02	2.28	--	PASS
				2	-4.55	≤29.02	2.43	--	PASS
				1	-4.88	≤29.02	2.1	--	PASS
	Ant2	5825	52+26	2	-4.79	≤29.02	2.19	--	PASS
				3	-5.12	≤29.02	1.86	--	PASS
			106+26	1	-4.54	≤29.02	2.44	--	PASS
				2	-4.70	≤29.02	2.28	--	PASS
	Ant3	5825	52+26	1	-5.01	≤29.02	1.97	--	PASS
				2	-4.61	≤29.02	2.37	--	PASS
				3	-5.04	≤29.02	1.94	--	PASS
			106+26	1	-4.36	≤29.02	2.62	--	PASS
				2	-4.24	≤29.02	2.74	--	PASS
	total	5825	52+26	1	-0.33	≤29.02	6.65	--	PASS
				2	-0.07	≤29.02	6.91	--	PASS
				3	-0.44	≤29.02	6.54	--	PASS
			106+26	1	0.24	≤29.02	7.22	--	PASS
				2	0.28	≤29.02	7.26	--	PASS
				3	-4.38	≤10.02	2.6	≤10	PASS
11BE40MIMO	Ant1	5190	106+26	4	-4.94	≤10.02	2.04	≤10	PASS
				3	-4.34	≤10.02	2.64	≤10	PASS
	Ant2	5190	106+26	4	-4.96	≤10.02	2.02	≤10	PASS
				3	-5.33	≤10.02	1.65	≤10	PASS
	Ant3	5190	106+26	4	-6.29	≤10.02	0.69	≤10	PASS
				3	0.11	≤10.02	7.09	≤10	PASS
	total	5190	106+26	4	-0.58	≤10.02	6.4	≤10	PASS
				3	-3.92	≤10.02	3.06	≤10	PASS
	Ant1	5230	106+26	4	-5.02	≤10.02	1.96	≤10	PASS
				3	-3.75	≤10.02	3.23	≤10	PASS
	Ant2	5230	106+26	4	-4.67	≤10.02	2.31	≤10	PASS
				3	-4.78	≤10.02	2.2	≤10	PASS
	Ant3	5230	106+26	4	-6.15	≤10.02	0.83	≤10	PASS
				3	0.64	≤10.02	7.62	≤10	PASS
	total	5230	106+26	4	-0.46	≤10.02	6.52	≤10	PASS
				3	-2.07	≤10.02	4.91	--	PASS
	Ant1	5270	106+26	4	-3.34	≤10.02	3.64	--	PASS
				3	-1.67	≤10.02	5.31	--	PASS
	Ant2	5270	106+26	4	-3.08	≤10.02	3.9	--	PASS
				3	-0.52	≤10.02	6.46	--	PASS
	Ant3	5270	106+26	4	-2.07	≤10.02	4.91	--	PASS
				3	3.40	≤10.02	10.38	--	PASS
	total	5270	106+26	4	1.98	≤10.02	8.96	--	PASS
				3	-2.81	≤10.02	4.17	--	PASS
	Ant1	5310	106+26	4	-4.07	≤10.02	2.91	--	PASS
				3	-2.53	≤10.02	4.45	--	PASS
	Ant2	5310	106+26	4	-3.73	≤10.02	3.25	--	PASS
				3	-1.29	≤10.02	5.69	--	PASS
	Ant3	5310	106+26	4	-2.35	≤10.02	4.63	--	PASS
				3	2.61	≤10.02	9.59	--	PASS
	total	5310	106+26	4	1.45	≤10.02	8.43	--	PASS
				3	-3.08	≤10.02	3.9	--	PASS
	Ant1	5510	106+26	4	-4.06	≤10.02	2.92	--	PASS
				3	-2.43	≤10.02	4.55	--	PASS
	Ant2	5510	106+26	4	-3.29	≤10.02	3.69	--	PASS
				3	-3.50	≤10.02	3.48	--	PASS
	Ant3	5510	106+26	4	-4.27	≤10.02	2.71	--	PASS
				3	1.79	≤10.02	8.77	--	PASS
	total	5510	106+26	4	0.92	≤10.02	7.9	--	PASS
				3	-2.18	≤10.02	4.8	--	PASS
	Ant1	5550	106+26	4	-3.32	≤10.02	3.66	--	PASS
				3	-1.80	≤10.02	5.18	--	PASS
	Ant2	5550	106+26	4	-2.84	≤10.02	4.14	--	PASS
				3	-2.81	≤10.02	4.17	--	PASS
	Ant3	5550	106+26	4	-4.04	≤10.02	2.94	--	PASS
				3	2.53	≤10.02	9.51	--	PASS
	total	5550	106+26	4	1.40	≤10.02	8.38	--	PASS

	Ant1	5670	106+26	3	-2.92	≤10.02	4.06	--	PASS
				4	-4.21	≤10.02	2.77	--	PASS
	Ant2	5670	106+26	3	-3.39	≤10.02	3.59	--	PASS
				4	-4.44	≤10.02	2.54	--	PASS
	Ant3	5670	106+26	3	-2.45	≤10.02	4.53	--	PASS
				4	-3.68	≤10.02	3.3	--	PASS
	total	5670	106+26	3	1.87	≤10.02	8.85	--	PASS
				4	0.67	≤10.02	7.65	--	PASS
	Ant1	5710_UNII-2C	106+26	3	-2.28	≤10.02	4.7	--	PASS
				4	-3.72	≤10.02	3.26	--	PASS
	Ant2	5710_UNII-2C	106+26	3	-2.36	≤10.02	4.62	--	PASS
				4	-3.76	≤10.02	3.22	--	PASS
	Ant3	5710_UNII-2C	106+26	3	-2.77	≤10.02	4.21	--	PASS
				4	-3.81	≤10.02	3.17	--	PASS
	total	5710_UNII-2C	106+26	3	2.31	≤10.02	9.29	--	PASS
				4	1.01	≤10.02	7.99	--	PASS
	Ant1	5710_UNII-3	106+26	3	-22.61	≤29.02	-15.63	--	PASS
				4	-7.03	≤29.02	-0.05	--	PASS
	Ant2	5710_UNII-3	106+26	3	-21.80	≤29.02	-14.82	--	PASS
				4	-7.10	≤29.02	-0.12	--	PASS
	Ant3	5710_UNII-3	106+26	3	-22.69	≤29.02	-15.71	--	PASS
				4	-7.58	≤29.02	-0.6	--	PASS
	total	5710_UNII-3	106+26	3	-17.58	≤29.02	-10.6	--	PASS
				4	-2.46	≤29.02	4.52	--	PASS
	Ant1	5755	106+26	3	-7.39	≤29.02	-0.41	--	PASS
				4	-8.87	≤29.02	-1.89	--	PASS
	Ant2	5755	106+26	3	-7.15	≤29.02	-0.17	--	PASS
				4	-8.57	≤29.02	-1.59	--	PASS
	Ant3	5755	106+26	3	-7.09	≤29.02	-0.11	--	PASS
				4	-8.05	≤29.02	-1.07	--	PASS
	total	5755	106+26	3	-2.44	≤29.02	4.54	--	PASS
				4	-3.71	≤29.02	3.27	--	PASS
	Ant1	5795	106+26	3	-7.81	≤29.02	-0.83	--	PASS
				4	-9.12	≤29.02	-2.14	--	PASS
	Ant2	5795	106+26	3	-7.72	≤29.02	-0.74	--	PASS
				4	-8.93	≤29.02	-1.95	--	PASS
	Ant3	5795	106+26	3	-6.95	≤29.02	0.03	--	PASS
				4	-7.99	≤29.02	-1.01	--	PASS
	total	5795	106+26	3	-2.70	≤29.02	4.28	--	PASS
				4	-3.88	≤29.02	3.1	--	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11BE80 MIMO	Ant1	5210	484+242	1	-6.97	≤11.25	0.01	≤10.00	PASS
				2	-5.93	≤11.25	1.05	≤10.00	PASS
				3	-5.94	≤11.25	1.04	≤10.00	PASS
				4	-6.82	≤11.25	0.16	≤10.00	PASS
	Ant2	5210	484+242	1	-6.46	≤11.25	0.52	≤10.00	PASS
				2	-5.59	≤11.25	1.39	≤10.00	PASS
				3	-6.02	≤11.25	0.96	≤10.00	PASS
				4	-6.38	≤11.25	0.6	≤10.00	PASS
	Ant3	5210	484+242	1	-7.90	≤11.25	-0.92	≤10.00	PASS
				2	-7.15	≤11.25	-0.17	≤10.00	PASS
				3	-7.34	≤11.25	-0.36	≤10.00	PASS
				4	-7.86	≤11.25	-0.88	≤10.00	PASS
	total	5210	484+242	1	-2.30	≤11.25	4.68	≤10.00	PASS
				2	-1.40	≤11.25	5.58	≤10.00	PASS
				3	-1.62	≤11.25	5.36	≤10.00	PASS
				4	-2.21	≤11.25	4.77	≤10.00	PASS
	Ant1	5290	484+242	1	-4.41	≤5.25	2.57	--	PASS
				2	-3.69	≤5.25	3.29	--	PASS
				3	-3.47	≤5.25	3.51	--	PASS
				4	-4.41	≤5.25	2.57	--	PASS
	Ant2	5290	484+242	1	-4.28	≤5.25	2.7	--	PASS
				2	-3.54	≤5.25	3.44	--	PASS
				3	-3.34	≤5.25	3.64	--	PASS
				4	-4.26	≤5.25	2.72	--	PASS
	Ant3	5290	484+242	1	-3.42	≤5.25	3.56	--	PASS
				2	-2.29	≤5.25	4.69	--	PASS
				3	-2.47	≤5.25	4.51	--	PASS


total	5290	484+242	4	-3.16	≤5.25	3.82	--	PASS
			1	0.76	≤5.25	7.74	--	PASS
			2	1.64	≤5.25	8.62	--	PASS
			3	1.70	≤5.25	8.68	--	PASS
Ant1	5530	484+242	4	0.86	≤5.25	7.84	--	PASS
			1	-4.34	≤5.25	2.64	--	PASS
			2	-3.58	≤5.25	3.4	--	PASS
			3	-3.38	≤5.25	3.6	--	PASS
Ant2	5530	484+242	4	-4.18	≤5.25	2.8	--	PASS
			1	-3.87	≤5.25	3.11	--	PASS
			2	-3.14	≤5.25	3.84	--	PASS
			3	-3.02	≤5.25	3.96	--	PASS
Ant3	5530	484+242	4	-3.82	≤5.25	3.16	--	PASS
			1	-5.10	≤5.25	1.88	--	PASS
			2	-4.40	≤5.25	2.58	--	PASS
			3	-4.23	≤5.25	2.75	--	PASS
total	5530	484+242	4	-5.10	≤5.25	1.88	--	PASS
			1	0.36	≤5.25	7.34	--	PASS
			2	1.10	≤5.25	8.08	--	PASS
			3	1.26	≤5.25	8.24	--	PASS
Ant1	5610	484+242	4	0.44	≤5.25	7.42	--	PASS
			1	-4.93	≤5.25	2.05	--	PASS
			2	-4.01	≤5.25	2.97	--	PASS
			3	-4.12	≤5.25	2.86	--	PASS
Ant2	5610	484+242	4	-4.99	≤5.25	1.99	--	PASS
			1	-4.63	≤5.25	2.35	--	PASS
			2	-3.64	≤5.25	3.34	--	PASS
			3	-3.63	≤5.25	3.35	--	PASS
Ant3	5610	484+242	4	-4.53	≤5.25	2.45	--	PASS
			1	-3.90	≤5.25	3.08	--	PASS
			2	-2.89	≤5.25	4.09	--	PASS
			3	-3.24	≤5.25	3.74	--	PASS
total	5610	484+242	4	-4.06	≤5.25	2.92	--	PASS
			1	0.31	≤5.25	7.29	--	PASS
			2	1.28	≤5.25	8.26	--	PASS
			3	1.12	≤5.25	8.1	--	PASS
Ant1	5690_UNII-2C	484+242	4	0.26	≤5.25	7.24	--	PASS
			1	-4.76	≤5.25	2.22	--	PASS
			2	-4.14	≤5.25	2.84	--	PASS
			3	-3.87	≤5.25	3.11	--	PASS
Ant2	5690_UNII-2C	484+242	4	-4.86	≤5.25	2.12	--	PASS
			1	-4.99	≤5.25	1.99	--	PASS
			2	-4.32	≤5.25	2.66	--	PASS
			3	-4.16	≤5.25	2.82	--	PASS
Ant3	5690_UNII-2C	484+242	4	-5.13	≤5.25	1.85	--	PASS
			1	-4.50	≤5.25	2.48	--	PASS
			2	-3.71	≤5.25	3.27	--	PASS
			3	-3.67	≤5.25	3.31	--	PASS
total	5690_UNII-2C	484+242	4	-4.35	≤5.25	2.63	--	PASS
			1	0.03	≤5.25	7.01	--	PASS
			2	0.72	≤5.25	7.7	--	PASS
			3	0.88	≤5.25	7.86	--	PASS
Ant1	5690_UNII-3	484+242	4	0.00	≤5.25	6.98	--	PASS
			1	-11.76	≤5.25	-4.78	--	PASS
			2	-11.10	≤5.25	-4.12	--	PASS
			3	-10.99	≤5.25	-4.01	--	PASS
Ant2	5690_UNII-3	484+242	4	-37.99	≤5.25	-31.01	--	PASS
			1	-12.16	≤5.25	-5.18	--	PASS
			2	-11.37	≤5.25	-4.39	--	PASS
			3	-11.47	≤5.25	-4.49	--	PASS
Ant3	5690_UNII-3	484+242	4	-37.27	≤5.25	-30.29	--	PASS
			1	-11.89	≤5.25	-4.91	--	PASS
			2	-10.90	≤5.25	-3.92	--	PASS
			3	-11.01	≤5.25	-4.03	--	PASS
total	5690_UNII-3	484+242	4	-38.50	≤5.25	-31.52	--	PASS
			1	-7.16	≤5.25	-0.18	--	PASS
			2	-6.35	≤5.25	0.63	--	PASS
			3	-6.38	≤5.25	0.6	--	PASS
Ant1	5775	484+242	4	-33.12	≤5.25	-26.14	--	PASS
			1	-11.29	≤24.25	-4.31	--	PASS
			2	-10.54	≤24.25	-3.56	--	PASS

11BE160 MIMO	Ant2	5775	484+242	3	-10.51	≤24.25	-3.53	--	PASS
				4	-11.31	≤24.25	-4.33	--	PASS
				1	-11.65	≤24.25	-4.67	--	PASS
				2	-10.60	≤24.25	-3.62	--	PASS
	Ant3	5775	484+242	3	-10.48	≤24.25	-3.5	--	PASS
				4	-11.47	≤24.25	-4.49	--	PASS
				1	-10.39	≤24.25	-3.41	--	PASS
				2	-9.55	≤24.25	-2.57	--	PASS
	total	5775	484+242	3	-9.80	≤24.25	-2.82	--	PASS
				4	-10.54	≤24.25	-3.56	--	PASS
				1	-6.31	≤24.25	0.67	--	PASS
				2	-5.43	≤24.25	1.55	--	PASS
	Ant1	5250_UNII-1	996+484	3	-5.48	≤24.25	1.5	--	PASS
				4	-6.32	≤24.25	0.66	--	PASS
				1	-7.82	≤5.25	-0.84	≤10.00	PASS
				2	-9.58	≤5.25	-2.6	≤10.00	PASS
11BE160 MIMO	Ant2	5250_UNII-1	996+484	3	-6.82	≤5.25	0.16	≤10.00	PASS
				4	-7.75	≤5.25	-0.77	≤10.00	PASS
	Ant3	5250_UNII-1	996+484	1	-7.45	≤5.25	-0.47	≤10.00	PASS
				2	-9.33	≤5.25	-2.35	≤10.00	PASS
	total	5250_UNII-1	996+484	3	-6.53	≤5.25	0.45	≤10.00	PASS
				4	-7.55	≤5.25	-0.57	≤10.00	PASS
	Ant1	5250_UNII-2A	996+484	1	-8.81	≤5.25	-1.83	≤10.00	PASS
				2	-10.37	≤5.25	-3.39	≤10.00	PASS
	Ant2	5250_UNII-2A	996+484	3	-7.94	≤5.25	-0.96	≤10.00	PASS
				4	-8.68	≤5.25	-1.7	≤10.00	PASS
	total	5250_UNII-2A	996+484	1	-3.22	≤5.25	3.76	≤10.00	PASS
				2	-4.97	≤5.25	2.01	≤10.00	PASS
	Ant1	5250_UNII-2A	996+484	3	-2.28	≤5.25	4.7	≤10.00	PASS
				4	-3.19	≤5.25	3.79	≤10.00	PASS
	Ant2	5250_UNII-2A	996+484	1	-7.43	≤5.25	-0.45	≤10.00	PASS
				2	-6.55	≤5.25	0.43	≤10.00	PASS
	Ant3	5250_UNII-2A	996+484	3	-9.11	≤5.25	-2.13	≤10.00	PASS
				4	-7.39	≤5.25	-0.41	≤10.00	PASS
	total	5250_UNII-2A	996+484	1	-7.33	≤5.25	-0.35	≤10.00	PASS
				2	-6.42	≤5.25	0.56	≤10.00	PASS
	Ant1	5570	996+484	3	-8.84	≤5.25	-1.86	≤10.00	PASS
				4	-7.38	≤5.25	-0.4	≤10.00	PASS
	Ant2	5570	996+484	1	-8.58	≤5.25	-1.6	≤10.00	PASS
				2	-7.64	≤5.25	-0.66	≤10.00	PASS
	total	5570	996+484	3	-10.09	≤5.25	-3.11	≤10.00	PASS
				4	-8.64	≤5.25	-1.66	≤10.00	PASS
	Ant1	5570	996+484	1	-2.97	≤5.25	4.01	≤10.00	PASS
				2	-2.07	≤5.25	4.91	≤10.00	PASS
	Ant2	5570	996+484	3	-4.54	≤5.25	2.44	≤10.00	PASS
				4	-2.99	≤5.25	3.99	≤10.00	PASS
	Ant3	5570	996+484	1	-6.88	≤5.25	0.1	--	PASS
				2	-6.17	≤5.25	0.81	--	PASS
	total	5570	996+484	3	-5.82	≤5.25	1.16	--	PASS
				4	-6.75	≤5.25	0.23	--	PASS
	Ant1	5570	996+484	1	-6.16	≤5.25	0.82	--	PASS
				2	-5.60	≤5.25	1.38	--	PASS
	Ant2	5570	996+484	3	-5.09	≤5.25	1.89	--	PASS
				4	-6.22	≤5.25	0.76	--	PASS
	Ant3	5570	996+484	1	-7.81	≤5.25	-0.83	--	PASS
				2	-6.96	≤5.25	0.02	--	PASS
	total	5570	996+484	3	-6.89	≤5.25	0.09	--	PASS
				4	-7.86	≤5.25	-0.88	--	PASS
	Ant1	5570	996+484	1	-2.13	≤5.25	4.85	--	PASS
				2	-1.44	≤5.25	5.54	--	PASS
	Ant2	5570	996+484	3	-1.10	≤5.25	5.88	--	PASS
				4	-2.12	≤5.25	4.86	--	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.

9.5. Test Graphs







11A-CDD_Ant2_5200




11A-CDD_Ant3_5200




11A-CDD_Ant1_5240




11A-CDD_Ant2_5240




11A-CDD_Ant3_5240




11A-CDD_Ant1_5260




11A-CDD_Ant2_5260




11A-CDD_Ant3_5260




11A-CDD_Ant1_5280




11A-CDD_Ant2_5280




11A-CDD_Ant3_5280




11A-CDD_Ant1_5320




11A-CDD_Ant2_5320




11A-CDD_Ant3_5320




11A-CDD_Ant1_5500




11A-CDD_Ant2_5500




11A-CDD_Ant3_5500




11A-CDD_Ant1_5580




11A-CDD_Ant2_5580




11A-CDD_Ant3_5580




11A-CDD_Ant1_5700




11A-CDD_Ant2_5700




11A-CDD_Ant3_5700




11A-CDD_Ant1_5720_UNII-2C




11A-CDD_Ant2_5720_UNII-2C




11A-CDD_Ant3_5720_UNII-2C




11A-CDD_Ant1_5720_UNII-3




11A-CDD_Ant2_5720_UNII-3




11A-CDD_Ant3_5720_UNII-3




11A-CDD_Ant1_5745




11A-CDD_Ant2_5745




11A-CDD_Ant3_5745




11A-CDD_Ant1_5785



11A-CDD_Ant2_5785



11A-CDD_Ant3_5785



11A-CDD_Ant1_5825