

Annex A.5 LTE Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2986
30	1000	0.1	RMS	845.3	-63.79	-13	Pass	9701
1000	1840	1	RMS	1840	-49.38	-13	Pass	841
1840	1920	1	RMS	1850.2	23.21	60	Pass	401
1920	3000	1	RMS	2957	-48.37	-13	Pass	1081
3000	12000	1	RMS	3700	-23.29	-13	Pass	9002
12000	20000	1	RMS	19397	-30.67	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	821.9	-63.64	-13	Pass	9701
1000	1840	1	RMS	1840	-49.8	-13	Pass	841
1840	1920	1	RMS	1850.2	22.25	60	Pass	401
1920	3000	1	RMS	2948	-48.41	-13	Pass	1081
3000	12000	1	RMS	3700	-24.44	-13	Pass	9002
12000	20000	1	RMS	19397	-30.69	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	Pass	2986
30	1000	0.1	RMS	860.908	-63.86	-13	Pass	9701
1000	1840	1	RMS	1837	-52.12	-13	Pass	841
1840	1920	1	RMS	1879.4	22.95	60	Pass	401
1920	3000	1	RMS	2957	-48.36	-13	Pass	1081
3000	12000	1	RMS	3759	-26.99	-13	Pass	9002
12000	20000	1	RMS	19394	-30.69	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.36	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.13	-13	Pass	2986
30	1000	0.1	RMS	843.4	-63.6	-13	Pass	9701
1000	1840	1	RMS	1808	-52.12	-13	Pass	841
1840	1920	1	RMS	1879.4	22.09	60	Pass	401
1920	3000	1	RMS	2953	-48.37	-13	Pass	1081
3000	12000	1	RMS	3759	-28.84	-13	Pass	9002
12000	20000	1	RMS	19411	-30.71	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.37	-13	Pass	2986
30	1000	0.1	RMS	825.1	-63.9	-13	Pass	9701
1000	1840	1	RMS	1805	-52.11	-13	Pass	841
1840	1920	1	RMS	1908.8	22.83	60	Pass	401
1920	3000	1	RMS	2962	-48.39	-13	Pass	1081
3000	12000	1	RMS	3818	-17.5	-13	Pass	9002
12000	20000	1	RMS	19399	-30.59	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.77	-13	Pass	2986
30	1000	0.1	RMS	855.404	-63.82	-13	Pass	9701
1000	1840	1	RMS	1805	-52.14	-13	Pass	841
1840	1920	1	RMS	1908.8	22.02	60	Pass	401
1920	3000	1	RMS	2957	-48.34	-13	Pass	1081
3000	12000	1	RMS	3818	-19.05	-13	Pass	9002
12000	20000	1	RMS	19401	-30.67	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.52	-13	Pass	2986
30	1000	0.1	RMS	840.2	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-47.46	-13	Pass	841
1840	1920	1	RMS	1850.2	23.13	60	Pass	401
1920	3000	1	RMS	2952	-48.38	-13	Pass	1081
3000	12000	1	RMS	3700	-23.67	-13	Pass	9002
12000	20000	1	RMS	19399	-30.64	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	1000	0.1	RMS	851.402	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-47.49	-13	Pass	841
1840	1920	1	RMS	1850.2	22.22	60	Pass	401
1920	3000	1	RMS	2957	-48.36	-13	Pass	1081
3000	12000	1	RMS	3701	-24.61	-13	Pass	9002
12000	20000	1	RMS	19402	-30.63	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.95	-13	Pass	2986
30	1000	0.1	RMS	826.3	-63.75	-13	Pass	9701
1000	1840	1	RMS	1789	-52.14	-13	Pass	841
1840	1920	1	RMS	1878.6	22.78	60	Pass	401
1920	3000	1	RMS	2950	-48.36	-13	Pass	1081
3000	12000	1	RMS	3757	-35.67	-13	Pass	9002
12000	20000	1	RMS	19404	-30.7	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.96	-13	Pass	2986
30	1000	0.1	RMS	838.1	-63.77	-13	Pass	9701
1000	1840	1	RMS	1836	-52.08	-13	Pass	841
1840	1920	1	RMS	1878.6	22.13	60	Pass	401
1920	3000	1	RMS	2953	-48.36	-13	Pass	1081
3000	12000	1	RMS	3757	-33.38	-13	Pass	9002
12000	20000	1	RMS	19398	-30.68	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.1	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.24	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.79	-13	Pass	9701
1000	1840	1	RMS	1837	-52.13	-13	Pass	841
1840	1920	1	RMS	1907.2	22.49	60	Pass	401
1920	3000	1	RMS	2947	-48.39	-13	Pass	1081
3000	12000	1	RMS	3814	-21.18	-13	Pass	9002
12000	20000	1	RMS	19399	-30.68	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.78	-13	Pass	9701
1000	1840	1	RMS	1805	-52.11	-13	Pass	841
1840	1920	1	RMS	1907.2	21.62	60	Pass	401
1920	3000	1	RMS	2955	-48.4	-13	Pass	1081
3000	12000	1	RMS	3815	-22.43	-13	Pass	9002
12000	20000	1	RMS	19403	-30.6	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	Pass	2986
30	1000	0.1	RMS	843.1	-63.74	-13	Pass	9701
1000	1840	1	RMS	1840	-49.1	-13	Pass	841
1840	1920	1	RMS	1850.2	23.26	60	Pass	401
1920	3000	1	RMS	2951	-48.36	-13	Pass	1081
3000	12000	1	RMS	3701	-22.69	-13	Pass	9002
12000	20000	1	RMS	19403	-30.59	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.07	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.73	-13	Pass	9701
1000	1840	1	RMS	1833	-48.79	-13	Pass	841
1840	1920	1	RMS	1850.2	22.45	60	Pass	401
1920	3000	1	RMS	2957	-48.35	-13	Pass	1081
3000	12000	1	RMS	3701	-23.33	-13	Pass	9002
12000	20000	1	RMS	19402	-30.69	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.84	-13	Pass	2986
30	1000	0.1	RMS	845.1	-63.87	-13	Pass	9701
1000	1840	1	RMS	1840	-52.14	-13	Pass	841
1840	1920	1	RMS	1877.8	22.7	60	Pass	401
1920	3000	1	RMS	2949	-48.35	-13	Pass	1081
3000	12000	1	RMS	3756	-28.34	-13	Pass	9002
12000	20000	1	RMS	19402	-30.65	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.25	-72.73	-13	Pass	2986
30	1000	0.1	RMS	842.6	-63.58	-13	Pass	9701
1000	1840	1	RMS	1811	-52.15	-13	Pass	841
1840	1920	1	RMS	1877.8	21.89	60	Pass	401
1920	3000	1	RMS	2953	-48.42	-13	Pass	1081
3000	12000	1	RMS	3756	-28.52	-13	Pass	9002
12000	20000	1	RMS	19401	-30.68	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.59	-13	Pass	2986
30	1000	0.1	RMS	837.7	-63.78	-13	Pass	9701
1000	1840	1	RMS	1806	-52.11	-13	Pass	841
1840	1920	1	RMS	1905.2	22.37	60	Pass	401
1920	3000	1	RMS	2955	-48.39	-13	Pass	1081
3000	12000	1	RMS	3811	-22.47	-13	Pass	9002
12000	20000	1	RMS	19414	-30.71	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.93	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.64	-13	Pass	9701
1000	1840	1	RMS	1807	-52.16	-13	Pass	841
1840	1920	1	RMS	1905.2	21.59	60	Pass	401
1920	3000	1	RMS	2957	-48.34	-13	Pass	1081
3000	12000	1	RMS	3811	-23.9	-13	Pass	9002
12000	20000	1	RMS	19399	-30.63	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2986
30	1000	0.1	RMS	842.4	-63.86	-13	Pass	9701
1000	1840	1	RMS	1833	-39.32	-13	Pass	841
1840	1920	1	RMS	1850.4	23.04	60	Pass	401
1920	3000	1	RMS	2954	-48.36	-13	Pass	1081
3000	12000	1	RMS	3701	-23.84	-13	Pass	9002
12000	20000	1	RMS	19406	-30.66	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	Pass	2986
30	1000	0.1	RMS	835.9	-63.71	-13	Pass	9701
1000	1840	1	RMS	1833	-38.98	-13	Pass	841
1840	1920	1	RMS	1850.4	22.2	60	Pass	401
1920	3000	1	RMS	2957	-48.34	-13	Pass	1081
3000	12000	1	RMS	3701	-24.23	-13	Pass	9002
12000	20000	1	RMS	19702	-30.57	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.71	-13	Pass	9701
1000	1840	1	RMS	1840	-49.56	-13	Pass	841
1840	1920	1	RMS	1875.4	22.83	60	Pass	401
1920	3000	1	RMS	2949	-48.33	-13	Pass	1081
3000	12000	1	RMS	3751	-27.48	-13	Pass	9002
12000	20000	1	RMS	19405	-30.69	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-13	Pass	2986
30	1000	0.1	RMS	829.3	-63.77	-13	Pass	9701
1000	1840	1	RMS	1840	-49.22	-13	Pass	841
1840	1920	1	RMS	1875.4	22.09	60	Pass	401
1920	3000	1	RMS	2952	-48.37	-13	Pass	1081
3000	12000	1	RMS	3751	-28.49	-13	Pass	9002
12000	20000	1	RMS	19401	-30.55	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2986
30	1000	0.1	RMS	853.403	-63.76	-13	Pass	9701
1000	1840	1	RMS	1812	-52.11	-13	Pass	841
1840	1920	1	RMS	1900.4	22.66	60	Pass	401
1920	3000	1	RMS	2957	-48.35	-13	Pass	1081
3000	12000	1	RMS	3801	-24.52	-13	Pass	9002
12000	20000	1	RMS	19399	-30.65	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	Pass	2986
30	1000	0.1	RMS	843.6	-63.75	-13	Pass	9701
1000	1840	1	RMS	1840	-52.12	-13	Pass	841
1840	1920	1	RMS	1900.4	21.79	60	Pass	401
1920	3000	1	RMS	2949	-48.36	-13	Pass	1081
3000	12000	1	RMS	3801	-25.81	-13	Pass	9002
12000	20000	1	RMS	19403	-30.66	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2986
30	1000	0.1	RMS	847.9	-63.76	-13	Pass	9701
1000	1840	1	RMS	1838	-44.66	-13	Pass	841
1840	1920	1	RMS	1850.8	23.19	60	Pass	401
1920	3000	1	RMS	2961	-48.35	-13	Pass	1081
3000	12000	1	RMS	3702	-26.71	-13	Pass	9002
12000	20000	1	RMS	19401	-30.68	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	Pass	2986
30	1000	0.1	RMS	854.404	-63.72	-13	Pass	9701
1000	1840	1	RMS	1838	-45.64	-13	Pass	841
1840	1920	1	RMS	1850.8	22.38	60	Pass	401
1920	3000	1	RMS	2955	-48.41	-13	Pass	1081
3000	12000	1	RMS	3702	-26.98	-13	Pass	9002
12000	20000	1	RMS	19405	-30.64	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	1000	0.1	RMS	837.5	-63.84	-13	Pass	9701
1000	1840	1	RMS	1840	-51.93	-13	Pass	841
1840	1920	1	RMS	1873.2	23.05	60	Pass	401
1920	3000	1	RMS	2959	-48.41	-13	Pass	1081
3000	12000	1	RMS	3747	-27.53	-13	Pass	9002
12000	20000	1	RMS	19401	-30.64	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	837.2	-63.72	-13	Pass	9701
1000	1840	1	RMS	1840	-52.02	-13	Pass	841
1840	1920	1	RMS	1873.2	22.38	60	Pass	401
1920	3000	1	RMS	2947	-48.37	-13	Pass	1081
3000	12000	1	RMS	3747	-28.7	-13	Pass	9002
12000	20000	1	RMS	19403	-30.64	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.71	-13	Pass	2986
30	1000	0.1	RMS	851.001	-63.76	-13	Pass	9701
1000	1840	1	RMS	1837	-52.07	-13	Pass	841
1840	1920	1	RMS	1895.8	23.31	60	Pass	401
1920	3000	1	RMS	2956	-48.4	-13	Pass	1081
3000	12000	1	RMS	3792	-24.36	-13	Pass	9002
12000	20000	1	RMS	19403	-30.69	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.66	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.16	-13	Pass	2986
30	1000	0.1	RMS	828.8	-63.71	-13	Pass	9701
1000	1840	1	RMS	1809	-52.11	-13	Pass	841
1840	1920	1	RMS	1895.8	22.43	60	Pass	401
1920	3000	1	RMS	2945	-48.37	-13	Pass	1081
3000	12000	1	RMS	3792	-25.4	-13	Pass	9002
12000	20000	1	RMS	19404	-30.71	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.14	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.44	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.87	-13	Pass	9701
1000	1840	1	RMS	1833	-46.38	-13	Pass	841
1840	1920	1	RMS	1851	23.14	60	Pass	401
1920	3000	1	RMS	2951	-48.42	-13	Pass	1081
3000	12000	1	RMS	3702	-24.71	-13	Pass	9002
12000	20000	1	RMS	19403	-30.7	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.08	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	1000	0.1	RMS	855.804	-63.83	-13	Pass	9701
1000	1840	1	RMS	1833	-47.09	-13	Pass	841
1840	1920	1	RMS	1851	22.38	60	Pass	401
1920	3000	1	RMS	2952	-48.35	-13	Pass	1081
3000	12000	1	RMS	3702	-26.75	-13	Pass	9002
12000	20000	1	RMS	19392	-30.66	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.61	-13	Pass	2986
30	1000	0.1	RMS	851.702	-63.87	-13	Pass	9701
1000	1840	1	RMS	1835	-39.83	-13	Pass	841
1840	1920	1	RMS	1871	22.97	60	Pass	401
1920	3000	1	RMS	2952	-48.37	-13	Pass	1081
3000	12000	1	RMS	3742	-26.81	-13	Pass	9002
12000	20000	1	RMS	19401	-30.65	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.13	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.73	-13	Pass	2986
30	1000	0.1	RMS	851.502	-63.74	-13	Pass	9701
1000	1840	1	RMS	1835	-39.69	-13	Pass	841
1840	1920	1	RMS	1871	22.17	60	Pass	401
1920	3000	1	RMS	2955	-48.32	-13	Pass	1081
3000	12000	1	RMS	3742	-27.98	-13	Pass	9002
12000	20000	1	RMS	19718	-30.71	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2986
30	1000	0.1	RMS	837.4	-63.81	-13	Pass	9701
1000	1840	1	RMS	1838	-51.95	-13	Pass	841
1840	1920	1	RMS	1891	23.67	60	Pass	401
1920	3000	1	RMS	2955	-48.38	-13	Pass	1081
3000	12000	1	RMS	3782	-23.1	-13	Pass	9002
12000	20000	1	RMS	19403	-30.7	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.05	-13	Pass	2986
30	1000	0.1	RMS	849.901	-63.7	-13	Pass	9701
1000	1840	1	RMS	1838	-51.95	-13	Pass	841
1840	1920	1	RMS	1891	22.71	60	Pass	401
1920	3000	1	RMS	2953	-48.4	-13	Pass	1081
3000	12000	1	RMS	3782	-24.41	-13	Pass	9002
12000	20000	1	RMS	19401	-30.68	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.02	-13	Pass	2986
30	1000	0.1	RMS	850.901	-63.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.03	-13	Pass	701
1700	1765	1	RMS	1710.238	22.85	60	Pass	401
1765	3000	1	RMS	2957	-48.4	-13	Pass	1236
3000	12000	1	RMS	11955	-39.9	-13	Pass	9002
12000	20000	1	RMS	19400	-30.7	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	Pass	2986
30	1000	0.1	RMS	858.106	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1765	1	RMS	1710.238	22.01	60	Pass	401
1765	3000	1	RMS	2958	-48.32	-13	Pass	1236
3000	12000	1	RMS	11840	-39.87	-13	Pass	9002
12000	20000	1	RMS	19403	-30.65	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.9	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.16	-13	Pass	2986
30	1000	0.1	RMS	836.1	-63.9	-13	Pass	9701
1000	1700	1	RMS	1700	-52.38	-13	Pass	701
1700	1765	1	RMS	1732.013	23.89	60	Pass	401
1765	3000	1	RMS	2956	-48.33	-13	Pass	1236
3000	12000	1	RMS	5196	-39.27	-13	Pass	9002
12000	20000	1	RMS	19402	-30.69	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.22	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2986
30	1000	0.1	RMS	849.1	-63.8	-13	Pass	9701
1000	1700	1	RMS	1700	-52.37	-13	Pass	701
1700	1765	1	RMS	1732.013	23.03	60	Pass	401
1765	3000	1	RMS	2948	-48.35	-13	Pass	1236
3000	12000	1	RMS	11850	-39.87	-13	Pass	9002
12000	20000	1	RMS	19413	-30.65	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.1	-13	Pass	2986
30	1000	0.1	RMS	842	-63.89	-13	Pass	9701
1000	1700	1	RMS	1697	-52.4	-13	Pass	701
1700	1765	1	RMS	1753.788	22.39	60	Pass	401
1765	3000	1	RMS	2957	-48.39	-13	Pass	1236
3000	12000	1	RMS	11952	-39.8	-13	Pass	9002
12000	20000	1	RMS	19404	-30.64	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2986
30	1000	0.1	RMS	856.305	-63.75	-13	Pass	9701
1000	1700	1	RMS	1698	-52.45	-13	Pass	701
1700	1765	1	RMS	1753.788	21.67	60	Pass	401
1765	3000	1	RMS	2959	-48.33	-13	Pass	1236
3000	12000	1	RMS	11948	-39.78	-13	Pass	9002
12000	20000	1	RMS	19400	-30.62	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.05	-13	Pass	2986
30	1000	0.1	RMS	851.001	-63.79	-13	Pass	9701
1000	1700	1	RMS	1700	-48.49	-13	Pass	701
1700	1765	1	RMS	1710.075	22.7	60	Pass	401
1765	3000	1	RMS	2943	-48.39	-13	Pass	1236
3000	12000	1	RMS	11952	-39.82	-13	Pass	9002
12000	20000	1	RMS	19399	-30.63	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.48	-13	Pass	2986
30	1000	0.1	RMS	848.9	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-48.1	-13	Pass	701
1700	1765	1	RMS	1710.075	21.92	60	Pass	401
1765	3000	1	RMS	2950	-48.35	-13	Pass	1236
3000	12000	1	RMS	11851	-39.86	-13	Pass	9002
12000	20000	1	RMS	19400	-30.71	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.99	-13	Pass	2986
30	1000	0.1	RMS	867.312	-63.69	-13	Pass	9701
1000	1700	1	RMS	1698	-52.37	-13	Pass	701
1700	1765	1	RMS	1731.2	23.74	60	Pass	401
1765	3000	1	RMS	2954	-48.37	-13	Pass	1236
3000	12000	1	RMS	11846	-39.85	-13	Pass	9002
12000	20000	1	RMS	19398	-30.64	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	1000	0.1	RMS	858.006	-63.75	-13	Pass	9701
1000	1700	1	RMS	1693	-52.41	-13	Pass	701
1700	1765	1	RMS	1731.2	23	60	Pass	401
1765	3000	1	RMS	2962	-48.33	-13	Pass	1236
3000	12000	1	RMS	11953	-39.85	-13	Pass	9002
12000	20000	1	RMS	19405	-30.68	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.28	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.65	-13	Pass	9701
1000	1700	1	RMS	1700	-52.48	-13	Pass	701
1700	1765	1	RMS	1752.163	22.53	60	Pass	401
1765	3000	1	RMS	2948	-48.41	-13	Pass	1236
3000	12000	1	RMS	11954	-39.82	-13	Pass	9002
12000	20000	1	RMS	19397	-30.63	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	Pass	2986
30	1000	0.1	RMS	825.5	-63.77	-13	Pass	9701
1000	1700	1	RMS	1697	-52.43	-13	Pass	701
1700	1765	1	RMS	1752.163	21.78	60	Pass	401
1765	3000	1	RMS	2958	-48.39	-13	Pass	1236
3000	12000	1	RMS	11951	-39.87	-13	Pass	9002
12000	20000	1	RMS	19403	-30.65	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	Pass	2986
30	1000	0.1	RMS	853.203	-63.88	-13	Pass	9701
1000	1700	1	RMS	1700	-49.74	-13	Pass	701
1700	1765	1	RMS	1710.238	22.82	60	Pass	401
1765	3000	1	RMS	2959	-48.37	-13	Pass	1236
3000	12000	1	RMS	11842	-39.89	-13	Pass	9002
12000	20000	1	RMS	19404	-30.66	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.77	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.76	-13	Pass	9701
1000	1700	1	RMS	1693	-49.37	-13	Pass	701
1700	1765	1	RMS	1710.238	22.09	60	Pass	401
1765	3000	1	RMS	2952	-48.33	-13	Pass	1236
3000	12000	1	RMS	11949	-39.83	-13	Pass	9002
12000	20000	1	RMS	19398	-30.66	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	Pass	2986
30	1000	0.1	RMS	854.704	-63.77	-13	Pass	9701
1000	1700	1	RMS	1698	-52.35	-13	Pass	701
1700	1765	1	RMS	1730.225	23.75	60	Pass	401
1765	3000	1	RMS	2962	-48.34	-13	Pass	1236
3000	12000	1	RMS	5191	-39.55	-13	Pass	9002
12000	20000	1	RMS	19401	-30.68	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.77	-13	Pass	2986
30	1000	0.1	RMS	843	-63.92	-13	Pass	9701
1000	1700	1	RMS	1698	-52.33	-13	Pass	701
1700	1765	1	RMS	1730.225	22.91	60	Pass	401
1765	3000	1	RMS	2958	-48.38	-13	Pass	1236
3000	12000	1	RMS	11845	-39.82	-13	Pass	9002
12000	20000	1	RMS	19400	-30.64	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.47	-13	Pass	2986
30	1000	0.1	RMS	863.91	-63.72	-13	Pass	9701
1000	1700	1	RMS	1699	-52.41	-13	Pass	701
1700	1765	1	RMS	1750.213	22.85	60	Pass	401
1765	3000	1	RMS	1768	-45.88	-13	Pass	1236
3000	12000	1	RMS	11855	-39.83	-13	Pass	9002
12000	20000	1	RMS	19403	-30.61	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.94	-13	Pass	2986
30	1000	0.1	RMS	861.808	-63.74	-13	Pass	9701
1000	1700	1	RMS	1699	-52.42	-13	Pass	701
1700	1765	1	RMS	1750.213	22.21	60	Pass	401
1765	3000	1	RMS	1768	-45.1	-13	Pass	1236
3000	12000	1	RMS	11948	-39.81	-13	Pass	9002
12000	20000	1	RMS	19409	-30.65	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-13	Pass	2986
30	1000	0.1	RMS	849.2	-63.89	-13	Pass	9701
1000	1700	1	RMS	1693	-41.04	-13	Pass	701
1700	1765	1	RMS	1710.563	22.62	60	Pass	401
1765	3000	1	RMS	2958	-48.35	-13	Pass	1236
3000	12000	1	RMS	11849	-39.85	-13	Pass	9002
12000	20000	1	RMS	19406	-30.6	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	Pass	2986
30	1000	0.1	RMS	849.901	-63.86	-13	Pass	9701
1000	1700	1	RMS	1693	-40.93	-13	Pass	701
1700	1765	1	RMS	1710.563	21.95	60	Pass	401
1765	3000	1	RMS	2951	-48.34	-13	Pass	1236
3000	12000	1	RMS	11851	-39.85	-13	Pass	9002
12000	20000	1	RMS	19409	-30.68	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-13	Pass	2986
30	1000	0.1	RMS	843.9	-63.81	-13	Pass	9701
1000	1700	1	RMS	1693	-50.38	-13	Pass	701
1700	1765	1	RMS	1727.95	23.23	60	Pass	401
1765	3000	1	RMS	2953	-48.35	-13	Pass	1236
3000	12000	1	RMS	11851	-39.86	-13	Pass	9002
12000	20000	1	RMS	19402	-30.72	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	Pass	2986
30	1000	0.1	RMS	867.812	-63.86	-13	Pass	9701
1000	1700	1	RMS	1693	-50.02	-13	Pass	701
1700	1765	1	RMS	1727.95	22.34	60	Pass	401
1765	3000	1	RMS	2963	-48.37	-13	Pass	1236
3000	12000	1	RMS	11952	-39.82	-13	Pass	9002
12000	20000	1	RMS	19402	-30.66	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.97	-13	Pass	2986
30	1000	0.1	RMS	853.803	-63.86	-13	Pass	9701
1000	1700	1	RMS	1699	-52.46	-13	Pass	701
1700	1765	1	RMS	1745.5	23.55	60	Pass	401
1765	3000	1	RMS	1781	-45.97	-13	Pass	1236
3000	12000	1	RMS	11950	-39.9	-13	Pass	9002
12000	20000	1	RMS	19402	-30.66	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.76	-13	Pass	9701
1000	1700	1	RMS	1699	-52.45	-13	Pass	701
1700	1765	1	RMS	1745.5	22.78	60	Pass	401
1765	3000	1	RMS	1781	-45.13	-13	Pass	1236
3000	12000	1	RMS	11850	-39.85	-13	Pass	9002
12000	20000	1	RMS	19403	-30.63	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	Pass	2986
30	1000	0.1	RMS	848.7	-63.8	-13	Pass	9701
1000	1700	1	RMS	1698	-42.76	-13	Pass	701
1700	1765	1	RMS	1710.725	22.65	60	Pass	401
1765	3000	1	RMS	2955	-48.4	-13	Pass	1236
3000	12000	1	RMS	11843	-39.89	-13	Pass	9002
12000	20000	1	RMS	19399	-30.67	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	876.218	-63.85	-13	Pass	9701
1000	1700	1	RMS	1698	-44.08	-13	Pass	701
1700	1765	1	RMS	1710.725	22.02	60	Pass	401
1765	3000	1	RMS	1765	-47.75	-13	Pass	1236
3000	12000	1	RMS	11843	-39.85	-13	Pass	9002
12000	20000	1	RMS	19405	-30.69	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	1000	0.1	RMS	862.309	-63.6	-13	Pass	9701
1000	1700	1	RMS	1699	-36.34	-13	Pass	701
1700	1765	1	RMS	1725.838	23	60	Pass	401
1765	3000	1	RMS	1779	-45.07	-13	Pass	1236
3000	12000	1	RMS	11950	-39.78	-13	Pass	9002
12000	20000	1	RMS	19703	-30.71	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2986
30	1000	0.1	RMS	860.808	-63.81	-13	Pass	9701
1000	1700	1	RMS	1699	-36.34	-13	Pass	701
1700	1765	1	RMS	1725.675	22.19	60	Pass	401
1765	3000	1	RMS	1779	-44.56	-13	Pass	1236
3000	12000	1	RMS	11855	-39.92	-13	Pass	9002
12000	20000	1	RMS	19406	-30.56	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.35	-13	Pass	2986
30	1000	0.1	RMS	854.904	-63.65	-13	Pass	9701
1000	1700	1	RMS	1688	-52.24	-13	Pass	701
1700	1765	1	RMS	1740.788	23.98	60	Pass	401
1765	3000	1	RMS	1767	-25.19	-13	Pass	1236
3000	12000	1	RMS	11852	-39.77	-13	Pass	9002
12000	20000	1	RMS	19415	-30.7	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	Pass	2986
30	1000	0.1	RMS	845.6	-63.83	-13	Pass	9701
1000	1700	1	RMS	1688	-52.11	-13	Pass	701
1700	1765	1	RMS	1740.788	23.33	60	Pass	401
1765	3000	1	RMS	1767	-25.08	-13	Pass	1236
3000	12000	1	RMS	11950	-39.78	-13	Pass	9002
12000	20000	1	RMS	19403	-30.63	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.79	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.64	-13	Pass	2986
30	1000	0.1	RMS	864.11	-63.66	-13	Pass	9701
1000	1700	1	RMS	1693	-47.3	-13	Pass	701
1700	1765	1	RMS	1711.05	22.57	60	Pass	401
1765	3000	1	RMS	1782	-44.63	-13	Pass	1236
3000	12000	1	RMS	11952	-39.87	-13	Pass	9002
12000	20000	1	RMS	19408	-30.7	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.86	-13	Pass	401
0.15	30	0.01	RMS	0.24	-72.18	-13	Pass	2986
30	1000	0.1	RMS	849.4	-63.73	-13	Pass	9701
1000	1700	1	RMS	1693	-48.7	-13	Pass	701
1700	1765	1	RMS	1711.05	21.87	60	Pass	401
1765	3000	1	RMS	1782	-44.15	-13	Pass	1236
3000	12000	1	RMS	11846	-39.82	-13	Pass	9002
12000	20000	1	RMS	19401	-30.67	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.06	-13	Pass	2986
30	1000	0.1	RMS	854.103	-63.78	-13	Pass	9701
1000	1700	1	RMS	1688	-45.55	-13	Pass	701
1700	1765	1	RMS	1723.563	22.63	60	Pass	401
1765	3000	1	RMS	1795	-47.4	-13	Pass	1236
3000	12000	1	RMS	11948	-39.8	-13	Pass	9002
12000	20000	1	RMS	19397	-30.7	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.99	-13	Pass	2986
30	1000	0.1	RMS	858.806	-63.82	-13	Pass	9701
1000	1700	1	RMS	1688	-45.95	-13	Pass	701
1700	1765	1	RMS	1723.563	21.81	60	Pass	401
1765	3000	1	RMS	1795	-46.91	-13	Pass	1236
3000	12000	1	RMS	11955	-39.84	-13	Pass	9002
12000	20000	1	RMS	19401	-30.67	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-69.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.87	-13	Pass	9701
1000	1700	1	RMS	1700	-36.62	-13	Pass	701
1700	1765	1	RMS	1736.075	23.74	60	Pass	401
1765	3000	1	RMS	1772	-20.79	-13	Pass	1236
3000	12000	1	RMS	11950	-39.86	-13	Pass	9002
12000	20000	1	RMS	19406	-30.66	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	1000	0.1	RMS	845.7	-63.77	-13	Pass	9701
1000	1700	1	RMS	1700	-36.83	-13	Pass	701
1700	1765	1	RMS	1736.075	22.91	60	Pass	401
1765	3000	1	RMS	1772	-20.99	-13	Pass	1236
3000	12000	1	RMS	11847	-39.87	-13	Pass	9002
12000	20000	1	RMS	19403	-30.68	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.34	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.06	-13	Pass	7841
814	860	0.1	RMS	824.2	21.89	60	Pass	461
860	1000	0.1	RMS	860.5	-64	-13	Pass	1401
1000	3000	1	RMS	1648	-44.28	-13	Pass	2001
3000	10000	1	RMS	6962	-41.11	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.24	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.23	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.57	-13	Pass	7841
814	860	0.1	RMS	824.3	20.93	60	Pass	461
860	1000	0.1	RMS	860.3	-63.94	-13	Pass	1401
1000	3000	1	RMS	1648	-45.36	-13	Pass	2001
3000	10000	1	RMS	6962	-41.07	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2986
30	814	0.1	RMS	812	-64.14	-13	Pass	7841
814	860	0.1	RMS	836.1	21.24	60	Pass	461
860	1000	0.1	RMS	997.8	-63.91	-13	Pass	1401
1000	3000	1	RMS	1672	-48.19	-13	Pass	2001
3000	10000	1	RMS	6960	-41.08	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	Pass	2986
30	814	0.1	RMS	812	-64.1	-13	Pass	7841
814	860	0.1	RMS	836	20.43	60	Pass	461
860	1000	0.1	RMS	861.3	-63.92	-13	Pass	1401
1000	3000	1	RMS	2957	-48.33	-13	Pass	2001
3000	10000	1	RMS	6960	-41.13	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.56	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.98	-13	Pass	2986
30	814	0.1	RMS	812.8	-64.17	-13	Pass	7841
814	860	0.1	RMS	847.8	20.56	60	Pass	461
860	1000	0.1	RMS	861.1	-63.93	-13	Pass	1401
1000	3000	1	RMS	2543	-48.21	-13	Pass	2001
3000	10000	1	RMS	6959	-41.08	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.18	-72.43	-13	Pass	2986
30	814	0.1	RMS	792.7	-64.21	-13	Pass	7841
814	860	0.1	RMS	847.8	19.71	60	Pass	461
860	1000	0.1	RMS	865.3	-64.03	-13	Pass	1401
1000	3000	1	RMS	2951	-48.37	-13	Pass	2001
3000	10000	1	RMS	6961	-41.09	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.2	22.06	60	Pass	461
860	1000	0.1	RMS	875.8	-63.86	-13	Pass	1401
1000	3000	1	RMS	1648	-44.46	-13	Pass	2001
3000	10000	1	RMS	6963	-41.13	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.46	-13	Pass	2986
30	814	0.1	RMS	813.5	-62.52	-13	Pass	7841
814	860	0.1	RMS	824.2	21.08	60	Pass	461
860	1000	0.1	RMS	923.4	-64	-13	Pass	1401
1000	3000	1	RMS	1648	-45.47	-13	Pass	2001
3000	10000	1	RMS	6960	-41.17	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.2	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.54	-13	Pass	2986
30	814	0.1	RMS	810.2	-64.22	-13	Pass	7841
814	860	0.1	RMS	835.2	21.4	60	Pass	461
860	1000	0.1	RMS	861.3	-63.97	-13	Pass	1401
1000	3000	1	RMS	1670	-47.82	-13	Pass	2001
3000	10000	1	RMS	6962	-41.13	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.5	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.53	-13	Pass	2986
30	814	0.1	RMS	791.9	-64.18	-13	Pass	7841
814	860	0.1	RMS	835.2	20.59	60	Pass	461
860	1000	0.1	RMS	880.5	-63.9	-13	Pass	1401
1000	3000	1	RMS	2955	-48.38	-13	Pass	2001
3000	10000	1	RMS	6959	-41.18	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	Pass	2986
30	814	0.1	RMS	812.4	-64.09	-13	Pass	7841
814	860	0.1	RMS	846.2	21.14	60	Pass	461
860	1000	0.1	RMS	923.2	-64.05	-13	Pass	1401
1000	3000	1	RMS	1692	-46.91	-13	Pass	2001
3000	10000	1	RMS	6960	-41.12	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2986
30	814	0.1	RMS	740.6	-64.18	-13	Pass	7841
814	860	0.1	RMS	846.2	20.27	60	Pass	461
860	1000	0.1	RMS	866	-63.98	-13	Pass	1401
1000	3000	1	RMS	1692	-47.56	-13	Pass	2001
3000	10000	1	RMS	6963	-41.14	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.58	-13	Pass	7841
814	860	0.1	RMS	824.3	22.03	60	Pass	461
860	1000	0.1	RMS	870.3	-63.99	-13	Pass	1401
1000	3000	1	RMS	1648	-44.48	-13	Pass	2001
3000	10000	1	RMS	6961	-41.12	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	814	0.1	RMS	813.6	-62.48	-13	Pass	7841
814	860	0.1	RMS	824.3	21.05	60	Pass	461
860	1000	0.1	RMS	860.7	-63.94	-13	Pass	1401
1000	3000	1	RMS	1648	-45.63	-13	Pass	2001
3000	10000	1	RMS	6959	-41.12	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.94	-13	Pass	2986
30	814	0.1	RMS	812.7	-64.14	-13	Pass	7841
814	860	0.1	RMS	834.3	21.45	60	Pass	461
860	1000	0.1	RMS	879.7	-63.96	-13	Pass	1401
1000	3000	1	RMS	1668	-47.99	-13	Pass	2001
3000	10000	1	RMS	6962	-41.12	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.15	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.65	-13	Pass	2986
30	814	0.1	RMS	810	-64.2	-13	Pass	7841
814	860	0.1	RMS	834.3	20.69	60	Pass	461
860	1000	0.1	RMS	880.2	-63.99	-13	Pass	1401
1000	3000	1	RMS	2954	-48.38	-13	Pass	2001
3000	10000	1	RMS	6961	-41.12	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2986
30	814	0.1	RMS	812.6	-64.05	-13	Pass	7841
814	860	0.1	RMS	844.3	21.49	60	Pass	461
860	1000	0.1	RMS	893	-63.93	-13	Pass	1401
1000	3000	1	RMS	1688	-45.15	-13	Pass	2001
3000	10000	1	RMS	6961	-41.06	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	Pass	2986
30	814	0.1	RMS	812.4	-64.21	-13	Pass	7841
814	860	0.1	RMS	844.3	20.85	60	Pass	461
860	1000	0.1	RMS	877.9	-64	-13	Pass	1401
1000	3000	1	RMS	1688	-45.86	-13	Pass	2001
3000	10000	1	RMS	6960	-40.98	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.23	-13	Pass	2986
30	814	0.1	RMS	807	-59.24	-13	Pass	7841
814	860	0.1	RMS	824.6	22.37	60	Pass	461
860	1000	0.1	RMS	873.1	-63.92	-13	Pass	1401
1000	3000	1	RMS	1649	-44.99	-13	Pass	2001
3000	10000	1	RMS	6959	-41.04	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.25	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2986
30	814	0.1	RMS	806.9	-60.73	-13	Pass	7841
814	860	0.1	RMS	824.6	21.47	60	Pass	461
860	1000	0.1	RMS	877.7	-63.92	-13	Pass	1401
1000	3000	1	RMS	1649	-46.21	-13	Pass	2001
3000	10000	1	RMS	6960	-41.02	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.49	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-13	Pass	2986
30	814	0.1	RMS	814	-62.75	-13	Pass	7841
814	860	0.1	RMS	832.1	21.88	60	Pass	461
860	1000	0.1	RMS	881.3	-63.84	-13	Pass	1401
1000	3000	1	RMS	2496	-46.89	-13	Pass	2001
3000	10000	1	RMS	6962	-41.11	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.37	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.98	-13	Pass	2986
30	814	0.1	RMS	814	-63.05	-13	Pass	7841
814	860	0.1	RMS	832.1	21.06	60	Pass	461
860	1000	0.1	RMS	879.3	-63.91	-13	Pass	1401
1000	3000	1	RMS	2496	-47.44	-13	Pass	2001
3000	10000	1	RMS	6959	-41.09	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.97	-13	Pass	2986
30	814	0.1	RMS	804.4	-64.05	-13	Pass	7841
814	860	0.1	RMS	839.6	22	60	Pass	461
860	1000	0.1	RMS	973.7	-64	-13	Pass	1401
1000	3000	1	RMS	1679	-46.24	-13	Pass	2001
3000	10000	1	RMS	6959	-41.15	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.26	-13	Pass	2986
30	814	0.1	RMS	805.4	-64.1	-13	Pass	7841
814	860	0.1	RMS	839.6	21.31	60	Pass	461
860	1000	0.1	RMS	889.1	-64.02	-13	Pass	1401
1000	3000	1	RMS	1679	-47	-13	Pass	2001
3000	10000	1	RMS	6961	-41.13	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71	-25	Pass	401
0.15	30	0.01	RMS	0.21	-72.59	-25	Pass	2986
30	1000	0.1	RMS	848.2	-63.81	-25	Pass	9701
1000	2490	1	RMS	2490	-44.85	-25	Pass	1491
2490	2580	1	RMS	2500.125	22.37	60	Pass	401
2580	3000	1	RMS	2957	-48.43	-25	Pass	421
3000	12000	1	RMS	7501	-47.79	-25	Pass	9002
12000	26000	1	RMS	25999	-43.67	-25	Pass	14002




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-25	Pass	2986
30	1000	0.1	RMS	848.6	-63.65	-25	Pass	9701
1000	2490	1	RMS	2490	-45.87	-25	Pass	1491
2490	2580	1	RMS	2500.125	21.49	60	Pass	401
2580	3000	1	RMS	2957	-48.4	-25	Pass	421
3000	12000	1	RMS	7501	-49.15	-25	Pass	9002
12000	26000	1	RMS	25999	-43.23	-25	Pass	14002




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.49	-25	Pass	401
0.15	30	0.01	RMS	0.18	-72.63	-25	Pass	2986
30	1000	0.1	RMS	846.5	-63.77	-25	Pass	9701
1000	2490	1	RMS	2481	-50.07	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.77	60	Pass	401
2580	3000	1	RMS	2955	-48.41	-25	Pass	421
3000	12000	1	RMS	7599	-52.22	-25	Pass	9002
12000	26000	1	RMS	25994	-43.33	-25	Pass	14002




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.73	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.15	-25	Pass	2986
30	1000	0.1	RMS	849.6	-63.83	-25	Pass	9701
1000	2490	1	RMS	2481	-50.15	-25	Pass	1491
2490	2580	1	RMS	2532.75	20.2	60	Pass	401
2580	3000	1	RMS	2953	-48.41	-25	Pass	421
3000	12000	1	RMS	7599	-52.99	-25	Pass	9002
12000	26000	1	RMS	25991	-43.28	-25	Pass	14002




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.31	-25	Pass	401
0.15	30	0.01	RMS	0.24	-72.48	-25	Pass	2986
30	1000	0.1	RMS	856.405	-63.91	-25	Pass	9701
1000	2490	1	RMS	2484	-50.24	-25	Pass	1491
2490	2580	1	RMS	2565.15	20.68	60	Pass	401
2580	3000	1	RMS	2959	-48.43	-25	Pass	421
3000	12000	1	RMS	5131	-43.43	-25	Pass	9002
12000	26000	1	RMS	25984	-43.34	-25	Pass	14002




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.18	-71.97	-25	Pass	2986
30	1000	0.1	RMS	840.9	-63.78	-25	Pass	9701
1000	2490	1	RMS	2486	-50.21	-25	Pass	1491
2490	2580	1	RMS	2565.15	20.19	60	Pass	401
2580	3000	1	RMS	2952	-48.41	-25	Pass	421
3000	12000	1	RMS	5131	-44.01	-25	Pass	9002
12000	26000	1	RMS	25999	-43.31	-25	Pass	14002




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.36	-25	Pass	401
0.15	30	0.01	RMS	0.17	-71.91	-25	Pass	2986
30	1000	0.1	RMS	834.1	-63.86	-25	Pass	9701
1000	2490	1	RMS	2483	-34.55	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.16	60	Pass	401
2580	3000	1	RMS	2953	-48.4	-25	Pass	421
3000	12000	1	RMS	7502	-48.66	-25	Pass	9002
12000	26000	1	RMS	25996	-43.18	-25	Pass	14002




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.78	-25	Pass	401
0.15	30	0.01	RMS	0.2	-72.34	-25	Pass	2986
30	1000	0.1	RMS	850.801	-63.89	-25	Pass	9701
1000	2490	1	RMS	2483	-35.96	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.4	60	Pass	401
2580	3000	1	RMS	2956	-48.42	-25	Pass	421
3000	12000	1	RMS	7502	-50.07	-25	Pass	9002
12000	26000	1	RMS	25999	-43.33	-25	Pass	14002




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.94	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.42	-25	Pass	2986
30	1000	0.1	RMS	851.001	-63.88	-25	Pass	9701
1000	2490	1	RMS	2479	-50.12	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.91	60	Pass	401
2580	3000	1	RMS	2955	-48.39	-25	Pass	421
3000	12000	1	RMS	5061	-48.64	-25	Pass	9002
12000	26000	1	RMS	25992	-43.38	-25	Pass	14002




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-25	Pass	401
0.15	30	0.01	RMS	0.2	-71.74	-25	Pass	2986
30	1000	0.1	RMS	850.601	-63.83	-25	Pass	9701
1000	2490	1	RMS	2478	-50.2	-25	Pass	1491
2490	2580	1	RMS	2530.5	20.39	60	Pass	401
2580	3000	1	RMS	2951	-48.41	-25	Pass	421
3000	12000	1	RMS	5061	-50.26	-25	Pass	9002
12000	26000	1	RMS	25998	-43.28	-25	Pass	14002




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.82	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.38	-25	Pass	9701
1000	2490	1	RMS	2490	-50.49	-25	Pass	1491
2490	2580	1	RMS	2560.425	21.72	60	Pass	401
2580	3000	1	RMS	2586	-47.15	-25	Pass	421
3000	12000	1	RMS	5121	-49.69	-25	Pass	9002
12000	26000	1	RMS	25993	-43.75	-25	Pass	14002




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.71	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.69	-25	Pass	2986
30	1000	0.1	RMS	599.9	-63.06	-25	Pass	9701
1000	2490	1	RMS	2486	-50.26	-25	Pass	1491
2490	2580	1	RMS	2560.425	22.64	60	Pass	401
2580	3000	1	RMS	2957	-48.41	-25	Pass	421
3000	12000	1	RMS	5121	-40.84	-25	Pass	9002
12000	26000	1	RMS	25997	-43.23	-25	Pass	14002




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.33	-72.37	-25	Pass	2986
30	1000	0.1	RMS	837.2	-63.85	-25	Pass	9701
1000	2490	1	RMS	2488	-32.66	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.37	60	Pass	401
2580	3000	1	RMS	2951	-48.39	-25	Pass	421
3000	12000	1	RMS	5002	-47.14	-25	Pass	9002
12000	26000	1	RMS	25992	-43.27	-25	Pass	14002




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-25	Pass	401
0.15	30	0.01	RMS	0.19	-72.19	-25	Pass	2986
30	1000	0.1	RMS	846.2	-63.75	-25	Pass	9701
1000	2490	1	RMS	2487	-34.05	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.57	60	Pass	401
2580	3000	1	RMS	2957	-48.39	-25	Pass	421
3000	12000	1	RMS	5002	-49.34	-25	Pass	9002
12000	26000	1	RMS	25996	-43.22	-25	Pass	14002




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.58	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.27	-25	Pass	2986
30	1000	0.1	RMS	827.4	-63.84	-25	Pass	9701
1000	2490	1	RMS	2488	-49.68	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.39	60	Pass	401
2580	3000	1	RMS	2955	-48.41	-25	Pass	421
3000	12000	1	RMS	5057	-50.52	-25	Pass	9002
12000	26000	1	RMS	25999	-43.26	-25	Pass	14002




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.01	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.6	-25	Pass	2986
30	1000	0.1	RMS	854.604	-63.81	-25	Pass	9701
1000	2490	1	RMS	2488	-49.86	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.72	60	Pass	401
2580	3000	1	RMS	2951	-48.39	-25	Pass	421
3000	12000	1	RMS	5057	-49.21	-25	Pass	9002
12000	26000	1	RMS	25996	-43.33	-25	Pass	14002




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-72.34	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.19	-25	Pass	9701
1000	2490	1	RMS	2486	-50.2	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.98	60	Pass	401
2580	3000	1	RMS	2582	-36.47	-25	Pass	421
3000	12000	1	RMS	5112	-38.88	-25	Pass	9002
12000	26000	1	RMS	25993	-43.25	-25	Pass	14002




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.62	-25	Pass	401
0.15	30	0.01	RMS	0.25	-72.53	-25	Pass	2986
30	1000	0.1	RMS	595.1	-62.5	-25	Pass	9701
1000	2490	1	RMS	2487	-50.19	-25	Pass	1491
2490	2580	1	RMS	2555.7	23.64	60	Pass	401
2580	3000	1	RMS	2582	-35.69	-25	Pass	421
3000	12000	1	RMS	5112	-40.81	-25	Pass	9002
12000	26000	1	RMS	25999	-43.27	-25	Pass	14002




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.51	-72.53	-25	Pass	2986
30	1000	0.1	RMS	819.9	-63.83	-25	Pass	9701
1000	2490	1	RMS	2483	-30.49	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.36	60	Pass	401
2580	3000	1	RMS	2957	-48.4	-25	Pass	421
3000	12000	1	RMS	7503	-48.02	-25	Pass	9002
12000	26000	1	RMS	25997	-43.32	-25	Pass	14002




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-72.08	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.56	-25	Pass	2986
30	1000	0.1	RMS	855.604	-63.74	-25	Pass	9701
1000	2490	1	RMS	2483	-32.4	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.58	60	Pass	401
2580	3000	1	RMS	2948	-48.41	-25	Pass	421
3000	12000	1	RMS	5002	-47.32	-25	Pass	9002
12000	26000	1	RMS	25999	-43.24	-25	Pass	14002




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.48	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.03	-25	Pass	2986
30	1000	0.1	RMS	846.2	-63.87	-25	Pass	9701
1000	2490	1	RMS	2490	-36.5	-25	Pass	1491
2490	2580	1	RMS	2526	21.61	60	Pass	401
2580	3000	1	RMS	2951	-48.41	-25	Pass	421
3000	12000	1	RMS	5052	-51.21	-25	Pass	9002
12000	26000	1	RMS	25996	-43.33	-25	Pass	14002




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.54	-25	Pass	401
0.15	30	0.01	RMS	0.17	-72.26	-25	Pass	2986
30	1000	0.1	RMS	851.902	-63.84	-25	Pass	9701
1000	2490	1	RMS	2490	-33.85	-25	Pass	1491
2490	2580	1	RMS	2526	21.7	60	Pass	401
2580	3000	1	RMS	2951	-48.42	-25	Pass	421
3000	12000	1	RMS	5052	-51.1	-25	Pass	9002
12000	26000	1	RMS	25986	-43.29	-25	Pass	14002




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.79	-25	Pass	401
0.15	30	0.01	RMS	0.22	-72.34	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.72	-25	Pass	9701
1000	2490	1	RMS	2487	-50.25	-25	Pass	1491
2490	2580	1	RMS	2550.975	23.23	60	Pass	401
2580	3000	1	RMS	2586	-45.79	-25	Pass	421
3000	12000	1	RMS	5102	-45.62	-25	Pass	9002
12000	26000	1	RMS	25999	-43.23	-25	Pass	14002



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.86	-25	Pass	401
0.15	30	0.01	RMS	0.16	-72.34	-25	Pass	2986
30	1000	0.1	RMS	590.4	-62.61	-25	Pass	9701
1000	2490	1	RMS	2480	-50.14	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.48	60	Pass	401
2580	3000	1	RMS	2586	-47.03	-25	Pass	421
3000	12000	1	RMS	5102	-46.95	-25	Pass	9002
12000	26000	1	RMS	25983	-43.21	-25	Pass	14002



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.18	-13	Pass	2986
30	1000	0.1	RMS	850.801	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-50.17	-13	Pass	701
1700	1790	1	RMS	1710.125	22.54	60	Pass	401
1790	3000	1	RMS	2945	-48.36	-13	Pass	1211
3000	12000	1	RMS	11853	-39.77	-13	Pass	9002
12000	20000	1	RMS	19399	-30.69	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.07	-13	Pass	2986
30	1000	0.1	RMS	826.5	-63.83	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1790	1	RMS	1710.125	21.74	60	Pass	401
1790	3000	1	RMS	2957	-48.31	-13	Pass	1211
3000	12000	1	RMS	11851	-39.81	-13	Pass	9002
12000	20000	1	RMS	19408	-30.71	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	Pass	2986
30	1000	0.1	RMS	841.3	-63.75	-13	Pass	9701
1000	1700	1	RMS	1700	-52.37	-13	Pass	701
1700	1790	1	RMS	1744.325	23.48	60	Pass	401
1790	3000	1	RMS	2953	-48.4	-13	Pass	1211
3000	12000	1	RMS	11840	-39.85	-13	Pass	9002
12000	20000	1	RMS	19396	-30.61	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.66	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.95	-13	Pass	2986
30	1000	0.1	RMS	858.806	-63.73	-13	Pass	9701
1000	1700	1	RMS	1694	-52.37	-13	Pass	701
1700	1790	1	RMS	1744.325	22.69	60	Pass	401
1790	3000	1	RMS	2957	-48.35	-13	Pass	1211
3000	12000	1	RMS	11948	-39.76	-13	Pass	9002
12000	20000	1	RMS	19399	-30.68	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.06	-13	Pass	2986
30	1000	0.1	RMS	825.5	-63.77	-13	Pass	9701
1000	1700	1	RMS	1698	-52.39	-13	Pass	701
1700	1790	1	RMS	1778.75	23.54	60	Pass	401
1790	3000	1	RMS	2955	-48.31	-13	Pass	1211
3000	12000	1	RMS	11946	-39.89	-13	Pass	9002
12000	20000	1	RMS	19399	-30.68	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.82	-13	Pass	2986
30	1000	0.1	RMS	859.607	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1778.75	22.79	60	Pass	401
1790	3000	1	RMS	2955	-48.4	-13	Pass	1211
3000	12000	1	RMS	11846	-39.85	-13	Pass	9002
12000	20000	1	RMS	19397	-30.68	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	Pass	2986
30	1000	0.1	RMS	858.506	-63.73	-13	Pass	9701
1000	1700	1	RMS	1700	-48.58	-13	Pass	701
1700	1790	1	RMS	1710.125	22.4	60	Pass	401
1790	3000	1	RMS	2952	-48.38	-13	Pass	1211
3000	12000	1	RMS	11951	-39.74	-13	Pass	9002
12000	20000	1	RMS	19400	-30.62	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.33	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.72	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.84	-13	Pass	9701
1000	1700	1	RMS	1700	-48.05	-13	Pass	701
1700	1790	1	RMS	1710.125	21.73	60	Pass	401
1790	3000	1	RMS	2958	-48.36	-13	Pass	1211
3000	12000	1	RMS	11953	-39.83	-13	Pass	9002
12000	20000	1	RMS	19402	-30.63	-13	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.12	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.79	-13	Pass	9701
1000	1700	1	RMS	1697	-52.39	-13	Pass	701
1700	1790	1	RMS	1743.65	23.7	60	Pass	401
1790	3000	1	RMS	2955	-48.36	-13	Pass	1211
3000	12000	1	RMS	11956	-39.85	-13	Pass	9002
12000	20000	1	RMS	19404	-30.59	-13	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	Pass	2986
30	1000	0.1	RMS	852.402	-63.51	-13	Pass	9701
1000	1700	1	RMS	1698	-52.42	-13	Pass	701
1700	1790	1	RMS	1743.65	22.9	60	Pass	401
1790	3000	1	RMS	2951	-48.36	-13	Pass	1211
3000	12000	1	RMS	11847	-39.91	-13	Pass	9002
12000	20000	1	RMS	19400	-30.69	-13	Pass	8001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.68	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.04	-13	Pass	2986
30	1000	0.1	RMS	848.6	-63.82	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1777.175	23.47	60	Pass	401
1790	3000	1	RMS	2962	-48.31	-13	Pass	1211
3000	12000	1	RMS	11843	-39.88	-13	Pass	9002
12000	20000	1	RMS	19401	-30.64	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.83	-13	Pass	2986
30	1000	0.1	RMS	842.5	-63.82	-13	Pass	9701
1000	1700	1	RMS	1695	-52.44	-13	Pass	701
1700	1790	1	RMS	1777.175	22.72	60	Pass	401
1790	3000	1	RMS	2955	-48.43	-13	Pass	1211
3000	12000	1	RMS	11951	-39.88	-13	Pass	9002
12000	20000	1	RMS	19398	-30.64	-13	Pass	8001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	Pass	2986
30	1000	0.1	RMS	867.012	-63.88	-13	Pass	9701
1000	1700	1	RMS	1700	-49.83	-13	Pass	701
1700	1790	1	RMS	1710.125	22.56	60	Pass	401
1790	3000	1	RMS	2944	-48.39	-13	Pass	1211
3000	12000	1	RMS	11950	-39.8	-13	Pass	9002
12000	20000	1	RMS	19401	-30.63	-13	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.52	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.26	-13	Pass	2986
30	1000	0.1	RMS	856.005	-63.85	-13	Pass	9701
1000	1700	1	RMS	1693	-49.77	-13	Pass	701
1700	1790	1	RMS	1710.125	21.8	60	Pass	401
1790	3000	1	RMS	2947	-48.36	-13	Pass	1211
3000	12000	1	RMS	11954	-39.86	-13	Pass	9002
12000	20000	1	RMS	19402	-30.67	-13	Pass	8001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.41	-13	Pass	401
0.15	30	0.01	RMS	0.19	-72.06	-13	Pass	2986
30	1000	0.1	RMS	843.8	-63.85	-13	Pass	9701
1000	1700	1	RMS	1699	-52.37	-13	Pass	701
1700	1790	1	RMS	1742.75	23.83	60	Pass	401
1790	3000	1	RMS	2949	-48.39	-13	Pass	1211
3000	12000	1	RMS	11847	-39.84	-13	Pass	9002
12000	20000	1	RMS	19409	-30.6	-13	Pass	8001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	Pass	2986
30	1000	0.1	RMS	846.4	-63.75	-13	Pass	9701
1000	1700	1	RMS	1696	-52.35	-13	Pass	701
1700	1790	1	RMS	1742.75	23.03	60	Pass	401
1790	3000	1	RMS	2950	-48.36	-13	Pass	1211
3000	12000	1	RMS	11952	-39.82	-13	Pass	9002
12000	20000	1	RMS	19397	-30.6	-13	Pass	8001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.43	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.6	-13	Pass	2986
30	1000	0.1	RMS	827.4	-63.82	-13	Pass	9701
1000	1700	1	RMS	1700	-52.38	-13	Pass	701
1700	1790	1	RMS	1775.15	23.33	60	Pass	401
1790	3000	1	RMS	1793	-47.31	-13	Pass	1211
3000	12000	1	RMS	11951	-39.85	-13	Pass	9002
12000	20000	1	RMS	19397	-30.66	-13	Pass	8001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.5	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.84	-13	Pass	9701
1000	1700	1	RMS	1699	-52.42	-13	Pass	701
1700	1790	1	RMS	1775.15	22.56	60	Pass	401
1790	3000	1	RMS	1793	-47.03	-13	Pass	1211
3000	12000	1	RMS	11954	-39.85	-13	Pass	9002
12000	20000	1	RMS	19399	-30.6	-13	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	Pass	2986
30	1000	0.1	RMS	856.905	-63.83	-13	Pass	9701
1000	1700	1	RMS	1693	-40.05	-13	Pass	701
1700	1790	1	RMS	1710.575	22.19	60	Pass	401
1790	3000	1	RMS	2959	-48.36	-13	Pass	1211
3000	12000	1	RMS	11950	-39.86	-13	Pass	9002
12000	20000	1	RMS	19405	-30.62	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.072	-71.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	Pass	2986
30	1000	0.1	RMS	849.2	-63.85	-13	Pass	9701
1000	1700	1	RMS	1693	-39.95	-13	Pass	701
1700	1790	1	RMS	1710.575	21.53	60	Pass	401
1790	3000	1	RMS	2953	-48.38	-13	Pass	1211
3000	12000	1	RMS	11852	-39.81	-13	Pass	9002
12000	20000	1	RMS	19405	-30.67	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.63	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.49	-13	Pass	2986
30	1000	0.1	RMS	855.004	-63.81	-13	Pass	9701
1000	1700	1	RMS	1699	-52.37	-13	Pass	701
1700	1790	1	RMS	1740.5	23.75	60	Pass	401
1790	3000	1	RMS	2949	-48.38	-13	Pass	1211
3000	12000	1	RMS	11841	-39.82	-13	Pass	9002
12000	20000	1	RMS	19396	-30.68	-13	Pass	8001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.52	-13	Pass	2986
30	1000	0.1	RMS	852.502	-63.76	-13	Pass	9701
1000	1700	1	RMS	1700	-52.42	-13	Pass	701
1700	1790	1	RMS	1740.5	22.87	60	Pass	401
1790	3000	1	RMS	2958	-48.34	-13	Pass	1211
3000	12000	1	RMS	11850	-39.78	-13	Pass	9002
12000	20000	1	RMS	19407	-30.65	-13	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	Pass	2986
30	1000	0.1	RMS	848.8	-63.68	-13	Pass	9701
1000	1700	1	RMS	1698	-52.42	-13	Pass	701
1700	1790	1	RMS	1770.425	22.4	60	Pass	401
1790	3000	1	RMS	1790	-47.37	-13	Pass	1211
3000	12000	1	RMS	11850	-39.84	-13	Pass	9002
12000	20000	1	RMS	19407	-30.65	-13	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.76	-13	Pass	401
0.15	30	0.01	RMS	0.2	-72.34	-13	Pass	2986
30	1000	0.1	RMS	844.4	-63.73	-13	Pass	9701
1000	1700	1	RMS	1699	-52.39	-13	Pass	701
1700	1790	1	RMS	1770.425	21.55	60	Pass	401
1790	3000	1	RMS	2948	-48.38	-13	Pass	1211
3000	12000	1	RMS	11850	-39.84	-13	Pass	9002
12000	20000	1	RMS	19398	-30.64	-13	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	Pass	2986
30	1000	0.1	RMS	841.5	-63.8	-13	Pass	9701
1000	1700	1	RMS	1698	-43.22	-13	Pass	701
1700	1790	1	RMS	1710.8	22.32	60	Pass	401
1790	3000	1	RMS	2951	-48.34	-13	Pass	1211
3000	12000	1	RMS	11957	-39.83	-13	Pass	9002
12000	20000	1	RMS	19408	-30.71	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.8	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.14	-13	Pass	2986
30	1000	0.1	RMS	856.805	-63.67	-13	Pass	9701
1000	1700	1	RMS	1698	-44.56	-13	Pass	701
1700	1790	1	RMS	1710.8	21.65	60	Pass	401
1790	3000	1	RMS	2957	-48.41	-13	Pass	1211
3000	12000	1	RMS	11838	-39.84	-13	Pass	9002
12000	20000	1	RMS	19406	-30.71	-13	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-13	Pass	2986
30	1000	0.1	RMS	848.5	-63.59	-13	Pass	9701
1000	1700	1	RMS	1700	-52.35	-13	Pass	701
1700	1790	1	RMS	1738.25	23.76	60	Pass	401
1790	3000	1	RMS	1792	-47.33	-13	Pass	1211
3000	12000	1	RMS	11950	-39.73	-13	Pass	9002
12000	20000	1	RMS	19395	-30.6	-13	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.94	-13	Pass	2986
30	1000	0.1	RMS	971.681	-63.81	-13	Pass	9701
1000	1700	1	RMS	1698	-52.3	-13	Pass	701
1700	1790	1	RMS	1738.25	22.95	60	Pass	401
1790	3000	1	RMS	1792	-46.83	-13	Pass	1211
3000	12000	1	RMS	11949	-39.81	-13	Pass	9002
12000	20000	1	RMS	19403	-30.64	-13	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-71.32	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	Pass	2986
30	1000	0.1	RMS	850.101	-63.78	-13	Pass	9701
1000	1700	1	RMS	1696	-52.41	-13	Pass	701
1700	1790	1	RMS	1765.7	21.63	60	Pass	401
1790	3000	1	RMS	1792	-27.57	-13	Pass	1211
3000	12000	1	RMS	11948	-39.77	-13	Pass	9002
12000	20000	1	RMS	19402	-30.61	-13	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	Pass	2986
30	1000	0.1	RMS	852.302	-63.77	-13	Pass	9701
1000	1700	1	RMS	1699	-52.43	-13	Pass	701
1700	1790	1	RMS	1765.7	20.94	60	Pass	401
1790	3000	1	RMS	1792	-27.11	-13	Pass	1211
3000	12000	1	RMS	11952	-39.73	-13	Pass	9002
12000	20000	1	RMS	19405	-30.71	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	Pass	2986
30	1000	0.1	RMS	850.401	-63.61	-13	Pass	9701
1000	1700	1	RMS	1693	-47.96	-13	Pass	701
1700	1790	1	RMS	1711.025	22.2	60	Pass	401
1790	3000	1	RMS	2947	-48.3	-13	Pass	1211
3000	12000	1	RMS	11850	-39.78	-13	Pass	9002
12000	20000	1	RMS	19404	-30.67	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-70.81	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72.33	-13	Pass	2986
30	1000	0.1	RMS	858.006	-63.7	-13	Pass	9701
1000	1700	1	RMS	1693	-49.26	-13	Pass	701
1700	1790	1	RMS	1711.025	21.52	60	Pass	401
1790	3000	1	RMS	2946	-48.39	-13	Pass	1211
3000	12000	1	RMS	11842	-39.83	-13	Pass	9002
12000	20000	1	RMS	19405	-30.6	-13	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	Pass	2986
30	1000	0.1	RMS	844.7	-63.71	-13	Pass	9701
1000	1700	1	RMS	1700	-36.52	-13	Pass	701
1700	1790	1	RMS	1736	23.6	60	Pass	401
1790	3000	1	RMS	2956	-48.33	-13	Pass	1211
3000	12000	1	RMS	11951	-39.78	-13	Pass	9002
12000	20000	1	RMS	19399	-30.74	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.02	-13	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	Pass	2986
30	1000	0.1	RMS	842.9	-63.78	-13	Pass	9701
1000	1700	1	RMS	1700	-36.88	-13	Pass	701
1700	1790	1	RMS	1736	22.75	60	Pass	401
1790	3000	1	RMS	2944	-48.36	-13	Pass	1211
3000	12000	1	RMS	11851	-39.81	-13	Pass	9002
12000	20000	1	RMS	19402	-30.64	-13	Pass	8001




5.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.94	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.91	-13	Pass	2986
30	1000	0.1	RMS	854.003	-63.77	-13	Pass	9701
1000	1700	1	RMS	1690	-51.16	-13	Pass	701
1700	1790	1	RMS	1760.975	21.28	60	Pass	401
1790	3000	1	RMS	1797	-24.28	-13	Pass	1211
3000	12000	1	RMS	11850	-39.8	-13	Pass	9002
12000	20000	1	RMS	19708	-30.65	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-71.33	-13	Pass	401
0.15	30	0.01	RMS	0.21	-72.8	-13	Pass	2986
30	1000	0.1	RMS	852.102	-63.8	-13	Pass	9701
1000	1700	1	RMS	1690	-50.94	-13	Pass	701
1700	1790	1	RMS	1760.975	20.53	60	Pass	401
1790	3000	1	RMS	1797	-24.09	-13	Pass	1211
3000	12000	1	RMS	11848	-39.89	-13	Pass	9002
12000	20000	1	RMS	19401	-30.68	-13	Pass	8001



--BLANK BELOW--