


Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.86	0.35	7.21	17.00	Complies
46	5230	7.19	0.35	7.54	17.00	Complies

CH38



Date: 20.FEB.2024 11:25:46

CH46




Date: 20.FEB.2024 11:26:10

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.02	12.54	Complies
46	5230	12.33	12.54	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.83	0.69	7.52	17.00	Complies



Date: 19-JAN-2024 09:35:49

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.06	0.69	7.75	17.00	Complies



Date: 19-JAN-2024 11:29:02

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.26	0.69	7.95	17.00	Complies




Date: 19-JAN-2024 14:30:58

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.51	12.54	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.83	0.12	6.95	17.00	Complies
40	5200	6.88	0.12	7.00	17.00	Complies
48	5240	7.09	0.12	7.21	17.00	Complies



Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	7.37	0.12	7.49	17.00	Complies
40	5200	7.10	0.12	7.22	17.00	Complies
48	5240	7.29	0.12	7.41	17.00	Complies



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.04	0.25	7.29	17.00	Complies
46	5230	7.28	0.25	7.53	17.00	Complies

CH38



Date: 20.FEB.2024 11:08:58

CH46




Date: 20.FEB.2024 11:09:26

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	7.00	0.25	7.25	17.00	Complies
46	5230	7.32	0.25	7.57	17.00	Complies

CH38



Date: 20.FEB.2024 11:19:10

CH46




Date: 20.FEB.2024 11:19:36

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	6.90	0.25	7.15	17.00	Complies
46	5230	7.15	0.25	7.40	17.00	Complies

CH38



Date: 20.FEB.2024 11:31:01

CH46




Date: 20.FEB.2024 11:31:26

Test Mode	UNII-1_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	12.00	12.54	Complies
46	5230	12.27	12.54	Complies


Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	6.63	0.45	7.08	17.00	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.04	0.45	7.49	17.00	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	7.07	0.45	7.52	17.00	Complies




Test Mode	UNII-1_TX AX(HE80) Mode_Total
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	12.14	12.54	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.88	0.18	1.06	11.00	Complies
60	5300	0.96	0.18	1.14	11.00	Complies
64	5320	1.09	0.18	1.27	11.00	Complies



Date: 20.FEB.2024 09:23:42




Date: 20.FEB.2024 09:24:03




Date: 20.FEB.2024 09:24:27

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.04	0.18	1.22	11.00	Complies
60	5300	1.20	0.18	1.38	11.00	Complies
64	5320	1.38	0.18	1.56	11.00	Complies



Date: 20.FEB.2024 09:57:36




Date: 20.FEB.2024 09:58:00



Date: 20.FEB.2024 09:58:20

Test Mode	UNII-2A_TX A Mode_Ant. 3
-----------	--------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.05	0.18	1.23	11.00	Complies
60	5300	1.18	0.18	1.36	11.00	Complies
64	5320	1.34	0.18	1.52	11.00	Complies




Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.94	6.54	Complies
60	5300	6.07	6.54	Complies
64	5320	6.22	6.54	Complies


Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.03	0.21	1.24	11.00	Complies
60	5300	0.96	0.21	1.17	11.00	Complies
64	5320	1.11	0.21	1.32	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.18	0.21	1.39	11.00	Complies
60	5300	1.22	0.21	1.43	11.00	Complies
64	5320	1.39	0.21	1.60	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.39	0.21	1.60	11.00	Complies
60	5300	1.29	0.21	1.50	11.00	Complies
64	5320	1.39	0.21	1.60	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	6.18	6.54	Complies
60	5300	6.14	6.54	Complies
64	5320	6.28	6.54	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.20	0.35	1.55	11.00	Complies
62	5310	1.22	0.35	1.57	11.00	Complies

CH54



Date: 20.FEB.2024 11:05:33

CH62




Date: 20.FEB.2024 11:06:00

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.33	0.35	1.68	11.00	Complies
62	5310	1.19	0.35	1.54	11.00	Complies

CH54



Date: 20.FEB.2024 11:15:27

CH62




Date: 20.FEB.2024 11:16:08

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.18	0.35	1.53	11.00	Complies
62	5310	0.93	0.35	1.28	11.00	Complies

CH54



Date: 20.FEB.2024 11:27:10

CH62




Date: 20.FEB.2024 11:27:10

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.36	6.54	Complies
62	5310	6.23	6.54	Complies


Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.73	0.69	1.42	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.60	0.69	1.29	11.00	Complies



Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.32	0.69	1.01	11.00	Complies




Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.01	6.54	Complies


Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.80	0.12	0.92	11.00	Complies
60	5300	0.84	0.12	0.96	11.00	Complies
64	5320	0.91	0.12	1.03	11.00	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	0.95	0.12	1.07	11.00	Complies
60	5300	1.13	0.12	1.25	11.00	Complies
64	5320	1.26	0.12	1.38	11.00	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	1.07	0.12	1.19	11.00	Complies
60	5300	1.04	0.12	1.16	11.00	Complies
64	5320	1.08	0.12	1.20	11.00	Complies




Test Mode	UNII-2A_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
52	5260	5.83	6.54	Complies
60	5300	5.89	6.54	Complies
64	5320	5.98	6.54	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.00	0.25	1.25	11.00	Complies
62	5310	1.35	0.25	1.60	11.00	Complies

CH54



Date: 20.FEB.2024 11:10:34

CH62




Date: 20.FEB.2024 11:11:54

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.39	0.25	1.64	11.00	Complies
62	5310	1.22	0.25	1.47	11.00	Complies

CH54



Date: 20.FEB.2024 11:21:31

CH62




Date: 20.FEB.2024 11:21:55

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	1.23	0.25	1.48	11.00	Complies
62	5310	0.94	0.25	1.19	11.00	Complies

CH54



Date: 20.FEB.2024 11:31:55

CH62




Date: 20.FEB.2024 11:32:10

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
54	5270	6.23	6.54	Complies
62	5310	6.19	6.54	Complies


Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.95	0.45	1.40	11.00	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.87	0.45	1.32	11.00	Complies



Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	0.53	0.45	0.98	11.00	Complies




Test Mode	UNII-2A_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
58	5290	6.01	6.54	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.43	1.15	-0.28	11.00	Complies



Date: 21.FEB.2024 19:32:56

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.43	1.15	-0.28	11.00	Complies



Date: 21.FEB.2024 19:34:23

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 3
-----------	--

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.41	1.15	-0.26	11.00	Complies




Date: 23.FEB.2024 19:34:44

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	4.50	6.54	Complies


Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.68	0.78	-0.90	11.00	Complies




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.66	0.78	-0.88	11.00	Complies



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 3
-----------	---

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	-1.70	0.78	-0.92	11.00	Complies




Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
-----------	--


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
50	5250	3.87	6.54	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.20	0.18	1.38	11.00	Complies
116	5580	1.18	0.18	1.36	11.00	Complies
140	5700	0.83	0.18	1.01	11.00	Complies



Date: 20.FEB.2024 09:25:04




Date: 20.FEB.2024 09:25:13




Date: 20.FEB.2024 09:26:00

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.13	0.18	1.31	11.00	Complies
116	5580	1.11	0.18	1.29	11.00	Complies
140	5700	1.37	0.18	1.55	11.00	Complies



Date: 20.FEB.2024 09:59:13




Date: 20.FEB.2024 10:00:10



Date: 20.FEB.2024 10:00:37

Test Mode	UNII-2C_TX A Mode_Ant.
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.97	0.18	1.15	11.00	Complies
116	5580	1.07	0.18	1.25	11.00	Complies
140	5700	1.05	0.18	1.23	11.00	Complies




Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	6.05	6.54	Complies
116	5580	6.07	6.54	Complies
140	5700	6.04	6.54	Complies


Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.67	0.21	0.88	11.00	Complies
116	5580	1.19	0.21	1.40	11.00	Complies
140	5700	1.31	0.21	1.52	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.80	0.21	1.01	11.00	Complies
116	5580	0.95	0.21	1.16	11.00	Complies
140	5700	1.26	0.21	1.47	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.09	0.21	1.30	11.00	Complies
116	5580	1.06	0.21	1.27	11.00	Complies
140	5700	1.40	0.21	1.61	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.83	6.54	Complies
116	5580	6.04	6.54	Complies
140	5700	6.30	6.54	Complies


Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	0.90	0.35	1.25	11.00	Complies
110	5550	1.25	0.35	1.60	11.00	Complies
134	5670	1.01	0.35	1.36	11.00	Complies






Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.32	0.35	1.67	11.00	Complies
110	5550	1.16	0.35	1.51	11.00	Complies
134	5670	1.35	0.35	1.70	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.06	0.35	1.41	11.00	Complies
110	5550	1.36	0.35	1.71	11.00	Complies
134	5670	1.23	0.35	1.58	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.22	6.54	Complies
110	5550	6.38	6.54	Complies
134	5670	6.32	6.54	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.43	0.69	1.12	11.00	Complies
122	5610	0.99	0.69	1.68	11.00	Complies

CH106



Date: 20.FEB.2024 14:02:29

CH122




Date: 20.FEB.2024 14:04:48

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.81	0.69	1.50	11.00	Complies
122	5610	0.45	0.69	1.14	11.00	Complies

CH106



Date: 20.FEB.2024 14:10:09

CH122




Date: 20.FEB.2024 14:10:42

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 3
-----------	----------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.60	0.69	1.29	11.00	Complies
122	5610	0.73	0.69	1.42	11.00	Complies

CH106



Date: 20.FEB.2024 14:17:34

CH122




Date: 20.FEB.2024 14:18:06

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	6.08	6.54	Complies
122	5610	6.19	6.54	Complies


Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.84	1.15	0.31	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.69	1.15	0.46	11.00	Complies



Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 3
-----------	-----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.93	1.15	0.22	11.00	Complies




Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	5.10	6.54	Complies


Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.05	0.12	1.17	11.00	Complies
116	5580	1.01	0.12	1.13	11.00	Complies
140	5700	1.15	0.12	1.27	11.00	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	1.10	0.12	1.22	11.00	Complies
116	5580	1.42	0.12	1.54	11.00	Complies
140	5700	1.02	0.12	1.14	11.00	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	0.83	0.12	0.95	11.00	Complies
116	5580	0.88	0.12	1.00	11.00	Complies
140	5700	1.10	0.12	1.22	11.00	Complies




Test Mode	UNII-2C_TX AX(HE20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
100	5500	5.88	6.54	Complies
116	5580	6.00	6.54	Complies
140	5700	5.98	6.54	Complies


Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.10	0.25	1.35	11.00	Complies
110	5550	1.33	0.25	1.58	11.00	Complies
134	5670	1.07	0.25	1.32	11.00	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.02	0.25	1.27	11.00	Complies
110	5550	1.36	0.25	1.61	11.00	Complies
134	5670	1.34	0.25	1.59	11.00	Complies



Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	1.11	0.25	1.36	11.00	Complies
110	5550	0.89	0.25	1.14	11.00	Complies
134	5670	1.32	0.25	1.57	11.00	Complies




Test Mode	UNII-2C_TX AX(HE40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
102	5510	6.09	6.54	Complies
110	5550	6.22	6.54	Complies
134	5670	6.26	6.54	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.66	0.45	1.11	11.00	Complies
122	5610	0.86	0.45	1.31	11.00	Complies

CH106



Date: 20.FEB.2024 14:06:57

CH122




Date: 20.FEB.2024 14:07:57

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.60	0.45	1.05	11.00	Complies
122	5610	0.75	0.45	1.20	11.00	Complies

CH106



Date: 20.FEB.2024 14:14:33

CH122




Date: 20.FEB.2024 14:15:34

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	0.13	0.45	0.58	11.00	Complies
122	5610	0.40	0.45	0.85	11.00	Complies

CH106



Date: 20.FEB.2024 14:19:21

CH122




Date: 20.FEB.2024 14:19:45

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
106	5530	5.70	6.54	Complies
122	5610	5.90	6.54	Complies


Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.29	0.78	0.49	11.00	Complies




Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.26	0.78	0.52	11.00	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 3
-----------	----------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	-0.22	0.78	0.56	11.00	Complies




Test Mode	UNII-2C_TX AX(HE160) Mode_Total
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
114	5570	5.29	6.54	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.73	0.18	12.91	30.00	Complies
157	5785	12.46	0.18	12.64	30.00	Complies
165	5825	12.20	0.18	12.38	30.00	Complies



Date: 19_JAN_2024 11:23:30




Date: 19_JAN_2024 11:24:33




Date: 19_JAN_2024 11:25:36

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	13.54	0.18	13.72	30.00	Complies
157	5785	13.51	0.18	13.69	30.00	Complies
165	5825	13.34	0.18	13.52	30.00	Complies



Date: 19_JAN_2024 11:05:39




Date: 19_JAN_2024 11:06:07




Date: 19_JAN_2024 11:06:32

Test Mode	UNII-3_TX A Mode_Ant. 3
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	14.23	0.18	14.41	30.00	Complies
157	5785	14.12	0.18	14.30	30.00	Complies
165	5825	13.62	0.18	13.80	30.00	Complies



Date: 19_JAN_2024 14:13:49



Date: 19_JAN_2024 14:14:15




Date: 19_JAN_2024 14:14:36

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	18.50	25.54	Complies
157	5785	18.37	25.54	Complies
165	5825	18.05	25.54	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 3
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	12.17	0.21	12.38	30.00	Complies
157	5785	12.19	0.21	12.40	30.00	Complies
165	5825	11.88	0.21	12.09	30.00	Complies



Date: 19-JAN-2024 14:21:29



Date: 19-JAN-2024 14:21:58



Date: 19-JAN-2024 14:22:01


Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	16.83	25.54	Complies
157	5785	16.94	25.54	Complies
165	5825	16.71	25.54	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.61	0.35	7.96	30.00	Complies
159	5795	7.89	0.35	8.24	30.00	Complies

CH151



Date: 19_JAN_2024 09:32:07

CH159




Date: 19_JAN_2024 09:33:54

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.03	0.35	8.38	30.00	Complies
159	5795	8.61	0.35	8.96	30.00	Complies

CH151



Date: 19_JAN_2024 11:27:04


CH159




Date: 19_JAN_2024 11:27:50

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	8.12	0.35	8.47	30.00	Complies
159	5795	8.55	0.35	8.90	30.00	Complies



Date: 19_JAN_2024 14:29:17




Date: 19_JAN_2024 14:29:47

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.04	25.54	Complies
159	5795	13.48	25.54	Complies


Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.15	0.69	4.84	30.00	Complies




Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.75	0.69	5.44	30.00	Complies



Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 3
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	5.03	0.69	5.72	30.00	Complies




Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	10.12	25.54	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.55	0.12	10.67	30.00	Complies
157	5785	10.45	0.12	10.57	30.00	Complies
165	5825	10.19	0.12	10.31	30.00	Complies



Date: 19.JAN.2024 15:12:50




Date: 19.JAN.2024 15:13:53




Date: 19.JAN.2024 15:14:56

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.17	0.12	11.29	30.00	Complies
157	5785	10.91	0.12	11.03	30.00	Complies
165	5825	10.82	0.12	10.94	30.00	Complies



Date: 19.JAN.2024 11:42:42




Date: 19.JAN.2024 11:43:13




Date: 19.JAN.2024 11:43:41

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 3
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.04	0.12	11.16	30.00	Complies
157	5785	11.03	0.12	11.15	30.00	Complies
165	5825	10.74	0.12	10.86	30.00	Complies



Date: 19-JAN-2024 14:43:48



Date: 19-JAN-2024 14:44:11




Date: 19-JAN-2024 14:44:14

Test Mode	UNII-3_TX AX(HE20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	15.82	25.54	Complies
157	5785	15.69	25.54	Complies
165	5825	15.48	25.54	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	7.93	0.25	8.18	30.00	Complies
159	5795	7.87	0.25	8.12	30.00	Complies




Test Mode	UNII-3_TX AX(HE40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	13.36	25.54	Complies
159	5795	13.26	25.54	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.92	0.45	4.37	30.00	Complies




Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.67	0.45	5.12	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 3
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	4.62	0.45	5.07	30.00	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	9.64	25.54	Complies

APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5180.0000
13.8	5180.0000
12	5179.9800
10.2	5180.0000
Maximum Deviation (MHz)	0.0200
Maximum Deviation (ppm)	3.8634

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5180.0000
0	5179.9799
10	5180.0000
20	5180.0000
30	5179.9950
40	5179.9799
Maximum Deviation (MHz)	0.0201
Maximum Deviation (ppm)	3.8827

Test Mode	UNII-2A
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5260.0000
13.8	5260.0000
12	5260.0000
10.2	5260.0000
Maximum Deviation (MHz)	0.0000
Maximum Deviation (ppm)	0.0024

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5260.0000
0	5259.9799
10	5259.9950
20	5260.0000
30	5260.0000
40	5259.9750
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.7529

Test Mode	UNII-2C
-----------	---------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5500.0000
13.8	5499.9999
12	5499.9748
10.2	5499.9750
Maximum Deviation (MHz)	0.0252
Maximum Deviation (ppm)	4.5795

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5500.0000
0	5499.9799
10	5499.9950
20	5499.9750
30	5499.9799
40	5499.9950
Maximum Deviation (MHz)	0.0250
Maximum Deviation (ppm)	4.5455

Test Mode	UNII-3
-----------	--------

Voltage vs. Frequency Stability

Voltage (V)	Measurement Frequency (MHz)
Center Frequency	5745.0000
13.8	5744.9950
12	5744.9950
10.2	5744.9950
Maximum Deviation (MHz)	0.0050
Maximum Deviation (ppm)	0.8681

Temperature vs. Frequency Stability

Temperature (°C)	Measurement Frequency (MHz)
Center Frequency	5745.0000
0	5744.9799
10	5744.9800
20	5744.9950
30	5745.0000
40	5744.9797
Maximum Deviation (MHz)	0.0203
Maximum Deviation (ppm)	3.5357

End of Test Report