

Report No.: HR/2021/1001402

Page: 1 of 90

FCC TEST REPORT

Application No.: HR/2021/10014

Applicant: Honor Device Co., Ltd.

Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No.8089, Hongli West Road, Address of Applicant

Xiangmihu Street, Futian District, Shenzhen, , Guangdong 518040, People's

Republic of China

Manufacturer: Honor Device Co., Ltd.

Suite 3401, Unit A, Building 6, Shum Yip Sky Park, No.8089, Hongli West Road, Address of Manufacturer

Xiangmihu Street, Futian District, Shenzhen, , Guangdong 518040, People's

Republic of China

EUT Description: Smart Phone Model No.: NTN-LX3 Trade Mark: **HONOR**

FCC ID: 2AYGCNTN-LX3

47 CFR FCC Part 2, Subpart J Standards:

47 CFR Part 15, Subpart C

Date of Receipt: 2021/1/28

Date of Test: 2021/1/28 to 2021/2/19

Date of Issue: 2021/2/19

Test Result: PASS *

In the configuration tested, the EUT detailed in this report complied with the standards specified above.

Authorized Signature:

Derek Yang Wireless Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gapx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone (86-755) \$307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: HR/2021/1001402

Page: 2 of 90

1 Version

Revision Record							
Version Chapter Date Modifier Remark							
01		2021-02-19		Original			

Authorized for issue by:		
Tested By	Dee.Zheng	
	(Dee Zheng) /Project Engineer	
Checked By	David Chen	
,	(David Chen) /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck-Rissas.com

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86–755) 26012053 f (86–755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

Page: 3 of 90

Test Summary 2

Test Item	Test Requirement	Test Method	Test Result	Result	Test Lab*
AC Power Line Conducted Emission	15.207	ANSI C63.10 (2013)	Clause 4.3	PASS	В
Conducted Peak Output Power	15.247 (b)(1)	ANSI C63.10 (2013)	Clause 4.4	PASS	Α
20dB Emission Bandwidth	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.5	PASS	Α
Carrier Frequencies Separation	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.6	PASS	Α
Hopping Channel Number	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.7	PASS	Α
Dwell Time	15.247 (a)(1)	ANSI C63.10 (2013)	Clause 4.8	PASS	Α
Band-edge for RF Conducted Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.9	PASS	Α
RF Conducted Spurious Emissions	15.247(d)	ANSI C63.10 (2013)	Clause 4.10	PASS	Α
Radiated Spurious emissions	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.11	PASS	В
Restricted bands around fundamental frequency (Radiated Emission)	15.247(d); 15.205/15.209	ANSI C63.10 (2013)	Clause 4.12	PASS	В





Report No.: HR/2021/1001402

Page: 4 of 90

Contents

1	Vers	sion		2
2	Test	Sumn	nary	3
3	Gen	eral In	formationformation	6
	3.1	De	etails of Client	6
	3.2	Te	st Location	6
	3.3	Te	st Facility	7
	3.4	Ge	eneral Description of EUT	8
	3.5	Te	st Environment	9
	3.6	De	escription of Support Units	9
4	Test	result	s and Measurement Data	10
	4.1	An	tenna Requirement	10
	4.2	Ot	her requirements Frequency Hopping Spread Spectrum System	Hopping
	Sec	quence)	11
		4.2.1	Test Requirement:	11
		4.2.2	Conclusion	11
	4.3	AC	Power Line Conducted Emissions	13
	4.4	Co	nducted Output Power	17
		4.4.1	Test Results	18
		4.4.2	Test Plots	19
	4.5	20	dB Emission Bandwidth	28
		4.5.1	Test Results	29
		4.5.2	Test Plots	30
	4.6	Ca	rrier Frequencies Separationy	39
		4.6.1	Test Results	40
		4.6.2	Test Plots	41
	4.7	Но	pping Channel Number	43
		4.7.1	Test Results	43
		4.7.2	Test Plots	44
	4.8	Dv	vell Time	46
		4.8.1	Test Results	47
		4.8.2	Test Plots	48
	4.9	Ва	nd-edge for RF Conducted Emissions	53



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized attention, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck@ags.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

Page:	5 of	90
-------	------	----

	4.9.1 T	est Plots	54
	4.10 Spuri	ous RF Conducted Emissions	61
	4.10.1	Test Plots	62
	4.11 Radia	ated Spurious Emissions	68
	4.11.1	Radiated emission below 1GHz	72
	4.11.1		72
	4.11.2	Transmitter Emission above 1GHz	74
	4.12 Restr	ricted bands around fundamental frequency	80
		Test Plots	
	4.12.1		83
5	Measuremen	t Uncertainty (95% confidence levels, k=2)	87
6		st	
7		- EUT Constructional Details	





Report No.: HR/2021/1001402

6 of 90 Page:

General Information 3

3.1 Details of Client

Applicant:	Honor Device Co., Ltd.			
Address of Applicant	Suite 3401,Unit A, Building 6, Shum Yip Sky Park, No.8089,Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, , Guangdong 518040, People's Republic of China			
Manufacturer:	Honor Device Co., Ltd.			
Address of Manufacturer	Suite 3401,Unit A, Building 6, Shum Yip Sky Park, No.8089,Hongli West Road, Xiangmihu Street, Futian District, Shenzhen, , Guangdong 518040, People's Republic of China			

3.2 Test Location

Lab A:

Company:	SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch		
Address:	No. 1 Workshop, M-10, Middle section, Science & Technology Park, Shenzhen, Guangdong, China		
Post code:	518057		

Lab B:

Company:	SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD.
Address:	1/F, Unit D, Building 1, Kanghong Orange Technology Park, No.137, Keyuan 3rd Road, Fengdong New City, Xi'an, Shaanxi China
Post code:	710086





Report No.: HR/2021/1001402

7 of 90 Page:

3.3 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

Lab A:

• A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

VCCI

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

• FCC -Designation Number: CN1178

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

• Innovation, Science and Economic Development Canada

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

Lab B:

A2LA (Certificate No. 4854.01)

SGS-CSTC STANDARDS TECHNICAL SERVICES (XI 'AN) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 4854.01.

Designation Number: CN1271.





Report No.: HR/2021/1001402

8 of 90 Page:

3.4 General Description of EUT

EUT Description:	Smart Phone
Model No.:	NTN-LX3
Trade Mark:	HONOR
Hardware Version:	HL1NTNM
Software Version:	5.0.0.74(C900E74R1P2)
Operation Frequency:	2400MHz~2483.5MHz fc = 2402 MHz + N * 2 MHz, where: -fc = "Operating Frequency" in MHz, -N = "Channel Number" with the range from 0 to 39.
Bluetooth version:	Bluetooth V5.0
Modulation Technique:	Frequency Hopping Spread Spectrum(FHSS)
Modulation Type:	GFSK, π/4DQPSK, 8DPSK
Number of Channel:	79
Hopping Channel Type:	Adaptive Frequency Hopping systems
Sample Type:	⊠ Portable Device,
Antenna Type:	☐ External, ☑ Integrated
Antenna Gain:	-2.2dBi

	Operation Frequency of each channel						
Channel	Frequency	Channel	Frequency	Channel	Frequency	Channel	Frequency
0	2402MHz	20	2422MHz	40	2442MHz	60	2462MHz
1	2403MHz	21	2423MHz	41	2443MHz	61	2463MHz
2	2404MHz	22	2424MHz	42	2444MHz	62	2464MHz
3	2405MHz	23	2425MHz	43	2445MHz	63	2465MHz
4	2406MHz	24	2426MHz	44	2446MHz	64	2466MHz
5	2407MHz	25	2427MHz	45	2447MHz	65	2467MHz
6	2408MHz	26	2428MHz	46	2448MHz	66	2468MHz
7	2409MHz	27	2429MHz	47	2449MHz	67	2469MHz
8	2410MHz	28	2430MHz	48	2450MHz	68	2470MHz
9	2411MHz	29	2431MHz	49	2451MHz	69	2471MHz
10	2412MHz	30	2432MHz	50	2452MHz	70	2472MHz
11	2413MHz	31	2433MHz	51	2453MHz	71	2473MHz
12	2414MHz	32	2434MHz	52	2454MHz	72	2474MHz
13	2415MHz	33	2435MHz	53	2455MHz	73	2475MHz
14	2416MHz	34	2436MHz	54	2456MHz	74	2476MHz
15	2417MHz	35	2437MHz	55	2457MHz	75	2477MHz
16	2418MHz	36	2438MHz	56	2458MHz	76	2478MHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

9 of 90 Page:

17	2419MHz	37	2439MHz	57	2459MHz	77	2479MHz
18	2420MHz	38	2440MHz	58	2460MHz	78	2480MHz
19	2421MHz	39	2441MHz	59	2461MHz		

Remark:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Channel	Frequency
The Lowest channel(CH0)	2402MHz
The Middle channel(CH39)	2441MHz
The Highest channel(CH78)	2480MHz

3.5 Test Environment

Operating Environment:		
Temperature:	25.0 °C	
Humidity:	50 % RH	
Atmospheric Pressure:	101.30 KPa	

3.6 Description of Support Units

The EUT has been tested independent unit.





Report No.: HR/2021/1001402

10 of 90 Page:

Test results and Measurement Data 4

4.1 Antenna Requirement

47 CFR Part 15C Section 15.203 /247(c) Standard requirement:

15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement: The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is -2.2dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/terms-and-Conditions/Terms-a-Document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at he time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fulles extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention.To check the authenticity of testing inspection report & certificate (see exception to the sample(s) facilities (see exception report & certificate (see exception to the sample(s) facilities (see exception report & certificate (see exception to the sample(s) facilities (see exception report & certificate (see exception facilities).

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: HR/2021/1001402

Page: 11 of 90

4.2 Other requirements Frequency Hopping Spread Spectrum System **Hopping Sequence**

4.2.1 **Test Requirement:**

47 CFR Part 15, Subpart C 15.247(a)(1),(g),(h)

4.2.2 Conclusion

Standard Requirement:

The system shall hop to channel frequencies that are selected at the system hopping rate from a Pseudorandom ordered list of hopping frequencies. Each frequency must be used equally on the average by each transmitter. The system receivers shall have input bandwidths that match the hopping channel bandwidths of their corresponding transmitters and shall shift frequencies in synchronization with the transmitted signals.

Frequency hopping spread spectrum systems are not required to employ all available hopping channels during each transmission. However, the system, consisting of both the transmitter and the receiver, must be designed to comply with all of the regulations in this section should the transmitter be presented with a continuous data (or information) stream. In addition, a system employing short transmission bursts must comply with the definition of a frequency hopping system and must distribute its transmissions over the minimum number of hopping channels specified in this section.

The incorporation of intelligence within a frequency hopping spread spectrum system that permits the system to recognize other users within the spectrum band so that it individually and independently chooses and adapts its hopsets to avoid hopping on occupied channels is permitted. The coordination of frequency hopping systems in any other manner for the express purpose of avoiding the simultaneous occupancy of individual hopping frequencies by multiple transmitters is not permitted.


Compliance for section 15.247(a)(1):

According to Technical Specification, the pseudorandom sequence may be generated in a nine-stage shift register whose 5th and 9th stage outputs are added in a modulo-two addition stage. And the result is fed back to the input of the first stage. The sequence begins with the first ONE of 9 consecutive ONEs; i.e. the shift register is initialized with nine ones.

- > Number of shift register stages: 9
- > Length of pseudo-random sequence: 29 -1 = 511 bits
- > Longest sequence of zeros: 8 (non-inverted signal)


Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:



Linear Feedback Shift Register for Generation of the PRBS sequence

An example of Pseudorandom Frequency Hopping Sequence as follow:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.sapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention.To check the authenticity of testing inspection report & certificate, please contact us at steephone. (26-755) \$307.1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: HR/2021/1001402

12 of 90 Page:

Each frequency used equally on the average by each transmitter.

According to Technical Specification, the receivers are designed to have input and IF bandwidths that match the hopping channel bandwidths of any transmitters and shift frequencies in synchronization with the transmitted signals.

Compliance for section 15.247(g):

According to Technical Specification, the system transmits the packet with the pseudorandom hopping frequency with a continuous data and the short burst transmission from the RF system is also transmitted under the frequency hopping system with the pseudorandom hopping frequency system.

Compliance for section 15.247(h): According to Technical specification, the system incorporates with an adaptive system to detect other user within the spectrum band so that it individually and independently to avoid hopping on the occupied channels. The system is designed not have the ability to coordinated with other FHSS System in an effort to avoid the simultaneous occupancy of individual hopping frequencies by multiple transmitter.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.sapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention.To check the authenticity of testing inspection report & certificate, please contact us at steephone. (26-755) \$307.1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594



Report No.: HR/2021/1001402

Page: 13 of 90

4.3 AC Power Line Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.207			
Test Method:	ANSI C63.10: 2013			
Test Frequency Range:	150kHz to 30MHz			
Limit:	Frequency range (MHz)	Limit (d	BuV)	
	Frequency range (IVII IZ)	Quasi-peak	Average	
	0.15-0.5	66 to 56*	56 to 46*	
	0.5-5	56	46	
	5-30	60	50	
	* Decreases with the log	arithm of the frequency.		
Test Procedure:	room.	listurbance voltage test was		
	, '			




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions/for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/ferms-en-Document.spx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) tested an

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

14 of 90 Page:





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention:*To check the authenticity of testing (inspection report & carrificate, please contact us at tetephone: (86-755) 8307 1443.

**Attention:*To check the authenticity of testing (inspection report & carrificate, please contact us at tetephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594




Report No.: HR/2021/1001402

15 of 90 Page:

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:



Test Graph

Final	Final Data List							
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]
1	0.1575	10.10	39.63	65.60	25.97	25.22	55.60	30.38
2	0.1901	10.10	37.63	64.03	26.40	21.66	54.03	32.37
3	0.2234	10.10	34.96	62.69	27.73	17.62	52.69	35.07
4	0.9574	10.10	36.43	56.00	19.57	30.44	46.00	15.56
5	4.2125	10.10	30.84	56.00	25.16	22.17	46.00	23.83
6	23.0784	10.11	36.84	60.00	23.16	24.92	50.00	25.08



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-e-Document.sapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention.To check the authenticity of testing inspection report & certificate, please contact us at steephone. (26-755) \$307.1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594


www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: HR/2021/1001402

Page: 16 of 90

Neutral Line:



Test Graph

Final	Final Data List							
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	ΑV Value [dBμV]	ΑV Limit [dBμV]	AV Margin [dB]
1	0.1722	10.10	36.36	64.85	28.49	21.26	54.85	33.59
2	0.1726	10.10	36.73	64.84	28.11	21.84	54.84	33.00
3	0.2044	10.10	34.41	63.43	29.02	16.97	53.43	36.46
4	0.2940	10.10	34.16	60.41	26.25	20.23	50.41	30.18
5	4.2144	10.10	32.43	56.00	23.57	23.75	46.00	22.25
6	22.9557	10.11	35.59	60.00	24.41	24.01	50.00	25.99

Remarks:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level =Receiver Reading + LISN Factor + Cable Loss.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.sapx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.sapx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or laisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: HR/2021/1001402

Page: 17 of 90

4.4 Conducted Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.5		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Test Instruments:	Refer to section 6 for details		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.		
Limit:	(20.97dBm) 125mW		
Test Results:	Pass		





Report No.: HR/2021/1001402

Page: 18 of 90

4.4.1 **Test Results**

Measurement Data of Peak Power:

GFSK mode						
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	12.89	20.97	Pass			
Middle	14.37	20.97	Pass			
Highest	13.34	20.97	Pass			
	π/4DQP	SK mode				
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	12.43	20.97	Pass			
Middle	13.98	20.97	Pass			
Highest	13.01	20.97	Pass			
	8DPSK mode					
Test Channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	12.65	20.97	Pass			
Middle	14.17	20.97	Pass			
Highest	13.20	20.97	Pass			






Report No.: HR/2021/1001402

Span 15.0 MHz

19 of 90 Page:

Test Plots 4.4.2



691 pts

Date: 31.JAN.2021 16:50:50


CF 2.402 GHz





Report No.: HR/2021/1001402

20 of 90 Page:




Date: 31 JAN 2021 16:50:30





Report No.: HR/2021/1001402

21 of 90 Page:



Date: 31.JAN.2021 16:50:07



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

22 of 90 Page:



Date: 31.JAN.2021 16:48:54



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.


No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

Span 15.0 MHz

23 of 90 Page:



691 pts

Date: 31.JAN.2021 16:48:45

CF 2.441 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

24 of 90 Page:



Date: 31.JAN.2021 16:48:33



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

25 of 90 Page:



Date: 31.JAN.2021 16:49:05






Report No.: HR/2021/1001402

Span 15.0 MHz

26 of 90 Page:



691 pts

Date: 31.JAN.2021 16:49:22

CF 2.441 GHz






Report No.: HR/2021/1001402

Span 15.0 MHz

27 of 90 Page:



691 pts

Date: 31.JAN.2021 16:49:32

CF 2.48 GHz





Report No.: HR/2021/1001402

Page: 28 of 90

4.5 20dB Emission Bandwidth

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)		
Test Method:	ANSI C63.10:2013 Section 7.8.7		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane		
Instruments Used:	Refer to section 6 for details		
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.		
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.		
Limit:	NA		
Test Results:	Pass		





Report No.: HR/2021/1001402

29 of 90 Page:

Test Results 4.5.1

Mode	Test Channel	20dB Emission Bandwidth (KHz)	Result
	Lowest	950.8	Pass
GFSK	Middle	950.8	Pass
	Highest	950.8	Pass
π/4DQPSK	Lowest	1302.5	Pass
	Middle	1315.5	Pass
	Highest	1311.1	Pass
	Lowest	1298.1	Pass
8DPSK	Middle	1298.1	Pass
	Highest	1302.5	Pass






Report No.: HR/2021/1001402

30 of 90 Page:

Test Plots 4.5.2




Date: 31.JAN.2021 16:51:19





Report No.: HR/2021/1001402

31 of 90 Page:




Date: 31.JAN.2021 16:51:33





Report No.: HR/2021/1001402

32 of 90 Page:




Date: 31.JAN.2021 16:51:58





Report No.: HR/2021/1001402

33 of 90 Page:




Date: 31 JAN 2021 16:53:45





Report No.: HR/2021/1001402

34 of 90 Page:




Date: 31.JAN.2021 16:54:00





Report No.: HR/2021/1001402

35 of 90 Page:




Date: 31.JAN.2021 16:54:26





Report No.: HR/2021/1001402

36 of 90 Page:




Date: 31.JAN.2021 16:53:13





Report No.: HR/2021/1001402

37 of 90 Page:



Date: 31.JAN.2021 16:53:02




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.



Report No.: HR/2021/1001402

38 of 90 Page:



Date: 31.JAN.2021 16:52:13



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.



Report No.: HR/2021/1001402

Page: 39 of 90

4.6 Carrier Frequencies Separationy

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.2			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane			
Test Instruments:	Refer to section 6 for details			
Exploratory Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Limit:	2/3 of the 20dB bandwidth			
	Remark: the transmission power is less than 0.125W.			
Test Results:	Pass			



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

40 of 90 Page:

4.6.1 **Test Results**

GFSK mode						
	GF3K mode					
Test channel	Carrier Frequencies Separation (kHz) Limit (kHz)		Result			
Middle	1003	633.9	PASS			
	π/4DQPSK mode					
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result			
Middle	1120	877.0	PASS			
8DPSK mode						
Test channel	Carrier Frequencies Separation (kHz)	Limit (kHz)	Result			
Middle	1003	868.3	PASS			

Remark: According to section 4.5

Mode	20dB bandwidth (kHz) (worse case)	Limit (kHz) (Carrier Frequencies Separation)		
GFSK	950.8	633.9		
π/4DQPSK	1315.5	877.0		
8DPSK	1302.5	868.3		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck-Rissas.com




Report No.: HR/2021/1001402

Span 3.0 MHz

41 of 90 Page:

Test Plots 4.6.2



691 pts

Date: 31.JAN.2021 17:06:01

CF 2.4415 GHz




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.




Report No.: HR/2021/1001402

42 of 90 Page:



Date: 31.JAN.2021 17:04:47



Date: 31.JAN.2021 17:05:28



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.


No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

43 of 90 Page:

4.7 Hopping Channel Number



4.7.1 **Test Results**

Mode	Hopping channel numbers	Limit	
GFSK	79	≥15	
π/4DQPSK	79	≥15	
8DPSK	79	≥15	





Report No.: HR/2021/1001402

Stop 2.4835 GHz

44 of 90 Page:

4.7.2 **Test Plots**

Test mode: **GFSK** 9 Spectrum Ref Level 30.00 dBm Offset 5.40 dB e RBW 300 kHz Att 40 dB SWT 31.7 µs 🎃 VBW 1 MHz Mode Auto FFT ●1Pk Max D1[1] 78.340 MHz M1[1] 12.81 dBm 20 dBm 2,401880 GHZ 0 dBm 20 dBm 30 dBm -50 dBm

691 pts

Date: 31.JAN.2021 17:07:24

-60 dBm


Start 2.4 GHz






Report No.: HR/2021/1001402

45 of 90 Page:



Date: 31.JAN.2021 17:09:43



Date: 31.JAN.2021 17:08:49



No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

Page: 46 of 90

4.8 Dwell Time

Test Requirement:	47 CFR Part 15C Section 15.247 (a)(1)			
Test Method:	ANSI C63.10:2013 Section 7.8.4			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table			
	Ground Reference Plane			
Instruments Used:	Refer to section 6 for details			
Test Mode:	Hopping transmitting with all kind of modulation and all kind of data type.			
Limit:	0.4 Second			
Test Results:	Pass			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck-Rissas.com



Report No.: HR/2021/1001402

47 of 90 Page:

Test Results 4.8.1

Operation Modes	On time (ms) on one channel		
DH1	0.402		
DH3	1.675		
DH5	2.949		
2-DH1	0.418		
2-DH3	1.688		
2-DH5	2.928		
3-DH1	0.414		
3-DH2	1.688		
3-DH5	2.935		

Bluetooth Time of Occupancy Calculation

Typically, Bluetooth 1x/EDR mode has a channel hopping rate of 1600 hops/s, since 1x/EDR modes use 5 transmit and 1 receive slot, for a total of 6 slots, the Bluetooth transmitter is actually hopping at a rate of 1600/6=266.67 hops/slot

400ms x 79 Channel = 31.6 s (Time of Occupancy Limit)

Worst case BT has 266.67 hops/second (for 1x/EDR modes with 1-DH5 operation)

266.67 hops/second/79 channels=3.38 hops/second (# of hops/second on one channel)

3.38 hops/second/channel*31.6seconds=106.67 hops (#hops over a 31.6 second period)

106.67 hops *2.949 ms/channel =314.57 ms(worst case dwell time for one channel in 1x/EDR

modes)

With AFH, the number of channels is reduced to a minimum of 20 channels and the channel hopping rate is reduced by 50% to 800hops/s, AFH mode also uses 6 slots so the Bluetooth transmitter hops at a rate of 800/6=133.3 hops/s/slot

400ms x 20 Channel = 8 s (Time of Occupancy Limit)

Worst case BT has 133.3 hops/second/slot (for AFH mode with 1-DH5 operation)

133.3 hops/second/20 channels=6.67 hops/second (#hops/second on one channel)

6.67 hops/second *8seconds=53.34 hops (#hops over a 8 seconds period)

53.34 hops x2.949 ms/channel=157.30 ms(worst case dwell time for one channel in AFH mode)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gapx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


**Attention: To check the authenticity of testing inspection report & cartificate, please contact us at telephone (86-755) 8307 1443.



Report No.: HR/2021/1001402

48 of 90 Page:

4.8.2 **Test Plots**




Date: 31.JAN.2021 17;12:11






Report No.: HR/2021/1001402

49 of 90 Page:



Date: 31.JAN.2021 17:18:57



Date: 31, JAN. 2021 17:11:29




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

Page: 50 of 90



Date: 31 JAN 2021 17:17:31



Date: 31.JAN.2021 17:18:30




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

Page: 51 of 90



Date: 31.JAN.2021 17:10:35



Date: 31, JAN. 2021 17:17:51




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

52 of 90 Page:



Date: 31.JAN.2021 17:18:15



Date: 31, JAN. 2021 17:10:59



No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

53 of 90 Page:

4.9 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)			
Test Method:	ANSI C63.10:2013 Section 7.8.6			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane			
Instruments Used:	Refer to section 6 for details			
Exploratory Test Mode:	Hopping and Non-hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.			
Test Results:	Pass			






Report No.: HR/2021/1001402

54 of 90 Page:

4.9.1 **Test Plots**




Date: 31.JAN.2021 16:58:05






Report No.: HR/2021/1001402

55 of 90 Page:



Date: 31.JAN.2021 16:57:06



Date: 31.JAN.2021 16:58:47




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

56 of 90 Page:



Date: 31.JAN.2021 16:56:39



Date: 31.JAN.2021 17:02:12




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

57 of 90 Page:



Date: 31.JAN.2021 16:55:28



Date: 31.JAN.2021 17:03:04




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

58 of 90 Page:



Date: 31.JAN.2021 16:55:07



Date: 31.JAN.2021 17:01:10




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

59 of 90 Page:



Date: 31.JAN.2021 16:55:50



Date: 31.JAN.2021 17:00:14




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

Span 10.0 MHz

60 of 90 Page:



691 pts

Date: 31 JAN 2021 16:56:14

CF 2.4835 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.



Report No.: HR/2021/1001402

Page: 61 of 90

4.10 Spurious RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)			
Test Method:	ANSI C63.10:2013 Section 7.8.8			
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane			
Instruments Used:	Refer to section 6 for details			
Exploratory Test Mode:	Non-hopping transmitting with all kind of modulation and all kind of data type.			
Final Test Mode:	Through Pre-scan, find the DH5 of data type is the worst case of GFSK modulation type, 2-DH5 of data type is the worst case of π/4DQPSK modulation type, 3-DH5 of data type is the worst case of 8DPSK modulation type.			
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.			
Test Results:	Pass			






Report No.: HR/2021/1001402

62 of 90 Page:

Test Plots 4.10.1




Date: 31.JAN.2021 17:27:23






Report No.: HR/2021/1001402

Page: 63 of 90



Date: 31 JAN 2021 17:27:53



Date: 31.JAN.2021 17:28:34




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

64 of 90 Page:



Date: 31.JAN.2021 17:26:48



Date: 31.JAN.2021 17:25:40




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

65 of 90 Page:



Date: 31 JAN 2021 17:25:10



Date: 31.JAN.2021 17:21:55



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房




Report No.: HR/2021/1001402

Page: 66 of 90



Date: 31.JAN.2021 17:23:38



Date: 31.JAN.2021 17:24:27



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized atteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

67 of 90 Page:

Remark:

Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgety or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN. Doccheck-Rigas.com.



Report No.: HR/2021/1001402

Page: 68 of 90

4.11Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205					
Test Method:	ANSI C63.10 :2013 Section 11.12					
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)					
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark	
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak	
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average	
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak	
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average	
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak	
	30MHz-1GHz	Quasi-peak	120kHz	300kHz	Quasi-peak	
	Above 1GHz	Peak	1MHz	3MHz	Peak	
	Above 1GHZ	Peak	1MHz	10Hz	Average	
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)	
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300	
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30	
	1.705MHz-30MHz	30	-	-	30	
	30MHz-88MHz	100	40.0	Quasi-peak	3	
	88MHz-216MHz	150	43.5	Quasi-peak	3	
	216MHz-960MHz	200	46.0	Quasi-peak	3	
	960MHz-1GHz	500	54.0	Quasi-peak	3	
	Above 1GHz	500	54.0	Average	3	
	Remark: 15.35(b),Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total peak emission level radiated by the device.					




No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

69 of 90 Page:

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. Use the following spectrum analyzer settings:
 - Span shall wide enough to fully capture the emission being (1) measured:
 - (2)Set RBW=100 kHz for f < 1 GHz, RBW=1MHz for f>1GHz; VBW ≥ RBW; Sweep = auto;
 - Detector function = peak; Trace = max hold for peak
 - (3)For average measurement: use duty cycle correction factor method per 15.35(c).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.reps-2. On the company of the company for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-a-Document.aspx.. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

**Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: HR/2021/1001402

70 of 90 Page:

	Duty cycle = On time/100 milliseconds				
	On time = N 1 *L 1 +N 2 *L 2 ++N n-1 *LN n-1 +N n *L n				
	Where N 1 is number of type 1 pulses, L 1 is length of type 1 pulses, etc.				
	Average Emission Level = Peak Emission Level + 20*log(Duty cycle)				
	f. For each suspected emission, the EUT was arranged to its worst case at then the antenna was tuned to heights from 1 meter to 4 meters(for the frequency of below 30MHz, the antenna was tuned to heights 1 meter) at the rotatable table was turned from 0 degrees to 360 degrees to find maximum reading.				
	g. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.				
	h. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.				
	i. Test the EUT in the lowest channel, the middle channel ,the Highest channel.				
	j. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.				
	k. Repeat above procedures until all frequencies measured was complete.				
	Non-hopping transmitting mode with all kind of modulation and all kind of				
Exploratory Test Mode:	data type				
	Charge + Transmitting mode.				
	Through Pre-scan, find the				
Elect To AMAD I	DH5 of data type and GFSK modulation is the worst case.				
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode				
	For below 1GHz part, through pre-scan, the worst case is the lowest channel. Only the worst case is recorded in the report.				
T					
Test Configuration:	Measurements Below 1000MHz				
	• RBW = 120 kHz				
	• VBW = 300 kHz				
	Detector = Peak				
	Trace mode = max hold				
	Peak Measurements Above 1000 MHz				
	• RBW = 1 MHz				
	VBW ≥ 3 MHz				
	Detector = Peak				
	Sweep time = auto				
	Trace mode = max hold				
	Average Measurements Above 1000MHz				
	• RBW = 1 MHz				
	VBW = 10 Hz, when duty cycle is no less than 98 percent.				
	• VBW \geqslant 1/T, when duty cycle is less than 98 percent where T is the minimum				
	transmission duration over which the transmitter is on and is transmitting at its				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and the document does not exonerate parties to a transaction from exercising all their rights and obligations under transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CN Doccheck-Riggs.com.

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房



Report No.: HR/2021/1001402

Page: 71 of 90

	maximum power control level for the tested mode of operation.		
Instruments Used:	Refer to section 6 for details		
Test Results:	Pass		
Remark:	The Emission Test data were reused from the report no:XHR/2021/1001401		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck-Rissas.com




Report No.: HR/2021/1001402

72 of 90 Page:

4.11.1 Radiated emission below 1GHz

4.11.1.1 Charge + Transmitting

Test Graph



Suspected List

Suspe	Suspected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7934	16.76	-32.19	40.00	23.24	100	252	Horizontal
2	48.4392	16.25	-30.19	40.00	23.75	200	277	Horizontal
3	99.3897	15.01	-31.79	43.50	28.49	100	118	Horizontal
4	162.471	25.05	-34.13	43.50	18.45	300	108	Horizontal
5	211.480	21.56	-30.58	43.50	21.94	200	62	Horizontal
6	561.340	27.02	-21.14	46.00	18.98	200	50	Horizontal

Final Data List






Report No.: HR/2021/1001402

Page: 73 of 90

Test Graph



QP Limit QP Detector

Suspected List

Suspe	ected List							
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	36.7934	30.16	-32.19	40.00	9.84	300	291	Vertical
2	48.9245	26.15	-30.19	40.00	13.85	100	282	Vertical
3	86.2881	21.03	-34.32	40.00	18.97	100	85	Vertical
4	155.677	25.26	-34.51	43.50	18.24	400	188	Vertical
5	213.421	20.59	-30.52	43.50	22.91	200	304	Vertical
6	561.340	26.61	-21.14	46.00	19.39	100	126	Vertical

Final Data List






Report No.: HR/2021/1001402

Page: 74 of 90

4.11.2 Transmitter Emission above 1GHz

4.11.2.1 GFSK Channel 0

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2992.99	56.04	10.64	74.00	17.96	100	348	Horizontal			
2	2998.49	44.86	10.75	54.00	9.14	100	225	Horizontal			
3	4804.00	37.41	-17.18	54.00	16.59	200	208	Horizontal			
4	4804.00	43.89	-17.18	74.00	30.11	300	78	Horizontal			
5	7206.00	47.73	-9.48	74.00	26.27	200	242	Horizontal			
6	7206.00	37.48	-9.48	54.00	16.52	100	78	Horizontal			

Final Data List






Report No.: HR/2021/1001402

Page: 75 of 90

4.11.2.2 GFSK Channel 0

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2992.49	55.87	10.63	74.00	18.13	100	331	Vertical			
2	2992.49	44.68	10.63	54.00	9.32	200	53	Vertical			
3	4804.00	44.99	-17.18	74.00	29.01	300	35	Vertical			
4	4804.00	36.62	-17.18	54.00	17.38	100	210	Vertical			
5	7206.00	37.31	-9.48	54.00	16.69	400	300	Vertical			
6	7206.00	48.05	-9.48	74.00	25.95	100	317	Vertical			

Final Data List






Report No.: HR/2021/1001402

Page: 76 of 90

4.11.2.3 GFSK Channel 39

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2935.98	44.90	10.60	54.00	9.10	100	229	Horizontal			
2	2999.49	56.45	10.77	74.00	17.55	300	182	Horizontal			
3	4882.00	45.11	-16.80	74.00	28.89	200	272	Horizontal			
4	4882.00	37.24	-16.80	54.00	16.76	100	230	Horizontal			
5	7323.00	38.23	-9.27	54.00	15.77	300	30	Horizontal			
6	7323.00	49.15	-9.27	74.00	24.85	200	119	Horizontal			

Final Data List






Report No.: HR/2021/1001402

Page: 77 of 90

4.11.2.4 GFSK Channel 39

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2934.98	56.95	10.62	74.00	17.05	200	359	Vertical			
2	2983.49	44.99	10.61	54.00	9.01	300	86	Vertical			
3	4882.00	43.77	-16.80	74.00	30.23	100	240	Vertical			
4	4882.59	34.31	-16.80	54.00	19.69	200	194	Vertical			
5	7323.00	38.26	-9.27	54.00	15.74	200	175	Vertical			
6	7323.00	48.61	-9.27	74.00	25.39	100	223	Vertical			

Final Data List






Report No.: HR/2021/1001402

Page: 78 of 90

4.11.2.5 GFSK Channel 78

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2993.49	56.14	10.66	74.00	17.86	100	314	Horizontal			
2	2998.49	45.68	10.75	54.00	8.32	200	244	Horizontal			
3	4960.00	44.61	-16.28	74.00	29.39	200	202	Horizontal			
4	4960.00	37.58	-16.28	54.00	16.42	300	221	Horizontal			
5	7440.00	38.46	-8.83	54.00	15.54	100	342	Horizontal			
6	7440.00	51.67	-8.83	74.00	22.33	200	22	Horizontal			

Final Data List






Report No.: HR/2021/1001402

79 of 90 Page:

4.11.2.6 GFSK Channel 78

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2956.48	45.15	10.68	54.00	8.85	100	110	Vertical			
2	2981.99	55.64	10.62	74.00	18.36	200	80	Vertical			
3	4960.00	44.43	-16.28	74.00	29.57	300	164	Vertical			
4	4960.00	33.98	-16.28	54.00	20.02	400	228	Vertical			
5	7440.00	38.55	-8.83	54.00	15.45	100	86	Vertical			
6	7440.00	51.59	-8.83	74.00	22.41	200	304	Vertical			

Final Data List

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, the disturbance between 9KHz to 30MHz and 18GHz to 25GHz was very low, and the above harmonics were the highest point could be found when testing, The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.
- 4) All Modes have been tested, but only the worst case data displayed in this report.






Report No.: HR/2021/1001402

Page: 80 of 90

4.12Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 1	5.209 and 15.205	
Test Method:	ANSI C63.10: 2013		
Test Site:	Measurement Distance: 3m	(Semi-Anechoic Cham	ber)
Limit:	Frequency	Limit (dBuV/m)	Remark
	30MHz-88MHz	40.0	Quasi-peak
	88MHz-216MHz	43.5	Quasi-peak
	216MHz-960MHz	46.0	Quasi-peak
	960MHz-1GHz	54.0	Quasi-peak
	Above 1GHz	54.0	Average Value
	Above IGHZ	74.0	Peak Value
Test Setup:			






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.gapx.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx.. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

**Attention: To check the authenticity of testing inspection report & cartificate, please context us at telephone (86-755) \$307 1443.

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594

sgs.china@sgs.com



Report No.: HR/2021/1001402

81 of 90 Page:

	1 agc. 01 01 00
Test Procedure:	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	, , , , , , , , , , , , , , , , , , , ,
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
	h. Test the EUT in the lowest channel , the Highest channel
	i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	j. Repeat above procedures until all frequencies measured was complete.
	Non-hopping transmitting mode with all kind of modulation and all kind of
Exploratory Test Mode:	data type
	Charge + Transmitting mode.
	Through Pre-scan, find the DH5 of data type and GFSK modulation is the worst case.
Final Test Mode:	Pretest the EUT at Charge + Transmitting mode,
	Only the worst case is recorded in the report.
Test Configuration:	Measurements Below 1000MHz
22.029533	• RBW = 120 kHz
	• VBW = 300 kHz
	Detector = Peak
	Trace mode = max hold
	Peak Measurements Above 1000 MHz
	• RBW = 1 MHz
	VBW ≥ 3 MHz
	Detector = Peak
	Sweep time = auto
	Trace mode = max hold
	Average Measurements Above 1000MHz
	• RBW = 1 MHz
	place otherwise gareed in writing this document is issued by the Company subject to its General Conditions of Service printed



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issue defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck-Rises.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: HR/2021/1001402

82 of 90 Page:

	VBW = 10 Hz, when duty cycle is no less than 98 percent.
	• VBW \geqslant 1/T, when duty cycle is less than 98 percent where T is the minimum
	transmission duration over which the transmitter is on and is transmitting at its maximum power control level for the tested mode of operation.
Instruments Used:	Refer to section 6 for details
Test Results:	Pass
Remark:	The Emission Test data were reused from the report no:XHR/2021/1001401





Report No.: HR/2021/1001402


Page: 83 of 90

4.12.1 **Test Plots**

4.12.1.1 Worst Case Mode (GFSK(DH5))

4.12.1.2 GFSK_Channel 0

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2372.05	47.36	8.03	74.00	26.64	100	79	Horizontal			
2	2380.31	33.77	7.99	54.00	20.23	200	192	Horizontal			
3	2390.00	46.96	7.98	74.00	27.04	100	265	Horizontal			
4	2390.00	35.90	7.98	54.00	18.10	100	260	Horizontal			
5	2402.00	105.57	8.06	0.00	-105.57	300	268	Horizontal			
6	2402.00	105.97	8.06	0.00	-105.97	100	311	Horizontal			

Final Data List






Report No.: HR/2021/1001402

Page: 84 of 90

4.12.1.3 GFSK Channel 0

Test Graph



Suspected List

Suspe	Suspected List										
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity			
1	2376.18	48.07	7.96	74.00	25.93	100	5	Vertical			
2	2378.20	33.91	7.98	54.00	20.09	100	199	Vertical			
3	2390.00	47.66	7.98	74.00	26.34	300	110	Vertical			
4	2390.00	33.62	7.98	54.00	20.38	200	188	Vertical			
5	2402.00	92.71	8.06	0.00	-92.71	100	265	Vertical			
6	2402.00	92.84	8.06	0.00	-92.84	200	265	Vertical			

Final Data List






Report No.: HR/2021/1001402

Page: 85 of 90

4.12.1.4 GFSK Channel 78

Test Graph



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.00	105.05	8.54	0.00	-105.05	100	258	Horizontal
2	2480.00	104.94	8.54	0.00	-104.94	300	258	Horizontal
3	2483.50	58.16	8.50	74.00	15.84	100	273	Horizontal
4	2483.50	37.17	8.50	54.00	16.83	200	273	Horizontal
5	2483.59	61.78	8.50	74.00	12.22	100	273	Horizontal
6	2487.54	43.20	8.56	54.00	10.80	200	273	Horizontal

Final Data List






Report No.: HR/2021/1001402

86 of 90 Page:

4.12.1.5 GFSK Channel 78

Test Graph



Suspected List

Suspected List								
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2480.00	92.53	8.54	0.00	-92.53	100	231	Vertical
2	2480.00	92.39	8.54	0.00	-92.39	200	231	Vertical
3	2483.50	47.78	8.50	74.00	26.22	300	345	Vertical
4	2483.50	32.94	8.50	54.00	21.06	100	301	Vertical
5	2484.09	49.76	8.50	74.00	24.24	200	231	Vertical
6	2487.24	34.03	8.55	54.00	19.97	100	301	Vertical

Final Data List

Remark:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor All Modes have been tested, but only the worst case data displayed in this report.





Report No.: HR/2021/1001402

Page: 87 of 90

Measurement Uncertainty (95% confidence levels, k=2)

Lab A:

No.	Item	Measurement Uncertainty
1	Total RF power, conducted	±0.75dB
2	RF power density, conducted	±2.84dB
3	Spurious emissions, conducted	±0.75dB
4	Temperature test	±1°C
5	Humidity test	±3%
6	DC and low frequency voltages	±0.5%

Lab B:

No.	ltem	Measurement Uncertainty		
		±4.8dB (30MHz-1GHz)		
4	Radiated Spurious emission test	±5.2dB (1GHz-6GHz)		
1		±5.5dB (6GHz-18GHz)		
		±5.02dB (18GHz-40GHz)		
2	Conduct emission test	±3.4 dB (9KHz- 30MHz)		





Report No.: HR/2021/1001402

Page: 88 of 90

Equipment List

RF conducted test								
Toot Equipment	Manufacturer	Model No.	Inventory No	Cal. date	Cal.Duedate			
Test Equipment			Inventory No-	(yyyy-mm-dd)	(yyyy-mm-dd)			
DC Power Supply	Agilent Technologie	66311B	W009-09	2020/7/15	2021/7/15			
Cianal Analyses	Rohde & Schwarz	FSV	W025-05	2021/1/3	2022/1/2			
Signal Analyzer				2020/1/4	2021/1/3			
Coaxial Cable	SGS	N/A	SEM031-01	2020/6/12	2021/6/11			
Attenuator	Weinschel Associates	WA41	SEM021-09	N/A	N/A			
Signal Generator	KEYSIGHT	N5173B	SEM006-05	2020/7/14	2021/7/14			
Temperature Chamber	GIANT FORCE	ICT-150-40-CP AR	W027-03	2020/10/27	2021/10/27			
Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2020/7/14	2021/7/14			





Report No.: HR/2021/1001402

Page: 89 of 90

			raye.	09 01 90				
RSE&RE&CE Test System								
Equipment	Manufacturer	Model No.	Cal Date	Cal Due Date	Inventory No.			
Semi-Anechoic Chamber	Brilliant-emc	966	NCR	NCR	XAW03-35-01			
MXA signal analyzer	Keysight	N9020A	2020-04-02	2021-04-02	XAW01-06-01			
Radio communication analyzer	ROHDE&SCHWARZ	CMW 500	2020-04-02	2021-04-02	XAW01-03-02			
Test receiver	ROHDE&SCHWARZ	ESR	2020-09-11	2021-09-10	XAW01-08-01			
Receiving antenna	Rosenberger	VULB 9163	2019-10-13	2021-10-12	XAW01-09-01			
Receiving antenna	Rosenberger	BBHA 9120D	2019-10-13	2021-10-12	XAW01-09-02			
Receiving antenna	Rosenberger	BBHA 9170	2019-10-13	2021-10-12	XAW01-09-03			
Directional antenna rack controller	Max-Full	MF-7802BS	NCR	NCR	XAW03-03-01			
High-speed antenna rack controller	Max-Full	MF-7802	NCR	NCR	XAW03-04-01			
Filter bank	Tonscend	JS0806-F	NCR	NCR	XAW03-05-01			
Filter bank	Tonscend	JS0806s	NCR	NCR	XAW03-05-02			
Amplifier	Tonscend	TAP00903040	2020-10-26	2021-10-25	XAW01-41-01			
Amplifier	Tonscend	TAP01018048	2020-10-26	2021-10-25	XAW01-41-02			
Amplifier	Tonscend	TAP18040048	2020-10-26	2021-10-25	XAW01-41-03			
Amplifier	Shanghai Steed	YX28980930	2020-10-26	2021-10-25	XAW01-41-06			
Artificial network	ROHDE&SCHWARZ	ENV216	2020-08-04	2021-08-03	XAW01-19-02			
Temperature and humidity meter	MingGao	TH101B	2020-06-11	2021-05-11	XAW01-01-01			
Measurement Software	Tonscend	TS+ RSE&RE	NCR	NCR	XAW02-05-01			
Measurement Software	Tonscend	TS+ CE	NCR	NCR	XAW02-05-02			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection ceport & certificate, please contact us at telephone: (86-755) 8307 1443, or small: CND Doccheck-Rissas.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn 中国·深圳·科技园中区M-10栋一号厂房

邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



Report No.: HR/2021/1001402

Page: 90 of 90

7 **Photographs - EUT Constructional Details**

Refer to Appendix A PCE Setup Photos.

The End

