


EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax160_Ch114
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11126.991667	45.45	---	74.00	28.55	100.0	H	172.0	12.5
11135.350000	---	37.49	54.00	16.51	100.0	H	90.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax160_Ch114
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11127.975000	46.27	---	74.00	27.73	100.0	V	255.0	12.5
11163.375000	---	37.30	54.00	16.70	100.0	V	350.0	12.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5423.727778	---	40.95	54.00	13.05	100.0	H	62.0	13.5
5465.766667	52.97	---	68.20	15.23	100.0	H	253.0	13.6

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch100
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.441667	---	42.54	54.00	11.46	100.0	V	160.0	13.6
5469.727778	57.69	---	68.20	10.51	100.0	V	160.0	13.6

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch140
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5802.387500	63.28	68.20	4.92	100.0	H	281.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch140
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5802.480556	59.79	68.20	8.41	100.0	V	38.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch100
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5448.836111	---	40.66	54.00	13.34	100.0	H	72.0	13.5
5465.958333	52.67	---	68.20	15.53	100.0	H	195.0	13.6

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch100
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.761111	---	44.68	54.00	9.32	100.0	V	93.0	13.6
5469.663889	58.38	---	68.20	9.82	100.0	V	155.0	13.6

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch140
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5777.448611	56.63	68.20	11.57	100.0	H	0.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch140
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5812.251389	58.20	68.20	10.00	100.0	V	193.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch102
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5418.169445	---	46.37	54.00	7.63	100.0	H	356.0	13.5
5466.022222	57.74	---	68.20	10.46	100.0	H	170.0	13.6

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch102
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.186111	---	48.56	54.00	5.44	100.0	V	93.0	13.6
5469.600000	65.32	---	68.20	2.88	100.0	V	101.0	13.6

Final_Result

Frequency (MHz)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch134
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5780.147222	60.02	68.20	8.18	100.0	H	0.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch134
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5802.852778	61.50	68.20	6.70	100.0	V	310.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch106
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5449.544445	---	46.21	54.00	7.79	100.0	H	287.0	13.5
5465.933333	58.19	---	68.20	10.01	100.0	H	0.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch106
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5450.855556	---	51.97	54.00	2.03	100.0	V	52.0	13.5
5467.572222	64.63	---	68.20	3.57	100.0	V	320.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch122
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5803.597222	63.15	68.20	5.05	100.0	H	96.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch122
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5744.413889	59.81	68.20	8.39	100.0	V	0.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax160_Ch114
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5742.645833	59.37	68.20	8.83	100.0	H	10.0	13.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax160_Ch114
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5807.133333	62.08	68.20	6.12	100.0	V	30.0	14.0

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax160_Ch114
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5435.300000	---	46.62	54.00	7.38	100.0	H	6.0	13.5
5467.500000	57.42	---	68.20	10.78	100.0	H	0.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax160_Ch114
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5462.600000	64.19	---	68.20	4.01	100.0	V	153.0	13.6


Final_Result

Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5447.819444	50.45	54.00	3.55	105.0	V	213.0	13.5

U-NII-3 Band

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2527.280000	51.75	---	74.00	22.25	100.0	H	229.0	7.5
2527.790000	---	41.88	54.00	12.12	100.0	H	229.0	7.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch157
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2527.110000	49.81	---	74.00	24.19	100.0	V	17.0	7.5
2589.500000	---	41.28	54.00	12.72	100.0	V	356.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11571.950000	---	37.87	54.00	16.13	100.0	H	159.0	13.4
11577.358333	46.68	---	74.00	27.32	100.0	H	120.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch157
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11578.833333	---	39.54	54.00	14.46	100.0	V	281.0	13.4
11581.783333	46.77	---	74.00	27.23	100.0	V	167.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch157
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2481.210000	50.55	---	74.00	23.45	100.0	H	324.0	7.4
2551.760000	---	41.12	54.00	12.88	100.0	H	81.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch157
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2492.260000	---	43.99	54.00	10.01	100.0	V	0.0	7.4
2492.600000	51.63	---	74.00	22.37	100.0	V	0.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch157
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11575.391667	---	37.87	54.00	16.13	100.0	H	292.0	13.4
11578.833333	46.13	---	74.00	27.87	100.0	H	208.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch157
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11569.000000	---	40.62	54.00	13.38	100.0	V	48.0	13.4
11570.966667	49.34	---	74.00	24.66	100.0	V	288.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch151
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2497.530000	---	40.60	54.00	13.40	100.0	H	113.0	7.4
2500.590000	50.47	---	74.00	23.53	100.0	H	251.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch151
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
3200.140000	54.54	---	74.00	19.46	100.0	V	284.0	8.6
3200.140000	---	44.72	54.00	9.28	100.0	V	284.0	8.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch151
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11482.466667	46.77	---	74.00	27.23	100.0	H	133.0	13.7
11524.750000	---	38.47	54.00	15.53	100.0	H	0.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch151
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11510.000000	47.22	---	74.00	26.78	100.0	V	278.0	13.7
11510.983333	---	39.72	54.00	14.28	100.0	V	290.0	13.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch155
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2494.300000	55.39	---	74.00	18.61	100.0	H	0.0	7.4
2494.470000	---	44.07	54.00	9.93	100.0	H	0.0	7.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch155
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
2521.160000	49.85	---	74.00	24.15	100.0	V	184.0	7.5
2653.250000	---	42.36	54.00	11.64	100.0	V	250.0	7.6

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch155
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11572.933333	---	37.94	54.00	16.06	100.0	H	109.0	13.4
11578.341667	46.21	---	74.00	27.79	100.0	H	258.0	13.4

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax80_Ch155
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Average (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
11551.300000	47.05	---	74.00	26.95	100.0	V	127.0	13.5
11555.725000	---	38.10	54.00	15.90	100.0	V	29.0	13.5

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5644.611111	52.96	68.20	15.24	100.0	H	323.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11a_Ch149
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.711111	53.14	68.20	15.06	100.0	V	102.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch165
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5946.908333	54.30	68.20	13.90	100.0	H	32.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11a_Ch165
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5947.547222	54.10	68.20	14.10	100.0	V	32.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch149
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5642.900000	53.07	68.20	15.13	100.0	H	19.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch149
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5629.455556	52.89	68.20	15.31	100.0	V	104.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax20_Ch165
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5936.494445	54.04	68.20	14.16	100.0	H	321.0	14.7

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax20_Ch165
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5968.247222	55.24	68.20	12.96	100.0	V	328.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch151
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5612.588889	59.47	68.20	8.73	100.0	H	96.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch151
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5641.494445	59.76	68.20	8.44	100.0	V	114.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax40_Ch159
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5976.936111	61.24	68.20	6.96	100.0	H	59.0	14.9

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name: Home Gateway
Model: E3330
Test Mode: WIFI 5G_11ax40_Ch159
Order No/Sample No: 168377514/A003283346-001
Test Voltage:: 120V/60Hz
Remark: Temp 23 Humi:53%
Test Standard: FCC 15.407
Tested By: Kei Zhang
Reviewed By: Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5951.636111	60.86	68.20	7.34	100.0	V	256.0	14.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch155
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs


Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5631.777778	60.00	68.20	8.20	100.0	H	270.0	13.8

Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

EUT Information

EUT Name:	Home Gateway
Model:	E3330
Test Mode:	WIFI 5G_11ax80_Ch155
Order No/Sample No:	168377514/A003283346-001
Test Voltage::	120V/60Hz
Remark:	Temp 23 Humi:53%
Test Standard:	FCC 15.407
Tested By:	Kei Zhang
Reviewed By:	Terry Yin



Critical_Freqs

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5644.305556	62.17	68.20	6.03	100.0	V	102.0	13.8


Final_Result

Frequency (MHz)	MaxPeak (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
---	---	---	---	---		---	---

Appendix B.7: Test Results of Conducted Emission

EUT Information

EUT Name: Home Gateway
Order No: 168377514
Model: E3330
Test mode: WIFI Link
Test Voltage: AC120V/60Hz
Test By:/Review By: Steve Lan/Gary Chen
Tem./Hum./Pressure: 24.1°C/53.7%/101kPa
Remark: SR1



Critical Freqs


Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.166000	53.60	---	65.16	11.56	N	9.8
0.170000	---	35.15	54.96	19.81	N	9.8
0.298000	---	29.17	50.30	21.13	N	9.8
0.318000	46.18	---	59.76	13.58	N	9.8
0.753500	---	33.70	46.00	12.30	N	9.8
0.754500	47.11	---	56.00	8.89	N	9.8
1.106000	---	26.23	46.00	19.77	N	9.8
1.178000	40.95	---	56.00	15.05	N	9.8
1.766000	---	23.92	46.00	22.08	N	9.8
1.810000	38.33	---	56.00	17.67	N	9.8
2.998000	38.68	---	56.00	17.32	N	9.9
3.034000	---	23.57	46.00	22.43	N	9.9

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.753500	---	32.75	46.00	13.25	3000.0	9.000	N	9.8
0.754500	44.05	---	56.00	11.95	3000.0	9.000	N	9.8

EUT Information

EUT Name: Home Gateway
Order No: 168377514
Model: E3330
Test mode: WIFI Link
Test Voltage: AC120V/60Hz
Test By./Review By: Steve Lan/Gary Chen
Tem./Hum./Pressure: 24.1°C/53.7%/101kPa
Remark: SR1



Critical Freqs

Frequency (MHz)	MaxPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Line	Corr. (dB)
0.165500	---	37.30	55.16	17.86	L1	9.9
0.165500	55.23	---	64.96	9.73	L1	9.9
0.186000	53.71	---	64.21	10.51	L1	9.9
0.190000	---	33.51	54.04	20.52	L1	9.9
0.214000	---	33.18	53.05	19.87	L1	9.9
0.222000	51.82	---	62.74	10.92	L1	9.9
0.750000	41.06	---	56.00	14.94	L1	10.0
0.750000	---	29.89	46.00	16.11	L1	10.0
1.650000	34.24	---	56.00	21.76	L1	10.1
1.666000	---	20.22	46.00	25.78	L1	10.1
2.902000	33.47	---	56.00	22.53	L1	10.2
2.942000	---	18.49	46.00	27.51	L1	10.2

Final Result

Frequency (MHz)	QuasiPeak (dBμV)	Average (dBμV)	Limit (dBμV)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Line	Corr. (dB)
0.165500	52.80	---	65.18	12.39	3000.0	9.000	L1	9.9
0.165500	---	35.53	55.18	19.66	3000.0	9.000	L1	9.9