

LTE

Data List								
Test Mode	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Pol.	Det
LTE_B2_20M_CH18700	112.4912	-52.37	-49.77	2.60	-13.00	36.77	V	PK
	253.6968	-51.38	-49.84	1.54	-13.00	36.84	H	PK
	879.6598	-50.86	-42.04	8.82	-13.00	29.04	H	PK
	3702.0000	-60.21	-46.10	14.11	-13.00	33.10	V	PK
	5553.0000	-62.45	-43.29	19.16	-13.00	30.29	V	PK
	7404.0000	-62.16	-38.31	23.85	-13.00	25.31	V	PK
	9255.0000	-67.21	-44.86	22.35	-13.00	31.86	H	PK
	11106.0000	-67.74	-42.81	24.93	-13.00	29.81	V	PK
	12957.0000	-69.34	-42.90	26.44	-13.00	29.90	V	PK
	14808.0000	-68.30	-40.54	27.76	-13.00	27.54	H	PK
	16659.0000	-68.22	-35.93	32.29	-13.00	22.93	H	PK
LTE_B4_20M_CH20050	88.2291	-58.30	-61.50	-3.20	-13.00	48.50	V	PK
	470.1151	-66.56	-66.56	0.00	-13.00	53.56	H	PK
	890.3352	-64.63	-59.12	5.51	-13.00	46.12	V	PK
	3458.0000	-55.59	-42.72	12.87	-13.00	29.72	V	PK
	5187.0000	-61.50	-43.55	17.95	-13.00	30.55	V	PK
	6916.0000	-62.31	-39.80	22.51	-13.00	26.80	H	PK
	8645.0000	-65.79	-43.91	21.88	-13.00	30.91	V	PK
	10374.0000	-68.15	-43.75	24.40	-13.00	30.75	H	PK
	12103.0000	-68.10	-42.75	25.35	-13.00	29.75	V	PK
	13832.0000	-68.93	-42.59	26.34	-13.00	29.59	H	PK
	15561.0000	-68.61	-39.11	29.50	-13.00	26.11	V	PK
	17290.0000	-68.44	-34.48	33.96	-13.00	21.48	V	PK
LTE_B5_10M_CH20600	47.954	-51.87	-54.98	-3.11	-13.00	41.98	H	PK
	107.6388	-51.59	-49.64	1.95	-13.00	36.64	V	PK
	249.3297	-51.92	-50.34	1.58	-13.00	37.34	H	PK
	1680.0000	-58.62	-43.22	15.40	-13.00	30.22	V	PK
	2520.0000	-60.42	-38.34	22.08	-13.00	25.34	H	PK

	3360.0000	-59.89	-46.81	13.08	-13.00	33.81	V	PK
	4200.0000	-61.78	-46.11	15.67	-13.00	33.11	H	PK
	5040.0000	-61.81	-43.90	17.91	-13.00	30.90	H	PK
	5880.0000	-62.26	-42.61	19.65	-13.00	29.61	H	PK
	6720.0000	-62.08	-41.02	21.06	-13.00	28.02	H	PK
	7560.0000	-63.19	-39.18	24.01	-13.00	26.18	H	PK
	8400.0000	-68.51	-45.74	22.77	-13.00	32.74	H	PK
LTE_B12_5M_CH23155	111.0355	-53.19	-50.26	2.93	-13.00	37.26	V	PK
	250.7854	-52.22	-50.19	2.03	-13.00	37.19	H	PK
	1422.0000	-59.76	-44.80	14.96	-13.00	31.80	V	PK
	2133.0000	-59.34	-39.49	19.85	-13.00	26.49	V	PK
	2844.0000	-59.15	-36.88	22.27	-13.00	23.88	V	PK
	3555.0000	-61.28	-47.60	13.68	-13.00	34.60	H	PK
	4266.0000	-61.25	-45.31	15.94	-13.00	32.31	H	PK
	4977.0000	-62.67	-45.17	17.50	-13.00	32.17	H	PK
	5688.0000	-61.80	-43.26	18.54	-13.00	30.26	H	PK
	6899.0000	-62.35	-40.45	21.90	-13.00	27.45	H	PK
	7110.0000	-63.37	-40.98	22.39	-13.00	27.98	H	PK
LTE_B13_10M_CH23230	110.065	-52.53	-49.87	2.66	-13.00	36.87	V	PK
	252.7264	-51.95	-50.08	1.87	-13.00	37.08	H	PK
LTE_B13_5M_CH23230	1568.0000	-60.29	-46.18	14.11	-40.00	6.18	V	PK
	2352.0000	-60.02	-39.59	20.43	-13.00	26.59	H	PK
	2739.8699	-57.31	-34.98	22.33	-13.00	21.98	V	PK
	3136.0000	-59.58	-46.70	12.88	-13.00	33.70	V	PK
	3920.0000	-60.44	-45.39	15.05	-13.00	32.39	H	PK
	4704.0000	-62.43	-45.45	16.98	-13.00	32.45	H	PK
	5488.0000	-61.95	-43.58	18.37	-13.00	30.58	H	PK
	6272.0000	-61.41	-41.39	20.02	-13.00	28.39	V	PK
	7056.0000	-62.58	-40.58	22.00	-13.00	27.58	H	PK
	7840.0000	-63.58	-39.44	24.14	-13.00	26.44	H	PK
LTE_B13_5M_CH23255	1569.0000	-60.70	-46.03	14.67	-40.00	6.03	H	PK
	2354.0000	-59.74	-39.34	20.40	-13.00	26.34	H	PK

	3138.0000	-60.30	-47.45	12.85	-13.00	34.45	V	PK
	3922.0000	-60.88	-45.77	15.11	-13.00	32.77	V	PK
	4707.0000	-61.36	-44.68	16.68	-13.00	31.68	V	PK
	5491.0000	-61.73	-43.15	18.58	-13.00	30.15	V	PK
	6276.0000	-61.48	-41.08	20.40	-13.00	28.08	H	PK
	7060.0000	-62.96	-40.84	22.12	-13.00	27.84	H	PK
	7845.0000	-63.60	-40.03	23.57	-13.00	27.03	V	PK
LTE_B14_5M_CH23355	111.0355	-51.53	-48.60	2.93	-13.00	35.60	V	PK
	249.8149	-52.16	-50.43	1.73	-13.00	37.43	H	PK
	1592.0000	-59.76	-45.05	14.71	-40.00	5.05	H	PK
	2388.0000	-60.09	-39.46	20.63	-13.00	26.46	H	PK
	3184.0000	-60.33	-47.44	12.89	-13.00	34.44	H	PK
	3980.0000	-61.73	-46.20	15.53	-13.00	33.20	V	PK
	4776.0000	-60.99	-43.98	17.01	-13.00	30.98	H	PK
	5572.0000	-61.81	-43.28	18.53	-13.00	30.28	V	PK
	6368.0000	-61.24	-40.77	20.47	-13.00	27.77	H	PK
	7164.0000	-62.87	-40.16	22.71	-13.00	27.16	H	PK
	7960.0000	-63.57	-39.30	24.27	-13.00	26.30	V	PK
LTE_B66_20M_CH132572	112.4912	-52.32	-49.72	2.60	-13.00	36.72	V	PK
	248.8444	-51.53	-50.15	1.38	-13.00	37.15	H	PK
	883.0565	-50.44	-41.79	8.65	-13.00	28.79	H	PK
	3556.0000	-60.72	-47.15	13.57	-13.00	34.15	V	PK
	5334.0000	-61.87	-42.46	19.41	-13.00	29.46	V	PK
	7112.0000	-62.94	-40.96	21.98	-13.00	27.96	V	PK
	8890.0000	-67.02	-45.03	21.99	-13.00	32.03	V	PK
	10668.0000	-68.92	-43.96	24.96	-13.00	30.96	V	PK
	12446.0000	-68.87	-43.28	25.59	-13.00	30.28	V	PK
	14224.0000	-69.17	-43.49	25.68	-13.00	30.49	H	PK
	16002.0000	-68.80	-37.51	31.29	-13.00	24.51	H	PK
	17780.0000	-70.19	-35.09	35.10	-13.00	22.09	H	PK
LTE_B71_20M_CH133322	111.0355	-61.55	-58.62	2.93	-13.00	45.62	V	RMS
	252.2411	-61.02	-59.00	2.02	-13.00	46.00	H	RMS

	880.1451	-59.70	-50.91	8.79	-13.00	37.91	H	RMS
	1364.0000	-60.65	-45.84	14.81	-13.00	32.84	V	PK
	2046.0000	-60.34	-40.68	19.66	-13.00	27.68	V	PK
	2728.0000	-59.05	-37.07	21.98	-13.00	24.07	H	PK
	3410.0000	-60.01	-46.93	13.08	-13.00	33.93	V	PK
	4092.0000	-61.70	-46.17	15.53	-13.00	33.17	V	PK
	4774.0000	-61.67	-44.75	16.92	-13.00	31.75	H	PK
	5456.0000	-62.06	-43.53	18.53	-13.00	30.53	H	PK
	6138.0000	-61.99	-42.05	19.94	-13.00	29.05	V	PK
	6820.0000	-62.83	-40.44	22.39	-13.00	27.44	H	PK

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

(3)V=Vertical,H= Horizontal