



APPROVED SOURCE(S) OF SUPPLY	
SUPPLIER	PART NUMBER
1. CENTURION WIRELESS TECH. INC	CAF94656
2.	
3.	
4.	
5.	
6.	

REVISIONS					
REV	ECN	ZONE	DESCRIPTION	DATE	DRAWN & APPROVED
01			INITIAL DRAWING CREATION		
02			PRE-RELEASE	01-31-05	C.MILLER
03			PRE-RELEASE #2		
A			-001 RELEASED AT REV A		



NOTES: UNLESS OTHERWISE SPECIFIED

- FREQUENCY RANGE: 2.4 - 2.5 Ghz
- CHANGES REQUIRE SAC APPROVAL.
- PACKAGING REQUIREMENTS: PACKAGE PARTS TO ALLOW SHIPMENT WITHOUT DAMAGE. MARK SHIPPING CONTAINER WITH 074660 AND DASH NUMBER TO WHICH MANUFACTURED PER SPECIFICATION 606427.
- COUNTRY OF ORIGIN REQUIREMENTS SHALL CONFORM TO THE LATEST REVISION OF DOCUMENT 609030.

Antenna Gain = +2 dBi


RELEASED
SOURCE CONTROL DRAWING

-001

					REVISION	REV STATUS OF SHEETS
5	4	3	2	1	SHEET	

NOTICE

THIS DRAWING SHALL NOT BE DUPLICATED OR USED FOR ANY PURPOSE OTHER THAN THAT FOR WHICH PROVIDED. THE INFORMATION DISCLOSED HEREIN ORIGINATED BY AND IS THE PROPERTY OF INTERMEC TECHNOLOGIES CORPORATION AND EXCEPT FOR RIGHTS EXPRESSLY GRANTED BY WRITTEN CONSENT, SUCH INFORMATION SHALL NOT BE DISCLOSED OR DISSEMINATED WHOLE OR IN PART. INTERMEC TECHNOLOGIES CORPORATION RESERVES ALL PATENT, COPYRIGHT, TRADEMARK, PROPRIETARY, DESIGN, MASK WORK, USE, SALE, MANUFACTURING, REPRODUCTION AND OTHER INTELLECTUAL PROPERTY RIGHTS THERETO.

CAD DB.REF- 075306.1.a SYSTEM - HP-ME10					
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES.	APPROVALS		DATE	 6001 36TH AVENUE WEST EVERETT, WA 98203	
	DRAWN	C.MILLER	01-31-05		
	CHECKED	G.RAVEN	2-24-05	TITLE	
	RESP ENG	C.MILLER	2-24-05	ANTENNA ASSEMBLY, 802.11G,CN2	
	QA	A.PHILLIPS	2-24-05		
.X ± .1 .XX ± .01 .XXX ± .005 ANGLES ± .5°	MFG ENG	RICK C.	3-4-05	SIZE	CAGE CODE
	SAC	O.DREW	2-25-05	C	33825
				DRAWING NUMBER	
				075306	
				SCALE	1/1
				USED ON	CN2
				SHEET 1 OF 1	

Antenna Info Exhibit

The Wistron 802.11(b)/(g) radio installed in Intermec's CN2B handheld device will utilize a single internal antenna. The antenna used is Centurion Wireless CAF94656. The peak gain of the antenna is +2 dBi.

This antenna meets the requirements of Part 15.203 of the FCC rules. The antenna is internal and factory installed. The connector is an I-PEX MHF right angle plug, compatible with Hirose UFL connectors.