



Appendix E

RF Test Data for 5.8G WIFI (Conducted Measurement)

Product Name: NoteBook

Test Model: KS-95

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Li Huan



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



E.1 -6dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant0	16.436	≥ 0.5	Pass
NVNT	a	5785	Ant0	16.503	≥ 0.5	Pass
NVNT	a	5825	Ant0	16.477	≥ 0.5	Pass
NVNT	n20	5745	Ant0	17.695	≥ 0.5	Pass
NVNT	n20	5785	Ant0	17.615	≥ 0.5	Pass
NVNT	n20	5825	Ant0	17.641	≥ 0.5	Pass
NVNT	n40	5755	Ant0	36.456	≥ 0.5	Pass
NVNT	n40	5795	Ant0	36.465	≥ 0.5	Pass
NVNT	ac20	5745	Ant0	17.662	≥ 0.5	Pass
NVNT	ac20	5785	Ant0	17.746	≥ 0.5	Pass
NVNT	ac20	5825	Ant0	17.588	≥ 0.5	Pass
NVNT	ac40	5755	Ant0	36.447	≥ 0.5	Pass
NVNT	ac40	5795	Ant0	36.469	≥ 0.5	Pass
NVNT	ac80	5775	Ant0	76	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant0




-6dB Bandwidth NVNT a 5785MHz Ant0






-6dB Bandwidth NVNT a 5825MHz Ant0




-6dB Bandwidth NVNT n20 5745MHz Ant0






-6dB Bandwidth NVNT n20 5785MHz Ant0




-6dB Bandwidth NVNT n20 5825MHz Ant0






-6dB Bandwidth NVNT n40 5755MHz Ant0



-6dB Bandwidth NVNT n40 5795MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT ac20 5745MHz Ant0




-6dB Bandwidth NVNT ac20 5785MHz Ant0






-6dB Bandwidth NVNT ac20 5825MHz Ant0




-6dB Bandwidth NVNT ac40 5755MHz Ant0






-6dB Bandwidth NVNT ac40 5795MHz Ant0



-6dB Bandwidth NVNT ac80 5775MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	Ant1	15.626	≥ 0.5	Pass
NVNT	a	5785	Ant1	15.666	≥ 0.5	Pass
NVNT	a	5825	Ant1	15.287	≥ 0.5	Pass
NVNT	n20	5745	Ant1	15.475	≥ 0.5	Pass
NVNT	n20	5785	Ant1	15.462	≥ 0.5	Pass
NVNT	n20	5825	Ant1	15.713	≥ 0.5	Pass
NVNT	n40	5755	Ant1	36.479	≥ 0.5	Pass
NVNT	n40	5795	Ant1	36.129	≥ 0.5	Pass
NVNT	ac20	5745	Ant1	15.073	≥ 0.5	Pass
NVNT	ac20	5785	Ant1	16.157	≥ 0.5	Pass
NVNT	ac20	5825	Ant1	14.224	≥ 0.5	Pass
NVNT	ac40	5755	Ant1	36.461	≥ 0.5	Pass
NVNT	ac40	5795	Ant1	36.392	≥ 0.5	Pass
NVNT	ac80	5775	Ant1	71.501	≥ 0.5	Pass






Test Graphs

-6dB Bandwidth NVNT a 5745MHz Ant1




-6dB Bandwidth NVNT a 5785MHz Ant1






-6dB Bandwidth NVNT a 5825MHz Ant1



-6dB Bandwidth NVNT n20 5745MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT n20 5785MHz Ant1




-6dB Bandwidth NVNT n20 5825MHz Ant1






-6dB Bandwidth NVNT n40 5755MHz Ant1




-6dB Bandwidth NVNT n40 5795MHz Ant1






-6dB Bandwidth NVNT ac20 5745MHz Ant1




-6dB Bandwidth NVNT ac20 5785MHz Ant1






-6dB Bandwidth NVNT ac20 5825MHz Ant1




-6dB Bandwidth NVNT ac40 5755MHz Ant1






-6dB Bandwidth NVNT ac40 5795MHz Ant1



-6dB Bandwidth NVNT ac80 5775MHz Ant1





E.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	8.11	0	8.11	30	Pass
NVNT	a	5785	Ant0	7.39	0	7.39	30	Pass
NVNT	a	5825	Ant0	6.83	0	6.83	30	Pass
NVNT	n20	5745	Ant0	7.89	0	7.89	30	Pass
NVNT	n20	5785	Ant0	7.43	0	7.43	30	Pass
NVNT	n20	5825	Ant0	6.83	0	6.83	30	Pass
NVNT	n40	5755	Ant0	7.64	0	7.64	30	Pass
NVNT	n40	5795	Ant0	6.85	0	6.85	30	Pass
NVNT	ac20	5745	Ant0	7.81	0	7.81	30	Pass
NVNT	ac20	5785	Ant0	7.28	0	7.28	30	Pass
NVNT	ac20	5825	Ant0	6.75	0	6.75	30	Pass
NVNT	ac40	5755	Ant0	7.73	0	7.73	30	Pass
NVNT	ac40	5795	Ant0	6.89	0	6.89	30	Pass
NVNT	ac80	5775	Ant0	6.78	0	6.78	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	7.77	0	7.77	30	Pass
NVNT	a	5785	Ant1	7.3	0	7.3	30	Pass
NVNT	a	5825	Ant1	6.76	0	6.76	30	Pass
NVNT	n20	5745	Ant1	7.7	0	7.7	30	Pass
NVNT	n20	5785	Ant1	7.24	0	7.24	30	Pass
NVNT	n20	5825	Ant1	6.74	0	6.74	30	Pass
NVNT	n40	5755	Ant1	7.41	0	7.41	30	Pass
NVNT	n40	5795	Ant1	6.68	0	6.68	30	Pass
NVNT	ac20	5745	Ant1	7.66	0	7.66	30	Pass
NVNT	ac20	5785	Ant1	7.19	0	7.19	30	Pass
NVNT	ac20	5825	Ant1	6.69	0	6.69	30	Pass
NVNT	ac40	5755	Ant1	7.4	0	7.4	30	Pass
NVNT	ac40	5795	Ant1	6.66	0	6.66	30	Pass
NVNT	ac80	5775	Ant1	6.61	0	6.61	30	Pass





MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	5745	7.89	7.7	10.81	30	Pass
NVNT	n20	5785	7.43	7.24	10.35	30	Pass
NVNT	n20	5825	6.83	6.74	9.80	30	Pass
NVNT	n40	5755	7.64	7.41	10.54	30	Pass
NVNT	n40	5795	6.85	6.68	9.78	30	Pass
NVNT	ac20	5745	7.81	7.66	10.75	30	Pass
NVNT	ac20	5785	7.28	7.19	10.25	30	Pass
NVNT	ac20	5825	6.75	6.69	9.73	30	Pass
NVNT	ac40	5755	7.73	7.4	10.58	30	Pass
NVNT	ac40	5795	6.89	6.66	9.79	30	Pass
NVNT	ac80	5775	6.78	6.61	9.71	30	Pass





E.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant0	-7.42	0	-7.42	30	Pass
NVNT	a	5785	Ant0	-8.03	0	-8.03	30	Pass
NVNT	a	5825	Ant0	-8.65	0	-8.65	30	Pass
NVNT	n20	5745	Ant0	-7.51	0	-7.51	30	Pass
NVNT	n20	5785	Ant0	-8.03	0	-8.03	30	Pass
NVNT	n20	5825	Ant0	-8.46	0	-8.46	30	Pass
NVNT	n40	5755	Ant0	-10.88	0	-10.88	30	Pass
NVNT	n40	5795	Ant0	-11.51	0	-11.51	30	Pass
NVNT	ac20	5745	Ant0	-7.58	0	-7.58	30	Pass
NVNT	ac20	5785	Ant0	-7.97	0	-7.97	30	Pass
NVNT	ac20	5825	Ant0	-8.4	0	-8.4	30	Pass
NVNT	ac40	5755	Ant0	-10.83	0	-10.83	30	Pass
NVNT	ac40	5795	Ant0	-11.39	0	-11.39	30	Pass
NVNT	ac80	5775	Ant0	-12.66	0	-12.66	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	Ant1	-7.26	0	-7.26	30	Pass
NVNT	a	5785	Ant1	-7.93	0	-7.93	30	Pass
NVNT	a	5825	Ant1	-8.39	0	-8.39	30	Pass
NVNT	n20	5745	Ant1	-7.76	0	-7.76	30	Pass
NVNT	n20	5785	Ant1	-8.21	0	-8.21	30	Pass
NVNT	n20	5825	Ant1	-8.82	0	-8.82	30	Pass
NVNT	n40	5755	Ant1	-10.95	0	-10.95	30	Pass
NVNT	n40	5795	Ant1	-11.76	0	-11.76	30	Pass
NVNT	ac20	5745	Ant1	-7.68	0	-7.68	30	Pass
NVNT	ac20	5785	Ant1	-8.17	0	-8.17	30	Pass
NVNT	ac20	5825	Ant1	-8.58	0	-8.58	30	Pass
NVNT	ac40	5755	Ant1	-10.89	0	-10.89	30	Pass
NVNT	ac40	5795	Ant1	-11.82	0	-11.82	30	Pass
NVNT	ac80	5775	Ant1	-13.66	0	-13.66	30	Pass





MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	5745	-7.51	-7.76	-4.62	30	Pass
NVNT	n20	5785	-8.03	-8.21	-5.11	30	Pass
NVNT	n20	5825	-8.46	-8.82	-5.63	30	Pass
NVNT	n40	5755	-10.88	-10.95	-7.90	30	Pass
NVNT	n40	5795	-11.51	-11.76	-8.62	30	Pass
NVNT	ac20	5745	-7.58	-7.68	-4.62	30	Pass
NVNT	ac20	5785	-7.97	-8.17	-5.06	30	Pass
NVNT	ac20	5825	-8.4	-8.58	-5.48	30	Pass
NVNT	ac40	5755	-10.83	-10.89	-7.85	30	Pass
NVNT	ac40	5795	-11.39	-11.82	-8.59	30	Pass
NVNT	ac80	5775	-12.66	-13.66	-10.12	30	Pass






Test Graphs

PSD NVNT a 5745MHz Ant0




PSD NVNT a 5785MHz Ant0










PSD NVNT a 5825MHz Ant0







PSD NVNT n20 5745MHz Ant0





















Test Graphs



PSD NVNT a 5745MHz Ant1







PSD NVNT a 5785MHz Ant1





















E.4 Restrict Band

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	EIRP Power (dBm)	Detector	Limit (dBm)	Verdict
NVNT	a	5745	5650	-42.26	2.42	-39.84	Peak	-27	Pass
NVNT	a	5745	5650	-56.1	2.42	-53.68	Average	-27	Pass
NVNT	a	5745	5700	-28.8	2.42	-26.38	Peak	10	Pass
NVNT	a	5745	5700	-41.59	2.42	-39.17	Average	10	Pass
NVNT	a	5745	5720	-17.57	2.42	-15.15	Peak	15.6	Pass
NVNT	a	5745	5720	-30.28	2.42	-27.86	Average	15.6	Pass
NVNT	a	5745	5725	-17.26	2.42	-14.84	Peak	27	Pass
NVNT	a	5745	5725	-26.22	2.42	-23.80	Average	27	Pass
NVNT	a	5825	5850	-19.93	2.42	-17.51	Peak	27	Pass
NVNT	a	5825	5850	-32.23	2.42	-29.81	Average	27	Pass
NVNT	a	5825	5855	-22.38	2.42	-19.96	Peak	15.6	Pass
NVNT	a	5825	5855	-35.64	2.42	-33.22	Average	15.6	Pass
NVNT	a	5825	5875	-33.75	2.42	-31.33	Peak	10	Pass
NVNT	a	5825	5875	-47.52	2.42	-45.10	Average	10	Pass
NVNT	a	5825	5925	-48.9	2.42	-46.48	Peak	-27	Pass
NVNT	a	5825	5925	-58.52	2.42	-56.10	Average	-27	Pass
NVNT	n20-MIMO	5745	5650	-44	5.43	-38.57	Peak	-27	Pass
NVNT	n20-MIMO	5745	5650	-56.55	5.43	-51.12	Average	-27	Pass
NVNT	n20-MIMO	5745	5700	-30.64	5.43	-25.21	Peak	10	Pass
NVNT	n20-MIMO	5745	5700	-41.49	5.43	-36.06	Average	10	Pass
NVNT	n20-MIMO	5745	5720	-19.44	5.43	-14.01	Peak	15.6	Pass
NVNT	n20-MIMO	5745	5720	-30.1	5.43	-24.67	Average	15.6	Pass
NVNT	n20-MIMO	5745	5725	-14.97	5.43	-9.54	Peak	27	Pass
NVNT	n20-MIMO	5745	5725	-25.61	5.43	-20.18	Average	27	Pass
NVNT	n20-MIMO	5825	5850	-21.47	5.43	-16.04	Peak	27	Pass
NVNT	n20-MIMO	5825	5850	-31.92	5.43	-26.49	Average	27	Pass
NVNT	n20-MIMO	5825	5855	-24.77	5.43	-19.34	Peak	15.6	Pass
NVNT	n20-MIMO	5825	5855	-35.18	5.43	-29.75	Average	15.6	Pass
NVNT	n20-MIMO	5825	5875	-35.37	5.43	-29.94	Peak	10	Pass
NVNT	n20-MIMO	5825	5875	-47.41	5.43	-41.98	Average	10	Pass
NVNT	n20-MIMO	5825	5925	-49.72	5.43	-44.29	Peak	-27	Pass
NVNT	n20-MIMO	5825	5925	-58.49	5.43	-53.06	Average	-27	Pass
NVNT	n40-MIMO	5755	5650	-38.64	5.43	-33.21	Peak	-27	Pass
NVNT	n40-MIMO	5755	5650	-47.89	5.43	-42.46	Average	-27	Pass
NVNT	n40-MIMO	5755	5700	-25.77	5.43	-20.34	Peak	10	Pass
NVNT	n40-MIMO	5755	5700	-34.46	5.43	-29.03	Average	10	Pass
NVNT	n40-MIMO	5755	5720	-16.62	5.43	-11.19	Peak	15.6	Pass





NVNT	n40-MIMO	5755	5720	-26.46	5.43	-21.03	Average	15.6	Pass
NVNT	n40-MIMO	5755	5725	-15.4	5.43	-9.97	Peak	27	Pass
NVNT	n40-MIMO	5755	5725	-25.04	5.43	-19.61	Average	27	Pass
NVNT	n40-MIMO	5795	5850	-25.73	5.43	-20.30	Peak	27	Pass
NVNT	n40-MIMO	5795	5850	-35.4	5.43	-29.97	Average	27	Pass
NVNT	n40-MIMO	5795	5855	-25.45	5.43	-20.02	Peak	15.6	Pass
NVNT	n40-MIMO	5795	5855	-36.69	5.43	-31.26	Average	15.6	Pass
NVNT	n40-MIMO	5795	5875	-30.76	5.43	-25.33	Peak	10	Pass
NVNT	n40-MIMO	5795	5875	-42.94	5.43	-37.51	Average	10	Pass
NVNT	n40-MIMO	5795	5925	-44	5.43	-38.57	Peak	-27	Pass
NVNT	n40-MIMO	5795	5925	-54.35	5.43	-48.92	Average	-27	Pass
NVNT	ac20-MIMO	5745	5650	-42.29	5.43	-36.86	Peak	-27	Pass
NVNT	ac20-MIMO	5745	5650	-56.43	5.43	-51.00	Average	-27	Pass
NVNT	ac20-MIMO	5745	5700	-30.76	5.43	-25.33	Peak	10	Pass
NVNT	ac20-MIMO	5745	5700	-41.86	5.43	-36.43	Average	10	Pass
NVNT	ac20-MIMO	5745	5720	-19.99	5.43	-14.56	Peak	15.6	Pass
NVNT	ac20-MIMO	5745	5720	-30.24	5.43	-24.81	Average	15.6	Pass
NVNT	ac20-MIMO	5745	5725	-16.48	5.43	-11.05	Peak	27	Pass
NVNT	ac20-MIMO	5745	5725	-25.74	5.43	-20.31	Average	27	Pass
NVNT	ac20-MIMO	5825	5850	-22.64	5.43	-17.21	Peak	27	Pass
NVNT	ac20-MIMO	5825	5850	-32.02	5.43	-26.59	Average	27	Pass
NVNT	ac20-MIMO	5825	5855	-24.15	5.43	-18.72	Peak	15.6	Pass
NVNT	ac20-MIMO	5825	5855	-35.2	5.43	-29.77	Average	15.6	Pass
NVNT	ac20-MIMO	5825	5875	-31.05	5.43	-25.62	Peak	10	Pass
NVNT	ac20-MIMO	5825	5875	-47.68	5.43	-42.25	Average	10	Pass
NVNT	ac20-MIMO	5825	5925	-48.85	5.43	-43.42	Peak	-27	Pass
NVNT	ac20-MIMO	5825	5925	-58.52	5.43	-53.09	Average	-27	Pass
NVNT	ac40-MIMO	5755	5650	-37.9	5.43	-32.47	Peak	-27	Pass
NVNT	ac40-MIMO	5755	5650	-48.19	5.43	-42.76	Average	-27	Pass
NVNT	ac40-MIMO	5755	5700	-24.8	5.43	-19.37	Peak	10	Pass
NVNT	ac40-MIMO	5755	5700	-34.5	5.43	-29.07	Average	10	Pass
NVNT	ac40-MIMO	5755	5720	-17.57	5.43	-12.14	Peak	15.6	Pass
NVNT	ac40-MIMO	5755	5720	-26.51	5.43	-21.08	Average	15.6	Pass
NVNT	ac40-MIMO	5755	5725	-14.65	5.43	-9.22	Peak	27	Pass
NVNT	ac40-MIMO	5755	5725	-24.87	5.43	-19.44	Average	27	Pass
NVNT	ac40-MIMO	5795	5850	-26.56	5.43	-21.13	Peak	27	Pass
NVNT	ac40-MIMO	5795	5850	-35.11	5.43	-29.68	Average	27	Pass
NVNT	ac40-MIMO	5795	5855	-27.5	5.43	-22.07	Peak	15.6	Pass
NVNT	ac40-MIMO	5795	5855	-36.64	5.43	-31.21	Average	15.6	Pass
NVNT	ac40-MIMO	5795	5875	-33.28	5.43	-27.85	Peak	10	Pass
NVNT	ac40-MIMO	5795	5875	-42.85	5.43	-37.42	Average	10	Pass





NVNT	ac40-MIMO	5795	5925	-43.28	5.43	-37.85	Peak	-27	Pass
NVNT	ac40-MIMO	5795	5925	-54.32	5.43	-48.89	Average	-27	Pass
NVNT	ac80-MIMO	5775	5650	-32.6	5.43	-27.17	Peak	-27	Pass
NVNT	ac80-MIMO	5775	5650	-40.13	5.43	-34.70	Average	-27	Pass
NVNT	ac80-MIMO	5775	5700	-21.6	5.43	-16.17	Peak	10	Pass
NVNT	ac80-MIMO	5775	5700	-30.77	5.43	-25.34	Average	10	Pass
NVNT	ac80-MIMO	5775	5720	-18.71	5.43	-13.28	Peak	15.6	Pass
NVNT	ac80-MIMO	5775	5720	-27.78	5.43	-22.35	Average	15.6	Pass
NVNT	ac80-MIMO	5775	5725	-18.18	5.43	-12.75	Peak	27	Pass
NVNT	ac80-MIMO	5775	5725	-27.34	5.43	-21.91	Average	27	Pass
NVNT	ac80-MIMO	5775	5850	-20.83	5.43	-15.40	Peak	27	Pass
NVNT	ac80-MIMO	5775	5850	-30.63	5.43	-25.20	Average	27	Pass
NVNT	ac80-MIMO	5775	5855	-21.85	5.43	-16.42	Peak	15.6	Pass
NVNT	ac80-MIMO	5775	5855	-31.31	5.43	-25.88	Average	15.6	Pass
NVNT	ac80-MIMO	5775	5875	-25.83	5.43	-20.40	Peak	10	Pass
NVNT	ac80-MIMO	5775	5875	-35.44	5.43	-30.01	Average	10	Pass
NVNT	ac80-MIMO	5775	5925	-33.09	5.43	-27.66	Peak	-27	Pass
NVNT	ac80-MIMO	5775	5925	-43.36	5.43	-37.93	Average	-27	Pass

Note: 802.11a mode, only show the worst set of antenna data.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5745MHz Peak




Restrict Band NVNT a 5745MHz Average






Restrict Band NVNT a 5825MHz Peak




Restrict Band NVNT a 5825MHz Average






Restrict Band NVNT n20 5745MHz Peak




Restrict Band NVNT n20 5745MHz Average






Restrict Band NVNT n20 5825MHz Peak




Restrict Band NVNT n20 5825MHz Average






Restrict Band NVNT n40 5755MHz Peak




Restrict Band NVNT n40 5755MHz Average






Restrict Band NVNT n40 5795MHz Peak




Restrict Band NVNT n40 5795MHz Average






Restrict Band NVNT ac20 5745MHz Peak




Restrict Band NVNT ac20 5745MHz Average






Restrict Band NVNT ac20 5825MHz Peak




Restrict Band NVNT ac20 5825MHz Average






Restrict Band NVNT ac40 5755MHz Peak




Restrict Band NVNT ac40 5755MHz Average






Restrict Band NVNT ac40 5795MHz Peak




Restrict Band NVNT ac40 5795MHz Average






Restrict Band NVNT ac80 5775MHz Peak




Restrict Band NVNT ac80 5775MHz Average






Restrict Band NVNT ac80 5775MHz Peak



Restrict Band NVNT ac80 5775MHz Average





E.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant0	5745.06	60000	10.44	25	Pass
NVNT	a	5785	Ant0	5785.06	60000	10.37	25	Pass
NVNT	a	5825	Ant0	5825.06	60000	10.3	25	Pass
NVNT	n20	5745	Ant0	5744.96	-40000	-6.96	25	Pass
NVNT	n20	5785	Ant0	5784.94	-60000	-10.37	25	Pass
NVNT	n20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
NVNT	n40	5755	Ant0	5755	0	0	25	Pass
NVNT	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
NVNT	ac20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant0	5784.96	-40000	-6.91	25	Pass
NVNT	ac20	5825	Ant0	5824.96	-40000	-6.87	25	Pass
NVNT	ac40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
NVNT	ac40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
NVNT	ac80	5775	Ant0	5775	0	0	25	Pass






Test Graphs

Freq. Stability NVNT a 5745MHz Ant0




Freq. Stability NVNT a 5785MHz Ant0






Freq. Stability NVNT a 5825MHz Ant0




Freq. Stability NVNT n20 5745MHz Ant0






Freq. Stability NVNT n20 5785MHz Ant0




Freq. Stability NVNT n20 5825MHz Ant0






Freq. Stability NVNT n40 5755MHz Ant0




Freq. Stability NVNT n40 5795MHz Ant0






Freq. Stability NVNT ac20 5745MHz Ant0




Freq. Stability NVNT ac20 5785MHz Ant0






Freq. Stability NVNT ac20 5825MHz Ant0




Freq. Stability NVNT ac40 5755MHz Ant0






Freq. Stability NVNT ac40 5795MHz Ant0



Freq. Stability NVNT ac80 5775MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5745.06	60000	10.44	25	Pass
NVNT	a	5785	Ant1	5784.96	-40000	-6.91	25	Pass
NVNT	a	5825	Ant1	5825.06	60000	10.3	25	Pass
NVNT	n20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
NVNT	n20	5785	Ant1	5784.94	-60000	-10.37	25	Pass
NVNT	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	n40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ac20	5745	Ant1	5744.96	-40000	-6.96	25	Pass
NVNT	ac20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
NVNT	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant1	5755	0	0	25	Pass
NVNT	ac40	5795	Ant1	5795	0	0	25	Pass
NVNT	ac80	5775	Ant1	5775	0	0	25	Pass






Test Graphs

Freq. Stability NVNT a 5745MHz Ant1



Freq. Stability NVNT a 5785MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Freq. Stability NVNT a 5825MHz Ant1




Freq. Stability NVNT n20 5745MHz Ant1






Freq. Stability NVNT n20 5785MHz Ant1




Freq. Stability NVNT n20 5825MHz Ant1






Freq. Stability NVNT n40 5755MHz Ant1




Freq. Stability NVNT n40 5795MHz Ant1






Freq. Stability NVNT ac20 5745MHz Ant1




Freq. Stability NVNT ac20 5785MHz Ant1






Freq. Stability NVNT ac20 5825MHz Ant1




Freq. Stability NVNT ac40 5755MHz Ant1






Freq. Stability NVNT ac40 5795MHz Ant1



Freq. Stability NVNT ac80 5775MHz Ant1





E.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant0	100	0	0.01
NVNT	a	5785	Ant0	100	0	0.01
NVNT	a	5825	Ant0	100	0	0.01
NVNT	n20	5745	Ant0	100	0	0.01
NVNT	n20	5785	Ant0	100	0	0.01
NVNT	n20	5825	Ant0	100	0	0.01
NVNT	n40	5755	Ant0	100	0	0.01
NVNT	n40	5795	Ant0	100	0	0.01
NVNT	ac20	5745	Ant0	100	0	0.01
NVNT	ac20	5785	Ant0	100	0	0.01
NVNT	ac20	5825	Ant0	100	0	0.01
NVNT	ac40	5755	Ant0	100	0	0.01
NVNT	ac40	5795	Ant0	100	0	0.01
NVNT	ac80	5775	Ant0	100	0	0.01






Test Graphs

Duty Cycle NVNT a 5745MHz Ant0




Duty Cycle NVNT a 5785MHz Ant0










Duty Cycle NVNT a 5825MHz Ant0





Duty Cycle NVNT n20 5745MHz Ant0













Duty Cycle NVNT ac20 5825MHz Ant0




Duty Cycle NVNT ac40 5755MHz Ant0






Duty Cycle NVNT ac40 5795MHz Ant0



Duty Cycle NVNT ac80 5775MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	100	0	0.01
NVNT	a	5785	Ant1	100	0	0.01
NVNT	a	5825	Ant1	100	0	0.01
NVNT	n20	5745	Ant1	100	0	0.01
NVNT	n20	5785	Ant1	100	0	0.01
NVNT	n20	5825	Ant1	100	0	0.01
NVNT	n40	5755	Ant1	100	0	0.01
NVNT	n40	5795	Ant1	100	0	0.01
NVNT	ac20	5745	Ant1	100	0	0.01
NVNT	ac20	5785	Ant1	100	0	0.01
NVNT	ac20	5825	Ant1	100	0	0.01
NVNT	ac40	5755	Ant1	100	0	0.01
NVNT	ac40	5795	Ant1	100	0	0.01
NVNT	ac80	5775	Ant1	100	0	0.01






Test Graphs

Duty Cycle NVNT a 5745MHz Ant1




Duty Cycle NVNT a 5785MHz Ant1






Duty Cycle NVNT a 5825MHz Ant1




Duty Cycle NVNT n20 5745MHz Ant1






Duty Cycle NVNT n20 5785MHz Ant1




Duty Cycle NVNT n20 5825MHz Ant1






Duty Cycle NVNT n40 5755MHz Ant1




Duty Cycle NVNT n40 5795MHz Ant1






Duty Cycle NVNT ac20 5745MHz Ant1




Duty Cycle NVNT ac20 5785MHz Ant1






Duty Cycle NVNT ac20 5825MHz Ant1




Duty Cycle NVNT ac40 5755MHz Ant1





Duty Cycle NVNT ac40 5795MHz Ant1



Duty Cycle NVNT ac80 5775MHz Ant1

