















Time of occupancy

Test Result

TestMode	Antenna	Hopping Channel Number Rate	Hops Over Occupancy Time(hops)	Package Transfer Time (msec) (MHz)	Dwell Time (sec)	Limits (sec)	Pass/Fail
Normal	Ant2	79	106.67	2.8942	0.31	0.4	Pass
AFH	Ant2	20	53.33	2.8942	0.15	0.4	Pass



Test Graphs






Number of hopping channels

Test Result

TestMode	Antenna	Freq(MHz)	Result[Num]	Limit[Num]	Verdict
DH5	Ant2	Hop	79	≥15	PASS



Test Graphs






Band edge measurements


Test Result


TestMode	Antenna	ChName	Freq(MHz)	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant2	Low	2402	7.68	-37.34	≤ -12.32	PASS
		High	2480	7.28	-36.69	≤ -12.72	PASS
		Low	Hop_2402	5.94	-36.5	≤ -14.06	PASS
		High	Hop_2480	3.20	-35.59	≤ -16.8	PASS
2DH1	Ant2	Low	2402	4.43	-36.37	≤ -15.57	PASS
		High	2480	4.03	-36.45	≤ -15.97	PASS
		Low	Hop_2402	2.67	-36.12	≤ -17.33	PASS
		High	Hop_2480	-0.13	-36.01	≤ -20.13	PASS
3DH1	Ant2	Low	2402	4.46	-36.62	≤ -15.54	PASS
		High	2480	4.01	-35.41	≤ -15.99	PASS
		Low	Hop_2402	2.70	-37.11	≤ -17.3	PASS
		High	Hop_2480	-0.04	-36.16	≤ -20.04	PASS





Test Graphs















Conducted Spurious Emission


Test Result


TestMode	Antenna	Freq(MHz)	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant2	2402	Reference	7.69	7.69	---	PASS
			30~1000	7.69	-56.63	≤-12.31	PASS
			1000~26500	7.69	-19.79	≤-12.31	PASS
		2441	Reference	7.56	7.56	---	PASS
			30~1000	7.56	-56.24	≤-12.44	PASS
			1000~26500	7.56	-22.34	≤-12.44	PASS
		2480	Reference	7.26	7.26	---	PASS
			30~1000	7.26	-56.15	≤-12.74	PASS
			1000~26500	7.26	-21	≤-12.74	PASS
2DH1	Ant2	2402	Reference	4.46	4.46	---	PASS
			30~1000	4.46	-56.6	≤-15.54	PASS
			1000~26500	4.46	-22.52	≤-15.54	PASS
		2441	Reference	4.29	4.29	---	PASS
			30~1000	4.29	-56.67	≤-15.71	PASS
			1000~26500	4.29	-24.42	≤-15.71	PASS
		2480	Reference	4.02	4.02	---	PASS
			30~1000	4.02	-56.66	≤-15.98	PASS
			1000~26500	4.02	-24.61	≤-15.98	PASS
3DH1	Ant2	2402	Reference	4.48	4.48	---	PASS
			30~1000	4.48	-55.72	≤-15.52	PASS
			1000~26500	4.48	-22.32	≤-15.52	PASS
		2441	Reference	4.32	4.32	---	PASS
			30~1000	4.32	-56.74	≤-15.68	PASS
			1000~26500	4.32	-23.3	≤-15.68	PASS
		2480	Reference	4.02	4.02	---	PASS
			30~1000	4.02	-56.64	≤-15.98	PASS
			1000~26500	4.02	-28.6	≤-15.98	PASS





Test Graphs










































Appendix B. AC Conducted Emission Test Results





Test Engineer :	Chase	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C002-SZ
Condition : FCC 15C_QP LISN_2024-N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	Remark
	MHz	dBuV	Limit	Line	Level	Factor	Loss	
			dB	dBuV	dBuV	dB	dB	
1	0.15	50.58	-5.33	55.91	30.30	10.12	10.16	Average
2 *	0.15	60.78	-5.13	65.91	40.50	10.12	10.16	QP
3	0.25	41.66	-10.20	51.86	21.50	10.01	10.15	Average
4	0.25	53.16	-8.70	61.86	33.00	10.01	10.15	QP
5	0.37	36.14	-12.29	48.43	16.00	9.97	10.17	Average
6	0.37	47.64	-10.79	58.43	27.50	9.97	10.17	QP
7	0.61	40.98	-5.02	46.00	20.79	9.97	10.22	Average
8	0.61	48.98	-7.02	56.00	28.79	9.97	10.22	QP
9	1.09	25.39	-20.61	46.00	5.20	9.96	10.23	Average
10	1.09	34.19	-21.81	56.00	14.00	9.96	10.23	QP
11	5.14	35.07	-14.93	50.00	14.99	9.84	10.24	Average
12	5.14	41.97	-18.03	60.00	21.89	9.84	10.24	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C Radiated Spurious Emission Test Data

Test Engineer :	Zhaohui Liang	Relative Humidity :	48~49%
		Temperature :	24-25°C

Radiated Spurious Emission Test Modes

Mode	Band (MHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	2400-2483.5	1	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 2	2400-2483.5	1	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 3	2400-2483.5	1	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 4	2400-2483.5	1	Bluetooth LF	78	2480	1DH5	-	LF
Mode 5	2400-2483.5	2	Bluetooth BR_GFSK	00	2402	1DH5	-	-
Mode 6	2400-2483.5	2	Bluetooth BR_GFSK	39	2441	1DH5	-	-
Mode 7	2400-2483.5	2	Bluetooth BR_GFSK	78	2480	1DH5	-	-
Mode 8	2400-2483.5	2	Bluetooth LF	78	2480	1DH5	-	LF

Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	Bluetooth BR_GFSK	00	2389.28	49.71	74.00	-24.29	V	PEAK	Pass	Band Edge
1	Bluetooth BR_GFSK	00	4804.00	49.23	74.00	-24.77	H	Peak	Pass	Harmonic
2	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
2	Bluetooth BR_GFSK	39	7323.00	56.58	74.00	-17.42	V	Peak	Pass	Harmonic
3	Bluetooth BR_GFSK	78	2483.83	51.31	74.00	-22.69	H	PEAK	Pass	Band Edge
3	Bluetooth BR_GFSK	78	7440.00	59.48	74.00	-14.52	V	Peak	Pass	Harmonic
4	Bluetooth LF	78	945.68	31.80	46.00	-14.20	V	Peak	Pass	LF
5	Bluetooth BR_GFSK	00	2341.19	50.30	74.00	-23.70	V	PEAK	Pass	Band Edge
5	Bluetooth BR_GFSK	00	4804.00	45.67	74.00	-28.33	V	Peak	Pass	Harmonic
6	Bluetooth BR_GFSK	39	-	-	-	-	-	-	-	Band Edge
6	Bluetooth BR_GFSK	39	7323.00	58.51	74.00	-15.49	V	Peak	Pass	Harmonic
7	Bluetooth BR_GFSK	78	2497.23	50.79	74.00	-23.21	H	PEAK	Pass	Band Edge
7	Bluetooth BR_GFSK	78	7440.00	58.79	74.00	-15.21	V	Peak	Pass	Harmonic
8	Bluetooth LF	78	359.80	32.39	46.00	-13.61	H	Peak	Pass	LF



Mode	1																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	1																																																																																																													
Pol.	Horizontal	Fundamental																																																																																																												
Peak	Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2383.71</td><td>49.24</td><td>74.00</td><td>-24.76</td><td>41.34</td><td>32.24</td><td>7.74</td><td>32.08</td><td>386</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>2383.71</td><td>24.45</td><td>54.00</td><td>-29.55</td><td>16.55</td><td>32.24</td><td>7.74</td><td>32.08</td><td>386</td><td>265</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2383.71	49.24	74.00	-24.76	41.34	32.24	7.74	32.08	386	265	PEAK	2	2383.71	24.45	54.00	-29.55	16.55	32.24	7.74	32.08	386	265	AVERAGE	Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>105.04</td><td>-----</td><td>-----</td><td>97.05</td><td>32.28</td><td>7.79</td><td>32.08</td><td>386</td><td>265</td><td>PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>80.25</td><td>-----</td><td>-----</td><td>72.26</td><td>32.28</td><td>7.79</td><td>32.08</td><td>386</td><td>265</td><td>AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	105.04	-----	-----	97.05	32.28	7.79	32.08	386	265	PEAK	2	2402.00	80.25	-----	-----	72.26	32.28	7.79	32.08	386	265	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2383.71	49.24	74.00	-24.76	41.34	32.24	7.74	32.08	386	265	PEAK																																																																																																			
2	2383.71	24.45	54.00	-29.55	16.55	32.24	7.74	32.08	386	265	AVERAGE																																																																																																			
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	105.04	-----	-----	97.05	32.28	7.79	32.08	386	265	PEAK																																																																																																			
2	2402.00	80.25	-----	-----	72.26	32.28	7.79	32.08	386	265	AVERAGE																																																																																																			



Mode	1																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2389.28</td><td>49.71</td><td>74.00</td><td>-24.29</td><td>41.77</td><td>32.26</td><td>7.76</td><td>32.08</td><td>338</td><td>20 PEAK</td></tr><tr><td>2</td><td>2389.28</td><td>24.92</td><td>54.00</td><td>-29.08</td><td>16.98</td><td>32.26</td><td>7.76</td><td>32.08</td><td>338</td><td>20 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.28	49.71	74.00	-24.29	41.77	32.26	7.76	32.08	338	20 PEAK	2	2389.28	24.92	54.00	-29.08	16.98	32.26	7.76	32.08	338	20 AVERAGE	Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>101.20</td><td>76.41</td><td>24.79</td><td>24.79</td><td>32.28</td><td>7.79</td><td>32.08</td><td>338</td><td>20 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>76.41</td><td>76.41</td><td>0.00</td><td>0.00</td><td>32.28</td><td>7.79</td><td>32.08</td><td>338</td><td>20 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	101.20	76.41	24.79	24.79	32.28	7.79	32.08	338	20 PEAK	2	2402.00	76.41	76.41	0.00	0.00	32.28	7.79	32.08	338	20 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2389.28	49.71	74.00	-24.29	41.77	32.26	7.76	32.08	338	20 PEAK																																																																																																
2	2389.28	24.92	54.00	-29.08	16.98	32.26	7.76	32.08	338	20 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	101.20	76.41	24.79	24.79	32.28	7.79	32.08	338	20 PEAK																																																																																																
2	2402.00	76.41	76.41	0.00	0.00	32.28	7.79	32.08	338	20 AVERAGE																																																																																																





Mode	1																																																																																																																					
	Harmonic																																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																					
ANT	1																																																																																																																					
Pol.	Horizontal					Vertical																																																																																																																
Peak Avg	Level (dBuV/m) Date: 2024-09-26 PEAK_74 AVG_54 2 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>49.23</td><td>74.00</td><td>-24.77</td><td>54.92</td><td>34.82</td><td>11.07</td><td>51.58</td><td>300</td><td>78 Peak</td></tr><tr><td>2</td><td>4804.00</td><td>24.44</td><td>54.00</td><td>-29.56</td><td>30.13</td><td>34.82</td><td>11.07</td><td>51.58</td><td>300</td><td>78 Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	49.23	74.00	-24.77	54.92	34.82	11.07	51.58	300	78 Peak	2	4804.00	24.44	54.00	-29.56	30.13	34.82	11.07	51.58	300	78 Average	Level (dBuV/m) Date: 2024-09-26 PEAK_74 AVG_54 2 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>48.45</td><td>74.00</td><td>-25.55</td><td>54.14</td><td>34.82</td><td>11.07</td><td>51.58</td><td>313</td><td>187 Peak</td></tr><tr><td>2</td><td>4804.00</td><td>23.66</td><td>54.00</td><td>-30.34</td><td>29.35</td><td>34.82</td><td>11.07</td><td>51.58</td><td>313</td><td>187 Average</td></tr></table>							Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	4804.00	48.45	74.00	-25.55	54.14	34.82	11.07	51.58	313	187 Peak	2	4804.00	23.66	54.00	-30.34	29.35	34.82	11.07	51.58	313	187 Average
			Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	4804.00	49.23	74.00	-24.77	54.92	34.82	11.07	51.58	300	78 Peak																																																																																																												
2	4804.00	24.44	54.00	-29.56	30.13	34.82	11.07	51.58	300	78 Average																																																																																																												
		Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																												
1	4804.00	48.45	74.00	-25.55	54.14	34.82	11.07	51.58	313	187 Peak																																																																																																												
2	4804.00	23.66	54.00	-30.34	29.35	34.82	11.07	51.58	313	187 Average																																																																																																												



Mode	2																																																																												
	Harmonic																																																																												
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																												
ANT	1																																																																												
Pol.	Horizontal																																																																												
Peak Avg	Level (dBuV/m) Date: 2024-09-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>4882.00</td><td>45.41</td><td>74.00</td><td>-28.59</td><td>51.01</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>20.62</td><td>54.00</td><td>-33.38</td><td>26.22</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>55.03</td><td>74.00</td><td>-18.97</td><td>56.78</td><td>36.33</td><td>13.09</td><td>51.17</td><td>106</td><td>241</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>30.21</td><td>54.00</td><td>-23.79</td><td>31.96</td><td>36.33</td><td>13.09</td><td>51.17</td><td>106</td><td>241</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4882.00	45.41	74.00	-28.59	51.01	34.85	11.10	51.55	---	---	Peak	2	4882.00	20.62	54.00	-33.38	26.22	34.85	11.10	51.55	---	---	Average	3	7323.00	55.03	74.00	-18.97	56.78	36.33	13.09	51.17	106	241	Peak	4	7323.00	30.21	54.00	-23.79	31.96	36.33	13.09	51.17	106	241	Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																					
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																				
	1	4882.00	45.41	74.00	-28.59	51.01	34.85	11.10	51.55	---	---	Peak																																																																	
	2	4882.00	20.62	54.00	-33.38	26.22	34.85	11.10	51.55	---	---	Average																																																																	
3	7323.00	55.03	74.00	-18.97	56.78	36.33	13.09	51.17	106	241	Peak																																																																		
4	7323.00	30.21	54.00	-23.79	31.96	36.33	13.09	51.17	106	241	Average																																																																		
Level (dBuV/m) Date: 2024-09-11 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>4882.00</td><td>46.87</td><td>74.00</td><td>-27.13</td><td>52.47</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>22.08</td><td>54.00</td><td>-31.92</td><td>27.68</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>56.58</td><td>74.00</td><td>-17.42</td><td>58.33</td><td>36.33</td><td>13.09</td><td>51.17</td><td>106</td><td>241</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>31.79</td><td>54.00</td><td>-22.21</td><td>33.54</td><td>36.33</td><td>13.09</td><td>51.17</td><td>106</td><td>241</td><td>Average</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	4882.00	46.87	74.00	-27.13	52.47	34.85	11.10	51.55	---	---	Peak	2	4882.00	22.08	54.00	-31.92	27.68	34.85	11.10	51.55	---	---	Average	3	7323.00	56.58	74.00	-17.42	58.33	36.33	13.09	51.17	106	241	Peak	4	7323.00	31.79	54.00	-22.21	33.54	36.33	13.09	51.17	106	241	Average	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																					
1	4882.00	46.87	74.00	-27.13	52.47	34.85	11.10	51.55	---	---	Peak																																																																		
2	4882.00	22.08	54.00	-31.92	27.68	34.85	11.10	51.55	---	---	Average																																																																		
3	7323.00	56.58	74.00	-17.42	58.33	36.33	13.09	51.17	106	241	Peak																																																																		
4	7323.00	31.79	54.00	-22.21	33.54	36.33	13.09	51.17	106	241	Average																																																																		



Mode	3																																																																																																																		
	Band Edge																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	1																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak	Level (dBuV/m) Date: 2024-09-09  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.83</td><td>51.31</td><td>74.00</td><td>-22.69</td><td>43.07</td><td>32.46</td><td>7.88</td><td>32.10</td><td>320</td><td>261 PEAK</td></tr><tr><td>2</td><td>2483.83</td><td>26.52</td><td>54.00</td><td>-27.48</td><td>18.28</td><td>32.46</td><td>7.88</td><td>32.10</td><td>320</td><td>261 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2483.83	51.31	74.00	-22.69	43.07	32.46	7.88	32.10	320	261 PEAK	2	2483.83	26.52	54.00	-27.48	18.28	32.46	7.88	32.10	320	261 AVERAGE	Level (dBuV/m) Date: 2024-09-09  Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>102.96</td><td>-----</td><td>-----</td><td>94.73</td><td>32.46</td><td>7.87</td><td>32.10</td><td>320</td><td>261 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>78.17</td><td>-----</td><td>-----</td><td>69.94</td><td>32.46</td><td>7.87</td><td>32.10</td><td>320</td><td>261 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	2480.00	102.96	-----	-----	94.73	32.46	7.87	32.10	320	261 PEAK	2	2480.00	78.17	-----	-----	69.94	32.46	7.87	32.10	320	261 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																										
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																									
	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																									
1	2483.83	51.31	74.00	-22.69	43.07	32.46	7.88	32.10	320	261 PEAK																																																																																																									
2	2483.83	26.52	54.00	-27.48	18.28	32.46	7.88	32.10	320	261 AVERAGE																																																																																																									
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																											
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																										
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	2480.00	102.96	-----	-----	94.73	32.46	7.87	32.10	320	261 PEAK																																																																																																									
2	2480.00	78.17	-----	-----	69.94	32.46	7.87	32.10	320	261 AVERAGE																																																																																																									





Mode	3																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2497.64</td><td>48.76</td><td>74.00</td><td>-25.24</td><td>40.48</td><td>32.49</td><td>7.89</td><td>32.10</td><td>331</td><td>15 PEAK</td></tr><tr><td>2</td><td>2497.64</td><td>23.97</td><td>54.00</td><td>-30.03</td><td>15.69</td><td>32.49</td><td>7.89</td><td>32.10</td><td>331</td><td>15 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2497.64	48.76	74.00	-25.24	40.48	32.49	7.89	32.10	331	15 PEAK	2	2497.64	23.97	54.00	-30.03	15.69	32.49	7.89	32.10	331	15 AVERAGE	Level (dBuV/m) Date: 2024-09-09 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>98.15</td><td>-----</td><td>-----</td><td>89.92</td><td>32.46</td><td>7.87</td><td>32.10</td><td>331</td><td>15 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.36</td><td>-----</td><td>-----</td><td>65.13</td><td>32.46</td><td>7.87</td><td>32.10</td><td>331</td><td>15 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	98.15	-----	-----	89.92	32.46	7.87	32.10	331	15 PEAK	2	2480.00	73.36	-----	-----	65.13	32.46	7.87	32.10	331	15 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2497.64	48.76	74.00	-25.24	40.48	32.49	7.89	32.10	331	15 PEAK																																																																																																
2	2497.64	23.97	54.00	-30.03	15.69	32.49	7.89	32.10	331	15 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2480.00	98.15	-----	-----	89.92	32.46	7.87	32.10	331	15 PEAK																																																																																																
2	2480.00	73.36	-----	-----	65.13	32.46	7.87	32.10	331	15 AVERAGE																																																																																																



Mode	3																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal					Vertical																																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-09-26 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>45.91</td><td>74.00</td><td>-28.09</td><td>51.40</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>21.12</td><td>54.00</td><td>-32.88</td><td>26.61</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>56.26</td><td>74.00</td><td>-17.74</td><td>58.10</td><td>36.38</td><td>12.97</td><td>51.19</td><td>259</td><td>302 Peak</td></tr><tr><td>4</td><td>7440.00</td><td>31.47</td><td>54.00</td><td>-22.53</td><td>33.31</td><td>36.38</td><td>12.97</td><td>51.19</td><td>259</td><td>302 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	45.91	74.00	-28.09	51.40	34.88	11.14	51.51	---	Peak	2	4960.00	21.12	54.00	-32.88	26.61	34.88	11.14	51.51	---	Average	3	7440.00	56.26	74.00	-17.74	58.10	36.38	12.97	51.19	259	302 Peak	4	7440.00	31.47	54.00	-22.53	33.31	36.38	12.97	51.19	259	302 Average	Level (dBuV/m) Date: 2024-09-26 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>45.28</td><td>74.00</td><td>-28.72</td><td>50.77</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>20.49</td><td>54.00</td><td>-33.51</td><td>25.98</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>59.48</td><td>74.00</td><td>-14.52</td><td>61.32</td><td>36.38</td><td>12.97</td><td>51.19</td><td>312</td><td>304 Peak</td></tr><tr><td>4</td><td>7440.00</td><td>34.69</td><td>54.00</td><td>-19.31</td><td>36.53</td><td>36.38</td><td>12.97</td><td>51.19</td><td>312</td><td>304 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	4960.00	45.28	74.00	-28.72	50.77	34.88	11.14	51.51	---	Peak	2	4960.00	20.49	54.00	-33.51	25.98	34.88	11.14	51.51	---	Average	3	7440.00	59.48	74.00	-14.52	61.32	36.38	12.97	51.19	312	304 Peak	4	7440.00	34.69	54.00	-19.31	36.53	36.38	12.97	51.19	312	304 Average
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																															
	1	4960.00	45.91	74.00	-28.09	51.40	34.88	11.14	51.51	---	Peak																																																																																																																																													
2	4960.00	21.12	54.00	-32.88	26.61	34.88	11.14	51.51	---	Average																																																																																																																																														
3	7440.00	56.26	74.00	-17.74	58.10	36.38	12.97	51.19	259	302 Peak																																																																																																																																														
4	7440.00	31.47	54.00	-22.53	33.31	36.38	12.97	51.19	259	302 Average																																																																																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor		Remark																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																																																																
1	4960.00	45.28	74.00	-28.72	50.77	34.88	11.14	51.51	---	Peak																																																																																																																																														
2	4960.00	20.49	54.00	-33.51	25.98	34.88	11.14	51.51	---	Average																																																																																																																																														
3	7440.00	59.48	74.00	-14.52	61.32	36.38	12.97	51.19	312	304 Peak																																																																																																																																														
4	7440.00	34.69	54.00	-19.31	36.53	36.38	12.97	51.19	312	304 Average																																																																																																																																														



Mode	4																																																																																																																																																																																																																																																																																									
	LF																																																																																																																																																																																																																																																																																									
	2400-2483.5_Bluetooth LF-Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																																																																																																																																																																																									
ANT	1																																																																																																																																																																																																																																																																																									
Pol.	Horizontal										Vertical																																																																																																																																																																																																																																																																															
QPI/ Peak	Date: 2024-09-25 Level (dBuV/m) FCC CLASS-B -6dB 										Date: 2024-09-25 Level (dBuV/m) FCC CLASS-B -6dB 																																																																																																																																																																																																																																																																															
	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>46.49</td><td>18.22</td><td>40.00</td><td>-21.78</td><td>32.40</td><td>15.77</td><td>1.25</td><td>31.20</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>167.74</td><td>24.00</td><td>43.50</td><td>-19.50</td><td>36.78</td><td>15.90</td><td>2.35</td><td>31.03</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>312.27</td><td>25.80</td><td>46.00</td><td>-20.20</td><td>33.83</td><td>19.67</td><td>3.18</td><td>30.88</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>359.80</td><td>31.72</td><td>46.00</td><td>-14.28</td><td>38.31</td><td>20.77</td><td>3.42</td><td>30.78</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>723.55</td><td>28.42</td><td>46.00</td><td>-17.58</td><td>28.93</td><td>25.53</td><td>4.83</td><td>30.87</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>956.35</td><td>31.65</td><td>46.00</td><td>-14.35</td><td>29.90</td><td>27.17</td><td>5.58</td><td>31.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	46.49	18.22	40.00	-21.78	32.40	15.77	1.25	31.20	---	---	---	---	---	Peak	2	167.74	24.00	43.50	-19.50	36.78	15.90	2.35	31.03	---	---	---	---	---	Peak	3	312.27	25.80	46.00	-20.20	33.83	19.67	3.18	30.88	---	---	---	---	---	Peak	4	359.80	31.72	46.00	-14.28	38.31	20.77	3.42	30.78	---	---	---	---	---	Peak	5	723.55	28.42	46.00	-17.58	28.93	25.53	4.83	30.87	---	---	---	---	---	Peak	6	956.35	31.65	46.00	-14.35	29.90	27.17	5.58	31.00	---	---	---	---	---	Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th></th><th></th><th></th><th></th></tr><tr><td>1</td><td>46.49</td><td>18.52</td><td>40.00</td><td>-21.48</td><td>32.70</td><td>15.77</td><td>1.25</td><td>31.20</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>151.25</td><td>18.33</td><td>43.50</td><td>-25.17</td><td>30.72</td><td>16.48</td><td>2.23</td><td>31.10</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>385.99</td><td>28.96</td><td>46.00</td><td>-17.04</td><td>34.63</td><td>21.52</td><td>3.54</td><td>30.73</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>500.45</td><td>26.91</td><td>46.00</td><td>-19.09</td><td>29.88</td><td>23.70</td><td>4.03</td><td>30.70</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>833.16</td><td>30.71</td><td>46.00</td><td>-15.29</td><td>30.23</td><td>26.37</td><td>5.18</td><td>31.07</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>945.68</td><td>31.80</td><td>46.00</td><td>-14.20</td><td>30.16</td><td>27.08</td><td>5.56</td><td>31.00</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	46.49	18.52	40.00	-21.48	32.70	15.77	1.25	31.20	---	---	---	---	---	Peak	2	151.25	18.33	43.50	-25.17	30.72	16.48	2.23	31.10	---	---	---	---	---	Peak	3	385.99	28.96	46.00	-17.04	34.63	21.52	3.54	30.73	---	---	---	---	---	Peak	4	500.45	26.91	46.00	-19.09	29.88	23.70	4.03	30.70	---	---	---	---	---	Peak	5	833.16	30.71	46.00	-15.29	30.23	26.37	5.18	31.07	---	---	---	---	---	Peak	6	945.68	31.80	46.00	-14.20	30.16	27.08	5.56	31.00	---	---	---	---	---	Peak
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																	
1	46.49	18.22	40.00	-21.78	32.40	15.77	1.25	31.20	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
2	167.74	24.00	43.50	-19.50	36.78	15.90	2.35	31.03	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
3	312.27	25.80	46.00	-20.20	33.83	19.67	3.18	30.88	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
4	359.80	31.72	46.00	-14.28	38.31	20.77	3.42	30.78	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
5	723.55	28.42	46.00	-17.58	28.93	25.53	4.83	30.87	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
6	956.35	31.65	46.00	-14.35	29.90	27.17	5.58	31.00	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																																																																																	
1	46.49	18.52	40.00	-21.48	32.70	15.77	1.25	31.20	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
2	151.25	18.33	43.50	-25.17	30.72	16.48	2.23	31.10	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
3	385.99	28.96	46.00	-17.04	34.63	21.52	3.54	30.73	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
4	500.45	26.91	46.00	-19.09	29.88	23.70	4.03	30.70	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
5	833.16	30.71	46.00	-15.29	30.23	26.37	5.18	31.07	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												
6	945.68	31.80	46.00	-14.20	30.16	27.08	5.56	31.00	---	---	---	---	---	Peak																																																																																																																																																																																																																																																																												



Mode	5																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Horizontal	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2353.37</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>42.50</td><td>32.18</td><td>7.66</td><td>32.07</td><td>352</td><td>110 PEAK</td></tr><tr><td>2</td><td>2353.37</td><td>25.48</td><td>54.00</td><td>-28.52</td><td>17.71</td><td>32.18</td><td>7.66</td><td>32.07</td><td>352</td><td>110 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2353.37	50.27	74.00	-23.73	42.50	32.18	7.66	32.07	352	110 PEAK	2	2353.37	25.48	54.00	-28.52	17.71	32.18	7.66	32.07	352	110 AVERAGE	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2402.00</td><td>96.26</td><td>-----</td><td>-----</td><td>88.27</td><td>32.28</td><td>7.79</td><td>32.08</td><td>352</td><td>110 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>71.47</td><td>-----</td><td>-----</td><td>63.48</td><td>32.28</td><td>7.79</td><td>32.08</td><td>352</td><td>110 AVERAGE</td></tr></tbody></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	96.26	-----	-----	88.27	32.28	7.79	32.08	352	110 PEAK	2	2402.00	71.47	-----	-----	63.48	32.28	7.79	32.08	352	110 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2353.37	50.27	74.00	-23.73	42.50	32.18	7.66	32.07	352	110 PEAK																																																																																																
2	2353.37	25.48	54.00	-28.52	17.71	32.18	7.66	32.07	352	110 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2402.00	96.26	-----	-----	88.27	32.28	7.79	32.08	352	110 PEAK																																																																																																
2	2402.00	71.47	-----	-----	63.48	32.28	7.79	32.08	352	110 AVERAGE																																																																																																



Mode	5																																																																																																													
	Band Edge																																																																																																													
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																													
ANT	2																																																																																																													
Pol.	Vertical					Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz)					Level (dBuV/m) Date: 2024-09-20 Frequency (MHz)																																																																																																								
	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2341.19</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>42.60</td><td>32.15</td><td>7.62</td><td>32.07</td><td>400 310 PEAK</td></tr><tr><td>2</td><td>2341.19</td><td>25.51</td><td>54.00</td><td>-28.49</td><td>17.81</td><td>32.15</td><td>7.62</td><td>32.07</td><td>400 310 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2341.19	50.30	74.00	-23.70	42.60	32.15	7.62	32.07	400 310 PEAK	2	2341.19	25.51	54.00	-28.49	17.81	32.15	7.62	32.07	400 310 AVERAGE	<table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>99.12</td><td>74.33</td><td>24.80</td><td>91.13</td><td>32.28</td><td>7.79</td><td>32.08</td><td>400 310 PEAK</td></tr><tr><td>2</td><td>2402.00</td><td>74.33</td><td>66.34</td><td>8.00</td><td>66.34</td><td>32.28</td><td>7.79</td><td>32.08</td><td>400 310 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	99.12	74.33	24.80	91.13	32.28	7.79	32.08	400 310 PEAK	2	2402.00	74.33	66.34	8.00	66.34	32.28	7.79	32.08	400 310 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																					
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2341.19	50.30	74.00	-23.70	42.60	32.15	7.62	32.07	400 310 PEAK																																																																																																					
2	2341.19	25.51	54.00	-28.49	17.81	32.15	7.62	32.07	400 310 AVERAGE																																																																																																					
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																					
1	2402.00	99.12	74.33	24.80	91.13	32.28	7.79	32.08	400 310 PEAK																																																																																																					
2	2402.00	74.33	66.34	8.00	66.34	32.28	7.79	32.08	400 310 AVERAGE																																																																																																					



Mode	5																																																																																																																																																																	
	Harmonic																																																																																																																																																																	
	2400-2483.5_Bluetooth BR_GFSK_CH00_2402MHz																																																																																																																																																																	
ANT	2																																																																																																																																																																	
Pol.	Horizontal								Vertical																																																																																																																																																									
Peak Avg	Level (dBuV/m) Date: 2024-09-26 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="5">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>4804.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>50.11</td><td>34.82</td><td>11.07</td><td>51.58</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4804.00</td><td>19.63</td><td>54.00</td><td>-34.37</td><td>25.32</td><td>34.82</td><td>11.07</td><td>51.58</td><td>---</td><td>---</td><td colspan="4">Average</td></tr></table>										Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg					1	4804.00	44.42	74.00	-29.58	50.11	34.82	11.07	51.58	---	---	Peak				2	4804.00	19.63	54.00	-34.37	25.32	34.82	11.07	51.58	---	---	Average				Level (dBuV/m) Date: 2024-09-26 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="5">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th></tr><tr><td>1</td><td>4804.00</td><td>45.67</td><td>74.00</td><td>-28.33</td><td>51.36</td><td>34.82</td><td>11.07</td><td>51.58</td><td>---</td><td>---</td><td colspan="4">Peak</td></tr><tr><td>2</td><td>4804.00</td><td>20.88</td><td>54.00</td><td>-33.12</td><td>26.57</td><td>34.82</td><td>11.07</td><td>51.58</td><td>---</td><td>---</td><td colspan="4">Average</td></tr></table>										Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg					1	4804.00	45.67	74.00	-28.33	51.36	34.82	11.07	51.58	---	---	Peak				2	4804.00	20.88	54.00	-33.12	26.57	34.82	11.07	51.58	---	---	Average			
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																								
1	4804.00	44.42	74.00	-29.58	50.11	34.82	11.07	51.58	---	---	Peak																																																																																																																																																							
2	4804.00	19.63	54.00	-34.37	25.32	34.82	11.07	51.58	---	---	Average																																																																																																																																																							
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																								
1	4804.00	45.67	74.00	-28.33	51.36	34.82	11.07	51.58	---	---	Peak																																																																																																																																																							
2	4804.00	20.88	54.00	-33.12	26.57	34.82	11.07	51.58	---	---	Average																																																																																																																																																							



Mode	6																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																											
	2400-2483.5_Bluetooth BR_GFSK_CH39_2441MHz																																																																																																																																																																																											
ANT	2																																																																																																																																																																																											
Pol.	Horizontal																																																																																																																																																																																											
Peak Avg	Level (dBuV/m) Date: 2024-09-26 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>45.85</td><td>74.00</td><td>-28.15</td><td>51.45</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>21.06</td><td>54.00</td><td>-32.94</td><td>26.66</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>52.93</td><td>74.00</td><td>-21.07</td><td>54.68</td><td>36.33</td><td>13.09</td><td>51.17</td><td>389</td><td>80</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>28.14</td><td>54.00</td><td>-25.86</td><td>29.89</td><td>36.33</td><td>13.09</td><td>51.17</td><td>389</td><td>80</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg		1	4882.00	45.85	74.00	-28.15	51.45	34.85	11.10	51.55	---	---	Peak	2	4882.00	21.06	54.00	-32.94	26.66	34.85	11.10	51.55	---	---	Average	3	7323.00	52.93	74.00	-21.07	54.68	36.33	13.09	51.17	389	80	Peak	4	7323.00	28.14	54.00	-25.86	29.89	36.33	13.09	51.17	389	80	Average	Level (dBuV/m) Date: 2024-09-26 <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th></th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4882.00</td><td>45.44</td><td>74.00</td><td>-28.56</td><td>51.04</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4882.00</td><td>20.65</td><td>54.00</td><td>-33.35</td><td>26.25</td><td>34.85</td><td>11.10</td><td>51.55</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7323.00</td><td>58.51</td><td>74.00</td><td>-15.49</td><td>60.26</td><td>36.33</td><td>13.09</td><td>51.17</td><td>339</td><td>18</td><td>Peak</td></tr><tr><td>4</td><td>7323.00</td><td>33.73</td><td>54.00</td><td>-20.27</td><td>35.48</td><td>36.33</td><td>13.09</td><td>51.17</td><td>339</td><td>18</td><td>Average</td></tr></table>													Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg		1	4882.00	45.44	74.00	-28.56	51.04	34.85	11.10	51.55	---	---	Peak	2	4882.00	20.65	54.00	-33.35	26.25	34.85	11.10	51.55	---	---	Average	3	7323.00	58.51	74.00	-15.49	60.26	36.33	13.09	51.17	339	18	Peak	4	7323.00	33.73	54.00	-20.27	35.48	36.33	13.09	51.17	339	18	Average
			Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg																																																																																																																																																																																	
	1	4882.00	45.85	74.00	-28.15	51.45	34.85	11.10	51.55	---	---	Peak																																																																																																																																																																																
	2	4882.00	21.06	54.00	-32.94	26.66	34.85	11.10	51.55	---	---	Average																																																																																																																																																																																
3	7323.00	52.93	74.00	-21.07	54.68	36.33	13.09	51.17	389	80	Peak																																																																																																																																																																																	
4	7323.00	28.14	54.00	-25.86	29.89	36.33	13.09	51.17	389	80	Average																																																																																																																																																																																	
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB		dB	cm	deg																																																																																																																																																																																		
1	4882.00	45.44	74.00	-28.56	51.04	34.85	11.10	51.55	---	---	Peak																																																																																																																																																																																	
2	4882.00	20.65	54.00	-33.35	26.25	34.85	11.10	51.55	---	---	Average																																																																																																																																																																																	
3	7323.00	58.51	74.00	-15.49	60.26	36.33	13.09	51.17	339	18	Peak																																																																																																																																																																																	
4	7323.00	33.73	54.00	-20.27	35.48	36.33	13.09	51.17	339	18	Average																																																																																																																																																																																	



Mode	7																																																																																																					
	Band Edge																																																																																																					
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																					
ANT	2																																																																																																					
Pol.	Horizontal	Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2497.23</td><td>50.79</td><td>74.00</td><td>-23.21</td><td>42.51</td><td>32.49</td><td>7.89</td><td>32.10</td><td>355</td><td>252 PEAK</td></tr><tr><td>2 2497.23</td><td>26.00</td><td>54.00</td><td>-28.00</td><td>17.72</td><td>32.49</td><td>7.89</td><td>32.10</td><td>355</td><td>252 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2497.23	50.79	74.00	-23.21	42.51	32.49	7.89	32.10	355	252 PEAK	2 2497.23	26.00	54.00	-28.00	17.72	32.49	7.89	32.10	355	252 AVERAGE	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2480.00</td><td>92.67</td><td>-----</td><td>-----</td><td>84.44</td><td>32.46</td><td>7.87</td><td>32.10</td><td>355</td><td>252 PEAK</td></tr><tr><td>2 2480.00</td><td>67.88</td><td>-----</td><td>-----</td><td>59.65</td><td>32.46</td><td>7.87</td><td>32.10</td><td>355</td><td>252 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1 2480.00	92.67	-----	-----	84.44	32.46	7.87	32.10	355	252 PEAK	2 2480.00	67.88	-----	-----	59.65	32.46	7.87	32.10	355	252 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																												
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2497.23	50.79	74.00	-23.21	42.51	32.49	7.89	32.10	355	252 PEAK																																																																																													
2 2497.23	26.00	54.00	-28.00	17.72	32.49	7.89	32.10	355	252 AVERAGE																																																																																													
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																													
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																													
1 2480.00	92.67	-----	-----	84.44	32.46	7.87	32.10	355	252 PEAK																																																																																													
2 2480.00	67.88	-----	-----	59.65	32.46	7.87	32.10	355	252 AVERAGE																																																																																													





Mode	7																																																																																																									
	Band Edge																																																																																																									
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																									
ANT	2																																																																																																									
Pol.	Vertical	Fundamental																																																																																																								
Peak	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) PEAK_BE_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2495.87</td><td>50.59</td><td>74.00</td><td>-23.41</td><td>42.31</td><td>32.49</td><td>7.89</td><td>32.10</td><td>392</td><td>76 PEAK</td></tr><tr><td>2</td><td>2495.87</td><td>25.80</td><td>54.00</td><td>-28.20</td><td>17.52</td><td>32.49</td><td>7.89</td><td>32.10</td><td>392</td><td>76 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2495.87	50.59	74.00	-23.41	42.31	32.49	7.89	32.10	392	76 PEAK	2	2495.87	25.80	54.00	-28.20	17.52	32.49	7.89	32.10	392	76 AVERAGE	Level (dBuV/m) Date: 2024-09-20 Frequency (MHz) PEAK_74 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>97.88</td><td>-----</td><td>-----</td><td>89.65</td><td>32.46</td><td>7.87</td><td>32.10</td><td>392</td><td>76 PEAK</td></tr><tr><td>2</td><td>2480.00</td><td>73.09</td><td>-----</td><td>-----</td><td>64.86</td><td>32.46</td><td>7.87</td><td>32.10</td><td>392</td><td>76 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	97.88	-----	-----	89.65	32.46	7.87	32.10	392	76 PEAK	2	2480.00	73.09	-----	-----	64.86	32.46	7.87	32.10	392	76 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																	
	Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2495.87	50.59	74.00	-23.41	42.31	32.49	7.89	32.10	392	76 PEAK																																																																																																
2	2495.87	25.80	54.00	-28.20	17.52	32.49	7.89	32.10	392	76 AVERAGE																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																																	
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	2480.00	97.88	-----	-----	89.65	32.46	7.87	32.10	392	76 PEAK																																																																																																
2	2480.00	73.09	-----	-----	64.86	32.46	7.87	32.10	392	76 AVERAGE																																																																																																



Mode	7																																																																																																																		
	Harmonic																																																																																																																		
	2400-2483.5_Bluetooth BR_GFSK_CH78_2480MHz																																																																																																																		
ANT	2																																																																																																																		
Pol.	Horizontal																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2024-09-26 PEAK_74 AVG_54 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>46.12</td><td>74.00</td><td>-27.88</td><td>51.61</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>21.33</td><td>54.00</td><td>-32.67</td><td>26.82</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>53.42</td><td>74.00</td><td>-20.58</td><td>55.26</td><td>36.38</td><td>12.97</td><td>51.19</td><td>400</td><td>274</td><td>Peak</td><td colspan="2"></td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>28.63</td><td>54.00</td><td>-25.37</td><td>30.47</td><td>36.38</td><td>12.97</td><td>51.19</td><td>400</td><td>274</td><td>Average</td><td colspan="2"></td><td>Average</td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4960.00	46.12	74.00	-27.88	51.61	34.88	11.14	51.51	---	---	---	---	---	Peak	2	4960.00	21.33	54.00	-32.67	26.82	34.88	11.14	51.51	---	---	---	---	---	Average	3	7440.00	53.42	74.00	-20.58	55.26	36.38	12.97	51.19	400	274	Peak			Peak	4	7440.00	28.63	54.00	-25.37	30.47	36.38	12.97	51.19	400	274	Average			Average
			Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																									
	1	4960.00	46.12	74.00	-27.88	51.61	34.88	11.14	51.51	---	---	---	---	---	Peak																																																																																																				
2	4960.00	21.33	54.00	-32.67	26.82	34.88	11.14	51.51	---	---	---	---	---	Average																																																																																																					
3	7440.00	53.42	74.00	-20.58	55.26	36.38	12.97	51.19	400	274	Peak			Peak																																																																																																					
4	7440.00	28.63	54.00	-25.37	30.47	36.38	12.97	51.19	400	274	Average			Average																																																																																																					
Vertical																																																																																																																			
Level (dBuV/m) Date: 2024-09-26 PEAK_74 AVG_54 Frequency (MHz) <table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th colspan="2">Ant</th><th colspan="2">Cable Preamp</th><th colspan="2">APos</th><th colspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th colspan="4"></th><th></th></tr><tr><td>1</td><td>4960.00</td><td>45.57</td><td>74.00</td><td>-28.43</td><td>51.06</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>20.78</td><td>54.00</td><td>-33.22</td><td>26.27</td><td>34.88</td><td>11.14</td><td>51.51</td><td>---</td><td>---</td><td>---</td><td>---</td><td>---</td><td>Average</td></tr><tr><td>3</td><td>7440.00</td><td>58.79</td><td>74.00</td><td>-15.21</td><td>60.63</td><td>36.38</td><td>12.97</td><td>51.19</td><td>371</td><td>340</td><td>Peak</td><td colspan="2"></td><td>Peak</td></tr><tr><td>4</td><td>7440.00</td><td>34.00</td><td>54.00</td><td>-20.00</td><td>35.84</td><td>36.38</td><td>12.97</td><td>51.19</td><td>371</td><td>340</td><td>Average</td><td colspan="2"></td><td>Average</td></tr></table>													Limit		Read		Ant		Cable Preamp		APos		TPos		Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor								MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg						1	4960.00	45.57	74.00	-28.43	51.06	34.88	11.14	51.51	---	---	---	---	---	Peak	2	4960.00	20.78	54.00	-33.22	26.27	34.88	11.14	51.51	---	---	---	---	---	Average	3	7440.00	58.79	74.00	-15.21	60.63	36.38	12.97	51.19	371	340	Peak			Peak	4	7440.00	34.00	54.00	-20.00	35.84	36.38	12.97	51.19	371	340	Average			Average	
		Limit		Read		Ant		Cable Preamp		APos		TPos		Remark																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	4960.00	45.57	74.00	-28.43	51.06	34.88	11.14	51.51	---	---	---	---	---	Peak																																																																																																					
2	4960.00	20.78	54.00	-33.22	26.27	34.88	11.14	51.51	---	---	---	---	---	Average																																																																																																					
3	7440.00	58.79	74.00	-15.21	60.63	36.38	12.97	51.19	371	340	Peak			Peak																																																																																																					
4	7440.00	34.00	54.00	-20.00	35.84	36.38	12.97	51.19	371	340	Average			Average																																																																																																					




Mode	8																																																																																																																																																																																													
	LF																																																																																																																																																																																													
	2400-2483.5_Bluetooth LF_CH78_2480MHz																																																																																																																																																																																													
ANT	2																																																																																																																																																																																													
Pol.	Horizontal								Vertical																																																																																																																																																																																					
QPI Peak																																																																																																																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>44.55</td><td>18.84</td><td>40.00</td><td>-21.16</td><td>32.31</td><td>16.50</td><td>1.23</td><td>31.20</td><td>--- Peak</td></tr><tr><td>2</td><td>167.74</td><td>23.51</td><td>43.50</td><td>-19.99</td><td>36.29</td><td>15.90</td><td>2.35</td><td>31.03</td><td>--- Peak</td></tr><tr><td>3</td><td>312.27</td><td>26.13</td><td>46.00</td><td>-19.87</td><td>34.16</td><td>19.67</td><td>3.18</td><td>30.88</td><td>--- Peak</td></tr><tr><td>4</td><td>359.80</td><td>32.39</td><td>46.00</td><td>-13.61</td><td>38.98</td><td>20.77</td><td>3.42</td><td>30.78</td><td>--- Peak</td></tr><tr><td>5</td><td>799.21</td><td>30.69</td><td>46.00</td><td>-15.31</td><td>30.61</td><td>26.10</td><td>5.08</td><td>31.10</td><td>--- Peak</td></tr><tr><td>6</td><td>940.83</td><td>31.67</td><td>46.00</td><td>-14.33</td><td>30.08</td><td>27.05</td><td>5.54</td><td>31.00</td><td>--- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	44.55	18.84	40.00	-21.16	32.31	16.50	1.23	31.20	--- Peak	2	167.74	23.51	43.50	-19.99	36.29	15.90	2.35	31.03	--- Peak	3	312.27	26.13	46.00	-19.87	34.16	19.67	3.18	30.88	--- Peak	4	359.80	32.39	46.00	-13.61	38.98	20.77	3.42	30.78	--- Peak	5	799.21	30.69	46.00	-15.31	30.61	26.10	5.08	31.10	--- Peak	6	940.83	31.67	46.00	-14.33	30.08	27.05	5.54	31.00	--- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>43.58</td><td>18.14</td><td>40.00</td><td>-21.86</td><td>31.08</td><td>17.04</td><td>1.22</td><td>31.20</td><td>--- Peak</td></tr><tr><td>2</td><td>145.43</td><td>17.90</td><td>43.50</td><td>-25.60</td><td>29.91</td><td>16.91</td><td>2.19</td><td>31.11</td><td>--- Peak</td></tr><tr><td>3</td><td>385.02</td><td>28.56</td><td>46.00</td><td>-17.44</td><td>34.27</td><td>21.49</td><td>3.53</td><td>30.73</td><td>--- Peak</td></tr><tr><td>4</td><td>679.90</td><td>27.42</td><td>46.00</td><td>-18.58</td><td>28.38</td><td>25.20</td><td>4.68</td><td>30.84</td><td>--- Peak</td></tr><tr><td>5</td><td>827.34</td><td>31.18</td><td>46.00</td><td>-14.82</td><td>30.77</td><td>26.32</td><td>5.16</td><td>31.07</td><td>--- Peak</td></tr><tr><td>6</td><td>949.56</td><td>32.05</td><td>46.00</td><td>-13.95</td><td>30.38</td><td>27.10</td><td>5.57</td><td>31.00</td><td>--- Peak</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	43.58	18.14	40.00	-21.86	31.08	17.04	1.22	31.20	--- Peak	2	145.43	17.90	43.50	-25.60	29.91	16.91	2.19	31.11	--- Peak	3	385.02	28.56	46.00	-17.44	34.27	21.49	3.53	30.73	--- Peak	4	679.90	27.42	46.00	-18.58	28.38	25.20	4.68	30.84	--- Peak	5	827.34	31.18	46.00	-14.82	30.77	26.32	5.16	31.07	--- Peak	6	949.56	32.05	46.00	-13.95	30.38	27.10	5.57	31.00	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																						
1	44.55	18.84	40.00	-21.16	32.31	16.50	1.23	31.20	--- Peak																																																																																																																																																																																					
2	167.74	23.51	43.50	-19.99	36.29	15.90	2.35	31.03	--- Peak																																																																																																																																																																																					
3	312.27	26.13	46.00	-19.87	34.16	19.67	3.18	30.88	--- Peak																																																																																																																																																																																					
4	359.80	32.39	46.00	-13.61	38.98	20.77	3.42	30.78	--- Peak																																																																																																																																																																																					
5	799.21	30.69	46.00	-15.31	30.61	26.10	5.08	31.10	--- Peak																																																																																																																																																																																					
6	940.83	31.67	46.00	-14.33	30.08	27.05	5.54	31.00	--- Peak																																																																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																																																																																																																						
1	43.58	18.14	40.00	-21.86	31.08	17.04	1.22	31.20	--- Peak																																																																																																																																																																																					
2	145.43	17.90	43.50	-25.60	29.91	16.91	2.19	31.11	--- Peak																																																																																																																																																																																					
3	385.02	28.56	46.00	-17.44	34.27	21.49	3.53	30.73	--- Peak																																																																																																																																																																																					
4	679.90	27.42	46.00	-18.58	28.38	25.20	4.68	30.84	--- Peak																																																																																																																																																																																					
5	827.34	31.18	46.00	-14.82	30.77	26.32	5.16	31.07	--- Peak																																																																																																																																																																																					
6	949.56	32.05	46.00	-13.95	30.38	27.10	5.57	31.00	--- Peak																																																																																																																																																																																					


Appendix D. Duty Cycle Plots

Sample 1<Ant.1> :

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39




Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.




Sample 2<Ant.2> :

DH5 on time (One Pulse) Plot on Channel 39



DH5 on time (Count Pulses) Plot on Channel 39



Note:

1. Worst case Duty cycle = on time/100 milliseconds = $2 * 2.88 / 100 = 5.76 \%$
2. Worst case Duty cycle correction factor = $20 * \log(\text{Duty cycle}) = -24.79 \text{ dB}$
3. DH5 has the highest duty cycle worst case and is reported.