THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Request for Modular/Limited Modular Approval

Date: June 9, 2020					
Subject: Manufacturer's Declaration for	☑ - Modular Approval☐ - Limited Modular Approval	☐ - Split Modula☐ - Limited Spli		pproval	
Confidentiality Request for: <u>N7NEM9</u>	<u>1</u>				
	asic Requirements – FCC Part 15.212(Limited Module Description Must be l		llowing Dogos		
	Approval Requirement	rmed Out on the ro		ment Met	
1. The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i)		⊠ - YES	□ - NO(*)		
Details: Module RADIO elements are shielded. Please see submitted external photograph exhibits.					
2. The modular transmitter must have buffere ensure that the module will comply with Fo over-modulation. 15.212(a)(1)(ii)			⊠ - YES	□ - NO(*)	
Details: Module chipset design incorporates integrated buffer circuitry.					
3. The modular transmitter must have its own ensure that the module will comply with Fo supplying circuitry in the device into which	CC requirements regardless of the design	of the power	⊠ - YES	□ - NO(*)	
Details: Module chipset incorporates voltage regulation to transceiver circuitry.					
4. The modular transmitter must comply with 15.203, 15.204(b), 15.204(c), 15.212(a), ar attached or employ a "unique" antenna co antenna, including the cable). The "profess to modules but can apply to limited modular modular transmitters are modules at the case of the c	ad 2.929(b). The antenna must either be pupler (at all connections between the mossional installation" provision of § 15.203	ermanently dule and the is not applicable	□ - YES	⊠ - NO(*)	
Details: No applicable to licensed modules.					
5. The modular transmitter must be tested in a inside another device during testing. This is complying with Part 15 emission limits reg Unless the transmitter module will be batter requirements found in Section 15.207. AC the module must not contain ferrites, unles 15.27(a)). The length of these lines shall be least 10 centimeters to insure that there is requipment. Any accessories, peripherals, o shall be unmodified or commercially available.	s intended to demonstrate that the module andless of the device into which it is ever try powered, it must comply with the AC or DC power lines and data input/output is they will be marketed with the module (a length typical of actual use or, if that length typical of actual use of the module of the coupling between the case of the module of support equipment connected to the module.	e is capable of ntually installed. line conducted lines connected to (see Section ngth is unknown, at alle and supporting dule during testing	⊠ - YES	□ - NO(*)	
Details: EUT conformance testing was performed in a standalone configuration.					

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Modular Approval Requirement			Requirement Met	
6.	The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when			
	the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization.	⊠ - YES	□ - NO(*)	
	If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 15.212(a)(1)(vi)			
Dete	Details: Please refer to FCC ID label format. Labeling instruction has been provided in the user manual exhibit(s).			
7.	The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)	
	Details: The Module is compliant with all applicable FCC rules. Compliance requirements are stated in the user manual exhibit(s).			
8.	The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)	
Details: Compliance with RF exposure requirements are addressed in RF exposure report.				

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

Limited Mod	ule Description	- When A	Applicable
--------------------	-----------------	----------	------------

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: NA

Software Considerations – KDB 594280 / KDB 442812 (One of the following 2 items must be applied)			
Requirement		Requirement Met	
1. For non-Software Defined Radio transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.		☐ - Provided in Separate Cover Letter	□ - N/A
Details: <example a="" adjusted="" application.="" as="" be="" by="" can="" cover="" described="" device="" end="" filed="" firmware="" in="" letter="" modified="" not="" of="" or="" separate="" the="" this="" user="" with="" –=""></example>			
 For <u>Software Defined Radio (SDR)</u> devices, transmitte provide a software security description; see KDB Publi 	1.1	- Provided in Separate Cover Letter	□ - N/A
Details: <example a="" –n=""></example>			

Split Modular Requirements				
Requirement	Provided in Manual			
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	☐ - Provided in Separate Cover Letter	□ - N/A		
Details: <example a="" n="" –=""></example>				

THIS MUST BE SIGNED BY THE APPLICANT/AGENT AND SHOULD BE PLACED ON APPROPRIATE LETTERHEAD

~=		11 YPD 00 (260 700 7 11 5		
OF	M Integration Manual Gui	idance – KDB 996369 D03 Section 2		
Clear and Sne	cific Instructions Describir	ng the Conditions, Limitations, and Proced	ures	
		ntegrate the module into a host device.		
Requirement				
		□ - No,		
		If No, and LMA applies, the applicant ca		
		make the following detailed info public.		
Is this module intended for	⊠ - YES	to be basic integration instructions for information below must still be included		
sale to third parties?		description. If the applicant wishes to k		
		this will require a separate statement co		
		module is not for sale to third partie		
T.	. 1. 1	instructions are internal confide	ntial documents.	
		nual – See KDB 996369 D03, Section 2 formation to be in the installation manual.	Modular transmittar	
		all these items indicating clearly when the		
		Not Applicable". Also if a module is limited		
products and not intended for sale	to third parties, the user in	nstructions may not need to be detailed and	d the following items can	
	*	t this should include a cover letter as cited	above.	
1. List of applicable FCC rules. K		2		
-	ated to the transmitter.	(260 D02 G ./: 2.2	-	
Summarize the specific operatio a. Conditions such a		oss, reduction of power for point to point		
	onal installation info	oss, reduction of power for point to point		
3. Limited Module Procedures. KD				
		es to verify the host meets the necessary		
limiting condition			□ - All Items shown to	
h When RF exposure evaluation is necessary state how control will be maintained such			the left are provided in	
4. Trace antenna designs. KDB 99		of flew flosts, etc.	the Modular Integration	
a Layout of trace decign, parts list, antanna, connectors, isolation requirements, tasts for			Guide (or UM) for Full	
design verification, and production test procedures for ensuring compliance. If Modular Approval (MA) or LMA.				
		ntial must be identified and information	of LWA.	
	perational description.		☐ - An LMA applies	
 RF exposure considerations. KD a. Clearly and expli 		ow host manufacturers to use the module.	and is approved ONLY	
		to the host manufacturer to define	for use by the grantee in	
conditions (mobile	conditions (mobile, portable – xx cm from body) and second additional text needed to be their own products, and			
	nd user in the host product m	anuals.	not intended for sale to 3 rd parties as provided in	
6. Antennas. KDB 996369 D03, Se		ed all applicable professional installer	a separate cover letter.	
a. List of antennas included in the application and all applicable professional installer instructions when applicable. The antenna list shall also identify the antenna types a separate cover letter. Therefore the				
(monopole, PIFA, dipole, etc – note that "omni-directional" is not considered a type) Information shown to the				
7. Label and compliance information, KDB 996369 D03, Section 2.8				
a. Advice to host integrators that they need to provide a physical or e-label stating theory of operation.				
"Contains FCC ID: " with their finished product 8. Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9				
a. Test modes that should be taken into consideration by host integrators including				
clarifications necessary for stand-alone and simultaneous configurations.				
b. Provide information on how to configure test modes for evaluation				
9. Additional testing, Part 15 Subp	art B disclaimer. KDB 99636	69 D03, Section 2.10		
Sincerely,				
Sincercy,				
5,,,,,,,				
•	Certification Engineer_	<u>Suzi Lan</u>		
(Signature/Title ¹)		(Print name)		

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate

