

5. PHOTOGRAPHS

5.1. Photos of Conducted Emission Measurement

Test Mode: D-Sub or DVI Input, Panel Position: 0°/Horizontal



FRONT VIEW OF CONDUCTED MEASUREMENT



BACK VIEW OF CONDUCTED MEASUREMENT

Test Mode: DVI Input, Panel Position: 90°/Vertical



FRONT VIEW OF CONDUCTED MEASUREMENT



BACK VIEW OF CONDUCTED MEASUREMENT

5.2. Photos of Radiated Measurement at Simple Anechoic Chamber (30-1000MHz)

Test Mode: D-Sub or DVI Input, Panel Position: 0°/Horizontal



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test Mode: DVI Input, Panel Position: 90°/Vertical



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

5.3. Photos of Radiated Measurement at Open Area Test Site (30-1000MHz)

Test Mode: DVI Input, Panel Position: 0°/Horizontal




FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test Mode : 1600*1200/60Hz, 75kHz (DVI)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION




SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

5.4. Photos of Radiated Measurement at Open Area Test Site (1-2GHz)

Test Mode: D-Sub or DVI Input, Panel Position: 0°/Horizontal



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

Test Mode: DVI Input, Panel Position: 90°/Vertical



FRONT VIEW OF RADIATED MEASUREMENT



BACK VIEW OF RADIATED MEASUREMENT

