

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	22.41	0.17418	26.81	0.47973
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	22.41	0.17418	26.81	0.47973
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	22.03	0.15959	26.43	0.43954
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	21.83	0.15241	26.23	0.41976
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	22.47	0.17660	26.87	0.48641
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	22.24	0.16749	26.64	0.46132
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	12.24	0.01675	16.64	0.04613
802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX	14.35	0.02723	18.75	0.07499
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	16.80	0.04786	21.20	0.13183
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	17.46	0.05572	21.86	0.15346
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	19.40	0.08710	23.80	0.23988

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.40	9.94	9.81	12.89	24.00	17.29	30.00
5200MHz	Pass	4.40	10.18	9.91	13.06	24.00	17.46	30.00
5240MHz	Pass	4.40	9.82	9.56	12.70	24.00	17.10	30.00
5260MHz	Pass	4.40	9.35	9.72	12.55	23.57	16.95	29.57
5300MHz	Pass	4.40	9.85	9.86	12.87	23.57	17.27	29.57
5320MHz	Pass	4.40	9.81	9.98	12.91	23.57	17.31	29.57
5500MHz	Pass	4.40	9.57	10.35	12.99	23.54	17.39	29.54
5580MHz	Pass	4.40	10.06	9.78	12.93	23.54	17.33	29.54
5700MHz	Pass	4.40	2.55	3.59	6.11	23.57	10.51	29.57
5720MHz Straddle 5.47-5.725GHz	Pass	4.40	9.99	10.01	13.01	22.47	17.41	28.47
5720MHz Straddle 5.725-5.85GHz	Pass	4.40	-17	-16.83	-13.90	30.00	-9.50	36.00
5745MHz	Pass	4.40	19.35	19.18	22.28	30.00	26.68	36.00
5785MHz	Pass	4.40	19.04	19.77	22.43	30.00	26.83	36.00
5825MHz	Pass	4.40	18.39	19.54	22.01	30.00	26.41	36.00
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.40	11.41	11.11	14.27	24.00	18.67	30.00
5200MHz	Pass	4.40	13.18	12.91	16.06	24.00	20.46	30.00
5240MHz	Pass	4.40	12.73	12.59	15.67	24.00	20.07	30.00
5260MHz	Pass	4.40	12.83	13.12	15.99	23.57	20.39	29.57
5300MHz	Pass	4.40	12.91	12.75	15.84	23.57	20.24	29.57
5320MHz	Pass	4.40	11.33	11.22	14.29	23.56	18.69	29.56
5500MHz	Pass	4.40	12.06	12.79	15.45	23.57	19.85	29.57
5580MHz	Pass	4.40	13.18	12.71	15.96	23.57	20.36	29.57
5700MHz	Pass	4.40	7.26	7.43	10.36	23.57	14.76	29.57
5720MHz Straddle 5.47-5.725GHz	Pass	4.40	13.03	13.05	16.05	22.48	20.45	28.48
5720MHz Straddle 5.725-5.85GHz	Pass	4.40	-13.15	-12.81	-9.97	30.00	-5.57	36.00
5745MHz	Pass	4.40	19.35	19.16	22.27	30.00	26.67	36.00
5785MHz	Pass	4.40	19.06	19.49	22.29	30.00	26.69	36.00
5825MHz	Pass	4.40	18.91	19.84	22.41	30.00	26.81	36.00
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.40	11.05	10.75	13.91	24.00	18.31	30.00
5200MHz	Pass	4.40	13.94	13.63	16.80	24.00	21.20	30.00
5240MHz	Pass	4.40	14.75	14.55	17.66	24.00	22.06	30.00
5260MHz	Pass	4.40	15.59	15.86	18.74	24.00	23.14	30.00
5300MHz	Pass	4.40	13.32	13.16	16.25	24.00	20.65	30.00
5320MHz	Pass	4.40	11.45	11.46	14.47	24.00	18.87	30.00
5500MHz	Pass	4.40	12.13	12.86	15.52	24.00	19.92	30.00
5580MHz	Pass	4.40	16.02	15.76	18.90	24.00	23.30	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5700MHz	Pass	4.40	10.6	10.45	13.54	24.00	17.94	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.40	16.15	15.73	18.96	23.13	23.36	29.13
5720MHz Straddle 5.725-5.85GHz	Pass	4.40	-9.65	-10.37	-6.98	30.00	-2.58	36.00
5745MHz	Pass	4.40	19.36	19.05	22.22	30.00	26.62	36.00
5785MHz	Pass	4.40	19.26	19.32	22.30	30.00	26.70	36.00
5825MHz	Pass	4.40	19.36	19.44	22.41	30.00	26.81	36.00
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.40	9.62	9.92	12.78	24.00	17.18	30.00
5230MHz	Pass	4.40	9.47	9.76	12.63	24.00	17.03	30.00
5270MHz	Pass	4.40	9.42	10.25	12.87	23.60	17.27	29.60
5310MHz	Pass	4.40	9.45	10.13	12.81	23.60	17.21	29.60
5510MHz	Pass	4.40	8.55	9.81	12.24	23.57	16.64	29.57
5590MHz	Pass	4.40	9.81	10.03	12.93	23.51	17.33	29.51
5670MHz	Pass	4.40	4.13	5.14	7.67	23.54	12.07	29.54
5710MHz Straddle 5.47-5.725GHz	Pass	4.40	9.62	10.2	12.93	22.44	17.33	28.44
5710MHz Straddle 5.725-5.85GHz	Pass	4.40	-16.87	-16.41	-13.62	30.00	-9.22	36.00
5755MHz	Pass	4.40	14.23	14.56	17.41	30.00	21.81	36.00
5795MHz	Pass	4.40	18.52	19.46	22.03	30.00	26.43	36.00
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.40	10.92	11.17	14.06	24.00	18.46	30.00
5230MHz	Pass	4.40	12.65	13.06	15.87	24.00	20.27	30.00
5270MHz	Pass	4.40	12.33	13.12	15.75	23.57	20.15	29.57
5310MHz	Pass	4.40	10.86	11.35	14.12	23.57	18.52	29.57
5510MHz	Pass	4.40	9.63	10.68	13.20	23.60	17.60	29.60
5590MHz	Pass	4.40	12.65	12.75	15.71	23.60	20.11	29.60
5670MHz	Pass	4.40	9.44	9.38	12.42	23.60	16.82	29.60
5710MHz Straddle 5.47-5.725GHz	Pass	4.40	12.56	12.99	15.79	22.46	20.19	28.46
5710MHz Straddle 5.725-5.85GHz	Pass	4.40	-14.55	-14.1	-11.31	30.00	-6.91	36.00
5755MHz	Pass	4.40	16.53	17.18	19.88	30.00	24.28	36.00
5795MHz	Pass	4.40	18.07	19.46	21.83	30.00	26.23	36.00
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.40	11.92	12.05	15.00	24.00	19.40	30.00
5230MHz	Pass	4.40	14.95	14.46	17.72	24.00	22.12	30.00
5270MHz	Pass	4.40	14.87	15.98	18.47	24.00	22.87	30.00
5310MHz	Pass	4.40	11.45	11.97	14.73	24.00	19.13	30.00
5510MHz	Pass	4.40	11.05	12.38	14.78	24.00	19.18	30.00
5590MHz	Pass	4.40	15.19	15.57	18.39	24.00	22.79	30.00
5670MHz	Pass	4.40	12.15	12.07	15.12	24.00	19.52	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.40	15.9	16.02	18.97	24.00	23.37	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.40	-29.74	-29.03	-26.36	30.00	-21.96	36.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5755MHz	Pass	4.40	17.84	18.38	21.13	30.00	25.53	36.00
5795MHz	Pass	4.40	18.93	19.94	22.47	30.00	26.87	36.00
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.40	11.52	11.75	14.65	24.00	19.05	30.00
5230MHz	Pass	4.40	13.89	14.31	17.12	24.00	21.52	30.00
5270MHz	Pass	4.40	15.32	16.17	18.78	24.00	23.18	30.00
5310MHz	Pass	4.40	12.45	12.81	15.64	24.00	20.04	30.00
5510MHz	Pass	4.40	11.91	12.95	15.47	24.00	19.87	30.00
5590MHz	Pass	4.40	18.65	18.92	21.80	24.00	26.20	30.00
5670MHz	Pass	4.40	14.64	14.56	17.61	24.00	22.01	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.40	19.06	18.93	22.01	24.00	26.41	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.40	-17.93	-17.82	-14.86	30.00	-10.46	36.00
5755MHz	Pass	4.40	18.72	19.35	22.06	30.00	26.46	36.00
5795MHz	Pass	4.40	18.75	19.67	22.24	30.00	26.64	36.00
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.40	9.58	9.66	12.63	24.00	17.03	30.00
5290MHz	Pass	4.40	9.64	10.38	13.04	23.67	17.44	29.67
5530MHz	Pass	4.40	8.31	9.45	11.93	23.60	16.33	29.60
5610MHz	Pass	4.40	7.55	7.3	10.44	23.60	14.84	29.60
5690MHz Straddle 5.47-5.725GHz	Pass	4.40	10.13	9.83	12.99	23.62	17.39	29.62
5690MHz Straddle 5.725-5.85GHz	Pass	4.40	-35.28	-35.54	-32.40	30.00	-28.00	36.00
5775MHz	Pass	4.40	9.41	9.04	12.24	30.00	16.64	36.00
802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.40	11.13	11.11	14.13	24.00	18.53	30.00
5290MHz	Pass	4.40	11.15	11.98	14.60	24.00	19.00	30.00
5530MHz	Pass	4.40	10.41	11.35	13.92	24.00	18.32	30.00
5610MHz	Pass	4.40	11.12	10.92	14.03	24.00	18.43	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.40	13.53	13.15	16.35	23.64	20.75	29.64
5690MHz Straddle 5.725-5.85GHz	Pass	4.40	-13	-12.91	-9.94	30.00	-5.54	36.00
5775MHz	Pass	4.40	11.56	11.11	14.35	30.00	18.75	36.00
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.40	12.14	12.21	15.19	24.00	19.59	30.00
5290MHz	Pass	4.40	12.12	12.95	15.57	24.00	19.97	30.00
5530MHz	Pass	4.40	10.66	11.82	14.29	24.00	18.69	30.00
5610MHz	Pass	4.40	14.56	14.74	17.66	24.00	22.06	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.40	16.37	15.82	19.11	24.00	23.51	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.40	-12.52	-12.66	-9.58	30.00	-5.18	36.00
5775MHz	Pass	4.40	14.04	13.52	16.80	30.00	21.20	36.00
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-



Conducted Output Power(Average)

Appendix B.1


Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5210MHz	Pass	4.40	11.98	12.05	15.03	24.00	19.43	30.00
5290MHz	Pass	4.40	13.06	13.68	16.39	24.00	20.79	30.00
5530MHz	Pass	4.40	12.68	13.66	16.21	24.00	20.61	30.00
5610MHz	Pass	4.40	14.62	14.74	17.69	24.00	22.09	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.40	19.43	18.97	22.22	24.00	26.62	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.40	-26.22	-25.51	-22.84	30.00	-18.44	36.00
5775MHz	Pass	4.40	14.05	14.81	17.46	30.00	21.86	36.00
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.40	11.95	11.99	14.98	24.00	19.38	30.00
5290MHz	Pass	4.40	11.63	12.17	14.92	24.00	19.32	30.00
5530MHz	Pass	4.40	10.86	11.79	14.36	24.00	18.76	30.00
5610MHz	Pass	4.40	16.06	16.15	19.12	24.00	23.52	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.40	19.39	18.73	22.08	24.00	26.48	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.40	-18.99	-19.08	-16.02	30.00	-11.62	36.00
5775MHz	Pass	4.40	16.19	16.59	19.40	30.00	23.80	36.00

DG = Directional Gain; Port X = Port X output power

5.47-5.725GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

AV Power


5720MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.725-5.85GHz_TX






5.47-5.725GHz_802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

AV Power


5710MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.725-5.85GHz_TX



5.47-5.725GHz_802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

AV Power


5690MHz Straddle 5.47-5.725GHz_TX



5.725-5.85GHz_802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz_TX



Beamforming mode
Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.15-5.25GHz	-	-	-	-
802.11ax HEW20_RU26_Index3,BF_20MHz_Nss1,(MCS0)_2TX	10.05	0.01012	17.46	0.05572
802.11ax HEW20_RU52_Index38,BF_20MHz_Nss1,(MCS0)_2TX	13.05	0.02018	20.46	0.11117
802.11ax HEW20_RU106_Index53,BF_20MHz_Nss1,(MCS0)_2TX	14.65	0.02917	22.06	0.16069
802.11ax HEW40_RU26_Index12,BF_40MHz_Nss1,(MCS0)_2TX	9.77	0.00948	17.18	0.05224
802.11ax HEW40_RU52_Index42,BF_40MHz_Nss1,(MCS0)_2TX	12.86	0.01932	20.27	0.10641
802.11ax HEW40_RU106_Index54,BF_40MHz_Nss1,(MCS0)_2TX	14.71	0.02958	22.12	0.16293
802.11ax HEW40_RU242_Index61,BF_40MHz_Nss1,(MCS0)_2TX	14.11	0.02576	21.52	0.14191
802.11ax HEW80_RU26_Index21,BF_80MHz_Nss1,(MCS0)_2TX	9.62	0.00916	17.03	0.05047
802.11ax HEW80_RU52_Index49,BF_80MHz_Nss1,(MCS0)_2TX	11.12	0.01294	18.53	0.07129
802.11ax HEW80_RU106_Index58,BF_80MHz_Nss1,(MCS0)_2TX	12.18	0.01652	19.59	0.09099
802.11ax HEW80_RU242_Index62,BF_80MHz_Nss1,(MCS0)_2TX	12.02	0.01592	19.43	0.08770
802.11ax HEW80_RU484_Index65,BF_80MHz_Nss1,(MCS0)_2TX	11.97	0.01574	19.38	0.08670
5.25-5.35GHz	-	-	-	-
802.11ax HEW20_RU26_Index3,BF_20MHz_Nss1,(MCS0)_2TX	9.90	0.00977	17.31	0.05383
802.11ax HEW20_RU52_Index38,BF_20MHz_Nss1,(MCS0)_2TX	12.98	0.01986	20.39	0.10940
802.11ax HEW20_RU106_Index53,BF_20MHz_Nss1,(MCS0)_2TX	15.73	0.03741	23.14	0.20606
802.11ax HEW40_RU26_Index12,BF_40MHz_Nss1,(MCS0)_2TX	9.86	0.00968	17.27	0.05333
802.11ax HEW40_RU52_Index42,BF_40MHz_Nss1,(MCS0)_2TX	12.74	0.01879	20.15	0.10351
802.11ax HEW40_RU106_Index54,BF_40MHz_Nss1,(MCS0)_2TX	15.46	0.03516	22.87	0.19364
802.11ax HEW40_RU242_Index61,BF_40MHz_Nss1,(MCS0)_2TX	15.77	0.03776	23.18	0.20797
802.11ax HEW80_RU26_Index21,BF_80MHz_Nss1,(MCS0)_2TX	10.03	0.01007	17.44	0.05546
802.11ax HEW80_RU52_Index49,BF_80MHz_Nss1,(MCS0)_2TX	11.59	0.01442	19.00	0.07943
802.11ax HEW80_RU106_Index58,BF_80MHz_Nss1,(MCS0)_2TX	12.56	0.01803	19.97	0.09931
802.11ax HEW80_RU242_Index62,BF_80MHz_Nss1,(MCS0)_2TX	13.38	0.02178	20.79	0.11995
802.11ax HEW80_RU484_Index65,BF_80MHz_Nss1,(MCS0)_2TX	11.91	0.01552	19.32	0.08551
5.47-5.725GHz	-	-	-	-
802.11ax HEW20_RU26_Index3,BF_20MHz_Nss1,(MCS0)_2TX	10.00	0.01000	17.41	0.05508
802.11ax HEW20_RU52_Index38,BF_20MHz_Nss1,(MCS0)_2TX	13.04	0.02014	20.45	0.11092
802.11ax HEW20_RU106_Index53,BF_20MHz_Nss1,(MCS0)_2TX	15.95	0.03936	23.36	0.21677
802.11ax HEW40_RU26_Index12,BF_40MHz_Nss1,(MCS0)_2TX	9.92	0.00982	17.33	0.05408
802.11ax HEW40_RU52_Index42,BF_40MHz_Nss1,(MCS0)_2TX	12.78	0.01897	20.19	0.10447
802.11ax HEW40_RU106_Index54,BF_40MHz_Nss1,(MCS0)_2TX	15.96	0.03945	23.37	0.21727
802.11ax HEW40_RU242_Index61,BF_40MHz_Nss1,(MCS0)_2TX	19.00	0.07943	26.41	0.43752
802.11ax HEW80_RU26_Index21,BF_80MHz_Nss1,(MCS0)_2TX	9.98	0.00995	17.39	0.05483
802.11ax HEW80_RU52_Index49,BF_80MHz_Nss1,(MCS0)_2TX	13.34	0.02158	20.75	0.11885
802.11ax HEW80_RU106_Index58,BF_80MHz_Nss1,(MCS0)_2TX	16.10	0.04074	23.51	0.22439
802.11ax HEW80_RU242_Index62,BF_80MHz_Nss1,(MCS0)_2TX	19.21	0.08337	26.62	0.45920
802.11ax HEW80_RU484_Index65,BF_80MHz_Nss1,(MCS0)_2TX	19.07	0.08072	26.48	0.44463
5.725-5.85GHz	-	-	-	-
802.11ax HEW20_RU26_Index3,BF_20MHz_Nss1,(MCS0)_2TX	19.42	0.08750	26.83	0.48195

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
802.11ax HEW20_RU52_Index38,BF_20MHz_Nss1,(MCS0)_2TX	19.40	0.08710	26.81	0.47973
802.11ax HEW20_RU106_Index53,BF_20MHz_Nss1,(MCS0)_2TX	19.40	0.08710	26.81	0.47973
802.11ax HEW40_RU26_Index12,BF_40MHz_Nss1,(MCS0)_2TX	19.02	0.07980	26.43	0.43954
802.11ax HEW40_RU52_Index42,BF_40MHz_Nss1,(MCS0)_2TX	18.82	0.07621	26.23	0.41976
802.11ax HEW40_RU106_Index54,BF_40MHz_Nss1,(MCS0)_2TX	19.46	0.08831	26.87	0.48641
802.11ax HEW40_RU242_Index61,BF_40MHz_Nss1,(MCS0)_2TX	19.23	0.08375	26.64	0.46132
802.11ax HEW80_RU26_Index21,BF_80MHz_Nss1,(MCS0)_2TX	9.23	0.00838	16.64	0.04613
802.11ax HEW80_RU52_Index49,BF_80MHz_Nss1,(MCS0)_2TX	11.34	0.01361	18.75	0.07499
802.11ax HEW80_RU106_Index58,BF_80MHz_Nss1,(MCS0)_2TX	13.79	0.02393	21.20	0.13183
802.11ax HEW80_RU242_Index62,BF_80MHz_Nss1,(MCS0)_2TX	14.45	0.02786	21.86	0.15346
802.11ax HEW80_RU484_Index65,BF_80MHz_Nss1,(MCS0)_2TX	16.39	0.04355	23.80	0.23988

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_RU26_Index3,BF_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.41	6.93	6.8	9.88	22.59	17.29	30.00
5200MHz	Pass	7.41	7.17	6.9	10.05	22.59	17.46	30.00
5240MHz	Pass	7.41	6.81	6.55	9.69	22.59	17.10	30.00
5260MHz	Pass	7.41	6.34	6.71	9.54	22.16	16.95	29.57
5300MHz	Pass	7.41	6.84	6.85	9.86	22.16	17.27	29.57
5320MHz	Pass	7.41	6.8	6.97	9.90	22.16	17.31	29.57
5500MHz	Pass	7.41	6.56	7.34	9.98	22.13	17.39	29.54
5580MHz	Pass	7.41	7.05	6.77	9.92	22.13	17.33	29.54
5700MHz	Pass	7.41	-0.46	0.58	3.10	22.16	10.51	29.57
5720MHz Straddle 5.47-5.725GHz	Pass	7.41	6.98	7	10.00	21.06	17.41	28.47
5720MHz Straddle 5.725-5.85GHz	Pass	7.41	-20.01	-19.84	-16.91	28.59	-9.50	36.00
5745MHz	Pass	7.41	16.34	16.17	19.27	28.59	26.68	36.00
5785MHz	Pass	7.41	16.03	16.76	19.42	28.59	26.83	36.00
5825MHz	Pass	7.41	15.38	16.53	19.00	28.59	26.41	36.00
802.11ax HEW20_RU52_Index38,BF_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.41	8.4	8.1	11.26	22.59	18.67	30.00
5200MHz	Pass	7.41	10.17	9.9	13.05	22.59	20.46	30.00
5240MHz	Pass	7.41	9.72	9.58	12.66	22.59	20.07	30.00
5260MHz	Pass	7.41	9.82	10.11	12.98	22.16	20.39	29.57
5300MHz	Pass	7.41	9.9	9.74	12.83	22.16	20.24	29.57
5320MHz	Pass	7.41	8.32	8.21	11.28	22.15	18.69	29.56
5500MHz	Pass	7.41	9.05	9.78	12.44	22.16	19.85	29.57
5580MHz	Pass	7.41	10.17	9.7	12.95	22.16	20.36	29.57
5700MHz	Pass	7.41	4.25	4.42	7.35	22.16	14.76	29.57
5720MHz Straddle 5.47-5.725GHz	Pass	7.41	10.02	10.04	13.04	21.07	20.45	28.48
5720MHz Straddle 5.725-5.85GHz	Pass	7.41	-16.16	-15.82	-12.98	28.59	-5.57	36.00
5745MHz	Pass	7.41	16.34	16.15	19.26	28.59	26.67	36.00
5785MHz	Pass	7.41	16.05	16.48	19.28	28.59	26.69	36.00
5825MHz	Pass	7.41	15.9	16.83	19.40	28.59	26.81	36.00
802.11ax HEW20_RU106_Index53,BF_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.41	8.04	7.74	10.90	22.59	18.31	30.00
5200MHz	Pass	7.41	10.93	10.62	13.79	22.59	21.20	30.00
5240MHz	Pass	7.41	11.74	11.54	14.65	22.59	22.06	30.00
5260MHz	Pass	7.41	12.58	12.85	15.73	22.59	23.14	30.00
5300MHz	Pass	7.41	10.31	10.15	13.24	22.59	20.65	30.00
5320MHz	Pass	7.41	8.44	8.45	11.46	22.59	18.87	30.00
5500MHz	Pass	7.41	9.12	9.85	12.51	22.59	19.92	30.00
5580MHz	Pass	7.41	13.01	12.75	15.89	22.59	23.30	30.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5700MHz	Pass	7.41	7.59	7.44	10.53	22.59	17.94	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.41	13.14	12.72	15.95	21.72	23.36	29.13
5720MHz Straddle 5.725-5.85GHz	Pass	7.41	-12.66	-13.38	-9.99	28.59	-2.58	36.00
5745MHz	Pass	7.41	16.35	16.04	19.21	28.59	26.62	36.00
5785MHz	Pass	7.41	16.25	16.31	19.29	28.59	26.70	36.00
5825MHz	Pass	7.41	16.35	16.43	19.40	28.59	26.81	36.00
802.11ax HEW40_RU26_Index12,BF_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	6.61	6.91	9.77	22.59	17.18	30.00
5230MHz	Pass	7.41	6.46	6.75	9.62	22.59	17.03	30.00
5270MHz	Pass	7.41	6.41	7.24	9.86	22.19	17.27	29.60
5310MHz	Pass	7.41	6.44	7.12	9.80	22.19	17.21	29.60
5510MHz	Pass	7.41	5.54	6.8	9.23	22.16	16.64	29.57
5590MHz	Pass	7.41	6.8	7.02	9.92	22.1	17.33	29.51
5670MHz	Pass	7.41	1.12	2.13	4.66	22.13	12.07	29.54
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	6.61	7.19	9.92	21.03	17.33	28.44
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-19.88	-19.42	-16.63	28.59	-9.22	36.00
5755MHz	Pass	7.41	11.22	11.55	14.40	28.59	21.81	36.00
5795MHz	Pass	7.41	15.51	16.45	19.02	28.59	26.43	36.00
802.11ax HEW40_RU52_Index42,BF_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	7.91	8.16	11.05	22.59	18.46	30.00
5230MHz	Pass	7.41	9.64	10.05	12.86	22.59	20.27	30.00
5270MHz	Pass	7.41	9.32	10.11	12.74	22.16	20.15	29.57
5310MHz	Pass	7.41	7.85	8.34	11.11	22.16	18.52	29.57
5510MHz	Pass	7.41	6.62	7.67	10.19	22.19	17.60	29.60
5590MHz	Pass	7.41	9.64	9.74	12.70	22.19	20.11	29.60
5670MHz	Pass	7.41	6.43	6.37	9.41	22.19	16.82	29.60
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	9.55	9.98	12.78	21.05	20.19	28.46
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-17.56	-17.11	-14.32	28.59	-6.91	36.00
5755MHz	Pass	7.41	13.52	14.17	16.87	28.59	24.28	36.00
5795MHz	Pass	7.41	15.06	16.45	18.82	28.59	26.23	36.00
802.11ax HEW40_RU106_Index54,BF_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	8.91	9.04	11.99	22.59	19.40	30.00
5230MHz	Pass	7.41	11.94	11.45	14.71	22.59	22.12	30.00
5270MHz	Pass	7.41	11.86	12.97	15.46	22.59	22.87	30.00
5310MHz	Pass	7.41	8.44	8.96	11.72	22.59	19.13	30.00
5510MHz	Pass	7.41	8.04	9.37	11.77	22.59	19.18	30.00
5590MHz	Pass	7.41	12.18	12.56	15.38	22.59	22.79	30.00
5670MHz	Pass	7.41	9.14	9.06	12.11	22.59	19.52	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	12.89	13.01	15.96	22.59	23.37	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-32.75	-32.04	-29.37	28.59	-21.96	36.00

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5755MHz	Pass	7.41	14.83	15.37	18.12	28.59	25.53	36.00
5795MHz	Pass	7.41	15.92	16.93	19.46	28.59	26.87	36.00
802.11ax HEW40_RU242_Index61,BF_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	8.51	8.74	11.64	22.59	19.05	30.00
5230MHz	Pass	7.41	10.88	11.3	14.11	22.59	21.52	30.00
5270MHz	Pass	7.41	12.31	13.16	15.77	22.59	23.18	30.00
5310MHz	Pass	7.41	9.44	9.8	12.63	22.59	20.04	30.00
5510MHz	Pass	7.41	8.9	9.94	12.46	22.59	19.87	30.00
5590MHz	Pass	7.41	15.64	15.91	18.79	22.59	26.20	30.00
5670MHz	Pass	7.41	11.63	11.55	14.60	22.59	22.01	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	16.05	15.92	19.00	22.59	26.41	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-20.94	-20.83	-17.87	28.59	-10.46	36.00
5755MHz	Pass	7.41	15.71	16.34	19.05	28.59	26.46	36.00
5795MHz	Pass	7.41	15.74	16.66	19.23	28.59	26.64	36.00
802.11ax HEW80_RU26_Index21,BF_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	6.57	6.65	9.62	22.59	17.03	30.00
5290MHz	Pass	7.41	6.63	7.37	10.03	22.26	17.44	29.67
5530MHz	Pass	7.41	5.3	6.44	8.92	22.19	16.33	29.60
5610MHz	Pass	7.41	4.54	4.29	7.43	22.19	14.84	29.60
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	7.12	6.82	9.98	22.21	17.39	29.62
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-38.29	-38.55	-35.41	28.59	-28.00	36.00
5775MHz	Pass	7.41	6.4	6.03	9.23	28.59	16.64	36.00
802.11ax HEW80_RU52_Index49,BF_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	8.12	8.1	11.12	22.59	18.53	30.00
5290MHz	Pass	7.41	8.14	8.97	11.59	22.59	19.00	30.00
5530MHz	Pass	7.41	7.4	8.34	10.91	22.59	18.32	30.00
5610MHz	Pass	7.41	8.11	7.91	11.02	22.59	18.43	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	10.52	10.14	13.34	22.23	20.75	29.64
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-16.01	-15.92	-12.95	28.59	-5.54	36.00
5775MHz	Pass	7.41	8.55	8.1	11.34	28.59	18.75	36.00
802.11ax HEW80_RU106_Index58,BF_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	9.13	9.2	12.18	22.59	19.59	30.00
5290MHz	Pass	7.41	9.11	9.94	12.56	22.59	19.97	30.00
5530MHz	Pass	7.41	7.65	8.81	11.28	22.59	18.69	30.00
5610MHz	Pass	7.41	11.55	11.73	14.65	22.59	22.06	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	13.36	12.81	16.10	22.59	23.51	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-15.53	-15.67	-12.59	28.59	-5.18	36.00
5775MHz	Pass	7.41	11.03	10.51	13.79	28.59	21.20	36.00
802.11ax HEW80_RU242_Index62,BF_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5210MHz	Pass	7.41	8.97	9.04	12.02	22.59	19.43	30.00
5290MHz	Pass	7.41	10.05	10.67	13.38	22.59	20.79	30.00
5530MHz	Pass	7.41	9.67	10.65	13.20	22.59	20.61	30.00
5610MHz	Pass	7.41	11.61	11.73	14.68	22.59	22.09	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	16.42	15.96	19.21	22.59	26.62	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-29.23	-28.52	-25.85	28.59	-18.44	36.00
5775MHz	Pass	7.41	11.04	11.8	14.45	28.59	21.86	36.00
802.11ax HEW80_RU484_Index65,BF_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	8.94	8.98	11.97	22.59	19.38	30.00
5290MHz	Pass	7.41	8.62	9.16	11.91	22.59	19.32	30.00
5530MHz	Pass	7.41	7.85	8.78	11.35	22.59	18.76	30.00
5610MHz	Pass	7.41	13.05	13.14	16.11	22.59	23.52	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	16.38	15.72	19.07	22.59	26.48	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-22	-22.09	-19.03	28.59	-11.62	36.00
5775MHz	Pass	7.41	13.18	13.58	16.39	28.59	23.80	36.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	8.78	16.19
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	8.92	16.33
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	7.55	14.96
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	8.65	16.06
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	8.78	16.19
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	7.83	15.24
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	3.93	11.34
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	8.28	15.69
802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX	6.67	14.08
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	5.27	12.68
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	1.55	8.96
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	-1.53	5.88
5.25-5.35GHz	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	8.77	16.18
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	8.89	16.30
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	8.53	15.94
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	8.75	16.16
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	8.71	16.12
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	8.42	15.83
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	5.83	13.24
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	8.84	16.25
802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX	7.68	15.09
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	5.69	13.10
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	3.07	10.48
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	-1.63	5.78
5.47-5.725GHz	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	8.87	16.28
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	8.84	16.25
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	8.76	16.17
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	8.78	16.19
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	8.79	16.20
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	8.67	16.08
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	8.63	16.04
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	8.59	16.00
802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX	9.03	16.44
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	8.87	16.28
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	8.27	15.68
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	5.26	12.67
5.725-5.85GHz	-	-
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	16.97	24.38
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	14.20	21.61
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	11.64	19.05
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	16.73	24.14
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	13.63	21.04



Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	11.32	18.73
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	7.98	15.39
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	6.97	14.38
802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX	6.03	13.44
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	5.55	12.96
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	2.64	10.05
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	1.57	8.98

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.41	5.79	5.68	8.73	9.59	16.14	17.00
5200MHz	Pass	7.41	5.84	5.73	8.78	9.59	16.19	17.00
5240MHz	Pass	7.41	5.78	5.63	8.69	9.59	16.10	17.00
5260MHz	Pass	7.41	5.19	5.50	8.32	9.59	15.73	17.00
5300MHz	Pass	7.41	5.77	5.83	8.77	9.59	16.18	17.00
5320MHz	Pass	7.41	5.67	5.83	8.68	9.59	16.09	17.00
5500MHz	Pass	7.41	5.26	6.20	8.75	9.59	16.16	17.00
5580MHz	Pass	7.41	6.09	5.71	8.87	9.59	16.28	17.00
5700MHz	Pass	7.41	-4.61	-3.65	-1.12	9.59	6.29	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.41	5.69	5.70	8.68	9.59	16.09	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.41	-21.05	-21.78	-18.86	28.59	-11.45	36.00
5745MHz	Pass	7.41	13.96	14.03	16.92	28.59	24.33	36.00
5785MHz	Pass	7.41	13.81	14.13	16.97	28.59	24.38	36.00
5825MHz	Pass	7.41	13.20	14.16	16.65	28.59	24.06	36.00
802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.41	4.12	4.00	6.99	9.59	14.40	17.00
5200MHz	Pass	7.41	6.17	5.88	8.92	9.59	16.33	17.00
5240MHz	Pass	7.41	5.86	5.52	8.64	9.59	16.05	17.00
5260MHz	Pass	7.41	5.87	6.04	8.89	9.59	16.30	17.00
5300MHz	Pass	7.41	5.79	5.74	8.71	9.59	16.12	17.00
5320MHz	Pass	7.41	3.91	4.02	6.95	9.59	14.36	17.00
5500MHz	Pass	7.41	4.99	5.84	8.39	9.59	15.80	17.00
5580MHz	Pass	7.41	6.13	5.62	8.84	9.59	16.25	17.00
5700MHz	Pass	7.41	0.06	0.40	3.19	9.59	10.60	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.41	5.93	5.87	8.83	9.59	16.24	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.41	-19.25	-19.04	-16.27	28.59	-8.86	36.00
5745MHz	Pass	7.41	11.28	11.25	14.20	28.59	21.61	36.00
5785MHz	Pass	7.41	10.99	11.27	14.08	28.59	21.49	36.00
5825MHz	Pass	7.41	10.73	10.95	13.75	28.59	21.16	36.00
802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.41	0.94	0.75	3.79	9.59	11.20	17.00
5200MHz	Pass	7.41	3.69	3.51	6.52	9.59	13.93	17.00
5240MHz	Pass	7.41	4.47	4.69	7.55	9.59	14.96	17.00
5260MHz	Pass	7.41	5.58	5.58	8.53	9.59	15.94	17.00
5300MHz	Pass	7.41	2.91	2.82	5.81	9.59	13.22	17.00
5320MHz	Pass	7.41	1.25	1.43	4.27	9.59	11.68	17.00
5500MHz	Pass	7.41	1.85	2.67	5.23	9.59	12.64	17.00
5580MHz	Pass	7.41	5.91	5.76	8.76	9.59	16.17	17.00
5700MHz	Pass	7.41	0.46	0.54	3.45	9.59	10.86	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.41	5.96	5.60	8.76	9.59	16.17	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.41	-15.31	-14.98	-12.82	28.59	-5.41	36.00
5745MHz	Pass	7.41	8.01	8.29	11.11	28.59	18.52	36.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5785MHz	Pass	7.41	7.79	8.42	11.03	28.59	18.44	36.00
5825MHz	Pass	7.41	8.02	9.29	11.64	28.59	19.05	36.00
802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	5.45	5.83	8.65	9.59	16.06	17.00
5230MHz	Pass	7.41	5.41	5.75	8.56	9.59	15.97	17.00
5270MHz	Pass	7.41	5.20	6.08	8.67	9.59	16.08	17.00
5310MHz	Pass	7.41	5.39	6.12	8.75	9.59	16.16	17.00
5510MHz	Pass	7.41	4.24	5.73	8.04	9.59	15.45	17.00
5590MHz	Pass	7.41	5.82	5.88	8.78	9.59	16.19	17.00
5670MHz	Pass	7.41	0.16	1.21	3.71	9.59	11.12	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	5.27	5.76	8.49	9.59	15.90	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-22.37	-21.48	-19.81	28.59	-12.40	36.00
5755MHz	Pass	7.41	8.74	9.49	12.07	28.59	19.48	36.00
5795MHz	Pass	7.41	13.12	14.33	16.73	28.59	24.14	36.00
802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	4.05	4.42	7.17	9.59	14.58	17.00
5230MHz	Pass	7.41	5.65	5.92	8.78	9.59	16.19	17.00
5270MHz	Pass	7.41	5.21	6.15	8.71	9.59	16.12	17.00
5310MHz	Pass	7.41	3.82	4.51	7.15	9.59	14.56	17.00
5510MHz	Pass	7.41	2.30	4.05	6.26	9.59	13.67	17.00
5590MHz	Pass	7.41	5.85	5.84	8.79	9.59	16.20	17.00
5670MHz	Pass	7.41	2.17	2.27	5.18	9.59	12.59	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	5.32	5.76	8.54	9.59	15.95	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-20.29	-19.71	-16.98	28.59	-9.57	36.00
5755MHz	Pass	7.41	8.32	8.88	11.59	28.59	19.00	36.00
5795MHz	Pass	7.41	10.06	11.21	13.63	28.59	21.04	36.00
802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	1.92	2.30	5.07	9.59	12.48	17.00
5230MHz	Pass	7.41	4.54	5.18	7.83	9.59	15.24	17.00
5270MHz	Pass	7.41	4.88	5.94	8.42	9.59	15.83	17.00
5310MHz	Pass	7.41	1.29	2.00	4.60	9.59	12.01	17.00
5510MHz	Pass	7.41	0.85	2.39	4.63	9.59	12.04	17.00
5590MHz	Pass	7.41	5.33	5.73	8.48	9.59	15.89	17.00
5670MHz	Pass	7.41	2.10	2.14	5.10	9.59	12.51	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	5.61	5.77	8.67	9.59	16.08	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-38.78	-37.99	-36.08	28.59	-28.67	36.00
5755MHz	Pass	7.41	6.59	7.31	9.92	28.59	17.33	36.00
5795MHz	Pass	7.41	7.93	8.74	11.32	28.59	18.73	36.00
802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	7.41	-1.84	-1.58	1.26	9.59	8.67	17.00
5230MHz	Pass	7.41	0.71	1.30	3.93	9.59	11.34	17.00
5270MHz	Pass	7.41	2.47	3.20	5.83	9.59	13.24	17.00
5310MHz	Pass	7.41	-1.01	-0.31	2.30	9.59	9.71	17.00

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	7.41	-1.47	0.01	2.30	9.59	9.71	17.00
5590MHz	Pass	7.41	5.53	5.92	8.63	9.59	16.04	17.00
5670MHz	Pass	7.41	1.43	1.30	4.29	9.59	11.70	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	7.41	5.44	5.22	8.32	9.59	15.73	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	7.41	-25.64	-26.02	-23.03	28.59	-15.62	36.00
5755MHz	Pass	7.41	4.39	5.03	7.69	28.59	15.10	36.00
5795MHz	Pass	7.41	4.63	5.37	7.98	28.59	15.39	36.00
802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	5.29	5.27	8.28	9.59	15.69	17.00
5290MHz	Pass	7.41	5.46	6.25	8.84	9.59	16.25	17.00
5530MHz	Pass	7.41	4.08	5.44	7.81	9.59	15.22	17.00
5610MHz	Pass	7.41	3.12	3.11	6.11	9.59	13.52	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	5.77	5.39	8.59	9.59	16.00	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-47.57	-48.00	-44.93	28.59	-37.52	36.00
5775MHz	Pass	7.41	4.31	3.73	6.97	28.59	14.38	36.00
802.11ax HEW80_RU52_Index49_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	3.73	3.67	6.67	9.59	14.08	17.00
5290MHz	Pass	7.41	4.18	5.17	7.68	9.59	15.09	17.00
5530MHz	Pass	7.41	3.35	4.69	7.03	9.59	14.44	17.00
5610MHz	Pass	7.41	3.85	3.84	6.77	9.59	14.18	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	6.22	5.88	9.03	9.59	16.44	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-18.83	-18.78	-16.43	28.59	-9.02	36.00
5775MHz	Pass	7.41	3.25	2.90	6.03	28.59	13.44	36.00
802.11ax HEW80_RU106_Index58_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	2.32	2.29	5.27	9.59	12.68	17.00
5290MHz	Pass	7.41	2.23	3.13	5.69	9.59	13.10	17.00
5530MHz	Pass	7.41	0.87	1.99	4.42	9.59	11.83	17.00
5610MHz	Pass	7.41	5.02	5.11	8.04	9.59	15.45	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	6.16	5.61	8.87	9.59	16.28	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-17.72	-18.46	-15.51	28.59	-8.10	36.00
5775MHz	Pass	7.41	2.86	2.28	5.55	28.59	12.96	36.00
802.11ax HEW80_RU242_Index62_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	-1.49	-1.32	1.55	9.59	8.96	17.00
5290MHz	Pass	7.41	-0.29	0.46	3.07	9.59	10.48	17.00
5530MHz	Pass	7.41	-0.72	0.57	2.88	9.59	10.29	17.00
5610MHz	Pass	7.41	1.07	1.44	4.24	9.59	11.65	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	5.55	5.05	8.27	9.59	15.68	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-36.65	-37.12	-33.95	28.59	-26.54	36.00
5775MHz	Pass	7.41	-0.65	0.12	2.64	28.59	10.05	36.00
802.11ax HEW80_RU484_Index65_80MHz_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	7.41	-4.57	-4.42	-1.53	9.59	5.88	17.00
5290MHz	Pass	7.41	-5.00	-4.16	-1.63	9.59	5.78	17.00



Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5530MHz	Pass	7.41	-5.74	-4.61	-2.18	9.59	5.23	17.00
5610MHz	Pass	7.41	-0.66	-0.36	2.41	9.59	9.82	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	7.41	2.66	1.97	5.26	9.59	12.67	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	7.41	-27.99	-28.54	-25.45	28.59	-18.04	36.00
5775MHz	Pass	7.41	-1.66	-1.09	1.57	28.59	8.98	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;


PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

5.15-5.25GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD

5180MHz

CF
5.18GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.73	8.73	5.79	5.68

5.15-5.25GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD

5200MHz

CF
5.2GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)	(dBm/100kHz)
8.78	8.78	5.84	5.73

5.15-5.25GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5240MHz



5.25-5.35GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD

5260MHz




5.25-5.35GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD

5300MHz

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.77	8.77	5.77	5.83

5.25-5.35GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD

5320MHz

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.68	8.68	5.67	5.83

5.47-5.725GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5500MHz



5.47-5.725GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5580MHz



5.47-5.725GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5700MHz



5.47-5.725GHz_802.11ax HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5745MHz



5.725-5.85GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5785MHz



5.725-5.85GHz_802.11ax_HEW20_RU26_Index3_20MHz_Nss1,(MCS0)_2TX

PSD


5825MHz



5.15-5.25GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5180MHz



5.15-5.25GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5200MHz



5.15-5.25GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5240MHz



5.25-5.35GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD

5260MHz






5.25-5.35GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5300MHz



5.25-5.35GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5320MHz



5.47-5.725GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5500MHz



5.47-5.725GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5580MHz



5.47-5.725GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5700MHz



5.47-5.725GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11ax_HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5745MHz



5.725-5.85GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5785MHz



5.725-5.85GHz_802.11ax HEW20_RU52_Index38_20MHz_Nss1,(MCS0)_2TX

PSD


5825MHz



5.15-5.25GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5180MHz



5.15-5.25GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5200MHz



5.15-5.25GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5240MHz



5.25-5.35GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD

5260MHz




5.25-5.35GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD

5300MHz

CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.81	5.81	2.91	2.82

5.25-5.35GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD

5320MHz

CF
5.32GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.27	4.27	1.25	1.43

5.47-5.725GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5500MHz



5.47-5.725GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5580MHz



5.47-5.725GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5700MHz



5.47-5.725GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5720MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5720MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11ax HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5745MHz



5.725-5.85GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5785MHz



5.725-5.85GHz_802.11ax_HEW20_RU106_Index53_20MHz_Nss1,(MCS0)_2TX

PSD


5825MHz



5.15-5.25GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5190MHz



5.15-5.25GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5230MHz



5.25-5.35GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5270MHz



5.25-5.35GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5310MHz



5.47-5.725GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5510MHz



5.47-5.725GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5590MHz



5.47-5.725GHz_802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5670MHz



5.47-5.725GHz_802.11ax HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD

5755MHz




5.725-5.85GHz_802.11ax_HEW40_RU26_Index12_40MHz_Nss1,(MCS0)_2TX

PSD

5795MHz

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
16.73	16.73	13.12	14.33

5.15-5.25GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD

5190MHz

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.17	7.17	4.05	4.42

5.15-5.25GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5230MHz



5.25-5.35GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5270MHz



5.25-5.35GHz_802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5310MHz



5.47-5.725GHz_802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5510MHz



5.47-5.725GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5590MHz



5.47-5.725GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5670MHz



5.47-5.725GHz_802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD


5755MHz



5.725-5.85GHz_802.11ax_HEW40_RU52_Index42_40MHz_Nss1,(MCS0)_2TX

PSD

5795MHz




5.15-5.25GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

5190MHz

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.07	5.07	1.92	2.30

5.15-5.25GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

5230MHz

CF
5.23GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.83	7.83	4.54	5.18

5.25-5.35GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


5270MHz



5.25-5.35GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


5310MHz



5.47-5.725GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

5510MHz



5.47-5.725GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


5590MHz



5.47-5.725GHz_802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


5670MHz



5.47-5.725GHz_802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11ax HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

5755MHz




5.725-5.85GHz_802.11ax_HEW40_RU106_Index54_40MHz_Nss1,(MCS0)_2TX

PSD

5795MHz

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
11.32	11.32	7.93	8.74

5.15-5.25GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

5190MHz

CF
5.19GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.01ms
Detector Type
RMS




Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.26	1.26	-1.84	-1.58

5.15-5.25GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


5230MHz



5.25-5.35GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

5270MHz



5.25-5.35GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

5310MHz

CF
5.31GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS



Sum ☒

Port 1 ☒

Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.30	2.30	-1.01	-0.31

5.47-5.725GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD

5510MHz

CF
5.51GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
1.01ms

Detector Type
RMS



Sum ☒

Port 1 ☒


Port 2 ☒

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.30	2.30	-1.47	0.01

5.47-5.725GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


5590MHz



5.47-5.725GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


5670MHz



5.47-5.725GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


5710MHz Straddle 5.725-5.85GHz



5.725-5.85GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


5755MHz



5.725-5.85GHz_802.11ax_HEW40_RU242_Index61_40MHz_Nss1,(MCS0)_2TX

PSD


5795MHz



5.15-5.25GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD


5210MHz



5.25-5.35GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD

5290MHz




5.47-5.725GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD

5530MHz

CF
5.53GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS



Sum
Port 1
Port 2


Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.81	7.81	4.08	5.44

5.47-5.725GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD

5610MHz

CF
5.61GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
1.2ms
Detector Type
RMS




Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.11	6.11	3.12	3.11

5.47-5.725GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.47-5.725GHz



5.725-5.85GHz_802.11ax HEW80_RU26_Index21_80MHz_Nss1,(MCS0)_2TX

PSD

5690MHz Straddle 5.725-5.85GHz

