



802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_Ant3\_NTNV




802.11ax(HEW40)\_LCH\_5755MHz\_RU484\_Left\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant1\_NTNV



802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant2\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
 Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_Ant3\_NTNV



802.11ax(HEW40)\_HCH\_5795MHz\_RU484\_Left\_MIMO\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)


SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SZEMC) Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant1\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant2\_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)



802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_Ant3\_NTNV



802.11ax(HEW80)\_MCH\_5775MHz\_RU996\_Left\_MIMO\_NTNV



### 5. Frequency Stability

#### 5.1 Ant1

##### 5.1.1 Test Result

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	MIMO	5180	/	/	20	10.2	5180.060	5150 to 5250	Pass
						12	5180.060	5150 to 5250	Pass
						13.8	5180.040	5150 to 5250	Pass
					-30	12	5180.040	5150 to 5250	Pass
					-20	12	5180.080	5150 to 5250	Pass
					-10	12	5180.000	5150 to 5250	Pass
					0	12	5180.080	5150 to 5250	Pass
					10	12	5180.060	5150 to 5250	Pass
					30	12	5180.060	5150 to 5250	Pass
					40	12	5180.020	5150 to 5250	Pass
					50	12	5180.040	5150 to 5250	Pass
		5200	/	/	20	10.2	5200.000	5150 to 5250	Pass
						12	5200.060	5150 to 5250	Pass
						13.8	5200.060	5150 to 5250	Pass
					-30	12	5200.040	5150 to 5250	Pass
					-20	12	5199.980	5150 to 5250	Pass
					-10	12	5200.100	5150 to 5250	Pass
					0	12	5200.100	5150 to 5250	Pass
					10	12	5200.060	5150 to 5250	Pass
					30	12	5200.080	5150 to 5250	Pass
					40	12	5200.040	5150 to 5250	Pass
					50	12	5200.040	5150 to 5250	Pass
		5240	/	/	20	10.2	5240.080	5150 to 5250	Pass
						12	5240.040	5150 to 5250	Pass
						13.8	5240.100	5150 to 5250	Pass
					-30	12	5240.040	5150 to 5250	Pass
					-20	12	5240.040	5150 to 5250	Pass
					-10	12	5240.040	5150 to 5250	Pass
					0	12	5240.060	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 605 of 628

					10	12	5240.080	5150 to 5250	Pass
					30	12	5240.000	5150 to 5250	Pass
					40	12	5240.100	5150 to 5250	Pass
					50	12	5240.080	5150 to 5250	Pass
	5260	/	/	20	10.2		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					13.8		5260.020	5250 to 5350	Pass
				-30	12		5260.060	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
					12		5260.040	5250 to 5350	Pass
	5300	/	/	20	10.2		5300.000	5250 to 5350	Pass
					12		5299.980	5250 to 5350	Pass
					13.8		5300.060	5250 to 5350	Pass
				-30	12		5300.100	5250 to 5350	Pass
					12		5300.060	5250 to 5350	Pass
					12		5300.060	5250 to 5350	Pass
					12		5300.040	5250 to 5350	Pass
					12		5300.020	5250 to 5350	Pass
					12		5300.060	5250 to 5350	Pass
					12		5300.060	5250 to 5350	Pass
					12		5300.060	5250 to 5350	Pass
					12		5300.040	5250 to 5350	Pass
					12		5300.040	5250 to 5350	Pass
					12		5300.040	5250 to 5350	Pass
	5320	/	/	20	10.2		5320.040	5250 to 5350	Pass
					12		5320.040	5250 to 5350	Pass
					13.8		5320.020	5250 to 5350	Pass
				-30	12		5320.000	5250 to 5350	Pass
					12		5320.060	5250 to 5350	Pass
					12		5320.080	5250 to 5350	Pass
					12		5319.960	5250 to 5350	Pass
					12		5320.040	5250 to 5350	Pass
					12		5320.060	5250 to 5350	Pass
					12		5320.040	5250 to 5350	Pass
					12		5320.040	5250 to 5350	Pass
					12		5320.080	5250 to 5350	Pass
					12		5320.080	5250 to 5350	Pass
					12		5320.080	5250 to 5350	Pass
	5500	/	/	20	10.2		5499.980	5470 to 5725	Pass
					12		5500.020	5470 to 5725	Pass
					13.8		5500.040	5470 to 5725	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 606 of 628

					-30	12	5499.960	5470 to 5725	Pass
					-20	12	5500.000	5470 to 5725	Pass
					-10	12	5500.060	5470 to 5725	Pass
					0	12	5500.060	5470 to 5725	Pass
					10	12	5500.020	5470 to 5725	Pass
					30	12	5500.000	5470 to 5725	Pass
					40	12	5500.080	5470 to 5725	Pass
					50	12	5500.020	5470 to 5725	Pass
		5580	/	/	20	10.2	5580.080	5470 to 5725	Pass
						12	5580.020	5470 to 5725	Pass
						13.8	5580.060	5470 to 5725	Pass
					-30	12	5580.080	5470 to 5725	Pass
					-20	12	5580.020	5470 to 5725	Pass
					-10	12	5580.040	5470 to 5725	Pass
					0	12	5580.060	5470 to 5725	Pass
					10	12	5580.100	5470 to 5725	Pass
					30	12	5580.020	5470 to 5725	Pass
					40	12	5580.140	5470 to 5725	Pass
					50	12	5580.060	5470 to 5725	Pass
		5700	/	/	20	10.2	5700.020	5470 to 5725	Pass
						12	5699.980	5470 to 5725	Pass
						13.8	5699.980	5470 to 5725	Pass
					-30	12	5699.980	5470 to 5725	Pass
					-20	12	5700.020	5470 to 5725	Pass
					-10	12	5700.080	5470 to 5725	Pass
					0	12	5700.040	5470 to 5725	Pass
					10	12	5700.060	5470 to 5725	Pass
					30	12	5700.040	5470 to 5725	Pass
					40	12	5700.020	5470 to 5725	Pass
					50	12	5700.020	5470 to 5725	Pass
		5745	/	/	20	10.2	5745.020	5725 to 5850	Pass
						12	5744.980	5725 to 5850	Pass
						13.8	5745.020	5725 to 5850	Pass
					-30	12	5744.980	5725 to 5850	Pass
					-20	12	5745.020	5725 to 5850	Pass
					-10	12	5745.020	5725 to 5850	Pass
					0	12	5744.980	5725 to 5850	Pass
					10	12	5745.020	5725 to 5850	Pass
					30	12	5744.960	5725 to 5850	Pass
					40	12	5744.960	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 607 of 628

802.11n (HT20)	MIMO	5785	/	/	50	12	5745.060	5725 to 5850	Pass
					20	10.2	5785.040	5725 to 5850	Pass
						12	5785.080	5725 to 5850	Pass
						13.8	5785.040	5725 to 5850	Pass
					-30	12	5785.080	5725 to 5850	Pass
					-20	12	5785.020	5725 to 5850	Pass
					-10	12	5785.080	5725 to 5850	Pass
					0	12	5785.080	5725 to 5850	Pass
					10	12	5785.020	5725 to 5850	Pass
					30	12	5785.080	5725 to 5850	Pass
					40	12	5785.060	5725 to 5850	Pass
					50	12	5785.040	5725 to 5850	Pass
		5825	/	/	20	10.2	5825.060	5725 to 5850	Pass
						12	5825.020	5725 to 5850	Pass
						13.8	5825.060	5725 to 5850	Pass
					-30	12	5825.040	5725 to 5850	Pass
					-20	12	5825.020	5725 to 5850	Pass
					-10	12	5825.020	5725 to 5850	Pass
					0	12	5825.060	5725 to 5850	Pass
					10	12	5825.040	5725 to 5850	Pass
					30	12	5825.060	5725 to 5850	Pass
					40	12	5825.040	5725 to 5850	Pass
					50	12	5825.000	5725 to 5850	Pass
		5180	/	/	20	10.2	5180.060	5150 to 5250	Pass
						12	5180.100	5150 to 5250	Pass
						13.8	5180.060	5150 to 5250	Pass
					-30	12	5180.100	5150 to 5250	Pass
					-20	12	5180.020	5150 to 5250	Pass
					-10	12	5180.120	5150 to 5250	Pass
					0	12	5180.040	5150 to 5250	Pass
					10	12	5180.080	5150 to 5250	Pass
					30	12	5180.060	5150 to 5250	Pass
					40	12	5180.040	5150 to 5250	Pass
					50	12	5180.060	5150 to 5250	Pass
		5200	/	/	20	10.2	5200.040	5150 to 5250	Pass
						12	5200.020	5150 to 5250	Pass
						13.8	5200.100	5150 to 5250	Pass
					-30	12	5200.040	5150 to 5250	Pass
					-20	12	5200.020	5150 to 5250	Pass
					-10	12	5200.060	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 608 of 628

					0	12	5200.000	5150 to 5250	Pass
					10	12	5200.140	5150 to 5250	Pass
					30	12	5200.060	5150 to 5250	Pass
					40	12	5200.120	5150 to 5250	Pass
					50	12	5200.040	5150 to 5250	Pass
		5240	/	/	20	10.2	5240.060	5150 to 5250	Pass
						12	5240.060	5150 to 5250	Pass
						13.8	5240.060	5150 to 5250	Pass
					-30	12	5240.000	5150 to 5250	Pass
					-20	12	5240.000	5150 to 5250	Pass
					-10	12	5240.060	5150 to 5250	Pass
					0	12	5240.020	5150 to 5250	Pass
					10	12	5240.040	5150 to 5250	Pass
					30	12	5240.080	5150 to 5250	Pass
					40	12	5240.100	5150 to 5250	Pass
					50	12	5240.040	5150 to 5250	Pass
		5260	/	/	20	10.2	5260.040	5250 to 5350	Pass
						12	5260.000	5250 to 5350	Pass
						13.8	5260.040	5250 to 5350	Pass
					-30	12	5260.020	5250 to 5350	Pass
					-20	12	5260.000	5250 to 5350	Pass
					-10	12	5260.080	5250 to 5350	Pass
					0	12	5260.040	5250 to 5350	Pass
					10	12	5259.980	5250 to 5350	Pass
					30	12	5260.040	5250 to 5350	Pass
					40	12	5260.040	5250 to 5350	Pass
					50	12	5260.080	5250 to 5350	Pass
		5300	/	/	20	10.2	5300.040	5250 to 5350	Pass
						12	5300.000	5250 to 5350	Pass
						13.8	5300.040	5250 to 5350	Pass
					-30	12	5299.960	5250 to 5350	Pass
					-20	12	5300.020	5250 to 5350	Pass
					-10	12	5300.040	5250 to 5350	Pass
					0	12	5300.040	5250 to 5350	Pass
					10	12	5300.040	5250 to 5350	Pass
					30	12	5300.040	5250 to 5350	Pass
					40	12	5300.060	5250 to 5350	Pass
					50	12	5300.040	5250 to 5350	Pass
		5320	/	/	20	10.2	5320.020	5250 to 5350	Pass
						12	5319.980	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 609 of 628

						13.8	5320.080	5250 to 5350	Pass
					-30	12	5320.080	5250 to 5350	Pass
					-20	12	5320.020	5250 to 5350	Pass
					-10	12	5320.080	5250 to 5350	Pass
					0	12	5320.020	5250 to 5350	Pass
					10	12	5320.060	5250 to 5350	Pass
					30	12	5320.020	5250 to 5350	Pass
					40	12	5320.060	5250 to 5350	Pass
					50	12	5320.060	5250 to 5350	Pass
		5500	/	/	20	10.2	5500.080	5470 to 5725	Pass
						12	5499.960	5470 to 5725	Pass
						13.8	5499.980	5470 to 5725	Pass
					-30	12	5500.040	5470 to 5725	Pass
					-20	12	5500.060	5470 to 5725	Pass
					-10	12	5500.060	5470 to 5725	Pass
					0	12	5500.040	5470 to 5725	Pass
					10	12	5500.020	5470 to 5725	Pass
					30	12	5500.040	5470 to 5725	Pass
					40	12	5499.980	5470 to 5725	Pass
					50	12	5500.020	5470 to 5725	Pass
		5580	/	/	20	10.2	5580.020	5470 to 5725	Pass
						12	5580.040	5470 to 5725	Pass
						13.8	5580.000	5470 to 5725	Pass
					-30	12	5580.080	5470 to 5725	Pass
					-20	12	5580.100	5470 to 5725	Pass
					-10	12	5580.040	5470 to 5725	Pass
					0	12	5580.060	5470 to 5725	Pass
					10	12	5580.060	5470 to 5725	Pass
					30	12	5580.020	5470 to 5725	Pass
					40	12	5580.040	5470 to 5725	Pass
					50	12	5580.040	5470 to 5725	Pass
		5700	/	/	20	10.2	5700.120	5470 to 5725	Pass
						12	5700.040	5470 to 5725	Pass
						13.8	5700.040	5470 to 5725	Pass
					-30	12	5699.960	5470 to 5725	Pass
					-20	12	5700.080	5470 to 5725	Pass
					-10	12	5700.000	5470 to 5725	Pass
					0	12	5700.120	5470 to 5725	Pass
					10	12	5700.020	5470 to 5725	Pass
					30	12	5700.020	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 610 of 628

		5745	/	/	40	12	5700.020	5470 to 5725	Pass
					50	12	5700.040	5470 to 5725	Pass
					20	10.2	5745.040	5725 to 5850	Pass
						12	5745.040	5725 to 5850	Pass
						13.8	5745.020	5725 to 5850	Pass
					-30	12	5745.020	5725 to 5850	Pass
					-20	12	5744.960	5725 to 5850	Pass
					-10	12	5745.040	5725 to 5850	Pass
					0	12	5745.060	5725 to 5850	Pass
					10	12	5745.020	5725 to 5850	Pass
					30	12	5745.000	5725 to 5850	Pass
					40	12	5745.000	5725 to 5850	Pass
					50	12	5745.020	5725 to 5850	Pass
		5785	/	/	20	10.2	5785.040	5725 to 5850	Pass
						12	5785.020	5725 to 5850	Pass
						13.8	5785.040	5725 to 5850	Pass
					-30	12	5784.980	5725 to 5850	Pass
					-20	12	5785.040	5725 to 5850	Pass
					-10	12	5785.080	5725 to 5850	Pass
					0	12	5785.040	5725 to 5850	Pass
					10	12	5785.040	5725 to 5850	Pass
					30	12	5785.060	5725 to 5850	Pass
					40	12	5785.060	5725 to 5850	Pass
					50	12	5785.080	5725 to 5850	Pass
		5825	/	/	20	10.2	5825.040	5725 to 5850	Pass
						12	5825.080	5725 to 5850	Pass
						13.8	5825.040	5725 to 5850	Pass
					-30	12	5825.040	5725 to 5850	Pass
					-20	12	5825.020	5725 to 5850	Pass
					-10	12	5824.960	5725 to 5850	Pass
					0	12	5825.040	5725 to 5850	Pass
					10	12	5824.980	5725 to 5850	Pass
					30	12	5825.020	5725 to 5850	Pass
					40	12	5825.040	5725 to 5850	Pass
					50	12	5825.060	5725 to 5850	Pass
802.11n (HT40)	MIMO	5190	/	/	20	10.2	5190.120	5150 to 5250	Pass
						12	5190.120	5150 to 5250	Pass
						13.8	5190.080	5150 to 5250	Pass
					-30	12	5190.120	5150 to 5250	Pass
					-20	12	5190.080	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 611 of 628

					-10	12	5190.080	5150 to 5250	Pass
					0	12	5190.080	5150 to 5250	Pass
					10	12	5190.080	5150 to 5250	Pass
					30	12	5190.120	5150 to 5250	Pass
					40	12	5190.120	5150 to 5250	Pass
					50	12	5190.120	5150 to 5250	Pass
		5230	/	/	20	10.2	5230.120	5150 to 5250	Pass
						12	5230.120	5150 to 5250	Pass
						13.8	5230.080	5150 to 5250	Pass
					-30	12	5230.040	5150 to 5250	Pass
					-20	12	5230.080	5150 to 5250	Pass
					-10	12	5230.080	5150 to 5250	Pass
					0	12	5230.080	5150 to 5250	Pass
					10	12	5230.040	5150 to 5250	Pass
					30	12	5230.080	5150 to 5250	Pass
					40	12	5230.040	5150 to 5250	Pass
					50	12	5230.120	5150 to 5250	Pass
		5270	/	/	20	10.2	5270.080	5250 to 5350	Pass
						12	5270.080	5250 to 5350	Pass
						13.8	5270.040	5250 to 5350	Pass
					-30	12	5270.080	5250 to 5350	Pass
					-20	12	5270.080	5250 to 5350	Pass
					-10	12	5270.080	5250 to 5350	Pass
					0	12	5270.080	5250 to 5350	Pass
					10	12	5270.040	5250 to 5350	Pass
					30	12	5270.080	5250 to 5350	Pass
					40	12	5270.080	5250 to 5350	Pass
					50	12	5270.080	5250 to 5350	Pass
		5310	/	/	20	10.2	5310.120	5250 to 5350	Pass
						12	5310.080	5250 to 5350	Pass
						13.8	5310.080	5250 to 5350	Pass
					-30	12	5310.080	5250 to 5350	Pass
					-20	12	5310.080	5250 to 5350	Pass
					-10	12	5310.040	5250 to 5350	Pass
					0	12	5310.080	5250 to 5350	Pass
					10	12	5310.080	5250 to 5350	Pass
					30	12	5310.080	5250 to 5350	Pass
					40	12	5310.040	5250 to 5350	Pass
					50	12	5310.080	5250 to 5350	Pass
		5510	/	/	20	10.2	5510.040	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 612 of 628

						12	5510.040	5470 to 5725	Pass
						13.8	5510.040	5470 to 5725	Pass
						-30	5510.040	5470 to 5725	Pass
						-20	5510.040	5470 to 5725	Pass
						-10	5510.040	5470 to 5725	Pass
						0	5510.040	5470 to 5725	Pass
						10	5510.080	5470 to 5725	Pass
						30	5510.000	5470 to 5725	Pass
						40	5510.080	5470 to 5725	Pass
						50	5510.080	5470 to 5725	Pass
		5550	/	/	20	10.2	5550.040	5470 to 5725	Pass
						12	5550.080	5470 to 5725	Pass
						13.8	5550.120	5470 to 5725	Pass
						-30	5550.040	5470 to 5725	Pass
						-20	5550.080	5470 to 5725	Pass
						-10	5550.120	5470 to 5725	Pass
						0	5550.080	5470 to 5725	Pass
						10	5550.080	5470 to 5725	Pass
						30	5550.080	5470 to 5725	Pass
						40	5550.080	5470 to 5725	Pass
						50	5550.080	5470 to 5725	Pass
		5670	/	/	20	10.2	5670.080	5470 to 5725	Pass
						12	5670.080	5470 to 5725	Pass
						13.8	5670.120	5470 to 5725	Pass
						-30	5670.080	5470 to 5725	Pass
						-20	5670.080	5470 to 5725	Pass
						-10	5670.080	5470 to 5725	Pass
						0	5670.120	5470 to 5725	Pass
						10	5670.040	5470 to 5725	Pass
						30	5670.080	5470 to 5725	Pass
						40	5670.040	5470 to 5725	Pass
						50	5670.080	5470 to 5725	Pass
		5755	/	/	20	10.2	5755.120	5725 to 5850	Pass
						12	5755.080	5725 to 5850	Pass
						13.8	5755.040	5725 to 5850	Pass
					-30	12	5755.080	5725 to 5850	Pass
						12	5755.080	5725 to 5850	Pass
						12	5755.040	5725 to 5850	Pass
						0	5755.040	5725 to 5850	Pass
						10	5755.080	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 613 of 628

		5795	/	/	30	12	5755.040	5725 to 5850	Pass
					40	12	5755.080	5725 to 5850	Pass
					50	12	5755.080	5725 to 5850	Pass
					20	10.2	5795.080	5725 to 5850	Pass
						12	5795.040	5725 to 5850	Pass
						13.8	5795.080	5725 to 5850	Pass
					-30	12	5795.120	5725 to 5850	Pass
					-20	12	5795.080	5725 to 5850	Pass
					-10	12	5795.080	5725 to 5850	Pass
					0	12	5795.080	5725 to 5850	Pass
					10	12	5795.120	5725 to 5850	Pass
					30	12	5795.040	5725 to 5850	Pass
					40	12	5795.080	5725 to 5850	Pass
					50	12	5795.040	5725 to 5850	Pass
802.11ac (VHT20)	MIMO	5180	/	/	20	10.2	5180.040	5150 to 5250	Pass
						12	5180.020	5150 to 5250	Pass
						13.8	5180.060	5150 to 5250	Pass
					-30	12	5180.040	5150 to 5250	Pass
					-20	12	5180.060	5150 to 5250	Pass
					-10	12	5180.040	5150 to 5250	Pass
					0	12	5180.060	5150 to 5250	Pass
					10	12	5180.060	5150 to 5250	Pass
					30	12	5180.100	5150 to 5250	Pass
					40	12	5180.060	5150 to 5250	Pass
		5200	/	/	50	12	5180.040	5150 to 5250	Pass
					20	10.2	5200.080	5150 to 5250	Pass
						12	5200.060	5150 to 5250	Pass
						13.8	5200.040	5150 to 5250	Pass
					-30	12	5200.080	5150 to 5250	Pass
					-20	12	5200.060	5150 to 5250	Pass
					-10	12	5200.020	5150 to 5250	Pass
					0	12	5200.020	5150 to 5250	Pass
					10	12	5200.020	5150 to 5250	Pass
					30	12	5200.060	5150 to 5250	Pass
					40	12	5200.000	5150 to 5250	Pass
					50	12	5200.060	5150 to 5250	Pass
		5240	/	/	20	10.2	5240.040	5150 to 5250	Pass
						12	5240.000	5150 to 5250	Pass
						13.8	5240.020	5150 to 5250	Pass
					-30	12	5240.060	5150 to 5250	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 614 of 628

					-20	12	5240.040	5150 to 5250	Pass
					-10	12	5239.960	5150 to 5250	Pass
					0	12	5240.060	5150 to 5250	Pass
					10	12	5239.980	5150 to 5250	Pass
					30	12	5240.080	5150 to 5250	Pass
					40	12	5240.060	5150 to 5250	Pass
					50	12	5239.960	5150 to 5250	Pass
		5260	/	/	20	10.2	5259.980	5250 to 5350	Pass
						12	5260.080	5250 to 5350	Pass
						13.8	5260.000	5250 to 5350	Pass
					-30	12	5260.100	5250 to 5350	Pass
					-20	12	5260.040	5250 to 5350	Pass
					-10	12	5260.060	5250 to 5350	Pass
					0	12	5260.040	5250 to 5350	Pass
					10	12	5260.040	5250 to 5350	Pass
					30	12	5260.060	5250 to 5350	Pass
					40	12	5260.060	5250 to 5350	Pass
					50	12	5260.020	5250 to 5350	Pass
		5300	/	/	20	10.2	5300.040	5250 to 5350	Pass
						12	5300.020	5250 to 5350	Pass
						13.8	5300.060	5250 to 5350	Pass
					-30	12	5300.080	5250 to 5350	Pass
					-20	12	5300.080	5250 to 5350	Pass
					-10	12	5300.100	5250 to 5350	Pass
					0	12	5300.040	5250 to 5350	Pass
					10	12	5300.040	5250 to 5350	Pass
					30	12	5300.060	5250 to 5350	Pass
					40	12	5300.060	5250 to 5350	Pass
		5320	/	/	20	10.2	5320.040	5250 to 5350	Pass
						12	5320.040	5250 to 5350	Pass
						13.8	5320.080	5250 to 5350	Pass
					-30	12	5320.000	5250 to 5350	Pass
					-20	12	5320.040	5250 to 5350	Pass
					-10	12	5320.000	5250 to 5350	Pass
					0	12	5319.980	5250 to 5350	Pass
					10	12	5320.040	5250 to 5350	Pass
					30	12	5320.040	5250 to 5350	Pass
					40	12	5320.060	5250 to 5350	Pass
					50	12	5320.060	5250 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 615 of 628

		5500	/	/	20	10.2	5500.020	5470 to 5725	Pass
						12	5500.000	5470 to 5725	Pass
						13.8	5500.060	5470 to 5725	Pass
					-30	12	5500.040	5470 to 5725	Pass
					-20	12	5500.040	5470 to 5725	Pass
					-10	12	5500.060	5470 to 5725	Pass
					0	12	5500.040	5470 to 5725	Pass
					10	12	5500.040	5470 to 5725	Pass
					30	12	5500.120	5470 to 5725	Pass
					40	12	5500.040	5470 to 5725	Pass
					50	12	5500.040	5470 to 5725	Pass
		5580	/	/	20	10.2	5580.080	5470 to 5725	Pass
						12	5580.100	5470 to 5725	Pass
						13.8	5580.080	5470 to 5725	Pass
					-30	12	5579.980	5470 to 5725	Pass
					-20	12	5580.040	5470 to 5725	Pass
					-10	12	5580.060	5470 to 5725	Pass
					0	12	5580.120	5470 to 5725	Pass
					10	12	5580.040	5470 to 5725	Pass
					30	12	5580.060	5470 to 5725	Pass
					40	12	5580.000	5470 to 5725	Pass
					50	12	5580.080	5470 to 5725	Pass
		5700	/	/	20	10.2	5700.000	5470 to 5725	Pass
						12	5700.020	5470 to 5725	Pass
						13.8	5700.040	5470 to 5725	Pass
					-30	12	5700.020	5470 to 5725	Pass
					-20	12	5700.040	5470 to 5725	Pass
					-10	12	5700.040	5470 to 5725	Pass
					0	12	5700.000	5470 to 5725	Pass
					10	12	5699.960	5470 to 5725	Pass
					30	12	5700.040	5470 to 5725	Pass
					40	12	5700.040	5470 to 5725	Pass
					50	12	5700.060	5470 to 5725	Pass
		5745	/	/	20	10.2	5744.960	5725 to 5850	Pass
						12	5745.040	5725 to 5850	Pass
						13.8	5745.000	5725 to 5850	Pass
					-30	12	5745.020	5725 to 5850	Pass
					-20	12	5745.020	5725 to 5850	Pass
					-10	12	5745.000	5725 to 5850	Pass
					0	12	5745.060	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Inspection Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 616 of 628

					10	12	5745.020	5725 to 5850	Pass
					30	12	5745.020	5725 to 5850	Pass
					40	12	5745.040	5725 to 5850	Pass
					50	12	5744.940	5725 to 5850	Pass
		5785	/	/	20	10.2	5785.040	5725 to 5850	Pass
						12	5785.040	5725 to 5850	Pass
						13.8	5785.120	5725 to 5850	Pass
					-30	12	5785.080	5725 to 5850	Pass
					-20	12	5785.060	5725 to 5850	Pass
					-10	12	5785.040	5725 to 5850	Pass
					0	12	5785.080	5725 to 5850	Pass
					10	12	5784.960	5725 to 5850	Pass
					30	12	5785.040	5725 to 5850	Pass
					40	12	5785.100	5725 to 5850	Pass
					50	12	5785.120	5725 to 5850	Pass
		5825	/	/	20	10.2	5825.060	5725 to 5850	Pass
						12	5825.080	5725 to 5850	Pass
						13.8	5825.160	5725 to 5850	Pass
					-30	12	5825.080	5725 to 5850	Pass
					-20	12	5825.100	5725 to 5850	Pass
					-10	12	5825.080	5725 to 5850	Pass
					0	12	5825.140	5725 to 5850	Pass
					10	12	5825.080	5725 to 5850	Pass
					30	12	5825.020	5725 to 5850	Pass
					40	12	5825.040	5725 to 5850	Pass
					50	12	5825.060	5725 to 5850	Pass
802.11ac (VHT40)	MIMO	5190	/	/	20	10.2	5190.080	5150 to 5250	Pass
						12	5190.080	5150 to 5250	Pass
						13.8	5190.080	5150 to 5250	Pass
					-30	12	5190.120	5150 to 5250	Pass
					-20	12	5190.120	5150 to 5250	Pass
					-10	12	5190.120	5150 to 5250	Pass
					0	12	5190.160	5150 to 5250	Pass
					10	12	5190.120	5150 to 5250	Pass
					30	12	5190.160	5150 to 5250	Pass
					40	12	5190.120	5150 to 5250	Pass
					50	12	5190.120	5150 to 5250	Pass
		5230	/	/	20	10.2	5230.160	5150 to 5250	Pass
						12	5230.120	5150 to 5250	Pass
						13.8	5230.120	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 617 of 628

					-30	12	5230.160	5150 to 5250	Pass
					-20	12	5230.120	5150 to 5250	Pass
					-10	12	5230.080	5150 to 5250	Pass
					0	12	5230.160	5150 to 5250	Pass
					10	12	5230.160	5150 to 5250	Pass
					30	12	5230.160	5150 to 5250	Pass
					40	12	5230.120	5150 to 5250	Pass
					50	12	5230.120	5150 to 5250	Pass
		5270	/	/	20	10.2	5270.080	5250 to 5350	Pass
						12	5270.040	5250 to 5350	Pass
						13.8	5270.080	5250 to 5350	Pass
					-30	12	5270.040	5250 to 5350	Pass
					-20	12	5270.040	5250 to 5350	Pass
					-10	12	5270.080	5250 to 5350	Pass
					0	12	5270.040	5250 to 5350	Pass
					10	12	5270.000	5250 to 5350	Pass
					30	12	5270.040	5250 to 5350	Pass
					40	12	5270.040	5250 to 5350	Pass
					50	12	5270.040	5250 to 5350	Pass
		5310	/	/	20	10.2	5310.080	5250 to 5350	Pass
						12	5310.120	5250 to 5350	Pass
						13.8	5310.120	5250 to 5350	Pass
					-30	12	5310.080	5250 to 5350	Pass
					-20	12	5310.080	5250 to 5350	Pass
					-10	12	5310.080	5250 to 5350	Pass
					0	12	5310.080	5250 to 5350	Pass
					10	12	5310.080	5250 to 5350	Pass
					30	12	5310.080	5250 to 5350	Pass
					40	12	5310.040	5250 to 5350	Pass
					50	12	5310.080	5250 to 5350	Pass
		5510	/	/	20	10.2	5510.040	5470 to 5725	Pass
						12	5510.040	5470 to 5725	Pass
						13.8	5510.000	5470 to 5725	Pass
					-30	12	5510.080	5470 to 5725	Pass
					-20	12	5510.040	5470 to 5725	Pass
					-10	12	5510.040	5470 to 5725	Pass
					0	12	5510.040	5470 to 5725	Pass
					10	12	5510.080	5470 to 5725	Pass
					30	12	5510.080	5470 to 5725	Pass
					40	12	5510.080	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 618 of 628

				50	12	5510.040	5470 to 5725	Pass
				20	10.2	5550.080	5470 to 5725	Pass
					12	5550.080	5470 to 5725	Pass
					13.8	5550.120	5470 to 5725	Pass
				-30	12	5550.120	5470 to 5725	Pass
				-20	12	5550.120	5470 to 5725	Pass
		5550	/	-10	12	5550.040	5470 to 5725	Pass
			/	0	12	5550.120	5470 to 5725	Pass
				10	12	5550.080	5470 to 5725	Pass
				30	12	5550.120	5470 to 5725	Pass
				40	12	5550.040	5470 to 5725	Pass
				50	12	5550.080	5470 to 5725	Pass
		5670	/	20	10.2	5670.040	5470 to 5725	Pass
					12	5670.080	5470 to 5725	Pass
					13.8	5670.080	5470 to 5725	Pass
				-30	12	5670.080	5470 to 5725	Pass
				-20	12	5670.080	5470 to 5725	Pass
				-10	12	5670.040	5470 to 5725	Pass
				0	12	5670.080	5470 to 5725	Pass
				10	12	5670.080	5470 to 5725	Pass
				30	12	5670.080	5470 to 5725	Pass
				40	12	5670.040	5470 to 5725	Pass
				50	12	5670.080	5470 to 5725	Pass
		5755	/	20	10.2	5755.080	5725 to 5850	Pass
					12	5755.080	5725 to 5850	Pass
					13.8	5755.080	5725 to 5850	Pass
				-30	12	5755.080	5725 to 5850	Pass
				-20	12	5755.080	5725 to 5850	Pass
				-10	12	5755.080	5725 to 5850	Pass
				0	12	5755.080	5725 to 5850	Pass
				10	12	5755.080	5725 to 5850	Pass
				30	12	5755.080	5725 to 5850	Pass
				40	12	5755.040	5725 to 5850	Pass
				50	12	5755.120	5725 to 5850	Pass
		5795	/	20	10.2	5795.080	5725 to 5850	Pass
					12	5795.080	5725 to 5850	Pass
					13.8	5795.080	5725 to 5850	Pass
				-30	12	5795.080	5725 to 5850	Pass
				-20	12	5795.080	5725 to 5850	Pass
				-10	12	5795.080	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 619 of 628

					0	12	5795.080	5725 to 5850	Pass
					10	12	5795.080	5725 to 5850	Pass
					30	12	5795.120	5725 to 5850	Pass
					40	12	5795.080	5725 to 5850	Pass
					50	12	5795.080	5725 to 5850	Pass
802.11ac (VHT80)	MIMO	5210	/	/	20	10.2	5210.150	5150 to 5250	Pass
						12	5210.150	5150 to 5250	Pass
						13.8	5210.075	5150 to 5250	Pass
					-30	12	5210.150	5150 to 5250	Pass
					-20	12	5210.150	5150 to 5250	Pass
					-10	12	5210.150	5150 to 5250	Pass
					0	12	5210.150	5150 to 5250	Pass
					10	12	5210.000	5150 to 5250	Pass
					30	12	5210.075	5150 to 5250	Pass
					40	12	5210.075	5150 to 5250	Pass
					50	12	5210.150	5150 to 5250	Pass
		5290	/	/	20	10.2	5290.000	5250 to 5350	Pass
						12	5290.075	5250 to 5350	Pass
						13.8	5290.075	5250 to 5350	Pass
					-30	12	5290.150	5250 to 5350	Pass
					-20	12	5290.000	5250 to 5350	Pass
					-10	12	5290.075	5250 to 5350	Pass
					0	12	5290.000	5250 to 5350	Pass
					10	12	5290.075	5250 to 5350	Pass
					30	12	5290.150	5250 to 5350	Pass
					40	12	5290.075	5250 to 5350	Pass
					50	12	5290.000	5250 to 5350	Pass
		5530	/	/	20	10.2	5530.075	5470 to 5725	Pass
						12	5530.075	5470 to 5725	Pass
						13.8	5530.150	5470 to 5725	Pass
					-30	12	5530.075	5470 to 5725	Pass
					-20	12	5530.075	5470 to 5725	Pass
					-10	12	5530.075	5470 to 5725	Pass
					0	12	5530.075	5470 to 5725	Pass
					10	12	5530.075	5470 to 5725	Pass
					30	12	5530.075	5470 to 5725	Pass
					40	12	5530.075	5470 to 5725	Pass
					50	12	5530.150	5470 to 5725	Pass
		5610	/	/	20	10.2	5610.150	5470 to 5725	Pass
						12	5610.150	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 620 of 628

802.11ac (VHT160)	MIMO					13.8	5610.225	5470 to 5725	Pass
					-30	12	5610.150	5470 to 5725	Pass
					-20	12	5610.075	5470 to 5725	Pass
					-10	12	5610.075	5470 to 5725	Pass
					0	12	5610.075	5470 to 5725	Pass
					10	12	5610.150	5470 to 5725	Pass
					30	12	5610.150	5470 to 5725	Pass
					40	12	5610.150	5470 to 5725	Pass
					50	12	5610.150	5470 to 5725	Pass
		5775	/	/	20	10.2	5775.150	5725 to 5850	Pass
						12	5775.150	5725 to 5850	Pass
						13.8	5775.150	5725 to 5850	Pass
					-30	12	5775.075	5725 to 5850	Pass
					-20	12	5775.075	5725 to 5850	Pass
					-10	12	5775.075	5725 to 5850	Pass
					0	12	5775.150	5725 to 5850	Pass
					10	12	5775.075	5725 to 5850	Pass
					30	12	5775.075	5725 to 5850	Pass
					40	12	5775.075	5725 to 5850	Pass
					50	12	5775.075	5725 to 5850	Pass
		5570	/	/	20	10.2	5570.075	5470 to 5725	Pass
						12	5570.075	5470 to 5725	Pass
						13.8	5570.075	5470 to 5725	Pass
					-30	12	5570.075	5470 to 5725	Pass
					-20	12	5570.075	5470 to 5725	Pass
					-10	12	5570.075	5470 to 5725	Pass
					0	12	5570.075	5470 to 5725	Pass
					10	12	5570.075	5470 to 5725	Pass
					30	12	5570.075	5470 to 5725	Pass
					40	12	5570.075	5470 to 5725	Pass
					50	12	5570.075	5470 to 5725	Pass
		5250	/	/	20	10.2	5250.075	5150 to 5350	Pass
						12	5250.075	5150 to 5350	Pass
						13.8	5250.150	5150 to 5350	Pass
					-30	12	5250.000	5150 to 5350	Pass
					-20	12	5250.075	5150 to 5350	Pass
					-10	12	5250.000	5150 to 5350	Pass
					0	12	5249.925	5150 to 5350	Pass
					10	12	5250.000	5150 to 5350	Pass
					30	12	5250.075	5150 to 5350	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 621 of 628

					40	12	5250.150	5150 to 5350	Pass
					50	12	5250.075	5150 to 5350	Pass
802.11ax (HEW20)	MIMO	5180	RU242	Left	20	10.2	5180.040	5150 to 5250	Pass
						12	5180.040	5150 to 5250	Pass
						13.8	5180.040	5150 to 5250	Pass
					-30	12	5180.060	5150 to 5250	Pass
					-20	12	5180.040	5150 to 5250	Pass
					-10	12	5180.060	5150 to 5250	Pass
					0	12	5180.060	5150 to 5250	Pass
					10	12	5180.040	5150 to 5250	Pass
					30	12	5180.060	5150 to 5250	Pass
					40	12	5180.080	5150 to 5250	Pass
					50	12	5180.040	5150 to 5250	Pass
		5200	RU242	Left	20	10.2	5200.040	5150 to 5250	Pass
						12	5200.060	5150 to 5250	Pass
						13.8	5200.020	5150 to 5250	Pass
					-30	12	5200.020	5150 to 5250	Pass
					-20	12	5200.040	5150 to 5250	Pass
					-10	12	5200.040	5150 to 5250	Pass
					0	12	5200.040	5150 to 5250	Pass
					10	12	5200.040	5150 to 5250	Pass
					30	12	5200.000	5150 to 5250	Pass
					40	12	5200.020	5150 to 5250	Pass
					50	12	5200.060	5150 to 5250	Pass
		5240	RU242	Left	20	10.2	5240.040	5150 to 5250	Pass
						12	5240.040	5150 to 5250	Pass
						13.8	5240.040	5150 to 5250	Pass
					-30	12	5240.040	5150 to 5250	Pass
					-20	12	5240.020	5150 to 5250	Pass
					-10	12	5240.040	5150 to 5250	Pass
					0	12	5240.040	5150 to 5250	Pass
					10	12	5240.020	5150 to 5250	Pass
					30	12	5240.040	5150 to 5250	Pass
					40	12	5240.020	5150 to 5250	Pass
					50	12	5240.040	5150 to 5250	Pass
		5260	RU242	Left	20	10.2	5260.040	5250 to 5350	Pass
						12	5260.040	5250 to 5350	Pass
						13.8	5260.100	5250 to 5350	Pass
					-30	12	5260.060	5250 to 5350	Pass
					-20	12	5260.060	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 622 of 628

					-10	12	5260.020	5250 to 5350	Pass
					0	12	5260.040	5250 to 5350	Pass
					10	12	5260.060	5250 to 5350	Pass
					30	12	5260.000	5250 to 5350	Pass
					40	12	5260.040	5250 to 5350	Pass
					50	12	5260.040	5250 to 5350	Pass
		5300	RU242	Left	20	10.2	5300.040	5250 to 5350	Pass
						12	5300.060	5250 to 5350	Pass
						13.8	5299.940	5250 to 5350	Pass
					-30	12	5300.000	5250 to 5350	Pass
					-20	12	5300.040	5250 to 5350	Pass
					-10	12	5300.040	5250 to 5350	Pass
					0	12	5300.080	5250 to 5350	Pass
					10	12	5300.040	5250 to 5350	Pass
					30	12	5300.060	5250 to 5350	Pass
					40	12	5300.000	5250 to 5350	Pass
					50	12	5300.000	5250 to 5350	Pass
		5320	RU242	Left	20	10.2	5320.040	5250 to 5350	Pass
						12	5320.020	5250 to 5350	Pass
						13.8	5320.040	5250 to 5350	Pass
					-30	12	5320.060	5250 to 5350	Pass
					-20	12	5320.040	5250 to 5350	Pass
					-10	12	5320.040	5250 to 5350	Pass
					0	12	5320.040	5250 to 5350	Pass
					10	12	5319.980	5250 to 5350	Pass
					30	12	5320.020	5250 to 5350	Pass
					40	12	5320.040	5250 to 5350	Pass
					50	12	5320.040	5250 to 5350	Pass
		5500	RU242	Left	20	10.2	5500.060	5470 to 5725	Pass
						12	5500.060	5470 to 5725	Pass
						13.8	5500.020	5470 to 5725	Pass
					-30	12	5500.040	5470 to 5725	Pass
					-20	12	5500.040	5470 to 5725	Pass
					-10	12	5500.040	5470 to 5725	Pass
					0	12	5500.060	5470 to 5725	Pass
					10	12	5500.060	5470 to 5725	Pass
					30	12	5499.980	5470 to 5725	Pass
					40	12	5500.080	5470 to 5725	Pass
					50	12	5500.040	5470 to 5725	Pass
		5580	RU242	Left	20	10.2	5580.060	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn

中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 623 of 628

						12	5580.080	5470 to 5725	Pass
						13.8	5580.140	5470 to 5725	Pass
					-30	12	5580.040	5470 to 5725	Pass
					-20	12	5580.020	5470 to 5725	Pass
					-10	12	5580.040	5470 to 5725	Pass
					0	12	5580.060	5470 to 5725	Pass
					10	12	5580.040	5470 to 5725	Pass
					30	12	5580.080	5470 to 5725	Pass
					40	12	5580.040	5470 to 5725	Pass
					50	12	5580.060	5470 to 5725	Pass
		5700	RU242	Left	20	10.2	5700.040	5470 to 5725	Pass
						12	5700.040	5470 to 5725	Pass
						13.8	5700.040	5470 to 5725	Pass
					-30	12	5700.000	5470 to 5725	Pass
					-20	12	5700.060	5470 to 5725	Pass
					-10	12	5700.040	5470 to 5725	Pass
					0	12	5700.020	5470 to 5725	Pass
					10	12	5699.960	5470 to 5725	Pass
					30	12	5700.040	5470 to 5725	Pass
					40	12	5700.000	5470 to 5725	Pass
					50	12	5700.040	5470 to 5725	Pass
		5745	RU242	Left	20	10.2	5745.060	5725 to 5850	Pass
						12	5745.020	5725 to 5850	Pass
						13.8	5745.040	5725 to 5850	Pass
					-30	12	5745.040	5725 to 5850	Pass
					-20	12	5745.060	5725 to 5850	Pass
					-10	12	5744.980	5725 to 5850	Pass
					0	12	5745.040	5725 to 5850	Pass
					10	12	5745.060	5725 to 5850	Pass
					30	12	5745.020	5725 to 5850	Pass
					40	12	5745.020	5725 to 5850	Pass
					50	12	5745.000	5725 to 5850	Pass
		5785	RU242	Left	20	10.2	5785.040	5725 to 5850	Pass
						12	5784.980	5725 to 5850	Pass
						13.8	5785.080	5725 to 5850	Pass
					-30	12	5785.020	5725 to 5850	Pass
					-20	12	5785.020	5725 to 5850	Pass
					-10	12	5784.960	5725 to 5850	Pass
					0	12	5785.080	5725 to 5850	Pass
					10	12	5785.060	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Testing & Calibration Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 624 of 628

		5825	RU242	Left	30	12	5784.980	5725 to 5850	Pass
					40	12	5785.040	5725 to 5850	Pass
					50	12	5785.020	5725 to 5850	Pass
					20	10.2	5825.040	5725 to 5850	Pass
						12	5825.020	5725 to 5850	Pass
						13.8	5825.020	5725 to 5850	Pass
					-30	12	5825.020	5725 to 5850	Pass
					-20	12	5825.040	5725 to 5850	Pass
					-10	12	5825.040	5725 to 5850	Pass
					0	12	5824.980	5725 to 5850	Pass
					10	12	5825.040	5725 to 5850	Pass
					30	12	5825.040	5725 to 5850	Pass
					40	12	5825.020	5725 to 5850	Pass
					50	12	5825.060	5725 to 5850	Pass
802.11ax (HEW40)	MIMO	5190	RU484	Left	20	10.2	5190.040	5150 to 5250	Pass
						12	5190.040	5150 to 5250	Pass
						13.8	5190.080	5150 to 5250	Pass
					-30	12	5190.040	5150 to 5250	Pass
					-20	12	5190.120	5150 to 5250	Pass
					-10	12	5190.120	5150 to 5250	Pass
					0	12	5190.080	5150 to 5250	Pass
					10	12	5190.200	5150 to 5250	Pass
					30	12	5190.080	5150 to 5250	Pass
					40	12	5190.080	5150 to 5250	Pass
					50	12	5190.120	5150 to 5250	Pass
		5230	RU484	Left	20	10.2	5230.080	5150 to 5250	Pass
						12	5230.040	5150 to 5250	Pass
						13.8	5230.080	5150 to 5250	Pass
					-30	12	5230.080	5150 to 5250	Pass
					-20	12	5230.080	5150 to 5250	Pass
					-10	12	5230.080	5150 to 5250	Pass
					0	12	5230.040	5150 to 5250	Pass
					10	12	5230.080	5150 to 5250	Pass
					30	12	5230.080	5150 to 5250	Pass
					40	12	5230.080	5150 to 5250	Pass
					50	12	5230.080	5150 to 5250	Pass
		5270	RU484	Left	20	10.2	5270.080	5250 to 5350	Pass
						12	5270.120	5250 to 5350	Pass
						13.8	5270.040	5250 to 5350	Pass
					-30	12	5270.080	5250 to 5350	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch (SZEMC) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 625 of 628

					-20	12	5270.080	5250 to 5350	Pass
					-10	12	5270.080	5250 to 5350	Pass
					0	12	5270.000	5250 to 5350	Pass
					10	12	5270.080	5250 to 5350	Pass
					30	12	5270.080	5250 to 5350	Pass
					40	12	5270.080	5250 to 5350	Pass
					50	12	5270.040	5250 to 5350	Pass
		5310	RU484	Left	20	10.2	5310.080	5250 to 5350	Pass
						12	5310.120	5250 to 5350	Pass
						13.8	5310.080	5250 to 5350	Pass
					-30	12	5310.040	5250 to 5350	Pass
					-20	12	5310.000	5250 to 5350	Pass
					-10	12	5310.080	5250 to 5350	Pass
					0	12	5310.120	5250 to 5350	Pass
					10	12	5310.040	5250 to 5350	Pass
					30	12	5310.120	5250 to 5350	Pass
					40	12	5310.040	5250 to 5350	Pass
					50	12	5310.080	5250 to 5350	Pass
		5510	RU484	Left	20	10.2	5510.080	5470 to 5725	Pass
						12	5510.040	5470 to 5725	Pass
						13.8	5510.120	5470 to 5725	Pass
					-30	12	5510.040	5470 to 5725	Pass
					-20	12	5510.080	5470 to 5725	Pass
					-10	12	5510.040	5470 to 5725	Pass
					0	12	5510.080	5470 to 5725	Pass
					10	12	5510.040	5470 to 5725	Pass
					30	12	5510.080	5470 to 5725	Pass
					40	12	5510.080	5470 to 5725	Pass
					50	12	5510.000	5470 to 5725	Pass
		5550	RU484	Left	20	10.2	5550.080	5470 to 5725	Pass
						12	5550.120	5470 to 5725	Pass
						13.8	5550.080	5470 to 5725	Pass
					-30	12	5550.080	5470 to 5725	Pass
					-20	12	5550.080	5470 to 5725	Pass
					-10	12	5550.240	5470 to 5725	Pass
					0	12	5550.040	5470 to 5725	Pass
					10	12	5550.120	5470 to 5725	Pass
					30	12	5550.040	5470 to 5725	Pass
					40	12	5550.160	5470 to 5725	Pass
					50	12	5550.080	5470 to 5725	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 626 of 628

		5670	RU484	Left	20	10.2	5670.120	5470 to 5725	Pass
						12	5670.120	5470 to 5725	Pass
						13.8	5670.080	5470 to 5725	Pass
					-30	12	5670.120	5470 to 5725	Pass
					-20	12	5670.080	5470 to 5725	Pass
					-10	12	5670.040	5470 to 5725	Pass
					0	12	5670.080	5470 to 5725	Pass
					10	12	5670.040	5470 to 5725	Pass
					30	12	5670.080	5470 to 5725	Pass
					40	12	5670.040	5470 to 5725	Pass
					50	12	5670.080	5470 to 5725	Pass
		5755	RU484	Left	20	10.2	5755.080	5725 to 5850	Pass
						12	5755.080	5725 to 5850	Pass
						13.8	5755.080	5725 to 5850	Pass
					-30	12	5755.080	5725 to 5850	Pass
					-20	12	5755.080	5725 to 5850	Pass
					-10	12	5755.080	5725 to 5850	Pass
					0	12	5755.120	5725 to 5850	Pass
					10	12	5755.080	5725 to 5850	Pass
					30	12	5755.080	5725 to 5850	Pass
					40	12	5755.120	5725 to 5850	Pass
					50	12	5755.120	5725 to 5850	Pass
		5795	RU484	Left	20	10.2	5795.080	5725 to 5850	Pass
						12	5795.080	5725 to 5850	Pass
						13.8	5795.120	5725 to 5850	Pass
					-30	12	5795.080	5725 to 5850	Pass
					-20	12	5795.080	5725 to 5850	Pass
					-10	12	5795.080	5725 to 5850	Pass
					0	12	5795.160	5725 to 5850	Pass
					10	12	5795.080	5725 to 5850	Pass
					30	12	5795.080	5725 to 5850	Pass
					40	12	5795.120	5725 to 5850	Pass
					50	12	5795.160	5725 to 5850	Pass
802.11ax (HEW80)	MIMO	5210	RU996	Left	20	10.2	5210.150	5150 to 5250	Pass
						12	5210.150	5150 to 5250	Pass
						13.8	5210.150	5150 to 5250	Pass
					-30	12	5210.075	5150 to 5250	Pass
					-20	12	5210.150	5150 to 5250	Pass
					-10	12	5210.075	5150 to 5250	Pass
					0	12	5210.225	5150 to 5250	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com



## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 627 of 628

					10	12	5210.075	5150 to 5250	Pass
					30	12	5210.150	5150 to 5250	Pass
					40	12	5210.075	5150 to 5250	Pass
					50	12	5210.150	5150 to 5250	Pass
	5290	RU996	Left	20	10.2		5290.075	5250 to 5350	Pass
					12		5290.150	5250 to 5350	Pass
					13.8		5290.000	5250 to 5350	Pass
				-30	12		5290.150	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
					12		5290.150	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
					12		5289.925	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
					12		5290.075	5250 to 5350	Pass
	5530	RU996	Left	20	10.2		5530.075	5470 to 5725	Pass
					12		5530.075	5470 to 5725	Pass
					13.8		5530.000	5470 to 5725	Pass
				-30	12		5530.075	5470 to 5725	Pass
					12		5530.000	5470 to 5725	Pass
					12		5530.075	5470 to 5725	Pass
					12		5530.150	5470 to 5725	Pass
					12		5530.150	5470 to 5725	Pass
					12		5530.150	5470 to 5725	Pass
					12		5530.150	5470 to 5725	Pass
					12		5530.075	5470 to 5725	Pass
					12		5530.075	5470 to 5725	Pass
					12		5530.075	5470 to 5725	Pass
					12		5530.075	5470 to 5725	Pass
					12		5530.075	5470 to 5725	Pass
	5610	RU996	Left	20	10.2		5610.150	5470 to 5725	Pass
					12		5610.075	5470 to 5725	Pass
					13.8		5610.075	5470 to 5725	Pass
				-30	12		5610.150	5470 to 5725	Pass
					12		5610.225	5470 to 5725	Pass
					12		5610.150	5470 to 5725	Pass
					12		5610.075	5470 to 5725	Pass
					12		5610.150	5470 to 5725	Pass
					12		5610.375	5470 to 5725	Pass
					12		5610.150	5470 to 5725	Pass
					12		5610.075	5470 to 5725	Pass
					12		5610.075	5470 to 5725	Pass
					12		5610.075	5470 to 5725	Pass
					12		5610.075	5470 to 5725	Pass
					12		5610.075	5470 to 5725	Pass
	5775	RU996	Left	20	10.2		5775.150	5725 to 5850	Pass
					12		5775.075	5725 to 5850	Pass
					13.8		5775.075	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

## SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR231100353903

Page: 628 of 628

					-30	12	5775.075	5725 to 5850	Pass
					-20	12	5775.075	5725 to 5850	Pass
					-10	12	5775.075	5725 to 5850	Pass
					0	12	5775.150	5725 to 5850	Pass
					10	12	5775.150	5725 to 5850	Pass
					30	12	5775.150	5725 to 5850	Pass
					40	12	5775.225	5725 to 5850	Pass
					50	12	5775.150	5725 to 5850	Pass
802.11ax (HEW160)	MIMO	5570	2xRU996	Left	20	10.2	5570.075	5470 to 5725	Pass
						12	5570.150	5470 to 5725	Pass
						13.8	5570.075	5470 to 5725	Pass
					-30	12	5570.150	5470 to 5725	Pass
					-20	12	5570.150	5470 to 5725	Pass
					-10	12	5570.075	5470 to 5725	Pass
					0	12	5570.075	5470 to 5725	Pass
					10	12	5570.075	5470 to 5725	Pass
					30	12	5570.150	5470 to 5725	Pass
					40	12	5570.075	5470 to 5725	Pass
					50	12	5570.075	5470 to 5725	Pass
		5250	2xRU996	Left	20	10.2	5250.150	5150 to 5350	Pass
						12	5249.775	5150 to 5350	Pass
						13.8	5250.000	5150 to 5350	Pass
					-30	12	5250.000	5150 to 5350	Pass
					-20	12	5250.075	5150 to 5350	Pass
					-10	12	5250.075	5150 to 5350	Pass
					0	12	5249.925	5150 to 5350	Pass
					10	12	5250.075	5150 to 5350	Pass
					30	12	5250.150	5150 to 5350	Pass
					40	12	5250.000	5150 to 5350	Pass
					50	12	5250.150	5150 to 5350	Pass

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.  
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: [CN.Doccheck@sgs.com](mailto:CN.Doccheck@sgs.com)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn  
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com