


802.11ax HEW20_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.83308G	44.45	68.20	-23.75	18.83	3	Horizontal	85	1.96	-	25.62	38.83	13.52	33.52
PK	12.83176G	57.92	88.20	-30.28	18.82	3	Horizontal	85	1.96	-	39.10	38.83	13.52	33.53

802.11ax HEW20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	43.77	68.20	-24.43	7.06	3	Vertical	35	1.29	-	36.71	32.25	9.11	34.30
AV	6.4446G	97.12	Inf	-Inf	8.80	3	Vertical	35	1.29	-	88.32	33.68	9.47	34.35
PK	5.9238G	55.06	88.20	-33.14	7.14	3	Vertical	35	1.29	-	47.92	32.30	9.14	34.30
PK	6.4446G	107.70	Inf	-Inf	8.80	3	Vertical	35	1.29	-	98.90	33.68	9.47	34.35

802.11ax HEW20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8902G	43.79	68.20	-24.41	7.10	3	Horizontal	53	1.00	-	36.69	32.28	9.12	34.30
AV	6.4254G	96.45	Inf	-Inf	8.72	3	Horizontal	53	1.00	-	87.73	33.60	9.46	34.34
PK	5.8974G	55.38	88.20	-32.82	7.11	3	Horizontal	53	1.00	-	48.27	32.29	9.12	34.30
PK	6.4374G	106.11	Inf	-Inf	8.77	3	Horizontal	53	1.00	-	97.34	33.65	9.46	34.34

802.11ax HEW20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.878G	44.36	68.20	-23.84	18.99	3	Vertical	284	2.42	-	25.37	38.88	13.55	33.44
PK	12.86292G	56.84	88.20	-31.36	18.93	3	Vertical	284	2.42	-	37.91	38.86	13.54	33.47

802.11ax HEW20_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.87596G	44.35	68.20	-23.85	18.98	3	Horizontal	359	1.50	-	25.37	38.88	13.54	33.44
PK	12.87964G	57.83	88.20	-30.37	18.99	3	Horizontal	359	1.50	-	38.84	38.88	13.55	33.44

802.11ax HEW20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9062G	43.80	68.20	-24.40	7.13	3	Vertical	35	1.11	-	36.67	32.30	9.13	34.30
AV	6.4846G	98.10	Inf	-Inf	9.04	3	Vertical	35	1.11	-	89.06	33.91	9.48	34.35
PK	5.875G	55.75	88.20	-32.45	7.06	3	Vertical	35	1.11	-	48.69	32.25	9.11	34.30
PK	6.4846G	108.70	Inf	-Inf	9.04	3	Vertical	35	1.11	-	99.66	33.91	9.48	34.35

802.11ax HEW20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8918G	43.78	68.20	-24.42	7.10	3	Horizontal	42	2.02	-	36.68	32.28	9.12	34.30
AV	6.4654G	96.09	Inf	-Inf	8.92	3	Horizontal	42	2.02	-	87.17	33.79	9.48	34.35
PK	5.9158G	55.94	88.20	-32.26	7.13	3	Horizontal	42	2.02	-	48.81	32.30	9.13	34.30
PK	6.4678G	105.56	Inf	-Inf	8.94	3	Horizontal	42	2.02	-	96.62	33.81	9.48	34.35

802.11ax HEW20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.94068G	43.86	68.20	-24.34	19.16	3	Vertical	42	1.03	-	24.70	38.90	13.58	33.32
PK	12.95416G	56.18	88.20	-32.02	19.19	3	Vertical	42	1.03	-	36.99	38.90	13.59	33.30

802.11ax HEW20_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.94156G	43.85	68.20	-24.35	19.16	3	Horizontal	76	2.60	-	24.69	38.90	13.58	33.32
PK	12.94232G	56.49	88.20	-31.71	19.16	3	Horizontal	76	2.60	-	37.33	38.90	13.58	33.32

802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9198G	43.61	68.20	-24.59	7.13	3	Vertical	31	1.12	-	36.48	32.30	9.13	34.30
AV	6.5246G	97.47	Inf	-Inf	9.19	3	Vertical	31	1.12	-	88.28	34.05	9.50	34.36
PK	5.9222G	54.21	88.20	-33.99	7.13	3	Vertical	31	1.12	-	47.08	32.30	9.13	34.30
PK	6.5222G	107.84	Inf	-Inf	9.18	3	Vertical	31	1.12	-	98.66	34.04	9.50	34.36

802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9222G	43.71	68.20	-24.49	7.13	3	Horizontal	48	2.12	-	36.58	32.30	9.13	34.30
AV	6.5054G	96.63	Inf	-Inf	9.15	3	Horizontal	48	2.12	-	87.48	34.01	9.49	34.35
PK	5.915G	54.43	88.20	-33.77	7.13	3	Horizontal	48	2.12	-	47.30	32.30	9.13	34.30
PK	6.5078G	105.98	Inf	-Inf	9.16	3	Horizontal	48	2.12	-	96.82	34.02	9.49	34.35

802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.03004G	43.94	68.20	-24.26	19.32	3	Vertical	351	1.50	-	24.62	38.84	13.64	33.16
PK	13.0328G	56.47	88.20	-31.73	19.31	3	Vertical	351	1.50	-	37.16	38.83	13.64	33.16

802.11ax HEW20_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.02688G	43.95	68.20	-24.25	19.32	3	Horizontal	240	1.51	-	24.63	38.85	13.64	33.17
PK	13.03344G	56.14	88.20	-32.06	19.31	3	Horizontal	240	1.51	-	36.83	38.83	13.64	33.16

802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5446G	97.86	Inf	-Inf	9.23	3	Vertical	37	1.27	-	88.63	34.09	9.51	34.37
AV	7.1254G	46.42	68.20	-21.78	11.06	3	Vertical	37	1.27	-	35.36	35.70	9.91	34.55
PK	6.5446G	109.59	Inf	-Inf	9.23	3	Vertical	37	1.27	-	100.36	34.09	9.51	34.37
PK	7.1326G	56.55	88.20	-31.65	11.10	3	Vertical	37	1.27	-	45.45	35.73	9.92	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5254G	96.77	Inf	-Inf	9.19	3	Horizontal	46	2.18	-	87.58	34.05	9.50	34.36
AV	7.135G	46.45	68.20	-21.75	11.12	3	Horizontal	46	2.18	-	35.33	35.74	9.93	34.55
PK	6.5254G	106.25	Inf	-Inf	9.19	3	Horizontal	46	2.18	-	97.06	34.05	9.50	34.36
PK	7.1278G	57.13	88.20	-31.07	11.08	3	Horizontal	46	2.18	-	46.05	35.71	9.92	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.06312G	44.04	68.20	-24.16	19.32	3	Vertical	2	2.02	-	24.72	38.77	13.66	33.11
PK	13.0726G	56.11	88.20	-32.09	19.32	3	Vertical	2	2.02	-	36.79	38.75	13.66	33.09

802.11ax HEW20_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.06976G	44.25	68.20	-23.95	19.32	3	Horizontal	348	1.50	-	24.93	38.76	13.66	33.10
PK	13.07236G	56.76	88.20	-31.44	19.33	3	Horizontal	348	1.50	-	37.43	38.76	13.66	33.09

802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.687G	98.65	Inf	-Inf	9.33	3	Vertical	47	1.50	-	89.32	34.10	9.65	34.42
AV	7.187G	46.25	68.20	-21.95	11.45	3	Vertical	47	1.50	-	34.80	36.02	9.99	34.56
PK	6.687G	109.02	Inf	-Inf	9.33	3	Vertical	47	1.50	-	99.69	34.10	9.65	34.42
PK	7.183G	57.71	88.20	-30.49	11.43	3	Vertical	47	1.50	-	46.28	36.00	9.99	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.685G	94.64	Inf	-Inf	9.33	3	Horizontal	157	1.39	-	85.31	34.10	9.65	34.42
AV	7.187G	46.25	68.20	-21.95	11.45	3	Horizontal	157	1.39	-	34.80	36.02	9.99	34.56
PK	6.687G	103.79	Inf	-Inf	9.33	3	Horizontal	157	1.39	-	94.46	34.10	9.65	34.42
PK	7.177G	57.05	88.20	-31.15	11.39	3	Horizontal	157	1.39	-	45.66	35.96	9.98	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.3899G	44.97	54.00	-9.03	20.65	3	Vertical	351	1.88	-	24.32	39.36	13.86	32.57
PK	13.4047G	56.96	88.20	-31.24	20.73	3	Vertical	351	1.88	-	36.23	39.41	13.87	32.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38992G	46.33	54.00	-7.67	20.65	3	Horizontal	359	1.64	-	25.68	39.36	13.86	32.57
PK	13.38938G	57.37	74.00	-16.63	20.65	3	Horizontal	359	1.64	-	36.72	39.36	13.86	32.57

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8666G	98.13	Inf	-Inf	9.81	3	Vertical	13	2.27	-	88.32	34.50	9.79	34.48
AV	7.175G	46.90	68.20	-21.30	11.38	3	Vertical	13	2.27	-	35.52	35.95	9.98	34.55
PK	6.8654G	107.42	Inf	-Inf	9.80	3	Vertical	13	2.27	-	97.62	34.49	9.79	34.48
PK	7.1702G	58.47	88.20	-29.73	11.34	3	Vertical	13	2.27	-	47.13	35.92	9.97	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8714G	93.89	Inf	-Inf	9.84	3	Horizontal	36	1.89	-	84.05	34.53	9.79	34.48
AV	7.1726G	46.88	68.20	-21.32	11.36	3	Horizontal	36	1.89	-	35.52	35.94	9.97	34.55
PK	6.8714G	104.75	Inf	-Inf	9.84	3	Horizontal	36	1.89	-	94.91	34.53	9.79	34.48
PK	7.1666G	58.66	88.20	-29.54	11.32	3	Horizontal	36	1.89	-	47.34	35.90	9.97	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.74964G	46.70	68.20	-21.50	21.36	3	Vertical	0	2.03	-	25.34	39.75	14.08	32.47
PK	13.74968G	58.96	88.20	-29.24	21.36	3	Vertical	0	2.03	-	37.60	39.75	14.08	32.47

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74996G	47.67	68.20	-20.53	21.36	3	Horizontal	350	1.64	-	26.31	39.75	14.08	32.47
PK	13.75204G	58.50	88.20	-29.70	21.36	3	Horizontal	350	1.64	-	37.14	39.75	14.08	32.47

802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.9034G	99.45	Inf	-Inf	9.99	3	Vertical	0	2.33	-	89.46	34.71	9.78	34.50
AV	7.1914G	47.20	68.20	-21.00	11.49	3	Vertical	0	2.33	-	35.71	36.05	10.00	34.56
PK	6.9034G	109.52	Inf	-Inf	9.99	3	Vertical	0	2.33	-	99.53	34.71	9.78	34.50
PK	7.1806G	58.92	88.20	-29.28	11.40	3	Vertical	0	2.33	-	47.52	35.98	9.98	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.901G	94.17	Inf	-Inf	9.99	3	Horizontal	41	1.60	-	84.18	34.70	9.78	34.49
AV	7.195G	47.12	68.20	-21.08	11.51	3	Horizontal	41	1.60	-	35.61	36.07	10.00	34.56
PK	6.901G	104.55	Inf	-Inf	9.99	3	Horizontal	41	1.60	-	94.56	34.70	9.78	34.49
PK	7.195G	58.71	88.20	-29.49	11.51	3	Horizontal	41	1.60	-	47.20	36.07	10.00	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.79016G	46.89	68.20	-21.31	21.41	3	Vertical	348	1.50	-	25.48	39.79	14.10	32.48
PK	13.78128G	58.97	88.20	-29.23	21.40	3	Vertical	348	1.50	-	37.57	39.78	14.10	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.7898G	47.61	68.20	-20.59	21.41	3	Horizontal	352	1.74	-	26.20	39.79	14.10	32.48
PK	13.7858G	59.44	88.20	-28.76	21.41	3	Horizontal	352	1.74	-	38.03	39.79	14.10	32.48

802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.986G	99.58	Inf	-Inf	10.17	3	Vertical	10	2.29	-	89.41	34.94	9.75	34.52
AV	7.1444G	46.73	68.20	-21.47	11.17	3	Vertical	10	2.29	-	35.56	35.78	9.94	34.55
PK	6.9866G	108.79	Inf	-Inf	10.17	3	Vertical	10	2.29	-	98.62	34.95	9.75	34.53
PK	7.1384G	58.31	88.20	-29.89	11.13	3	Vertical	10	2.29	-	47.18	35.75	9.93	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9998G	94.18	Inf	-Inf	10.22	3	Horizontal	38	1.80	-	83.96	35.00	9.75	34.53
AV	7.1444G	46.61	68.20	-21.59	11.17	3	Horizontal	38	1.80	-	35.44	35.78	9.94	34.55
PK	6.9926G	104.03	Inf	-Inf	10.19	3	Horizontal	38	1.80	-	93.84	34.97	9.75	34.53
PK	7.1432G	58.20	88.20	-30.00	11.16	3	Horizontal	38	1.80	-	47.04	35.77	9.94	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.98216G	46.85	68.20	-21.35	22.03	3	Vertical	122	1.50	-	24.82	40.35	14.22	32.54
PK	13.99272G	60.41	88.20	-27.79	22.06	3	Vertical	122	1.50	-	38.35	40.38	14.23	32.55

802.11ax HEW20_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.98984G	47.14	68.20	-21.06	22.04	3	Horizontal	357	1.51	-	25.10	40.37	14.22	32.55
PK	13.99796G	59.40	88.20	-28.80	22.07	3	Horizontal	357	1.51	-	37.33	40.39	14.23	32.55

802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0862G	99.25	Inf	-Inf	10.84	3	Vertical	11	2.40	-	88.41	35.52	9.86	34.54
AV	7.1374G	46.94	68.20	-21.26	11.13	3	Vertical	11	2.40	-	35.81	35.75	9.93	34.55
PK	7.0864G	110.44	Inf	-Inf	10.84	3	Vertical	11	2.40	-	99.60	35.52	9.86	34.54
PK	7.1362G	58.64	88.20	-29.56	11.12	3	Vertical	11	2.40	-	47.52	35.74	9.93	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.1G	95.32	Inf	-Inf	10.94	3	Horizontal	39	2.11	-	84.38	35.60	9.88	34.54
AV	7.1424G	46.84	68.20	-21.36	11.16	3	Horizontal	39	2.11	-	35.68	35.77	9.94	34.55
PK	7.092G	106.65	Inf	-Inf	10.88	3	Horizontal	39	2.11	-	95.77	35.55	9.87	34.54
PK	7.1352G	59.32	88.20	-28.88	11.12	3	Horizontal	39	2.11	-	48.20	35.74	9.93	34.55

802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19424G	47.98	68.20	-20.22	22.38	3	Vertical	115	1.21	-	25.60	40.89	14.28	32.79
PK	14.1918G	60.53	88.20	-27.67	22.38	3	Vertical	115	1.21	-	38.15	40.88	14.28	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.18984G	48.28	68.20	-19.92	22.38	3	Horizontal	351	1.50	-	25.90	40.88	14.28	32.78
PK	14.19636G	60.53	88.20	-27.67	22.38	3	Horizontal	351	1.50	-	38.15	40.89	14.28	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8958G	43.78	68.20	-24.42	7.11	3	Vertical	12	2.96	-	36.67	32.29	9.12	34.30
AV	6.1238G	98.47	Inf	-Inf	7.40	3	Vertical	12	2.96	-	91.07	32.45	9.27	34.32
PK	5.861G	55.48	88.20	-32.72	7.03	3	Vertical	12	2.96	-	48.45	32.22	9.11	34.30
PK	6.1238G	109.78	Inf	-Inf	7.40	3	Vertical	12	2.96	-	102.38	32.45	9.27	34.32

802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.891G	43.80	68.20	-24.40	7.10	3	Horizontal	20	1.09	-	36.70	32.28	9.12	34.30
AV	6.1178G	94.18	Inf	-Inf	7.38	3	Horizontal	20	1.09	-	86.80	32.44	9.26	34.32
PK	5.891G	55.42	88.20	-32.78	7.10	3	Horizontal	20	1.09	-	48.32	32.28	9.12	34.30
PK	6.1178G	106.46	Inf	-Inf	7.38	3	Horizontal	20	1.09	-	99.08	32.44	9.26	34.32

802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.24992G	44.16	54.00	-9.84	17.78	3	Vertical	31	1.95	-	26.38	38.90	13.16	34.28
PK	12.25824G	55.93	74.00	-18.07	17.78	3	Vertical	31	1.95	-	38.15	38.88	13.17	34.27

802.11ax HEW40_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.24988G	43.91	54.00	-10.09	17.78	3	Horizontal	354	1.09	-	26.13	38.90	13.16	34.28
PK	12.24648G	55.98	74.00	-18.02	17.79	3	Horizontal	354	1.09	-	38.19	38.91	13.16	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.909G	43.77	68.20	-24.43	7.13	3	Vertical	12	2.96	-	36.64	32.30	9.13	34.30
AV	6.243G	98.46	Inf	-Inf	7.82	3	Vertical	12	2.96	-	90.64	32.79	9.36	34.33
PK	5.923G	55.99	88.20	-32.21	7.14	3	Vertical	12	2.96	-	48.85	32.30	9.14	34.30
PK	6.245G	109.52	Inf	-Inf	7.82	3	Vertical	12	2.96	-	101.70	32.79	9.36	34.33

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.875G	43.77	68.20	-24.43	7.06	3	Horizontal	42	1.19	-	36.71	32.25	9.11	34.30
AV	6.247G	93.86	Inf	-Inf	7.82	3	Horizontal	42	1.19	-	86.04	32.79	9.36	34.33
PK	5.919G	55.40	88.20	-32.80	7.13	3	Horizontal	42	1.19	-	48.27	32.30	9.13	34.30
PK	6.257G	103.78	Inf	-Inf	7.87	3	Horizontal	42	1.19	-	95.91	32.84	9.36	34.33

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.48636G	43.38	54.00	-10.62	17.39	3	Vertical	14	2.60	-	25.99	38.24	13.31	34.16
PK	12.48196G	55.99	74.00	-18.01	17.39	3	Vertical	14	2.60	-	38.60	38.25	13.30	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.49304G	43.29	54.00	-10.71	17.38	3	Horizontal	88	1.50	-	25.91	38.22	13.31	34.15
PK	12.49168G	55.81	74.00	-18.19	17.38	3	Horizontal	88	1.50	-	38.43	38.22	13.31	34.15

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8914G	43.79	68.20	-24.41	7.10	3	Vertical	38	1.12	-	36.69	32.28	9.12	34.30
AV	6.4146G	96.47	Inf	-Inf	8.68	3	Vertical	38	1.12	-	87.79	33.56	9.46	34.34
PK	5.8218G	54.53	88.20	-33.67	6.89	3	Vertical	38	1.12	-	47.64	32.09	9.09	34.29
PK	6.4122G	106.60	Inf	-Inf	8.66	3	Vertical	38	1.12	-	97.94	33.55	9.45	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9058G	43.67	68.20	-24.53	7.13	3	Horizontal	55	1.00	-	36.54	32.30	9.13	34.30
AV	6.3954G	95.75	Inf	-Inf	8.58	3	Horizontal	55	1.00	-	87.17	33.47	9.45	34.34
PK	5.9058G	55.26	88.20	-32.94	7.13	3	Horizontal	55	1.00	-	48.13	32.30	9.13	34.30
PK	6.405G	105.95	Inf	-Inf	8.63	3	Horizontal	55	1.00	-	97.32	33.52	9.45	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.80952G	44.42	68.20	-23.78	18.74	3	Vertical	198	2.20	-	25.68	38.81	13.50	33.57
PK	12.79688G	56.62	88.20	-31.58	18.70	3	Vertical	198	2.20	-	37.92	38.79	13.50	33.59

802.11ax HEW40_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.80568G	44.39	68.20	-23.81	18.73	3	Horizontal	360	2.74	-	25.66	38.81	13.50	33.58
PK	12.8096G	56.96	88.20	-31.24	18.74	3	Horizontal	360	2.74	-	38.22	38.81	13.50	33.57

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8738G	43.90	68.20	-24.30	7.06	3	Vertical	38	1.21	-	36.84	32.25	9.11	34.30
AV	6.4546G	95.96	Inf	-Inf	8.85	3	Vertical	38	1.21	-	87.11	33.73	9.47	34.35
PK	5.8834G	54.87	88.20	-33.33	7.09	3	Vertical	38	1.21	-	47.78	32.27	9.12	34.30
PK	6.433G	106.82	Inf	-Inf	8.75	3	Vertical	38	1.21	-	98.07	33.63	9.46	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8954G	43.77	68.20	-24.43	7.11	3	Horizontal	58	1.00	-	36.66	32.29	9.12	34.30
AV	6.4354G	95.46	Inf	-Inf	8.76	3	Horizontal	58	1.00	-	86.70	33.64	9.46	34.34
PK	5.9026G	55.68	88.20	-32.52	7.13	3	Horizontal	58	1.00	-	48.55	32.30	9.13	34.30
PK	6.4354G	105.15	Inf	-Inf	8.76	3	Horizontal	58	1.00	-	96.39	33.64	9.46	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.88288G	44.37	68.20	-23.83	19.00	3	Vertical	339	1.50	-	25.37	38.88	13.55	33.43
PK	12.89008G	57.28	88.20	-30.92	19.02	3	Vertical	339	1.50	-	38.26	38.89	13.55	33.42

802.11ax HEW40_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89704G	44.27	68.20	-23.93	19.06	3	Horizontal	247	1.01	-	25.21	38.90	13.56	33.40
PK	12.8848G	57.23	88.20	-30.97	19.00	3	Horizontal	247	1.01	-	38.23	38.88	13.55	33.43

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8874G	43.67	68.20	-24.53	7.09	3	Vertical	37	1.22	-	36.58	32.27	9.12	34.30
AV	6.4946G	97.47	Inf	-Inf	9.11	3	Vertical	37	1.22	-	88.36	33.97	9.49	34.35
PK	5.909G	54.74	88.20	-33.46	7.13	3	Vertical	37	1.22	-	47.61	32.30	9.13	34.30
PK	6.4946G	107.34	Inf	-Inf	9.11	3	Vertical	37	1.22	-	98.23	33.97	9.49	34.35

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9138G	43.70	68.20	-24.50	7.13	3	Horizontal	48	2.02	-	36.57	32.30	9.13	34.30
AV	6.4778G	95.39	Inf	-Inf	9.00	3	Horizontal	48	2.02	-	86.39	33.87	9.48	34.35
PK	5.921G	54.80	88.20	-33.40	7.13	3	Horizontal	48	2.02	-	47.67	32.30	9.13	34.30
PK	6.497G	106.09	Inf	-Inf	9.12	3	Horizontal	48	2.02	-	96.97	33.98	9.49	34.35

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.97512G	43.85	68.20	-24.35	19.24	3	Vertical	153	2.53	-	24.61	38.90	13.60	33.26
PK	12.97236G	56.21	88.20	-31.99	19.24	3	Vertical	153	2.53	-	36.97	38.90	13.60	33.26

802.11ax HEW40_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.96688G	43.88	68.20	-24.32	19.23	3	Horizontal	335	2.14	-	24.65	38.90	13.60	33.27
PK	12.96624G	56.56	88.20	-31.64	19.23	3	Horizontal	335	2.14	-	37.33	38.90	13.60	33.27

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8614G	42.85	68.20	-25.35	7.03	3	Vertical	17	1.50	-	35.82	32.22	9.11	34.30
AV	6.525G	98.34	Inf	-Inf	9.19	3	Vertical	17	1.50	-	89.15	34.05	9.50	34.36
AV	7.2138G	46.54	68.20	-21.66	11.58	3	Vertical	17	1.50	-	34.96	36.13	10.01	34.56
PK	5.895G	54.87	88.20	-33.33	7.11	3	Vertical	17	1.50	-	47.76	32.29	9.12	34.30
PK	6.525G	107.19	Inf	-Inf	9.19	3	Vertical	17	1.50	-	98.00	34.05	9.50	34.36
PK	7.1858G	58.01	88.20	-30.19	11.44	3	Vertical	17	1.50	-	46.57	36.01	9.99	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9006G	42.75	68.20	-25.45	7.13	3	Horizontal	156	1.19	-	35.62	32.30	9.13	34.30
AV	6.5334G	94.38	Inf	-Inf	9.21	3	Horizontal	156	1.19	-	85.17	34.07	9.50	34.36
AV	7.2026G	46.53	68.20	-21.67	11.56	3	Horizontal	156	1.19	-	34.97	36.11	10.01	34.56
PK	5.9034G	53.70	88.20	-34.50	7.13	3	Horizontal	156	1.19	-	46.57	32.30	9.13	34.30
PK	6.5138G	105.88	Inf	-Inf	9.18	3	Horizontal	156	1.19	-	96.70	34.03	9.50	34.35
PK	7.211G	57.84	88.20	-30.36	11.57	3	Horizontal	156	1.19	-	46.27	36.12	10.01	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07G	43.55	68.20	-24.65	19.32	3	Vertical	141	2.59	-	24.23	38.76	13.66	33.10
PK	13.06288G	55.63	88.20	-32.57	19.32	3	Vertical	141	2.59	-	36.31	38.77	13.66	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.04968G	43.63	68.20	-24.57	19.32	3	Horizontal	355	1.50	-	24.31	38.80	13.65	33.13
PK	13.04464G	56.38	88.20	-31.82	19.32	3	Horizontal	355	1.50	-	37.06	38.81	13.65	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.565G	98.39	Inf	-Inf	9.25	3	Vertical	52	1.00	-	89.14	34.10	9.52	34.37
AV	7.1626G	46.76	68.20	-21.44	11.29	3	Vertical	52	1.00	-	35.47	35.88	9.96	34.55
PK	6.565G	107.08	Inf	-Inf	9.25	3	Vertical	52	1.00	-	97.83	34.10	9.52	34.37
PK	7.141G	58.09	88.20	-30.11	11.14	3	Vertical	52	1.00	-	46.95	35.76	9.93	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5578G	96.40	Inf	-Inf	9.24	3	Horizontal	53	2.21	-	87.16	34.10	9.51	34.37
AV	7.1626G	46.89	68.20	-21.31	11.29	3	Horizontal	53	2.21	-	35.60	35.88	9.96	34.55
PK	6.577G	106.06	Inf	-Inf	9.24	3	Horizontal	53	2.21	-	96.82	34.10	9.52	34.38
PK	7.1578G	57.95	88.20	-30.25	11.26	3	Horizontal	53	2.21	-	46.69	35.85	9.96	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.13204G	44.71	68.20	-23.49	19.44	3	Vertical	230	1.86	-	25.27	38.73	13.70	32.99
PK	13.12956G	56.69	88.20	-31.51	19.43	3	Vertical	230	1.86	-	37.26	38.73	13.70	33.00

802.11ax HEW40_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.12983G	44.95	68.20	-23.25	19.43	3	Horizontal	356	1.50	-	25.52	38.73	13.70	33.00
PK	13.13232G	56.94	88.20	-31.26	19.44	3	Horizontal	356	1.50	-	37.50	38.73	13.70	32.99

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.695G	98.82	Inf	-Inf	9.34	3	Vertical	6	2.27	-	89.48	34.10	9.66	34.42
AV	7.185G	47.13	68.20	-21.07	11.44	3	Vertical	6	2.27	-	35.69	36.01	9.99	34.56
PK	6.695G	109.46	Inf	-Inf	9.34	3	Vertical	6	2.27	-	100.12	34.10	9.66	34.42
PK	7.165G	59.06	88.20	-29.14	11.30	3	Vertical	6	2.27	-	47.76	35.89	9.96	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.683G	95.83	Inf	-Inf	9.33	3	Horizontal	40	1.61	-	86.50	34.10	9.65	34.42
AV	7.179G	46.93	68.20	-21.27	11.39	3	Horizontal	40	1.61	-	35.54	35.97	9.98	34.56
PK	6.683G	106.73	Inf	-Inf	9.33	3	Horizontal	40	1.61	-	97.40	34.10	9.65	34.42
PK	7.183G	58.74	88.20	-29.46	11.43	3	Horizontal	40	1.61	-	47.31	36.00	9.99	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.36988G	45.98	54.00	-8.02	20.53	3	Vertical	360	2.20	-	25.45	39.28	13.85	32.60
PK	13.37015G	57.56	74.00	-16.44	20.53	3	Vertical	360	2.20	-	37.03	39.28	13.85	32.60

802.11ax HEW40_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.36988G	46.76	54.00	-7.24	20.53	3	Horizontal	349	1.69	-	26.23	39.28	13.85	32.60
PK	13.37026G	58.05	74.00	-15.95	20.53	3	Horizontal	349	1.69	-	37.52	39.28	13.85	32.60

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.8742G	99.12	Inf	-Inf	9.86	3	Vertical	6	2.35	-	89.26	34.55	9.79	34.48
AV	7.185G	46.88	68.20	-21.32	11.44	3	Vertical	6	2.35	-	35.44	36.01	9.99	34.56
PK	6.8886G	110.40	Inf	-Inf	9.92	3	Vertical	6	2.35	-	100.48	34.63	9.78	34.49
PK	7.1742G	58.53	88.20	-29.67	11.38	3	Vertical	6	2.35	-	47.15	35.95	9.98	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8814G	96.43	Inf	-Inf	9.89	3	Horizontal	36	1.96	-	86.54	34.59	9.79	34.49
AV	7.185G	46.88	68.20	-21.32	11.44	3	Horizontal	36	1.96	-	35.44	36.01	9.99	34.56
PK	6.8814G	106.73	Inf	-Inf	9.89	3	Horizontal	36	1.96	-	96.84	34.59	9.79	34.49
PK	7.1838G	58.56	88.20	-29.64	11.43	3	Horizontal	36	1.96	-	47.13	36.00	9.99	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.771G	46.57	68.20	-21.63	21.38	3	Vertical	128	1.91	-	25.19	39.77	14.09	32.48
PK	13.76877G	59.46	88.20	-28.74	21.38	3	Vertical	128	1.91	-	38.08	39.77	14.09	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.76977G	47.43	68.20	-20.77	21.38	3	Horizontal	350	1.71	-	26.05	39.77	14.09	32.48
PK	13.76987G	59.68	88.20	-28.52	21.38	3	Horizontal	350	1.71	-	38.30	39.77	14.09	32.48

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9262G	98.82	Inf	-Inf	10.02	3	Vertical	357	2.32	-	88.80	34.75	9.77	34.50
AV	7.1926G	47.10	68.20	-21.10	11.50	3	Vertical	357	2.32	-	35.60	36.06	10.00	34.56
PK	6.9274G	109.48	Inf	-Inf	10.02	3	Vertical	357	2.32	-	99.46	34.75	9.77	34.50
PK	7.1854G	58.28	88.20	-29.92	11.44	3	Vertical	357	2.32	-	46.84	36.01	9.99	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9214G	97.15	Inf	-Inf	10.01	3	Horizontal	31	2.20	-	87.14	34.74	9.77	34.50
AV	7.1998G	47.05	68.20	-21.15	11.55	3	Horizontal	31	2.20	-	35.50	36.10	10.01	34.56
PK	6.9214G	108.86	Inf	-Inf	10.01	3	Horizontal	31	2.20	-	98.85	34.74	9.77	34.50
PK	7.2046G	58.65	88.20	-29.55	11.56	3	Horizontal	31	2.20	-	47.09	36.11	10.01	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.85G	47.07	68.20	-21.13	21.59	3	Vertical	341	1.66	-	25.48	39.95	14.14	32.50
PK	13.84889G	59.02	88.20	-29.18	21.59	3	Vertical	341	1.66	-	37.43	39.95	14.14	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.8498G	47.53	68.20	-20.67	21.59	3	Horizontal	350	1.50	-	25.94	39.95	14.14	32.50
PK	13.84974G	59.27	88.20	-28.93	21.59	3	Horizontal	350	1.50	-	37.68	39.95	14.14	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0038G	98.98	Inf	-Inf	10.24	3	Vertical	10	2.06	-	88.74	35.02	9.75	34.53
AV	7.1538G	46.78	68.20	-21.42	11.22	3	Vertical	10	2.06	-	35.56	35.82	9.95	34.55
PK	6.9966G	110.48	Inf	-Inf	10.21	3	Vertical	10	2.06	-	100.27	34.99	9.75	34.53
PK	7.1484G	57.98	88.20	-30.22	11.18	3	Vertical	10	2.06	-	46.80	35.79	9.94	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.002G	96.95	Inf	-Inf	10.23	3	Horizontal	34	2.01	-	86.72	35.01	9.75	34.53
AV	7.1508G	46.63	68.20	-21.57	11.20	3	Horizontal	34	2.01	-	35.43	35.80	9.95	34.55
PK	7.0014G	107.97	Inf	-Inf	10.23	3	Horizontal	34	2.01	-	97.74	35.01	9.75	34.53
PK	7.1466G	57.98	88.20	-30.22	11.18	3	Horizontal	34	2.01	-	46.80	35.79	9.94	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.84943G	46.74	68.20	-21.46	21.59	3	Vertical	181	2.80	-	25.15	39.95	14.14	32.50
PK	13.84869G	58.74	88.20	-29.46	21.59	3	Vertical	181	2.80	-	37.15	39.95	14.14	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.84884G	46.74	68.20	-21.46	21.59	3	Horizontal	147	1.50	-	25.15	39.95	14.14	32.50
PK	13.85171G	59.26	88.20	-28.94	21.60	3	Horizontal	147	1.50	-	37.66	39.96	14.14	32.50

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0832G	99.65	Inf	-Inf	10.82	3	Vertical	10	2.24	-	88.83	35.50	9.86	34.54
AV	7.1252G	47.69	68.20	-20.51	11.06	3	Vertical	10	2.24	-	36.63	35.70	9.91	34.55
PK	7.076G	110.08	Inf	-Inf	10.77	3	Vertical	10	2.24	-	99.31	35.46	9.85	34.54
PK	7.1426G	59.91	88.20	-28.29	11.16	3	Vertical	10	2.24	-	48.75	35.77	9.94	34.55

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0904G	94.39	Inf	-Inf	10.87	3	Horizontal	178	1.22	-	83.52	35.54	9.87	34.54
AV	7.1978G	47.16	68.20	-21.04	11.54	3	Horizontal	178	1.22	-	35.62	36.09	10.01	34.56
PK	7.082G	106.14	Inf	-Inf	10.81	3	Horizontal	178	1.22	-	95.33	35.49	9.86	34.54
PK	7.2038G	59.51	88.20	-28.69	11.56	3	Horizontal	178	1.22	-	47.95	36.11	10.01	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.1892G	47.99	68.20	-20.21	22.38	3	Vertical	69	1.58	-	25.61	40.88	14.28	32.78
PK	14.15672G	60.28	88.20	-27.92	22.34	3	Vertical	69	1.58	-	37.94	40.81	14.27	32.74

802.11ax HEW40_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.16984G	48.11	68.20	-20.09	22.35	3	Horizontal	155	2.40	-	25.76	40.84	14.27	32.76
PK	14.16664G	60.51	88.20	-27.69	22.35	3	Horizontal	155	2.40	-	38.16	40.83	14.27	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9098G	43.77	68.20	-24.43	7.13	3	Vertical	10	2.91	-	36.64	32.30	9.13	34.30
AV	6.1438G	99.56	Inf	-Inf	7.46	3	Vertical	10	2.91	-	92.10	32.49	9.29	34.32
PK	5.9002G	55.86	88.20	-32.34	7.13	3	Vertical	10	2.91	-	48.73	32.30	9.13	34.30
PK	6.1438G	109.43	Inf	-Inf	7.46	3	Vertical	10	2.91	-	101.97	32.49	9.29	34.32

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.875G	43.77	68.20	-24.43	7.06	3	Horizontal	22	2.41	-	36.71	32.25	9.11	34.30
AV	6.1378G	95.90	Inf	-Inf	7.44	3	Horizontal	22	2.41	-	88.46	32.48	9.28	34.32
PK	5.8894G	56.21	88.20	-31.99	7.10	3	Horizontal	22	2.41	-	49.11	32.28	9.12	34.30
PK	6.157G	106.59	Inf	-Inf	7.51	3	Horizontal	22	2.41	-	99.08	32.53	9.30	34.32

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.29G	43.63	54.00	-10.37	17.76	3	Vertical	171	1.83	-	25.87	38.82	13.19	34.25
PK	12.27576G	56.22	74.00	-17.78	17.77	3	Vertical	171	1.83	-	38.45	38.85	13.18	34.26

802.11ax HEW80_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.2588G	43.56	54.00	-10.44	17.78	3	Horizontal	146	1.30	-	25.78	38.88	13.17	34.27
PK	12.28472G	55.64	74.00	-18.36	17.75	3	Horizontal	146	1.30	-	37.89	38.83	13.18	34.26

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.875G	43.91	68.20	-24.29	7.06	3	Vertical	22	2.97	-	36.85	32.25	9.11	34.30
AV	6.225G	99.70	Inf	-Inf	7.77	3	Vertical	22	2.97	-	91.93	32.75	9.35	34.33
PK	5.815G	55.82	88.20	-32.38	6.86	3	Vertical	22	2.97	-	48.96	32.06	9.09	34.29
PK	6.233G	110.14	Inf	-Inf	7.79	3	Vertical	22	2.97	-	102.35	32.77	9.35	34.33

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.875G	44.04	68.20	-24.16	7.06	3	Horizontal	20	2.67	-	36.98	32.25	9.11	34.30
AV	6.239G	96.03	Inf	-Inf	7.80	3	Horizontal	20	2.67	-	88.23	32.78	9.35	34.33
PK	5.881G	56.38	88.20	-31.82	7.08	3	Horizontal	20	2.67	-	49.30	32.26	9.12	34.30
PK	6.217G	108.25	Inf	-Inf	7.74	3	Horizontal	20	2.67	-	100.51	32.73	9.34	34.33

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.4708G	43.41	54.00	-10.59	17.43	3	Vertical	191	2.01	-	25.98	38.29	13.30	34.16
PK	12.48936G	55.37	74.00	-18.63	17.38	3	Vertical	191	2.01	-	37.99	38.23	13.31	34.16

802.11ax HEW80_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.47912G	43.32	54.00	-10.68	17.40	3	Horizontal	134	2.21	-	25.92	38.26	13.30	34.16
PK	12.4644G	55.99	74.00	-18.01	17.43	3	Horizontal	134	2.21	-	38.56	38.31	13.29	34.17

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9074G	43.79	68.20	-24.41	7.13	3	Vertical	45	1.09	-	36.66	32.30	9.13	34.30
AV	6.3754G	98.31	Inf	-Inf	8.45	3	Vertical	45	1.09	-	89.86	33.35	9.44	34.34
PK	5.8858G	55.33	88.20	-32.87	7.09	3	Vertical	45	1.09	-	48.24	32.27	9.12	34.30
PK	6.373G	108.40	Inf	-Inf	8.43	3	Vertical	45	1.09	-	99.97	33.34	9.43	34.34

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.893G	43.79	68.20	-24.41	7.11	3	Horizontal	62	2.24	-	36.68	32.29	9.12	34.30
AV	6.3778G	97.99	Inf	-Inf	8.47	3	Horizontal	62	2.24	-	89.52	33.37	9.44	34.34
PK	5.821G	56.26	88.20	-31.94	6.88	3	Horizontal	62	2.24	-	49.38	32.08	9.09	34.29
PK	6.3754G	107.74	Inf	-Inf	8.45	3	Horizontal	62	2.24	-	99.29	33.35	9.44	34.34

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.80968G	44.42	68.20	-23.78	18.74	3	Vertical	328	1.66	-	25.68	38.81	13.50	33.57
PK	12.7428G	57.60	88.20	-30.60	18.40	3	Vertical	328	1.66	-	39.20	38.63	13.46	33.69

802.11ax HEW80_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.80632G	44.41	68.20	-23.79	18.74	3	Horizontal	3	2.15	-	25.67	38.81	13.50	33.57
PK	12.74776G	56.90	88.20	-31.30	18.43	3	Horizontal	3	2.15	-	38.47	38.64	13.47	33.68

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	43.67	68.20	-24.53	7.13	3	Vertical	40	1.21	-	36.54	32.30	9.13	34.30
AV	6.4554G	98.72	Inf	-Inf	8.85	3	Vertical	40	1.21	-	89.87	33.73	9.47	34.35
PK	5.8914G	54.59	88.20	-33.61	7.10	3	Vertical	40	1.21	-	47.49	32.28	9.12	34.30
PK	6.453G	109.23	Inf	-Inf	8.84	3	Vertical	40	1.21	-	100.39	33.72	9.47	34.35

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	43.67	68.20	-24.53	7.13	3	Horizontal	55	2.19	-	36.54	32.30	9.13	34.30
AV	6.477G	98.42	Inf	-Inf	8.99	3	Horizontal	55	2.19	-	89.43	33.86	9.48	34.35
PK	5.8746G	55.84	88.20	-32.36	7.06	3	Horizontal	55	2.19	-	48.78	32.25	9.11	34.30
PK	6.4578G	109.05	Inf	-Inf	8.87	3	Horizontal	55	2.19	-	100.18	33.75	9.47	34.35

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89736G	44.43	68.20	-23.77	19.06	3	Vertical	84	2.23	-	25.37	38.90	13.56	33.40
PK	12.91384G	56.75	88.20	-31.45	19.10	3	Vertical	84	2.23	-	37.65	38.90	13.57	33.37

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.898G	44.43	68.20	-23.77	19.06	3	Horizontal	56	1.89	-	25.37	38.90	13.56	33.40
PK	12.90792G	57.17	88.20	-31.03	19.08	3	Horizontal	56	1.89	-	38.09	38.90	13.56	33.38

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.545G	97.87	Inf	-Inf	9.23	3	Vertical	52	1.00	-	88.64	34.09	9.51	34.37
AV	7.1426G	46.60	68.20	-21.60	11.16	3	Vertical	52	1.00	-	35.44	35.77	9.94	34.55
PK	6.5234G	107.97	Inf	-Inf	9.19	3	Vertical	52	1.00	-	98.78	34.05	9.50	34.36
PK	7.1426G	57.25	88.20	-30.95	11.16	3	Vertical	52	1.00	-	46.09	35.77	9.94	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.557G	96.93	Inf	-Inf	9.24	3	Horizontal	44	2.21	-	87.69	34.10	9.51	34.37
AV	7.1426G	46.60	68.20	-21.60	11.16	3	Horizontal	44	2.21	-	35.44	35.77	9.94	34.55
PK	6.5354G	108.49	Inf	-Inf	9.21	3	Horizontal	44	2.21	-	99.28	34.07	9.50	34.36
PK	7.1402G	56.91	88.20	-31.29	11.14	3	Horizontal	44	2.21	-	45.77	35.76	9.93	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.12376G	44.53	68.20	-23.67	19.41	3	Vertical	90	1.04	-	25.12	38.72	13.70	33.01
PK	13.1164G	56.91	88.20	-31.29	19.39	3	Vertical	90	1.04	-	37.52	38.72	13.69	33.02

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.12952G	44.50	68.20	-23.70	19.43	3	Horizontal	238	1.24	-	25.07	38.73	13.70	33.00
PK	13.08344G	56.37	88.20	-31.83	19.33	3	Horizontal	238	1.24	-	37.04	38.73	13.67	33.07

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.625G	99.52	Inf	-Inf	9.26	3	Vertical	0	2.14	-	90.26	34.10	9.56	34.40
AV	7.213G	46.54	68.20	-21.66	11.58	3	Vertical	0	2.14	-	34.96	36.13	10.01	34.56
PK	6.6466G	109.21	Inf	-Inf	9.30	3	Vertical	0	2.14	-	99.91	34.10	9.60	34.40
PK	7.153G	57.42	88.20	-30.78	11.22	3	Vertical	0	2.14	-	46.20	35.82	9.95	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6346G	94.21	Inf	-Inf	9.28	3	Horizontal	156	1.31	-	84.93	34.10	9.58	34.40
AV	7.2034G	46.53	68.20	-21.67	11.56	3	Horizontal	156	1.31	-	34.97	36.11	10.01	34.56
PK	6.6346G	105.42	Inf	-Inf	9.28	3	Horizontal	156	1.31	-	96.14	34.10	9.58	34.40
PK	7.2202G	58.05	88.20	-30.15	11.59	3	Horizontal	156	1.31	-	46.46	36.14	10.01	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25G	45.85	68.20	-22.35	19.87	3	Vertical	0	1.80	-	25.98	38.90	13.77	32.80
PK	13.2172G	57.43	88.20	-30.77	19.73	3	Vertical	0	1.80	-	37.70	38.83	13.75	32.85

802.11ax HEW80_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25G	46.37	68.20	-21.83	19.87	3	Horizontal	360	1.62	-	26.50	38.90	13.77	32.80
PK	13.25896G	56.85	74.00	-17.15	19.91	3	Horizontal	360	1.62	-	36.94	38.92	13.78	32.79

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.707G	98.30	Inf	-Inf	9.36	3	Vertical	42	2.24	-	88.94	34.10	9.68	34.42
AV	7.181G	46.57	68.20	-21.63	11.42	3	Vertical	42	2.24	-	35.15	35.99	9.99	34.56
PK	6.705G	109.34	Inf	-Inf	9.36	3	Vertical	42	2.24	-	99.98	34.10	9.68	34.42
PK	7.193G	57.82	88.20	-30.38	11.50	3	Vertical	42	2.24	-	46.32	36.06	10.00	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.703G	93.50	Inf	-Inf	9.35	3	Horizontal	180	1.37	-	84.15	34.10	9.67	34.42
AV	7.203G	46.53	68.20	-21.67	11.56	3	Horizontal	180	1.37	-	34.97	36.11	10.01	34.56
PK	6.703G	103.40	Inf	-Inf	9.35	3	Horizontal	180	1.37	-	94.05	34.10	9.67	34.42
PK	7.147G	57.77	88.20	-30.43	11.18	3	Horizontal	180	1.37	-	46.59	35.79	9.94	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.40984G	45.10	68.20	-23.10	20.75	3	Vertical	358	1.68	-	24.35	39.42	13.87	32.54
PK	13.39704G	56.85	74.00	-17.15	20.69	3	Vertical	358	1.68	-	36.16	39.39	13.86	32.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.40984G	45.66	68.20	-22.54	20.75	3	Horizontal	360	1.81	-	24.91	39.42	13.87	32.54
PK	13.38072G	57.30	74.00	-16.70	20.58	3	Horizontal	360	1.81	-	36.72	39.32	13.85	32.59

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.795G	100.04	Inf	-Inf	9.53	3	Vertical	8	2.30	-	90.51	34.19	9.80	34.46
AV	7.249G	47.57	68.20	-20.63	11.66	3	Vertical	8	2.30	-	35.91	36.20	10.02	34.56
PK	6.795G	109.93	Inf	-Inf	9.53	3	Vertical	8	2.30	-	100.40	34.19	9.80	34.46
PK	7.165G	59.32	88.20	-28.88	11.30	3	Vertical	8	2.30	-	48.02	35.89	9.96	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.783G	97.87	Inf	-Inf	9.51	3	Horizontal	42	1.96	-	88.36	34.17	9.79	34.45
AV	7.245G	47.57	68.20	-20.63	11.65	3	Horizontal	42	1.96	-	35.92	36.19	10.02	34.56
PK	6.783G	107.12	Inf	-Inf	9.51	3	Horizontal	42	1.96	-	97.61	34.17	9.79	34.45
PK	7.227G	59.17	88.20	-29.03	11.61	3	Horizontal	42	1.96	-	47.56	36.15	10.02	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.5788G	45.95	68.20	-22.25	21.15	3	Vertical	338	1.69	-	24.80	39.60	13.97	32.42
PK	13.5852G	57.91	88.20	-30.29	21.16	3	Vertical	338	1.69	-	36.75	39.60	13.98	32.42

802.11ax HEW80_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.59896G	46.04	68.20	-22.16	21.17	3	Horizontal	28	1.11	-	24.87	39.60	13.99	32.42
PK	13.6076G	58.13	88.20	-30.07	21.18	3	Horizontal	28	1.11	-	36.95	39.61	13.99	32.42

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8662G	100.48	Inf	-Inf	9.81	3	Vertical	360	2.44	-	90.67	34.50	9.79	34.48
AV	7.1626G	46.89	68.20	-21.31	11.29	3	Vertical	360	2.44	-	35.60	35.88	9.96	34.55
PK	6.8674G	110.61	Inf	-Inf	9.81	3	Vertical	360	2.44	-	100.80	34.50	9.79	34.48
PK	7.1626G	58.10	88.20	-30.10	11.29	3	Vertical	360	2.44	-	46.81	35.88	9.96	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8626G	98.02	Inf	-Inf	9.79	3	Horizontal	39	2.14	-	88.23	34.48	9.79	34.48
AV	7.1638G	46.89	68.20	-21.31	11.29	3	Horizontal	39	2.14	-	35.60	35.88	9.96	34.55
PK	6.8818G	109.05	Inf	-Inf	9.89	3	Horizontal	39	2.14	-	99.16	34.59	9.79	34.49
PK	7.1314G	58.20	88.20	-30.00	11.10	3	Horizontal	39	2.14	-	47.10	35.73	9.92	34.55

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.7684G	46.44	68.20	-21.76	21.38	3	Vertical	330	1.85	-	25.06	39.77	14.09	32.48
PK	13.75128G	58.15	88.20	-30.05	21.36	3	Vertical	330	1.85	-	36.79	39.75	14.08	32.47

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.7676G	46.43	68.20	-21.77	21.38	3	Horizontal	111	1.61	-	25.05	39.77	14.09	32.48
PK	13.75768G	58.62	88.20	-29.58	21.37	3	Horizontal	111	1.61	-	37.25	39.76	14.08	32.47

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9462G	100.28	Inf	-Inf	10.05	3	Vertical	358	2.49	-	90.23	34.79	9.77	34.51
AV	7.2438G	47.45	68.20	-20.75	11.65	3	Vertical	358	2.49	-	35.80	36.19	10.02	34.56
PK	6.927G	112.92	Inf	-Inf	10.02	3	Vertical	358	2.49	-	102.90	34.75	9.77	34.50
PK	7.2246G	59.04	88.20	-29.16	11.60	3	Vertical	358	2.49	-	47.44	36.15	10.01	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9414G	98.69	Inf	-Inf	10.04	3	Horizontal	37	2.24	-	88.65	34.78	9.77	34.51
AV	7.239G	47.45	68.20	-20.75	11.64	3	Horizontal	37	2.24	-	35.81	36.18	10.02	34.56
PK	6.9426G	109.52	Inf	-Inf	10.05	3	Horizontal	37	2.24	-	99.47	34.79	9.77	34.51
PK	7.203G	58.81	88.20	-29.39	11.56	3	Horizontal	37	2.24	-	47.25	36.11	10.01	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.922G	46.61	68.20	-21.59	21.82	3	Vertical	241	1.74	-	24.79	40.17	14.18	32.53
PK	13.89592G	58.65	88.20	-29.55	21.74	3	Vertical	241	1.74	-	36.91	40.09	14.17	32.52

802.11ax HEW80_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.88984G	46.87	68.20	-21.33	21.72	3	Horizontal	240	2.02	-	25.15	40.07	14.16	32.51
PK	13.90984G	59.62	88.20	-28.58	21.79	3	Horizontal	240	2.02	-	37.83	40.13	14.18	32.52

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.015G	99.79	Inf	-Inf	10.33	3	Vertical	2	2.21	-	89.46	35.09	9.77	34.53
AV	7.256G	47.87	54.00	-6.13	11.67	3	Vertical	2	2.21	-	36.20	36.22	10.02	34.57
PK	7.036G	110.00	Inf	-Inf	10.48	3	Vertical	2	2.21	-	99.52	35.22	9.80	34.54
PK	7.265G	58.74	74.00	-15.26	11.71	3	Vertical	2	2.21	-	47.03	36.26	10.02	34.57

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.031G	96.74	Inf	-Inf	10.45	3	Horizontal	44	2.03	-	86.29	35.19	9.79	34.53
AV	7.274G	47.70	54.00	-6.30	11.75	3	Horizontal	44	2.03	-	35.95	36.30	10.02	34.57
PK	7.01G	107.33	Inf	-Inf	10.29	3	Horizontal	44	2.03	-	97.04	35.06	9.76	34.53
PK	7.25G	58.64	74.00	-15.36	11.66	3	Horizontal	44	2.03	-	46.98	36.20	10.02	34.56

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.08888G	47.20	68.20	-21.00	22.26	3	Vertical	228	2.04	-	24.94	40.67	14.25	32.66
PK	14.08584G	59.53	88.20	-28.67	22.26	3	Vertical	228	2.04	-	37.27	40.66	14.25	32.65

802.11ax HEW80_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.0892G	47.20	68.20	-21.00	22.26	3	Horizontal	3	1.17	-	24.94	40.67	14.25	32.66
PK	14.07672G	59.22	88.20	-28.98	22.24	3	Horizontal	3	1.17	-	36.98	40.63	14.25	32.64

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9126G	43.75	68.20	-24.45	7.13	3	Vertical	12	3.00	-	36.62	32.30	9.13	34.30
AV	6.2042G	99.00	Inf	-Inf	7.71	3	Vertical	12	3.00	-	91.29	32.71	9.33	34.33
PK	5.8886G	55.32	88.20	-32.88	7.10	3	Vertical	12	3.00	-	48.22	32.28	9.12	34.30
PK	6.203G	109.76	Inf	-Inf	7.71	3	Vertical	12	3.00	-	102.05	32.71	9.33	34.33

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9114G	43.63	68.20	-24.57	7.13	3	Horizontal	23	2.40	-	36.50	32.30	9.13	34.30
AV	6.1586G	95.65	Inf	-Inf	7.51	3	Horizontal	23	2.40	-	88.14	32.53	9.30	34.32
PK	5.9114G	55.43	88.20	-32.77	7.13	3	Horizontal	23	2.40	-	48.30	32.30	9.13	34.30
PK	6.2258G	106.49	Inf	-Inf	7.77	3	Horizontal	23	2.40	-	98.72	32.75	9.35	34.33

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.36968G	43.19	54.00	-10.81	17.61	3	Vertical	360	1.48	-	25.58	38.59	13.24	34.22
PK	12.3556G	55.92	74.00	-18.08	17.64	3	Vertical	360	1.48	-	38.28	38.63	13.23	34.22

802.11ax HEW160_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36992G	43.32	54.00	-10.68	17.61	3	Horizontal	353	1.50	-	25.71	38.59	13.24	34.22
PK	12.35928G	55.15	74.00	-18.85	17.63	3	Horizontal	353	1.50	-	37.52	38.62	13.23	34.22

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.873G	43.79	68.20	-24.41	7.06	3	Vertical	39	1.37	-	36.73	32.25	9.11	34.30
AV	6.353G	98.15	Inf	-Inf	8.30	3	Vertical	39	1.37	-	89.85	33.22	9.42	34.34
PK	5.891G	55.48	88.20	-32.72	7.10	3	Vertical	39	1.37	-	48.38	32.28	9.12	34.30
PK	6.313G	109.37	Inf	-Inf	8.19	3	Vertical	39	1.37	-	101.18	33.13	9.40	34.34

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.873G	43.65	68.20	-24.55	7.06	3	Horizontal	55	1.01	-	36.59	32.25	9.11	34.30
AV	6.375G	97.87	Inf	-Inf	8.44	3	Horizontal	55	1.01	-	89.43	33.35	9.43	34.34
PK	5.875G	55.83	88.20	-32.37	7.06	3	Horizontal	55	1.01	-	48.77	32.25	9.11	34.30
PK	6.307G	109.36	Inf	-Inf	8.17	3	Horizontal	55	1.01	-	101.19	33.11	9.39	34.33

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.70624G	43.91	68.20	-24.29	18.20	3	Vertical	197	1.02	-	25.71	38.52	13.44	33.76
PK	12.69224G	55.53	74.00	-18.47	18.13	3	Vertical	197	1.02	-	37.40	38.49	13.43	33.79

802.11ax HEW160_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.70856G	43.79	68.20	-24.41	18.21	3	Horizontal	335	1.72	-	25.58	38.53	13.44	33.76
PK	12.70472G	56.39	88.20	-31.81	18.18	3	Horizontal	335	1.72	-	38.21	38.51	13.44	33.77

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9122G	43.60	68.20	-24.60	7.13	3	Vertical	35	1.00	-	36.47	32.30	9.13	34.30
AV	6.5338G	97.27	Inf	-Inf	9.21	3	Vertical	35	1.00	-	88.06	34.07	9.50	34.36
PK	5.9146G	54.51	88.20	-33.69	7.13	3	Vertical	35	1.00	-	47.38	32.30	9.13	34.30
PK	6.5362G	108.84	Inf	-Inf	9.21	3	Vertical	35	1.00	-	99.63	34.07	9.50	34.36

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9122G	43.60	68.20	-24.60	7.13	3	Horizontal	42	2.04	-	36.47	32.30	9.13	34.30
AV	6.4954G	96.00	Inf	-Inf	9.11	3	Horizontal	42	2.04	-	86.89	33.97	9.49	34.35
PK	5.9122G	54.51	88.20	-33.69	7.13	3	Horizontal	42	2.04	-	47.38	32.30	9.13	34.30
PK	6.5362G	106.35	Inf	-Inf	9.21	3	Horizontal	42	2.04	-	97.14	34.07	9.50	34.36

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.02616G	43.84	68.20	-24.36	19.32	3	Vertical	263	1.50	-	24.52	38.85	13.64	33.17
PK	13.02832G	56.73	88.20	-31.47	19.32	3	Vertical	263	1.50	-	37.41	38.84	13.64	33.16

802.11ax HEW160_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.01G	43.87	68.20	-24.33	19.32	3	Horizontal	360	1.69	-	24.55	38.88	13.63	33.19
PK	13.01848G	56.05	88.20	-32.15	19.31	3	Horizontal	360	1.69	-	36.74	38.86	13.63	33.18

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.6746G	99.44	Inf	-Inf	9.32	3	Vertical	11	2.16	-	90.12	34.10	9.63	34.41
AV	7.2434G	46.93	68.20	-21.27	11.65	3	Vertical	11	2.16	-	35.28	36.19	10.02	34.56
PK	6.6746G	109.34	Inf	-Inf	9.32	3	Vertical	11	2.16	-	100.02	34.10	9.63	34.41
PK	7.2434G	58.00	88.20	-30.20	11.65	3	Vertical	11	2.16	-	46.35	36.19	10.02	34.56

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6746G	94.25	Inf	-Inf	9.32	3	Horizontal	157	1.42	-	84.93	34.10	9.63	34.41
AV	7.2482G	46.81	68.20	-21.39	11.66	3	Horizontal	157	1.42	-	35.15	36.20	10.02	34.56
PK	6.6362G	106.06	Inf	-Inf	9.28	3	Horizontal	157	1.42	-	96.78	34.10	9.58	34.40
PK	7.2002G	58.07	88.20	-30.13	11.55	3	Horizontal	157	1.42	-	46.52	36.10	10.01	34.56

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.38952G	44.67	54.00	-9.33	20.65	3	Vertical	356	1.06	-	24.02	39.36	13.86	32.57
PK	13.39368G	56.31	74.00	-17.69	20.67	3	Vertical	356	1.06	-	35.64	39.37	13.86	32.56

802.11ax HEW160_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.33G	45.78	54.00	-8.22	20.27	3	Horizontal	0	1.49	-	25.51	39.12	13.82	32.67
PK	13.30664G	56.82	74.00	-17.18	20.13	3	Horizontal	0	1.49	-	36.69	39.03	13.81	32.71

802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.797G	99.32	Inf	-Inf	9.54	3	Vertical	18	2.12	-	89.78	34.19	9.81	34.46
AV	7.245G	46.93	68.20	-21.27	11.65	3	Vertical	18	2.12	-	35.28	36.19	10.02	34.56
PK	6.837G	110.52	Inf	-Inf	9.68	3	Vertical	18	2.12	-	100.84	34.35	9.80	34.47
PK	7.151G	63.57	88.20	-24.63	11.21	3	Vertical	18	2.12	-	52.36	35.81	9.95	34.55

802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.813G	94.54	Inf	-Inf	9.60	3	Horizontal	174	1.21	-	84.94	34.25	9.81	34.46
AV	7.249G	46.81	68.20	-21.39	11.66	3	Horizontal	174	1.21	-	35.15	36.20	10.02	34.56
PK	6.833G	104.95	Inf	-Inf	9.66	3	Horizontal	174	1.21	-	95.29	34.33	9.80	34.47
PK	7.201G	58.63	88.20	-29.57	11.55	3	Horizontal	174	1.21	-	47.08	36.10	10.01	34.56

802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.72808G	45.87	68.20	-22.33	21.33	3	Vertical	200	2.65	-	24.54	39.73	14.06	32.46
PK	13.63336G	57.66	88.20	-30.54	21.21	3	Vertical	200	2.65	-	36.45	39.63	14.01	32.43

802.11ax HEW160_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65G	46.46	68.20	-21.74	21.23	3	Horizontal	229	1.16	-	25.23	39.65	14.02	32.44
PK	13.73G	58.23	88.20	-29.97	21.34	3	Horizontal	229	1.16	-	36.89	39.73	14.07	32.46

802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.967G	98.83	Inf	-Inf	10.11	3	Vertical	358	2.39	-	88.72	34.87	9.76	34.52
AV	7.255G	47.77	54.00	-6.23	11.67	3	Vertical	358	2.39	-	36.10	36.22	10.02	34.57
PK	6.9454G	109.98	Inf	-Inf	10.05	3	Vertical	358	2.39	-	99.93	34.79	9.77	34.51
PK	7.2838G	60.43	74.00	-13.57	11.80	3	Vertical	358	2.39	-	48.63	36.34	10.03	34.57

802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.961G	97.38	Inf	-Inf	10.08	3	Horizontal	35	2.15	-	87.30	34.84	9.76	34.52
AV	7.2754G	47.70	54.00	-6.30	11.76	3	Horizontal	35	2.15	-	35.94	36.30	10.03	34.57
PK	6.943G	107.44	Inf	-Inf	10.05	3	Horizontal	35	2.15	-	97.39	34.79	9.77	34.51
PK	7.2766G	59.53	74.00	-14.47	11.77	3	Horizontal	35	2.15	-	47.76	36.31	10.03	34.57

802.11ax HEW160_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.04712G	46.96	68.20	-21.24	22.17	3	Vertical	322	2.22	-	24.79	40.54	14.24	32.61
PK	13.95272G	59.51	88.20	-28.69	21.93	3	Vertical	322	2.22	-	37.58	40.26	14.20	32.53

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.0484G	46.98	68.20	-21.22	22.18	3	Horizontal	85	1.82	-	24.80	40.55	14.24	32.61
PK	13.98088G	59.00	88.20	-29.20	22.02	3	Horizontal	85	1.82	-	36.98	40.34	14.22	32.54



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	95.96M	38.04	43.50	-5.46	3	Vertical	0	1.00	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6665MHz	Pass	PK	33.88M	33.84	40.00	-6.16	3	Vertical	0	1.00	-
6665MHz	Pass	PK	95.96M	38.04	43.50	-5.46	3	Vertical	0	1.00	-
6665MHz	Pass	PK	125.06M	35.07	43.50	-8.43	3	Vertical	0	1.00	-
6665MHz	Pass	PK	369.5M	28.10	46.00	-17.90	3	Vertical	0	1.00	-
6665MHz	Pass	PK	577.08M	30.86	46.00	-15.14	3	Vertical	0	1.00	-
6665MHz	Pass	PK	709M	36.92	46.00	-9.08	3	Vertical	0	1.00	-
6665MHz	Pass	PK	47.46M	28.03	40.00	-11.97	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	90.14M	35.49	43.50	-8.01	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	286.08M	27.72	46.00	-18.28	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	367.56M	30.41	46.00	-15.59	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	577.08M	37.33	46.00	-8.67	3	Horizontal	360	1.00	-
6665MHz	Pass	PK	747.8M	37.98	46.00	-8.02	3	Horizontal	360	1.00	-

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	33.84	40.00	-6.16	38.59	3	Vertical	0	1.00	-	21.26	0.95	26.96
PK	95.96M	38.04	43.50	-5.46	49.05	3	Vertical	0	1.00	-	15.23	1.55	27.79
PK	125.06M	35.07	43.50	-8.43	43.68	3	Vertical	0	1.00	-	17.31	1.77	27.69
PK	369.5M	28.10	46.00	-17.90	32.47	3	Vertical	0	1.00	-	19.99	3.12	27.48
PK	577.08M	30.86	46.00	-15.14	31.24	3	Vertical	0	1.00	-	24.01	3.95	28.34
PK	709M	36.92	46.00	-9.08	36.37	3	Vertical	0	1.00	-	24.20	4.44	28.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_Switching Power Supply



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	47.46M	28.03	40.00	-11.97	40.49	3	Horizontal	360	1.00	-	14.05	1.14	27.65
PK	90.14M	35.49	43.50	-8.01	47.69	3	Horizontal	360	1.00	-	14.08	1.52	27.80
PK	286.08M	27.72	46.00	-18.28	33.91	3	Horizontal	360	1.00	-	18.12	2.73	27.04
PK	367.56M	30.41	46.00	-15.59	34.80	3	Horizontal	360	1.00	-	19.96	3.11	27.46
PK	577.08M	37.33	46.00	-8.67	37.71	3	Horizontal	360	1.00	-	24.01	3.95	28.34
PK	747.8M	37.98	46.00	-8.02	36.55	3	Horizontal	360	1.00	-	24.89	4.54	28.00

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.8304G	62.94	68.20	-5.26	3	Vertical	285	1.11	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.2499G	44.33	54.00	-9.67	3	Horizontal	330	1.89	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	12.28982G	43.45	54.00	-10.55	3	Vertical	339	1.71	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	12.36986G	42.74	54.00	-11.26	3	Horizontal	6	1.67	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	12.95G	65.15	68.20	-3.05	3	Vertical	336	1.90	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	12.9894G	61.86	68.20	-6.34	3	Vertical	352	2.96	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.145G	46.29	68.20	-21.91	3	Vertical	29	1.88	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.01006G	43.65	68.20	-24.55	3	Horizontal	165	1.50	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.183G	46.91	68.20	-21.29	3	Horizontal	348	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37G	46.09	54.00	-7.91	3	Horizontal	0	1.77	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.281G	50.80	54.00	-3.20	3	Vertical	6	2.16	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	7.305G	47.30	54.00	-6.70	3	Vertical	346	1.70	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	7.195G	50.71	68.20	-17.49	3	Horizontal	207	1.44	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	14.00988G	50.46	68.20	-17.74	3	Vertical	337	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	7.2506G	47.10	54.00	-6.90	3	Vertical	2	1.90	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	7.2682G	70.85	74.00	-3.15	3	Vertical	11	1.93	-

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6115MHz	Pass	AV	5.8918G	42.70	68.20	-25.50	3	Vertical	300	2.90	-
6115MHz	Pass	AV	6.1078G	99.41	Inf	-Inf	3	Vertical	300	2.90	-
6115MHz	Pass	PK	5.8726G	54.12	88.20	-34.08	3	Vertical	300	2.90	-
6115MHz	Pass	PK	6.1078G	110.70	Inf	-Inf	3	Vertical	300	2.90	-
6115MHz	Pass	AV	5.8942G	42.70	68.20	-25.50	3	Horizontal	184	1.52	-
6115MHz	Pass	AV	6.1234G	97.99	Inf	-Inf	3	Horizontal	184	1.52	-
6115MHz	Pass	PK	5.857G	54.63	88.20	-33.57	3	Horizontal	184	1.52	-
6115MHz	Pass	PK	6.1222G	108.78	Inf	-Inf	3	Horizontal	184	1.52	-
6115MHz	Pass	AV	12.23008G	43.94	54.00	-10.06	3	Vertical	339	1.77	-
6115MHz	Pass	PK	12.2297G	55.52	74.00	-18.48	3	Vertical	339	1.77	-
6115MHz	Pass	AV	12.22992G	44.18	54.00	-9.82	3	Horizontal	338	1.90	-
6115MHz	Pass	PK	12.23013G	55.66	74.00	-18.34	3	Horizontal	338	1.90	-
6255MHz	Pass	AV	5.881G	45.99	68.20	-22.21	3	Vertical	279	1.23	-
6255MHz	Pass	AV	6.257G	107.08	Inf	-Inf	3	Vertical	279	1.23	-
6255MHz	Pass	PK	5.849G	58.04	88.20	-30.16	3	Vertical	279	1.23	-
6255MHz	Pass	PK	6.259G	118.86	Inf	-Inf	3	Vertical	279	1.23	-
6255MHz	Pass	AV	5.911G	45.99	68.20	-22.21	3	Horizontal	198	2.19	-
6255MHz	Pass	AV	6.249G	108.08	Inf	-Inf	3	Horizontal	198	2.19	-
6255MHz	Pass	PK	5.911G	58.22	88.20	-29.98	3	Horizontal	198	2.19	-
6255MHz	Pass	PK	6.247G	120.17	Inf	-Inf	3	Horizontal	198	2.19	-
6255MHz	Pass	AV	12.51876G	41.65	54.00	-12.35	3	Vertical	3	1.49	-
6255MHz	Pass	PK	12.50778G	55.16	74.00	-18.84	3	Vertical	3	1.49	-
6255MHz	Pass	AV	12.5031G	41.70	54.00	-12.30	3	Horizontal	359	1.50	-
6255MHz	Pass	PK	12.5109G	54.65	74.00	-19.35	3	Horizontal	359	1.50	-
6415MHz	Pass	AV	5.9038G	42.75	68.20	-25.45	3	Vertical	18	2.92	-
6415MHz	Pass	AV	6.4222G	101.11	Inf	-Inf	3	Vertical	18	2.92	-
6415MHz	Pass	PK	5.8318G	53.88	88.20	-34.32	3	Vertical	18	2.92	-
6415MHz	Pass	PK	6.4222G	111.35	Inf	-Inf	3	Vertical	18	2.92	-
6415MHz	Pass	AV	5.8606G	42.74	68.20	-25.46	3	Horizontal	184	1.50	-
6415MHz	Pass	AV	6.4054G	96.08	Inf	-Inf	3	Horizontal	184	1.50	-
6415MHz	Pass	PK	5.8462G	53.83	88.20	-34.37	3	Horizontal	184	1.50	-
6415MHz	Pass	PK	6.4078G	106.23	Inf	-Inf	3	Horizontal	184	1.50	-
6415MHz	Pass	AV	12.8304G	62.94	68.20	-5.26	3	Vertical	285	1.11	-
6415MHz	Pass	PK	12.8372G	76.33	88.20	-11.87	3	Vertical	285	1.11	-
6415MHz	Pass	AV	12.8297G	60.15	68.20	-8.05	3	Horizontal	344	1.03	-
6415MHz	Pass	PK	12.8304G	73.94	88.20	-14.26	3	Horizontal	344	1.03	-
6435MHz	Pass	AV	5.9046G	42.88	68.20	-25.32	3	Vertical	343	1.98	-
6435MHz	Pass	AV	6.4422G	100.47	Inf	-Inf	3	Vertical	343	1.98	-
6435MHz	Pass	PK	5.8806G	53.75	88.20	-34.45	3	Vertical	343	1.98	-
6435MHz	Pass	PK	6.4422G	111.66	Inf	-Inf	3	Vertical	343	1.98	-
6435MHz	Pass	AV	5.8878G	42.72	68.20	-25.48	3	Horizontal	206	1.62	-
6435MHz	Pass	AV	6.4254G	99.68	Inf	-Inf	3	Horizontal	206	1.62	-
6435MHz	Pass	PK	5.9094G	53.80	88.20	-34.40	3	Horizontal	206	1.62	-
6435MHz	Pass	PK	6.4278G	107.22	Inf	-Inf	3	Horizontal	206	1.62	-
6435MHz	Pass	AV	12.8667G	62.06	68.20	-6.14	3	Vertical	321	1.82	-
6435MHz	Pass	PK	12.8789G	75.93	88.20	-12.27	3	Vertical	321	1.82	-
6435MHz	Pass	AV	12.8733G	57.61	68.20	-10.59	3	Horizontal	201	1.84	-
6435MHz	Pass	PK	12.8668G	71.31	88.20	-16.89	3	Horizontal	201	1.84	-
6475MHz	Pass	AV	5.8918G	42.84	68.20	-25.36	3	Vertical	275	2.95	-
6475MHz	Pass	AV	6.4654G	98.00	Inf	-Inf	3	Vertical	275	2.95	-
6475MHz	Pass	PK	5.8822G	54.07	88.20	-34.13	3	Vertical	275	2.95	-
6475MHz	Pass	PK	6.4702G	108.74	Inf	-Inf	3	Vertical	275	2.95	-
6475MHz	Pass	AV	5.8942G	42.69	68.20	-25.51	3	Horizontal	68	1.10	-
6475MHz	Pass	AV	6.4846G	97.88	Inf	-Inf	3	Horizontal	68	1.10	-
6475MHz	Pass	PK	5.9086G	54.33	88.20	-33.87	3	Horizontal	68	1.10	-
6475MHz	Pass	PK	6.4822G	107.84	Inf	-Inf	3	Horizontal	68	1.10	-
6475MHz	Pass	AV	12.95G	65.15	68.20	-3.05	3	Vertical	336	1.90	-
6475MHz	Pass	PK	12.9481G	77.38	88.20	-10.82	3	Vertical	336	1.90	-
6475MHz	Pass	AV	12.9569G	58.43	68.20	-9.77	3	Horizontal	71	1.07	-
6475MHz	Pass	PK	12.9604G	73.30	88.20	-14.90	3	Horizontal	71	1.07	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6515MHz	Pass	AV	5.8654G	43.57	68.20	-24.63	3	Vertical	293	1.38	-
6515MHz	Pass	AV	6.5234G	97.02	Inf	-Inf	3	Vertical	293	1.38	-
6515MHz	Pass	AV	7.2122G	46.87	68.20	-21.33	3	Vertical	293	1.38	-
6515MHz	Pass	PK	5.8262G	54.45	88.20	-33.75	3	Vertical	293	1.38	-
6515MHz	Pass	PK	6.5234G	106.52	Inf	-Inf	3	Vertical	293	1.38	-
6515MHz	Pass	PK	7.145G	57.97	88.20	-30.23	3	Vertical	293	1.38	-
6515MHz	Pass	AV	5.8878G	43.54	68.20	-24.66	3	Horizontal	203	1.50	-
6515MHz	Pass	AV	6.5234G	94.20	Inf	-Inf	3	Horizontal	203	1.50	-
6515MHz	Pass	AV	7.2066G	47.10	68.20	-21.10	3	Horizontal	203	1.50	-
6515MHz	Pass	PK	5.8934G	54.77	88.20	-33.43	3	Horizontal	203	1.50	-
6515MHz	Pass	PK	6.5234G	102.16	Inf	-Inf	3	Horizontal	203	1.50	-
6515MHz	Pass	PK	7.1842G	57.74	88.20	-30.46	3	Horizontal	203	1.50	-
6515MHz	Pass	AV	13.0398G	43.80	68.20	-24.40	3	Vertical	333	1.91	-
6515MHz	Pass	PK	13.0457G	55.25	88.20	-32.95	3	Vertical	333	1.91	-
6515MHz	Pass	AV	13.0224G	43.70	68.20	-24.50	3	Horizontal	3	1.49	-
6515MHz	Pass	PK	13.0374G	55.74	88.20	-32.46	3	Horizontal	3	1.49	-
6535MHz	Pass	AV	5.9022G	42.76	68.20	-25.44	3	Vertical	341	1.80	-
6535MHz	Pass	AV	6.5266G	98.46	Inf	-Inf	3	Vertical	341	1.80	-
6535MHz	Pass	AV	7.235G	46.41	68.20	-21.79	3	Vertical	341	1.80	-
6535MHz	Pass	PK	5.8938G	54.62	88.20	-33.58	3	Vertical	341	1.80	-
6535MHz	Pass	PK	6.5266G	108.89	Inf	-Inf	3	Vertical	341	1.80	-
6535MHz	Pass	PK	7.2266G	57.46	88.20	-30.74	3	Vertical	341	1.80	-
6535MHz	Pass	AV	5.8546G	42.68	68.20	-25.52	3	Horizontal	312	1.00	-
6535MHz	Pass	AV	6.5434G	94.99	Inf	-Inf	3	Horizontal	312	1.00	-
6535MHz	Pass	AV	7.235G	46.41	68.20	-21.79	3	Horizontal	312	1.00	-
6535MHz	Pass	PK	5.9134G	53.97	88.20	-34.23	3	Horizontal	312	1.00	-
6535MHz	Pass	PK	6.5406G	104.81	Inf	-Inf	3	Horizontal	312	1.00	-
6535MHz	Pass	PK	7.221G	57.92	88.20	-30.28	3	Horizontal	312	1.00	-
6535MHz	Pass	AV	13.0796G	43.83	68.20	-24.37	3	Vertical	164	1.50	-
6535MHz	Pass	PK	13.0881G	56.05	88.20	-32.15	3	Vertical	164	1.50	-
6535MHz	Pass	AV	13.0805G	43.70	68.20	-24.50	3	Horizontal	351	2.57	-
6535MHz	Pass	PK	13.0845G	56.28	88.20	-31.92	3	Horizontal	351	2.57	-
6695MHz	Pass	AV	6.703G	98.35	Inf	-Inf	3	Vertical	344	1.32	-
6695MHz	Pass	AV	7.179G	46.74	68.20	-21.46	3	Vertical	344	1.32	-
6695MHz	Pass	PK	6.701G	109.08	Inf	-Inf	3	Vertical	344	1.32	-
6695MHz	Pass	PK	7.173G	57.77	88.20	-30.43	3	Vertical	344	1.32	-
6695MHz	Pass	AV	6.689G	87.80	Inf	-Inf	3	Horizontal	348	1.49	-
6695MHz	Pass	AV	7.183G	46.91	68.20	-21.29	3	Horizontal	348	1.49	-
6695MHz	Pass	PK	6.703G	101.71	Inf	-Inf	3	Horizontal	348	1.49	-
6695MHz	Pass	PK	7.167G	58.02	88.20	-30.18	3	Horizontal	348	1.49	-
6695MHz	Pass	AV	13.0764G	43.94	68.20	-24.26	3	Vertical	343	1.50	-
6695MHz	Pass	PK	13.0846G	56.73	88.20	-31.47	3	Vertical	343	1.50	-
6695MHz	Pass	AV	13.0707G	43.87	68.20	-24.33	3	Horizontal	52	1.00	-
6695MHz	Pass	PK	13.0816G	56.22	88.20	-31.98	3	Horizontal	52	1.00	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8666G	101.97	Inf	-Inf	3	Vertical	278	2.77	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1474G	46.53	68.20	-21.67	3	Vertical	278	2.77	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.869G	113.08	Inf	-Inf	3	Vertical	278	2.77	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.139G	57.98	88.20	-30.22	3	Vertical	278	2.77	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8834G	95.37	Inf	-Inf	3	Horizontal	178	1.17	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1654G	46.48	68.20	-21.72	3	Horizontal	178	1.17	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8846G	104.36	Inf	-Inf	3	Horizontal	178	1.17	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1726G	58.15	88.20	-30.05	3	Horizontal	178	1.17	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7739G	46.22	68.20	-21.98	3	Vertical	279	2.68	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.7696G	58.52	88.20	-29.68	3	Vertical	279	2.68	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7497G	46.32	68.20	-21.88	3	Horizontal	10	1.50	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.7625G	58.14	88.20	-30.06	3	Horizontal	10	1.50	-
6895MHz	Pass	AV	6.8878G	101.01	Inf	-Inf	3	Vertical	332	1.96	-
6895MHz	Pass	AV	7.195G	50.11	68.20	-18.09	3	Vertical	332	1.96	-
6895MHz	Pass	PK	6.8866G	111.46	Inf	-Inf	3	Vertical	332	1.96	-
6895MHz	Pass	PK	7.1614G	61.62	88.20	-26.58	3	Vertical	332	1.96	-
6895MHz	Pass	AV	6.8866G	95.47	Inf	-Inf	3	Horizontal	207	1.44	-
6895MHz	Pass	AV	7.195G	50.71	68.20	-17.49	3	Horizontal	207	1.44	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6895MHz	Pass	PK	6.8878G	106.52	Inf	-Inf	3	Horizontal	207	1.44	-
6895MHz	Pass	PK	7.1374G	61.77	88.20	-26.43	3	Horizontal	207	1.44	-
6895MHz	Pass	AV	13.7999G	49.53	68.20	-18.67	3	Vertical	23	1.90	-
6895MHz	Pass	PK	13.8105G	62.28	88.20	-25.92	3	Vertical	23	1.90	-
6895MHz	Pass	AV	13.8136G	50.39	68.20	-17.81	3	Horizontal	180	1.59	-
6895MHz	Pass	PK	13.7898G	62.30	88.20	-25.90	3	Horizontal	180	1.59	-
6995MHz	Pass	AV	7.0028G	100.86	Inf	-Inf	3	Vertical	318	2.02	-
6995MHz	Pass	AV	7.1348G	50.59	68.20	-17.61	3	Vertical	318	2.02	-
6995MHz	Pass	PK	7.0004G	112.29	Inf	-Inf	3	Vertical	318	2.02	-
6995MHz	Pass	PK	7.1438G	62.87	88.20	-25.33	3	Vertical	318	2.02	-
6995MHz	Pass	AV	7.0022G	97.57	Inf	-Inf	3	Horizontal	172	1.54	-
6995MHz	Pass	AV	7.1312G	50.56	68.20	-17.64	3	Horizontal	172	1.54	-
6995MHz	Pass	PK	6.9962G	109.07	Inf	-Inf	3	Horizontal	172	1.54	-
6995MHz	Pass	PK	7.1378G	63.19	88.20	-25.01	3	Horizontal	172	1.54	-
6995MHz	Pass	AV	13.97884G	50.46	68.20	-17.74	3	Vertical	300	2.74	-
6995MHz	Pass	PK	14.00212G	63.82	88.20	-24.38	3	Vertical	300	2.74	-
6995MHz	Pass	AV	13.97974G	50.69	68.20	-17.51	3	Horizontal	63	1.50	-
6995MHz	Pass	PK	13.99462G	63.58	88.20	-24.62	3	Horizontal	63	1.50	-
7095MHz	Pass	AV	7.0864G	98.01	Inf	-Inf	3	Vertical	281	1.50	-
7095MHz	Pass	AV	7.1432G	46.41	68.20	-21.79	3	Vertical	281	1.50	-
7095MHz	Pass	PK	7.086G	108.49	Inf	-Inf	3	Vertical	281	1.50	-
7095MHz	Pass	PK	7.141G	58.34	88.20	-29.86	3	Vertical	281	1.50	-
7095MHz	Pass	AV	7.1038G	94.39	Inf	-Inf	3	Horizontal	199	1.76	-
7095MHz	Pass	AV	7.1428G	46.52	68.20	-21.68	3	Horizontal	199	1.76	-
7095MHz	Pass	PK	7.1022G	104.94	Inf	-Inf	3	Horizontal	199	1.76	-
7095MHz	Pass	PK	7.1358G	58.59	88.20	-29.61	3	Horizontal	199	1.76	-
7095MHz	Pass	AV	14.1898G	47.75	68.20	-20.45	3	Vertical	7	1.50	-
7095MHz	Pass	PK	14.1895G	59.65	88.20	-28.55	3	Vertical	7	1.50	-
7095MHz	Pass	AV	14.1877G	47.61	68.20	-20.59	3	Horizontal	178	1.68	-
7095MHz	Pass	PK	14.2095G	60.01	88.20	-28.19	3	Horizontal	178	1.68	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6125MHz	Pass	AV	5.8922G	43.52	68.20	-24.68	3	Vertical	242	1.83	-
6125MHz	Pass	AV	6.1298G	98.54	Inf	-Inf	3	Vertical	242	1.83	-
6125MHz	Pass	PK	5.8958G	55.11	88.20	-33.09	3	Vertical	242	1.83	-
6125MHz	Pass	PK	6.1322G	110.62	Inf	-Inf	3	Vertical	242	1.83	-
6125MHz	Pass	AV	5.8886G	43.28	68.20	-24.92	3	Horizontal	350	1.02	-
6125MHz	Pass	AV	6.1226G	102.56	Inf	-Inf	3	Horizontal	350	1.02	-
6125MHz	Pass	PK	5.8718G	55.64	88.20	-32.56	3	Horizontal	350	1.02	-
6125MHz	Pass	PK	6.1226G	113.32	Inf	-Inf	3	Horizontal	350	1.02	-
6125MHz	Pass	AV	12.2501G	43.99	54.00	-10.01	3	Vertical	354	1.05	-
6125MHz	Pass	PK	12.2497G	55.56	74.00	-18.44	3	Vertical	354	1.05	-
6125MHz	Pass	AV	12.2499G	44.33	54.00	-9.67	3	Horizontal	330	1.89	-
6125MHz	Pass	PK	12.2602G	55.43	74.00	-18.57	3	Horizontal	330	1.89	-
6245MHz	Pass	AV	5.919G	46.12	68.20	-22.08	3	Vertical	142	1.32	-
6245MHz	Pass	AV	6.241G	99.91	Inf	-Inf	3	Vertical	142	1.32	-
6245MHz	Pass	PK	5.773G	58.63	88.20	-29.57	3	Vertical	142	1.32	-
6245MHz	Pass	PK	6.241G	111.32	Inf	-Inf	3	Vertical	142	1.32	-
6245MHz	Pass	AV	5.875G	46.08	68.20	-22.12	3	Horizontal	194	2.10	-
6245MHz	Pass	AV	6.247G	102.27	Inf	-Inf	3	Horizontal	194	2.10	-
6245MHz	Pass	PK	5.887G	58.11	88.20	-30.09	3	Horizontal	194	2.10	-
6245MHz	Pass	PK	6.247G	113.49	Inf	-Inf	3	Horizontal	194	2.10	-
6245MHz	Pass	AV	12.48904G	41.89	54.00	-12.11	3	Vertical	86	1.50	-
6245MHz	Pass	PK	12.49036G	54.86	74.00	-19.14	3	Vertical	86	1.50	-
6245MHz	Pass	AV	12.49072G	42.02	54.00	-11.98	3	Horizontal	304	1.47	-
6245MHz	Pass	PK	12.49858G	55.13	74.00	-18.87	3	Horizontal	304	1.47	-
6405MHz	Pass	AV	5.9058G	45.67	68.20	-22.53	3	Vertical	10	1.94	-
6405MHz	Pass	AV	6.4122G	100.82	Inf	-Inf	3	Vertical	10	1.94	-
6405MHz	Pass	PK	5.8506G	57.19	88.20	-31.01	3	Vertical	10	1.94	-
6405MHz	Pass	PK	6.4146G	111.38	Inf	-Inf	3	Vertical	10	1.94	-
6405MHz	Pass	AV	5.9202G	44.75	68.20	-23.45	3	Horizontal	61	2.40	-
6405MHz	Pass	AV	6.4146G	98.47	Inf	-Inf	3	Horizontal	61	2.40	-
6405MHz	Pass	PK	5.8602G	56.51	88.20	-31.69	3	Horizontal	61	2.40	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6405MHz	Pass	PK	6.4146G	108.92	Inf	-Inf	3	Horizontal	61	2.40	-
6405MHz	Pass	AV	12.8227G	45.20	68.20	-23.00	3	Vertical	0	2.90	-
6405MHz	Pass	PK	12.812G	57.95	88.20	-30.25	3	Vertical	0	2.90	-
6405MHz	Pass	AV	12.8032G	45.19	68.20	-23.01	3	Horizontal	353	1.67	-
6405MHz	Pass	PK	12.8059G	57.54	88.20	-30.66	3	Horizontal	353	1.67	-
6445MHz	Pass	AV	5.9026G	43.44	68.20	-24.76	3	Vertical	344	1.50	-
6445MHz	Pass	AV	6.4306G	101.85	Inf	-Inf	3	Vertical	344	1.50	-
6445MHz	Pass	PK	5.8834G	55.10	88.20	-33.10	3	Vertical	344	1.50	-
6445MHz	Pass	PK	6.433G	111.78	Inf	-Inf	3	Vertical	344	1.50	-
6445MHz	Pass	AV	5.8858G	43.54	68.20	-24.66	3	Horizontal	180	1.08	-
6445MHz	Pass	AV	6.4546G	96.59	Inf	-Inf	3	Horizontal	180	1.08	-
6445MHz	Pass	PK	5.9026G	54.34	88.20	-33.86	3	Horizontal	180	1.08	-
6445MHz	Pass	PK	6.4426G	111.92	Inf	-Inf	3	Horizontal	180	1.08	-
6445MHz	Pass	AV	12.8679G	44.11	68.20	-24.09	3	Vertical	322	1.90	-
6445MHz	Pass	PK	12.8821G	56.83	88.20	-31.37	3	Vertical	322	1.90	-
6445MHz	Pass	AV	12.8901G	44.32	68.20	-23.88	3	Horizontal	66	1.00	-
6445MHz	Pass	PK	12.9124G	55.99	88.20	-32.21	3	Horizontal	66	1.00	-
6485MHz	Pass	AV	5.9066G	43.39	68.20	-24.81	3	Vertical	28	1.50	-
6485MHz	Pass	AV	6.4898G	95.88	Inf	-Inf	3	Vertical	28	1.50	-
6485MHz	Pass	PK	5.8922G	54.37	88.20	-33.83	3	Vertical	28	1.50	-
6485MHz	Pass	PK	6.4994G	106.27	Inf	-Inf	3	Vertical	28	1.50	-
6485MHz	Pass	AV	5.9234G	43.42	68.20	-24.78	3	Horizontal	346	3.00	-
6485MHz	Pass	AV	6.4898G	95.77	Inf	-Inf	3	Horizontal	346	3.00	-
6485MHz	Pass	PK	5.9234G	54.81	88.20	-33.39	3	Horizontal	346	3.00	-
6485MHz	Pass	PK	6.4874G	106.22	Inf	-Inf	3	Horizontal	346	3.00	-
6485MHz	Pass	AV	12.9894G	61.86	68.20	-6.34	3	Vertical	352	2.96	-
6485MHz	Pass	PK	12.9891G	76.20	88.20	-12.00	3	Vertical	352	2.96	-
6485MHz	Pass	AV	12.984G	57.56	68.20	-10.64	3	Horizontal	181	1.53	-
6485MHz	Pass	PK	12.9809G	71.61	88.20	-16.59	3	Horizontal	181	1.53	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9006G	43.46	68.20	-24.74	3	Vertical	360	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5082G	98.19	Inf	-Inf	3	Vertical	360	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.211G	46.87	68.20	-21.33	3	Vertical	360	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8978G	54.27	88.20	-33.93	3	Vertical	360	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5054G	107.89	Inf	-Inf	3	Vertical	360	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.211G	57.65	88.20	-30.55	3	Vertical	360	3.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.909G	43.35	68.20	-24.85	3	Horizontal	200	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.525G	94.07	Inf	-Inf	3	Horizontal	200	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2166G	46.87	68.20	-21.33	3	Horizontal	200	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8782G	54.90	88.20	-33.30	3	Horizontal	200	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5278G	103.82	Inf	-Inf	3	Horizontal	200	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1606G	58.28	88.20	-29.92	3	Horizontal	200	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.0703G	43.59	68.20	-24.61	3	Vertical	97	1.14	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.0281G	55.42	88.20	-32.78	3	Vertical	97	1.14	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.0625G	43.64	68.20	-24.56	3	Horizontal	175	1.50	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.0252G	55.42	88.20	-32.78	3	Horizontal	175	1.50	-
6565MHz	Pass	AV	6.5674G	98.50	Inf	-Inf	3	Vertical	325	1.66	-
6565MHz	Pass	AV	7.165G	46.59	68.20	-21.61	3	Vertical	325	1.66	-
6565MHz	Pass	PK	6.5602G	108.62	Inf	-Inf	3	Vertical	325	1.66	-
6565MHz	Pass	PK	7.1578G	57.28	88.20	-30.92	3	Vertical	325	1.66	-
6565MHz	Pass	AV	6.5482G	97.85	Inf	-Inf	3	Horizontal	338	1.50	-
6565MHz	Pass	AV	7.1482G	46.41	68.20	-21.79	3	Horizontal	338	1.50	-
6565MHz	Pass	PK	6.5482G	107.50	Inf	-Inf	3	Horizontal	338	1.50	-
6565MHz	Pass	PK	7.1626G	58.25	88.20	-29.95	3	Horizontal	338	1.50	-
6565MHz	Pass	AV	13.1543G	44.45	68.20	-23.75	3	Vertical	99	1.00	-
6565MHz	Pass	PK	13.1239G	56.64	88.20	-31.56	3	Vertical	99	1.00	-
6565MHz	Pass	AV	13.1538G	44.45	68.20	-23.75	3	Horizontal	14	1.50	-
6565MHz	Pass	PK	13.1472G	56.66	88.20	-31.54	3	Horizontal	14	1.50	-
6685MHz	Pass	AV	6.703G	99.24	Inf	-Inf	3	Vertical	1	2.83	-
6685MHz	Pass	AV	7.181G	46.89	68.20	-21.31	3	Vertical	1	2.83	-
6685MHz	Pass	PK	6.703G	109.99	Inf	-Inf	3	Vertical	1	2.83	-
6685MHz	Pass	PK	7.153G	58.02	88.20	-30.18	3	Vertical	1	2.83	-
6685MHz	Pass	AV	6.699G	95.98	Inf	-Inf	3	Horizontal	13	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6685MHz	Pass	AV	7.185G	46.58	68.20	-21.62	3	Horizontal	13	3.00	-
6685MHz	Pass	PK	6.699G	106.73	Inf	-Inf	3	Horizontal	13	3.00	-
6685MHz	Pass	PK	7.179G	57.30	88.20	-30.90	3	Horizontal	13	3.00	-
6685MHz	Pass	AV	13.3699G	45.58	54.00	-8.42	3	Vertical	1	2.91	-
6685MHz	Pass	PK	13.3876G	57.08	74.00	-16.92	3	Vertical	1	2.91	-
6685MHz	Pass	AV	13.37G	46.09	54.00	-7.91	3	Horizontal	0	1.77	-
6685MHz	Pass	PK	13.3698G	57.18	74.00	-16.82	3	Horizontal	0	1.77	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8718G	99.28	Inf	-Inf	3	Vertical	335	2.84	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1814G	50.44	68.20	-17.76	3	Vertical	335	2.84	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8718G	110.63	Inf	-Inf	3	Vertical	335	2.84	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1322G	62.71	88.20	-25.49	3	Vertical	335	2.84	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8754G	96.89	Inf	-Inf	3	Horizontal	171	1.61	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1538G	50.34	68.20	-17.86	3	Horizontal	171	1.61	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8766G	108.55	Inf	-Inf	3	Horizontal	171	1.61	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1634G	63.29	88.20	-24.91	3	Horizontal	171	1.61	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77576G	49.17	68.20	-19.03	3	Vertical	63	2.65	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.78062G	62.11	88.20	-26.09	3	Vertical	63	2.65	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76988G	49.31	68.20	-18.89	3	Horizontal	3	1.55	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.78272G	62.61	88.20	-25.59	3	Horizontal	3	1.55	-
6925MHz	Pass	AV	6.9274G	100.55	Inf	-Inf	3	Vertical	356	1.87	-
6925MHz	Pass	AV	7.219G	46.99	68.20	-21.21	3	Vertical	356	1.87	-
6925MHz	Pass	PK	6.9262G	111.02	Inf	-Inf	3	Vertical	356	1.87	-
6925MHz	Pass	PK	7.1986G	58.43	88.20	-29.77	3	Vertical	356	1.87	-
6925MHz	Pass	AV	6.919G	96.34	Inf	-Inf	3	Horizontal	180	1.38	-
6925MHz	Pass	AV	7.1998G	46.98	68.20	-21.22	3	Horizontal	180	1.38	-
6925MHz	Pass	PK	6.9178G	106.86	Inf	-Inf	3	Horizontal	180	1.38	-
6925MHz	Pass	PK	7.171G	58.55	88.20	-29.65	3	Horizontal	180	1.38	-
6925MHz	Pass	AV	13.85088G	46.55	68.20	-21.65	3	Vertical	87	1.50	-
6925MHz	Pass	PK	13.85748G	58.70	88.20	-29.50	3	Vertical	87	1.50	-
6925MHz	Pass	AV	13.84652G	46.52	68.20	-21.68	3	Horizontal	235	1.08	-
6925MHz	Pass	PK	13.85444G	58.33	88.20	-29.87	3	Horizontal	235	1.08	-
7005MHz	Pass	AV	7.0038G	101.51	Inf	-Inf	3	Vertical	321	1.77	-
7005MHz	Pass	AV	7.149G	50.37	68.20	-17.83	3	Vertical	321	1.77	-
7005MHz	Pass	PK	7.0038G	114.03	Inf	-Inf	3	Vertical	321	1.77	-
7005MHz	Pass	PK	7.137G	62.83	88.20	-25.37	3	Vertical	321	1.77	-
7005MHz	Pass	AV	7.0068G	99.31	Inf	-Inf	3	Horizontal	172	1.42	-
7005MHz	Pass	AV	7.155G	50.22	68.20	-17.98	3	Horizontal	172	1.42	-
7005MHz	Pass	PK	7.0092G	111.38	Inf	-Inf	3	Horizontal	172	1.42	-
7005MHz	Pass	PK	7.1514G	62.29	88.20	-25.91	3	Horizontal	172	1.42	-
7005MHz	Pass	AV	14.00988G	50.46	68.20	-17.74	3	Vertical	337	1.50	-
7005MHz	Pass	PK	14.01852G	63.64	88.20	-24.56	3	Vertical	337	1.50	-
7005MHz	Pass	AV	13.99962G	50.39	68.20	-17.81	3	Horizontal	300	2.32	-
7005MHz	Pass	PK	13.9974G	63.66	88.20	-24.54	3	Horizontal	300	2.32	-
7085MHz	Pass	AV	7.0874G	99.94	Inf	-Inf	3	Vertical	360	3.00	-
7085MHz	Pass	AV	7.2344G	47.35	68.20	-20.85	3	Vertical	360	3.00	-
7085MHz	Pass	PK	7.0862G	109.35	Inf	-Inf	3	Vertical	360	3.00	-
7085MHz	Pass	PK	7.2332G	58.90	88.20	-29.30	3	Vertical	360	3.00	-
7085MHz	Pass	AV	7.0676G	95.10	Inf	-Inf	3	Horizontal	349	1.00	-
7085MHz	Pass	AV	7.2344G	47.35	68.20	-20.85	3	Horizontal	349	1.00	-
7085MHz	Pass	PK	7.0688G	105.67	Inf	-Inf	3	Horizontal	349	1.00	-
7085MHz	Pass	PK	7.2338G	59.04	88.20	-29.16	3	Horizontal	349	1.00	-
7085MHz	Pass	AV	14.16964G	47.73	68.20	-20.47	3	Vertical	360	1.53	-
7085MHz	Pass	PK	14.16856G	60.15	88.20	-28.05	3	Vertical	360	1.53	-
7085MHz	Pass	AV	14.1694G	47.73	68.20	-20.47	3	Horizontal	313	1.69	-
7085MHz	Pass	PK	14.17364G	59.63	88.20	-28.57	3	Horizontal	313	1.69	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6145MHz	Pass	AV	5.8618G	45.98	68.20	-22.22	3	Vertical	146	1.17	-
6145MHz	Pass	AV	6.1666G	99.67	Inf	-Inf	3	Vertical	146	1.17	-
6145MHz	Pass	PK	5.8858G	58.22	88.20	-29.98	3	Vertical	146	1.17	-
6145MHz	Pass	PK	6.1198G	112.19	Inf	-Inf	3	Vertical	146	1.17	-
6145MHz	Pass	AV	5.8726G	46.10	68.20	-22.10	3	Horizontal	195	2.37	-
6145MHz	Pass	AV	6.1306G	102.76	Inf	-Inf	3	Horizontal	195	2.37	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6145MHz	Pass	PK	5.9086G	57.71	88.20	-30.49	3	Horizontal	195	2.37	-
6145MHz	Pass	PK	6.1294G	115.07	Inf	-Inf	3	Horizontal	195	2.37	-
6145MHz	Pass	AV	12.28982G	43.45	54.00	-10.55	3	Vertical	339	1.71	-
6145MHz	Pass	PK	12.28976G	56.15	74.00	-17.85	3	Vertical	339	1.71	-
6145MHz	Pass	AV	12.28754G	42.84	54.00	-11.16	3	Horizontal	50	1.31	-
6145MHz	Pass	PK	12.29966G	55.82	74.00	-18.18	3	Horizontal	50	1.31	-
6225MHz	Pass	AV	5.905G	43.54	68.20	-24.66	3	Vertical	258	1.82	-
6225MHz	Pass	AV	6.201G	96.87	Inf	-Inf	3	Vertical	258	1.82	-
6225MHz	Pass	PK	5.797G	55.55	88.20	-32.65	3	Vertical	258	1.82	-
6225MHz	Pass	PK	6.199G	107.47	Inf	-Inf	3	Vertical	258	1.82	-
6225MHz	Pass	AV	5.889G	43.40	68.20	-24.80	3	Horizontal	0	1.09	-
6225MHz	Pass	AV	6.247G	99.33	Inf	-Inf	3	Horizontal	0	1.09	-
6225MHz	Pass	PK	5.809G	54.75	88.20	-33.45	3	Horizontal	0	1.09	-
6225MHz	Pass	PK	6.249G	109.97	Inf	-Inf	3	Horizontal	0	1.09	-
6225MHz	Pass	AV	12.4584G	43.04	54.00	-10.96	3	Vertical	169	1.50	-
6225MHz	Pass	PK	12.45632G	55.23	74.00	-18.77	3	Vertical	169	1.50	-
6225MHz	Pass	AV	12.475G	43.04	54.00	-10.96	3	Horizontal	0	1.50	-
6225MHz	Pass	PK	12.472G	55.67	74.00	-18.33	3	Horizontal	0	1.50	-
6385MHz	Pass	AV	5.8666G	43.58	68.20	-24.62	3	Vertical	354	1.96	-
6385MHz	Pass	AV	6.4234G	99.43	Inf	-Inf	3	Vertical	354	1.96	-
6385MHz	Pass	PK	5.8714G	55.05	88.20	-33.15	3	Vertical	354	1.96	-
6385MHz	Pass	PK	6.409G	109.89	Inf	-Inf	3	Vertical	354	1.96	-
6385MHz	Pass	AV	5.8114G	43.62	68.20	-24.58	3	Horizontal	347	2.70	-
6385MHz	Pass	AV	6.3538G	95.88	Inf	-Inf	3	Horizontal	347	2.70	-
6385MHz	Pass	PK	5.8306G	55.07	88.20	-33.13	3	Horizontal	347	2.70	-
6385MHz	Pass	PK	6.3802G	106.23	Inf	-Inf	3	Horizontal	347	2.70	-
6385MHz	Pass	AV	12.777G	44.16	68.20	-24.04	3	Vertical	57	1.99	-
6385MHz	Pass	PK	12.7918G	55.90	88.20	-32.30	3	Vertical	57	1.99	-
6385MHz	Pass	AV	12.7497G	44.18	68.20	-24.02	3	Horizontal	51	1.50	-
6385MHz	Pass	PK	12.7818G	56.98	88.20	-31.22	3	Horizontal	51	1.50	-
6465MHz	Pass	AV	5.8794G	46.18	68.20	-22.02	3	Vertical	346	1.75	-
6465MHz	Pass	AV	6.4698G	99.80	Inf	-Inf	3	Vertical	346	1.75	-
6465MHz	Pass	PK	5.8842G	57.76	88.20	-30.44	3	Vertical	346	1.75	-
6465MHz	Pass	PK	6.4674G	110.84	Inf	-Inf	3	Vertical	346	1.75	-
6465MHz	Pass	AV	5.8698G	45.84	68.20	-22.36	3	Horizontal	192	1.55	-
6465MHz	Pass	AV	6.4602G	98.03	Inf	-Inf	3	Horizontal	192	1.55	-
6465MHz	Pass	PK	5.865G	57.75	88.20	-30.45	3	Horizontal	192	1.55	-
6465MHz	Pass	PK	6.4626G	109.34	Inf	-Inf	3	Horizontal	192	1.55	-
6465MHz	Pass	AV	12.94008G	42.89	68.20	-25.31	3	Vertical	169	1.48	-
6465MHz	Pass	PK	12.91638G	56.61	88.20	-31.59	3	Vertical	169	1.48	-
6465MHz	Pass	AV	12.93162G	42.85	68.20	-25.35	3	Horizontal	42	1.50	-
6465MHz	Pass	PK	12.93282G	56.26	88.20	-31.94	3	Horizontal	42	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5426G	102.10	Inf	-Inf	3	Vertical	29	1.88	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.145G	46.29	68.20	-21.91	3	Vertical	29	1.88	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5402G	114.18	Inf	-Inf	3	Vertical	29	1.88	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.145G	56.87	88.20	-31.33	3	Vertical	29	1.88	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5666G	99.96	Inf	-Inf	3	Horizontal	5	1.44	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.145G	46.29	68.20	-21.91	3	Horizontal	5	1.44	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.569G	110.16	Inf	-Inf	3	Horizontal	5	1.44	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1282G	57.45	88.20	-30.75	3	Horizontal	5	1.44	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.1142G	44.08	68.20	-24.12	3	Vertical	231	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.0959G	56.01	88.20	-32.19	3	Vertical	231	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.1027G	43.97	68.20	-24.23	3	Horizontal	61	1.50	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.0931G	55.91	88.20	-32.29	3	Horizontal	61	1.50	-
6625MHz	Pass	AV	6.6562G	100.50	Inf	-Inf	3	Vertical	336	2.13	-
6625MHz	Pass	AV	7.2226G	50.99	68.20	-17.21	3	Vertical	336	2.13	-
6625MHz	Pass	PK	6.6514G	111.14	Inf	-Inf	3	Vertical	336	2.13	-
6625MHz	Pass	PK	7.1698G	62.54	88.20	-25.66	3	Vertical	336	2.13	-
6625MHz	Pass	AV	6.6106G	97.20	Inf	-Inf	3	Horizontal	189	1.50	-
6625MHz	Pass	AV	7.2106G	50.81	68.20	-17.39	3	Horizontal	189	1.50	-
6625MHz	Pass	PK	6.613G	109.43	Inf	-Inf	3	Horizontal	189	1.50	-
6625MHz	Pass	PK	7.1794G	62.75	88.20	-25.45	3	Horizontal	189	1.50	-


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6625MHz	Pass	AV	13.24992G	44.24	68.20	-23.96	3	Vertical	336	1.76	-
6625MHz	Pass	PK	13.2512G	56.82	74.00	-17.18	3	Vertical	336	1.76	-
6625MHz	Pass	AV	13.24988G	44.50	68.20	-23.70	3	Horizontal	326	1.50	-
6625MHz	Pass	PK	13.24968G	56.87	88.20	-31.33	3	Horizontal	326	1.50	-
6705MHz	Pass	AV	6.697G	100.49	Inf	-Inf	3	Vertical	4	2.97	-
6705MHz	Pass	AV	7.171G	50.89	68.20	-17.31	3	Vertical	4	2.97	-
6705MHz	Pass	PK	6.673G	113.01	Inf	-Inf	3	Vertical	4	2.97	-
6705MHz	Pass	PK	7.187G	62.55	88.20	-25.65	3	Vertical	4	2.97	-
6705MHz	Pass	AV	6.723G	97.03	Inf	-Inf	3	Horizontal	192	1.50	-
6705MHz	Pass	AV	7.197G	50.87	68.20	-17.33	3	Horizontal	192	1.50	-
6705MHz	Pass	PK	6.719G	108.55	Inf	-Inf	3	Horizontal	192	1.50	-
6705MHz	Pass	PK	7.127G	62.33	88.20	-25.87	3	Horizontal	192	1.50	-
6705MHz	Pass	AV	13.40982G	44.51	68.20	-23.69	3	Vertical	332	1.75	-
6705MHz	Pass	PK	13.40722G	56.69	88.20	-31.51	3	Vertical	332	1.75	-
6705MHz	Pass	AV	13.41G	45.71	68.20	-22.49	3	Horizontal	358	1.74	-
6705MHz	Pass	PK	13.40972G	57.63	88.20	-30.57	3	Horizontal	358	1.74	-
6785MHz	Pass	AV	6.783G	101.44	Inf	-Inf	3	Vertical	6	2.16	-
6785MHz	Pass	AV	7.281G	50.80	54.00	-3.20	3	Vertical	6	2.16	-
6785MHz	Pass	PK	6.781G	114.29	Inf	-Inf	3	Vertical	6	2.16	-
6785MHz	Pass	PK	7.267G	62.22	74.00	-11.78	3	Vertical	6	2.16	-
6785MHz	Pass	AV	6.775G	95.10	Inf	-Inf	3	Horizontal	198	1.50	-
6785MHz	Pass	AV	7.255G	50.76	54.00	-3.24	3	Horizontal	198	1.50	-
6785MHz	Pass	PK	6.771G	106.58	Inf	-Inf	3	Horizontal	198	1.50	-
6785MHz	Pass	PK	7.265G	62.24	74.00	-11.76	3	Horizontal	198	1.50	-
6785MHz	Pass	AV	13.56988G	44.34	68.20	-23.86	3	Vertical	12	2.96	-
6785MHz	Pass	PK	13.5754G	57.51	88.20	-30.69	3	Vertical	12	2.96	-
6785MHz	Pass	AV	13.56994G	45.32	68.20	-22.88	3	Horizontal	2	1.87	-
6785MHz	Pass	PK	13.57246G	5.00	88.20	-83.20	3	Horizontal	2	1.87	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8914G	102.39	Inf	-Inf	3	Vertical	348	1.82	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1554G	49.56	68.20	-18.64	3	Vertical	348	1.82	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8902G	113.28	Inf	-Inf	3	Vertical	348	1.82	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.165G	61.43	88.20	-26.77	3	Vertical	348	1.82	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8446G	103.07	Inf	-Inf	3	Horizontal	58	2.43	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1566G	49.46	68.20	-18.74	3	Horizontal	58	2.43	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.841G	113.87	Inf	-Inf	3	Horizontal	58	2.43	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1554G	60.53	88.20	-27.67	3	Horizontal	58	2.43	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.7297G	47.51	68.20	-20.69	3	Vertical	0	2.15	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.7427G	59.95	88.20	-28.25	3	Vertical	0	2.15	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.7301G	48.35	68.20	-19.85	3	Horizontal	0	1.64	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.728G	59.65	88.20	-28.55	3	Horizontal	0	1.64	-
6945MHz	Pass	AV	6.9642G	97.17	Inf	-Inf	3	Vertical	305	1.59	-
6945MHz	Pass	AV	7.245G	47.35	68.20	-20.85	3	Vertical	305	1.59	-
6945MHz	Pass	PK	6.9654G	107.67	Inf	-Inf	3	Vertical	305	1.59	-
6945MHz	Pass	PK	7.2114G	58.42	88.20	-29.78	3	Vertical	305	1.59	-
6945MHz	Pass	AV	6.9198G	96.54	Inf	-Inf	3	Horizontal	180	1.27	-
6945MHz	Pass	AV	7.2402G	47.35	68.20	-20.85	3	Horizontal	180	1.27	-
6945MHz	Pass	PK	6.9186G	106.89	Inf	-Inf	3	Horizontal	180	1.27	-
6945MHz	Pass	PK	7.2282G	59.04	88.20	-29.16	3	Horizontal	180	1.27	-
6945MHz	Pass	AV	13.9094G	46.54	68.20	-21.66	3	Vertical	267	2.48	-
6945MHz	Pass	PK	13.8797G	58.65	88.20	-29.55	3	Vertical	267	2.48	-
6945MHz	Pass	AV	13.89G	46.91	68.20	-21.29	3	Horizontal	360	1.59	-
6945MHz	Pass	PK	13.909G	58.51	88.20	-29.69	3	Horizontal	360	1.59	-
7025MHz	Pass	AV	7.0118G	105.33	Inf	-Inf	3	Vertical	2	1.90	-
7025MHz	Pass	AV	7.2506G	47.10	54.00	-6.90	3	Vertical	2	1.90	-
7025MHz	Pass	PK	7.0082G	117.82	Inf	-Inf	3	Vertical	2	1.90	-
7025MHz	Pass	PK	7.2638G	60.33	74.00	-13.67	3	Vertical	2	1.90	-
7025MHz	Pass	AV	7.0226G	100.17	Inf	-Inf	3	Horizontal	176	1.52	-
7025MHz	Pass	AV	7.289G	46.80	54.00	-7.20	3	Horizontal	176	1.52	-
7025MHz	Pass	PK	7.0214G	111.70	Inf	-Inf	3	Horizontal	176	1.52	-
7025MHz	Pass	PK	7.289G	59.46	74.00	-14.54	3	Horizontal	176	1.52	-
7025MHz	Pass	AV	14.05726G	49.34	68.20	-18.86	3	Vertical	112	1.03	-
7025MHz	Pass	PK	14.0455G	62.71	88.20	-25.49	3	Vertical	112	1.03	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7025MHz	Pass	AV	14.04652G	49.39	68.20	-18.81	3	Horizontal	287	1.50	-
7025MHz	Pass	PK	14.04496G	62.26	88.20	-25.94	3	Horizontal	287	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-
6185MHz	Pass	AV	5.9078G	42.32	68.20	-25.88	3	Vertical	141	1.33	-
6185MHz	Pass	AV	6.203G	99.35	Inf	-Inf	3	Vertical	141	1.33	-
6185MHz	Pass	PK	5.915G	54.91	88.20	-33.29	3	Vertical	141	1.33	-
6185MHz	Pass	PK	6.2018G	114.67	Inf	-Inf	3	Vertical	141	1.33	-
6185MHz	Pass	AV	5.9078G	42.34	68.20	-25.86	3	Horizontal	174	1.17	-
6185MHz	Pass	AV	6.1406G	98.76	Inf	-Inf	3	Horizontal	174	1.17	-
6185MHz	Pass	PK	5.9114G	55.16	88.20	-33.04	3	Horizontal	174	1.17	-
6185MHz	Pass	PK	6.2018G	114.15	Inf	-Inf	3	Horizontal	174	1.17	-
6185MHz	Pass	AV	12.37004G	42.69	54.00	-11.31	3	Vertical	28	1.86	-
6185MHz	Pass	PK	12.36512G	55.59	74.00	-18.41	3	Vertical	28	1.86	-
6185MHz	Pass	AV	12.36986G	42.74	54.00	-11.26	3	Horizontal	6	1.67	-
6185MHz	Pass	PK	12.3694G	56.00	74.00	-18.00	3	Horizontal	6	1.67	-
6345MHz	Pass	AV	5.887G	42.13	68.20	-26.07	3	Vertical	3	1.49	-
6345MHz	Pass	AV	6.365G	97.50	Inf	-Inf	3	Vertical	3	1.49	-
6345MHz	Pass	PK	5.901G	54.58	88.20	-33.62	3	Vertical	3	1.49	-
6345MHz	Pass	PK	6.357G	109.24	Inf	-Inf	3	Vertical	3	1.49	-
6345MHz	Pass	AV	5.913G	42.11	68.20	-26.09	3	Horizontal	197	1.63	-
6345MHz	Pass	AV	6.297G	99.27	Inf	-Inf	3	Horizontal	197	1.63	-
6345MHz	Pass	PK	5.889G	54.06	88.20	-34.14	3	Horizontal	197	1.63	-
6345MHz	Pass	PK	6.297G	111.34	Inf	-Inf	3	Horizontal	197	1.63	-
6345MHz	Pass	AV	12.69786G	42.07	54.00	-11.93	3	Vertical	114	1.50	-
6345MHz	Pass	PK	12.68772G	55.48	74.00	-18.52	3	Vertical	114	1.50	-
6345MHz	Pass	AV	12.6938G	42.31	54.00	-11.69	3	Horizontal	205	1.49	-
6345MHz	Pass	PK	12.67926G	54.86	74.00	-19.14	3	Horizontal	205	1.49	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.905G	42.12	68.20	-26.08	3	Vertical	309	1.78	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.541G	100.46	Inf	-Inf	3	Vertical	309	1.78	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9194G	54.55	88.20	-33.65	3	Vertical	309	1.78	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5386G	110.76	Inf	-Inf	3	Vertical	309	1.78	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.905G	42.07	68.20	-26.13	3	Horizontal	338	1.28	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4666G	99.75	Inf	-Inf	3	Horizontal	338	1.28	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9194G	54.47	88.20	-33.73	3	Horizontal	338	1.28	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.469G	109.88	Inf	-Inf	3	Horizontal	338	1.28	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00046G	43.05	68.20	-25.15	3	Vertical	315	1.55	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00958G	57.04	88.20	-31.16	3	Vertical	315	1.55	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01006G	43.65	68.20	-24.55	3	Horizontal	165	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00982G	56.41	88.20	-31.79	3	Horizontal	165	1.50	-
6665MHz	Pass	AV	6.6602G	102.95	Inf	-Inf	3	Vertical	341	2.23	-
6665MHz	Pass	AV	7.2554G	46.82	54.00	-7.18	3	Vertical	341	2.23	-
6665MHz	Pass	PK	6.6698G	117.39	Inf	-Inf	3	Vertical	341	2.23	-
6665MHz	Pass	PK	7.265G	58.31	74.00	-15.69	3	Vertical	341	2.23	-
6665MHz	Pass	AV	6.6914G	96.81	Inf	-Inf	3	Horizontal	175	2.44	-
6665MHz	Pass	AV	7.253G	46.81	54.00	-7.19	3	Horizontal	175	2.44	-
6665MHz	Pass	PK	6.6914G	109.67	Inf	-Inf	3	Horizontal	175	2.44	-
6665MHz	Pass	PK	7.265G	58.26	74.00	-15.74	3	Horizontal	175	2.44	-
6665MHz	Pass	AV	13.33003G	44.37	54.00	-9.63	3	Vertical	8	1.50	-
6665MHz	Pass	PK	13.33185G	57.64	74.00	-16.36	3	Vertical	8	1.50	-
6665MHz	Pass	AV	13.32998G	45.39	54.00	-8.61	3	Horizontal	2	1.79	-
6665MHz	Pass	PK	13.32993G	57.43	74.00	-16.57	3	Horizontal	2	1.79	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.803G	100.04	Inf	-Inf	3	Vertical	346	1.70	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.305G	47.30	54.00	-6.70	3	Vertical	346	1.70	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.841G	113.97	Inf	-Inf	3	Vertical	346	1.70	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.285G	59.64	74.00	-14.36	3	Vertical	346	1.70	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.789G	97.52	Inf	-Inf	3	Horizontal	197	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.273G	46.91	54.00	-7.09	3	Horizontal	197	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.841G	109.64	Inf	-Inf	3	Horizontal	197	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.293G	59.01	74.00	-14.99	3	Horizontal	197	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.656G	48.74	68.20	-19.46	3	Vertical	263	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.66074G	62.48	88.20	-25.72	3	Vertical	263	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65G	48.80	68.20	-19.40	3	Horizontal	0	1.48	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65516G	62.02	88.20	-26.18	3	Horizontal	0	1.48	-
6985MHz	Pass	AV	6.961G	101.67	Inf	-Inf	3	Vertical	11	1.93	-
6985MHz	Pass	AV	7.2802G	50.00	54.00	-4.00	3	Vertical	11	1.93	-
6985MHz	Pass	PK	7.0102G	118.61	Inf	-Inf	3	Vertical	11	1.93	-
6985MHz	Pass	PK	7.2682G	70.85	74.00	-3.15	3	Vertical	11	1.93	-
6985MHz	Pass	AV	6.961G	99.33	Inf	-Inf	3	Horizontal	173	1.50	-
6985MHz	Pass	AV	7.2538G	48.28	54.00	-5.72	3	Horizontal	173	1.50	-
6985MHz	Pass	PK	6.9622G	112.00	Inf	-Inf	3	Horizontal	173	1.50	-
6985MHz	Pass	PK	7.2574G	60.39	74.00	-13.61	3	Horizontal	173	1.50	-
6985MHz	Pass	AV	13.97462G	50.43	68.20	-17.77	3	Vertical	128	2.97	-
6985MHz	Pass	PK	13.96304G	63.63	88.20	-24.57	3	Vertical	128	2.97	-
6985MHz	Pass	AV	13.95914G	50.45	68.20	-17.75	3	Horizontal	182	1.50	-
6985MHz	Pass	PK	13.95722G	63.74	88.20	-24.46	3	Horizontal	182	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8918G	42.70	68.20	-25.50	7.10	3	Vertical	300	2.90	-	35.60	32.28	9.12	34.30
AV	6.1078G	99.41	Inf	-Inf	7.36	3	Vertical	300	2.90	-	92.05	32.42	9.26	34.32
PK	5.8726G	54.12	88.20	-34.08	7.06	3	Vertical	300	2.90	-	47.06	32.25	9.11	34.30
PK	6.1078G	110.70	Inf	-Inf	7.36	3	Vertical	300	2.90	-	103.34	32.42	9.26	34.32

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8942G	42.70	68.20	-25.50	7.11	3	Horizontal	184	1.52	-	35.59	32.29	9.12	34.30
AV	6.1234G	97.99	Inf	-Inf	7.40	3	Horizontal	184	1.52	-	90.59	32.45	9.27	34.32
PK	5.857G	54.63	88.20	-33.57	7.02	3	Horizontal	184	1.52	-	47.61	32.21	9.11	34.30
PK	6.1222G	108.78	Inf	-Inf	7.39	3	Horizontal	184	1.52	-	101.39	32.44	9.27	34.32

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.23008G	43.94	54.00	-10.06	17.81	3	Vertical	339	1.77	-	26.13	38.94	13.15	34.28
PK	12.2297G	55.52	74.00	-18.48	17.80	3	Vertical	339	1.77	-	37.72	38.94	13.15	34.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6115MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.22992G	44.18	54.00	-9.82	17.80	3	Horizontal	338	1.90	-	26.38	38.94	13.15	34.29
PK	12.23013G	55.66	74.00	-18.34	17.81	3	Horizontal	338	1.90	-	37.85	38.94	13.15	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.881G	45.99	68.20	-22.21	7.54	3	Vertical	279	1.23	-	38.45	32.26	9.58	34.30
AV	6.257G	107.08	Inf	-Inf	8.42	3	Vertical	279	1.23	-	98.66	32.84	9.91	34.33
PK	5.849G	58.04	88.20	-30.16	7.47	3	Vertical	279	1.23	-	50.57	32.20	9.56	34.29
PK	6.259G	118.86	Inf	-Inf	8.44	3	Vertical	279	1.23	-	110.42	32.85	9.92	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.911G	45.99	68.20	-22.21	7.61	3	Horizontal	198	2.19	-	38.38	32.30	9.61	34.30
AV	6.249G	108.08	Inf	-Inf	8.37	3	Horizontal	198	2.19	-	99.71	32.80	9.90	34.33
PK	5.911G	58.22	88.20	-29.98	7.61	3	Horizontal	198	2.19	-	50.61	32.30	9.61	34.30
PK	6.247G	120.17	Inf	-Inf	8.36	3	Horizontal	198	2.19	-	111.81	32.79	9.90	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.51876G	41.65	54.00	-12.35	17.51	3	Vertical	3	1.49	-	24.14	38.24	13.38	34.11
PK	12.50778G	55.16	74.00	-18.84	17.45	3	Vertical	3	1.49	-	37.71	38.22	13.37	34.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6255MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.5031G	41.70	54.00	-12.30	17.44	3	Horizontal	359	1.50	-	24.26	38.21	13.37	34.14
PK	12.5109G	54.65	74.00	-19.35	17.46	3	Horizontal	359	1.50	-	37.19	38.22	13.37	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9038G	42.75	68.20	-25.45	7.13	3	Vertical	18	2.92	-	35.62	32.30	9.13	34.30
AV	6.4222G	101.11	Inf	-Inf	8.71	3	Vertical	18	2.92	-	92.40	33.59	9.46	34.34
PK	5.8318G	53.88	88.20	-34.32	6.93	3	Vertical	18	2.92	-	46.95	32.13	9.09	34.29
PK	6.4222G	111.35	Inf	-Inf	8.71	3	Vertical	18	2.92	-	102.64	33.59	9.46	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8606G	42.74	68.20	-25.46	7.03	3	Horizontal	184	1.50	-	35.71	32.22	9.11	34.30
AV	6.4054G	96.08	Inf	-Inf	8.63	3	Horizontal	184	1.50	-	87.45	33.52	9.45	34.34
PK	5.8462G	53.83	88.20	-34.37	6.99	3	Horizontal	184	1.50	-	46.84	32.18	9.10	34.29
PK	6.4078G	106.23	Inf	-Inf	8.64	3	Horizontal	184	1.50	-	97.59	33.53	9.45	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8304G	62.94	68.20	-5.26	18.82	3	Vertical	285	1.11	-	44.12	38.83	13.52	33.53
PK	12.8372G	76.33	88.20	-11.87	18.84	3	Vertical	285	1.11	-	57.49	38.84	13.52	33.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6415MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8297G	60.15	68.20	-8.05	18.82	3	Horizontal	344	1.03	-	41.33	38.83	13.52	33.53
PK	12.8304G	73.94	88.20	-14.26	18.82	3	Horizontal	344	1.03	-	55.12	38.83	13.52	33.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	42.88	68.20	-25.32	7.13	3	Vertical	343	1.98	-	35.75	32.30	9.13	34.30
AV	6.4422G	100.47	Inf	-Inf	8.79	3	Vertical	343	1.98	-	91.68	33.67	9.47	34.35
PK	5.8806G	53.75	88.20	-34.45	7.08	3	Vertical	343	1.98	-	46.67	32.26	9.12	34.30
PK	6.4422G	111.66	Inf	-Inf	8.79	3	Vertical	343	1.98	-	102.87	33.67	9.47	34.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8878G	42.72	68.20	-25.48	7.10	3	Horizontal	206	1.62	-	35.62	32.28	9.12	34.30
AV	6.4254G	99.68	Inf	-Inf	8.72	3	Horizontal	206	1.62	-	90.96	33.60	9.46	34.34
PK	5.9094G	53.80	88.20	-34.40	7.13	3	Horizontal	206	1.62	-	46.67	32.30	9.13	34.30
PK	6.4278G	107.22	Inf	-Inf	8.73	3	Horizontal	206	1.62	-	98.49	33.61	9.46	34.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8667G	62.06	68.20	-6.14	18.95	3	Vertical	321	1.82	-	43.11	38.87	13.54	33.46
PK	12.8789G	75.93	88.20	-12.27	18.99	3	Vertical	321	1.82	-	56.94	38.88	13.55	33.44

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6435MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8733G	57.61	68.20	-10.59	18.96	3	Horizontal	201	1.84	-	38.65	38.87	13.54	33.45
PK	12.8668G	71.31	88.20	-16.89	18.95	3	Horizontal	201	1.84	-	52.36	38.87	13.54	33.46

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8918G	42.84	68.20	-25.36	7.10	3	Vertical	275	2.95	-	35.74	32.28	9.12	34.30
AV	6.4654G	98.00	Inf	-Inf	8.92	3	Vertical	275	2.95	-	89.08	33.79	9.48	34.35
PK	5.8822G	54.07	88.20	-34.13	7.08	3	Vertical	275	2.95	-	46.99	32.26	9.12	34.30
PK	6.4702G	108.74	Inf	-Inf	8.95	3	Vertical	275	2.95	-	99.79	33.82	9.48	34.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8942G	42.69	68.20	-25.51	7.11	3	Horizontal	68	1.10	-	35.58	32.29	9.12	34.30
AV	6.4846G	97.88	Inf	-Inf	9.04	3	Horizontal	68	1.10	-	88.84	33.91	9.48	34.35
PK	5.9086G	54.33	88.20	-33.87	7.13	3	Horizontal	68	1.10	-	47.20	32.30	9.13	34.30
PK	6.4822G	107.84	Inf	-Inf	9.02	3	Horizontal	68	1.10	-	98.82	33.89	9.48	34.35

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95G	65.15	68.20	-3.05	19.19	3	Vertical	336	1.90	-	45.96	38.90	13.59	33.30
PK	12.9481G	77.38	88.20	-10.82	19.18	3	Vertical	336	1.90	-	58.20	38.90	13.59	33.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9569G	58.43	68.20	-9.77	19.20	3	Horizontal	71	1.07	-	39.23	38.90	13.59	33.29
PK	12.9604G	73.30	88.20	-14.90	19.22	3	Horizontal	71	1.07	-	54.08	38.90	13.60	33.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8654G	43.57	68.20	-24.63	7.04	3	Vertical	293	1.38	-	36.53	32.23	9.11	34.30
AV	6.5234G	97.02	Inf	-Inf	9.19	3	Vertical	293	1.38	-	87.83	34.05	9.50	34.36
AV	7.2122G	46.87	68.20	-21.33	11.57	3	Vertical	293	1.38	-	35.30	36.12	10.01	34.56
PK	5.8262G	54.45	88.20	-33.75	6.90	3	Vertical	293	1.38	-	47.55	32.10	9.09	34.29
PK	6.5234G	106.52	Inf	-Inf	9.19	3	Vertical	293	1.38	-	97.33	34.05	9.50	34.36
PK	7.145G	57.97	88.20	-30.23	11.17	3	Vertical	293	1.38	-	46.80	35.78	9.94	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8878G	43.54	68.20	-24.66	7.10	3	Horizontal	203	1.50	-	36.44	32.28	9.12	34.30
AV	6.5234G	94.20	Inf	-Inf	9.19	3	Horizontal	203	1.50	-	85.01	34.05	9.50	34.36
AV	7.2066G	47.10	68.20	-21.10	11.56	3	Horizontal	203	1.50	-	35.54	36.11	10.01	34.56
PK	5.8934G	54.77	88.20	-33.43	7.11	3	Horizontal	203	1.50	-	47.66	32.29	9.12	34.30
PK	6.5234G	102.16	Inf	-Inf	9.19	3	Horizontal	203	1.50	-	92.97	34.05	9.50	34.36
PK	7.1842G	57.74	88.20	-30.46	11.44	3	Horizontal	203	1.50	-	46.30	36.01	9.99	34.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0398G	43.80	68.20	-24.40	19.32	3	Vertical	333	1.91	-	24.48	38.82	13.64	33.14
PK	13.0457G	55.25	88.20	-32.95	19.32	3	Vertical	333	1.91	-	35.93	38.81	13.65	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0224G	43.70	68.20	-24.50	19.32	3	Horizontal	3	1.49	-	24.38	38.86	13.63	33.17
PK	13.0374G	55.74	88.20	-32.46	19.32	3	Horizontal	3	1.49	-	36.42	38.83	13.64	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9022G	42.76	68.20	-25.44	7.13	3	Vertical	341	1.80	-	35.63	32.30	9.13	34.30
AV	6.5266G	98.46	Inf	-Inf	9.19	3	Vertical	341	1.80	-	89.27	34.05	9.50	34.36
AV	7.235G	46.41	68.20	-21.79	11.63	3	Vertical	341	1.80	-	34.78	36.17	10.02	34.56
PK	5.8938G	54.62	88.20	-33.58	7.11	3	Vertical	341	1.80	-	47.51	32.29	9.12	34.30
PK	6.5266G	108.89	Inf	-Inf	9.19	3	Vertical	341	1.80	-	99.70	34.05	9.50	34.36
PK	7.2266G	57.46	88.20	-30.74	11.61	3	Vertical	341	1.80	-	45.85	36.15	10.02	34.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8546G	42.68	68.20	-25.52	7.01	3	Horizontal	312	1.00	-	35.67	32.21	9.10	34.30
AV	6.5434G	94.99	Inf	-Inf	9.23	3	Horizontal	312	1.00	-	85.76	34.09	9.51	34.37
AV	7.235G	46.41	68.20	-21.79	11.63	3	Horizontal	312	1.00	-	34.78	36.17	10.02	34.56
PK	5.9134G	53.97	88.20	-34.23	7.13	3	Horizontal	312	1.00	-	46.84	32.30	9.13	34.30
PK	6.5406G	104.81	Inf	-Inf	9.23	3	Horizontal	312	1.00	-	95.58	34.08	9.51	34.36
PK	7.221G	57.92	88.20	-30.28	11.59	3	Horizontal	312	1.00	-	46.33	36.14	10.01	34.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0796G	43.83	68.20	-24.37	19.33	3	Vertical	164	1.50	-	24.50	38.74	13.67	33.08
PK	13.0881G	56.05	88.20	-32.15	19.32	3	Vertical	164	1.50	-	36.73	38.72	13.67	33.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0805G	43.70	68.20	-24.50	19.33	3	Horizontal	351	2.57	-	24.37	38.74	13.67	33.08
PK	13.0845G	56.28	88.20	-31.92	19.33	3	Horizontal	351	2.57	-	36.95	38.73	13.67	33.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.703G	98.35	Inf	-Inf	9.35	3	Vertical	344	1.32	-	89.00	34.10	9.67	34.42
AV	7.179G	46.74	68.20	-21.46	11.39	3	Vertical	344	1.32	-	35.35	35.97	9.98	34.56
PK	6.701G	109.08	Inf	-Inf	9.35	3	Vertical	344	1.32	-	99.73	34.10	9.67	34.42
PK	7.173G	57.77	88.20	-30.43	11.36	3	Vertical	344	1.32	-	46.41	35.94	9.97	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.689G	87.80	Inf	-Inf	9.33	3	Horizontal	348	1.49	-	78.47	34.10	9.65	34.42
AV	7.183G	46.91	68.20	-21.29	11.43	3	Horizontal	348	1.49	-	35.48	36.00	9.99	34.56
PK	6.703G	101.71	Inf	-Inf	9.35	3	Horizontal	348	1.49	-	92.36	34.10	9.67	34.42
PK	7.167G	58.02	88.20	-30.18	11.32	3	Horizontal	348	1.49	-	46.70	35.90	9.97	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0764G	43.94	68.20	-24.26	19.34	3	Vertical	343	1.50	-	24.60	38.75	13.67	33.08
PK	13.0846G	56.73	88.20	-31.47	19.33	3	Vertical	343	1.50	-	37.40	38.73	13.67	33.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6695MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0707G	43.87	68.20	-24.33	19.33	3	Horizontal	52	1.00	-	24.54	38.76	13.66	33.09
PK	13.0816G	56.22	88.20	-31.98	19.33	3	Horizontal	52	1.00	-	36.89	38.74	13.67	33.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8666G	101.97	Inf	-Inf	9.81	3	Vertical	278	2.77	-	92.16	34.50	9.79	34.48
AV	7.1474G	46.53	68.20	-21.67	11.18	3	Vertical	278	2.77	-	35.35	35.79	9.94	34.55
PK	6.869G	113.08	Inf	-Inf	9.82	3	Vertical	278	2.77	-	103.26	34.51	9.79	34.48
PK	7.139G	57.98	88.20	-30.22	11.14	3	Vertical	278	2.77	-	46.84	35.76	9.93	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8834G	95.37	Inf	-Inf	9.89	3	Horizontal	178	1.17	-	85.48	34.60	9.78	34.49
AV	7.1654G	46.48	68.20	-21.72	11.31	3	Horizontal	178	1.17	-	35.17	35.89	9.97	34.55
PK	6.8846G	104.36	Inf	-Inf	9.90	3	Horizontal	178	1.17	-	94.46	34.61	9.78	34.49
PK	7.1726G	58.15	88.20	-30.05	11.36	3	Horizontal	178	1.17	-	46.79	35.94	9.97	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7739G	46.22	68.20	-21.98	21.38	3	Vertical	279	2.68	-	24.84	39.77	14.09	32.48
PK	13.7696G	58.52	88.20	-29.68	21.38	3	Vertical	279	2.68	-	37.14	39.77	14.09	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7497G	46.32	68.20	-21.88	21.36	3	Horizontal	10	1.50	-	24.96	39.75	14.08	32.47
PK	13.7625G	58.14	88.20	-30.06	21.38	3	Horizontal	10	1.50	-	36.76	39.76	14.09	32.47

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8878G	101.01	Inf	-Inf	10.40	3	Vertical	332	1.96	-	90.61	34.63	10.26	34.49
AV	7.195G	50.11	68.20	-18.09	12.02	3	Vertical	332	1.96	-	38.09	36.07	10.51	34.56
PK	6.8866G	111.46	Inf	-Inf	10.39	3	Vertical	332	1.96	-	101.07	34.62	10.26	34.49
PK	7.1614G	61.62	88.20	-26.58	11.83	3	Vertical	332	1.96	-	49.79	35.87	10.51	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8866G	95.47	Inf	-Inf	10.39	3	Horizontal	207	1.44	-	85.08	34.62	10.26	34.49
AV	7.195G	50.71	68.20	-17.49	12.02	3	Horizontal	207	1.44	-	38.69	36.07	10.51	34.56
PK	6.8878G	106.52	Inf	-Inf	10.40	3	Horizontal	207	1.44	-	96.12	34.63	10.26	34.49
PK	7.1374G	61.77	88.20	-26.43	11.71	3	Horizontal	207	1.44	-	50.06	35.75	10.51	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7999G	49.53	68.20	-18.67	21.50	3	Vertical	23	1.90	-	28.03	39.80	14.19	32.49
PK	13.8105G	62.28	88.20	-25.92	21.54	3	Vertical	23	1.90	-	40.74	39.83	14.20	32.49

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6895MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.8136G	50.39	68.20	-17.81	21.55	3	Horizontal	180	1.59	-	28.84	39.84	14.20	32.49
PK	13.7898G	62.30	88.20	-25.90	21.50	3	Horizontal	180	1.59	-	40.80	39.79	14.19	32.48

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0028G	100.86	Inf	-Inf	10.99	3	Vertical	318	2.02	-	89.87	35.02	10.50	34.53
AV	7.1348G	50.59	68.20	-17.61	11.70	3	Vertical	318	2.02	-	38.89	35.74	10.51	34.55
PK	7.0004G	112.29	Inf	-Inf	10.97	3	Vertical	318	2.02	-	101.32	35.00	10.50	34.53
PK	7.1438G	62.87	88.20	-25.33	11.74	3	Vertical	318	2.02	-	51.13	35.78	10.51	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0022G	97.57	Inf	-Inf	10.98	3	Horizontal	172	1.54	-	86.59	35.01	10.50	34.53
AV	7.1312G	50.56	68.20	-17.64	11.68	3	Horizontal	172	1.54	-	38.88	35.72	10.51	34.55
PK	6.9962G	109.07	Inf	-Inf	10.94	3	Horizontal	172	1.54	-	98.13	34.98	10.49	34.53
PK	7.1378G	63.19	88.20	-25.01	11.71	3	Horizontal	172	1.54	-	51.48	35.75	10.51	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97884G	50.46	68.20	-17.74	22.11	3	Vertical	300	2.74	-	28.35	40.34	14.31	32.54
PK	14.00212G	63.82	88.20	-24.38	22.18	3	Vertical	300	2.74	-	41.64	40.41	14.32	32.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


6995MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.97974G	50.69	68.20	-17.51	22.11	3	Horizontal	63	1.50	-	28.58	40.34	14.31	32.54
PK	13.99462G	63.58	88.20	-24.62	22.15	3	Horizontal	63	1.50	-	41.43	40.38	14.32	32.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.0864G	98.01	Inf	-Inf	10.84	3	Vertical	281	1.50	-	87.17	35.52	9.86	34.54
AV	7.1432G	46.41	68.20	-21.79	11.16	3	Vertical	281	1.50	-	35.25	35.77	9.94	34.55
PK	7.086G	108.49	Inf	-Inf	10.84	3	Vertical	281	1.50	-	97.65	35.52	9.86	34.54
PK	7.141G	58.34	88.20	-29.86	11.14	3	Vertical	281	1.50	-	47.20	35.76	9.93	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1038G	94.39	Inf	-Inf	10.96	3	Horizontal	199	1.76	-	83.43	35.62	9.88	34.54
AV	7.1428G	46.52	68.20	-21.68	11.16	3	Horizontal	199	1.76	-	35.36	35.77	9.94	34.55
PK	7.1022G	104.94	Inf	-Inf	10.95	3	Horizontal	199	1.76	-	93.99	35.61	9.88	34.54
PK	7.1358G	58.59	88.20	-29.61	11.12	3	Horizontal	199	1.76	-	47.47	35.74	9.93	34.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1898G	47.75	68.20	-20.45	22.38	3	Vertical	7	1.50	-	25.37	40.88	14.28	32.78
PK	14.1895G	59.65	88.20	-28.55	22.38	3	Vertical	7	1.50	-	37.27	40.88	14.28	32.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


7095MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.1877G	47.61	68.20	-20.59	22.38	3	Horizontal	178	1.68	-	25.23	40.88	14.28	32.78
PK	14.2095G	60.01	88.20	-28.19	22.39	3	Horizontal	178	1.68	-	37.62	40.92	14.28	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8922G	43.52	68.20	-24.68	7.10	3	Vertical	242	1.83	-	36.42	32.28	9.12	34.30
AV	6.1298G	98.54	Inf	-Inf	7.41	3	Vertical	242	1.83	-	91.13	32.46	9.27	34.32
PK	5.8958G	55.11	88.20	-33.09	7.11	3	Vertical	242	1.83	-	48.00	32.29	9.12	34.30
PK	6.1322G	110.62	Inf	-Inf	7.42	3	Vertical	242	1.83	-	103.20	32.46	9.28	34.32

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8886G	43.28	68.20	-24.92	7.10	3	Horizontal	350	1.02	-	36.18	32.28	9.12	34.30
AV	6.1226G	102.56	Inf	-Inf	7.40	3	Horizontal	350	1.02	-	95.16	32.45	9.27	34.32
PK	5.8718G	55.64	88.20	-32.56	7.05	3	Horizontal	350	1.02	-	48.59	32.24	9.11	34.30
PK	6.1226G	113.32	Inf	-Inf	7.40	3	Horizontal	350	1.02	-	105.92	32.45	9.27	34.32

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.2501G	43.99	54.00	-10.01	17.79	3	Vertical	354	1.05	-	26.20	38.90	13.16	34.27
PK	12.2497G	55.56	74.00	-18.44	17.78	3	Vertical	354	1.05	-	37.78	38.90	13.16	34.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6125MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.2499G	44.33	54.00	-9.67	17.78	3	Horizontal	330	1.89	-	26.55	38.90	13.16	34.28
PK	12.2602G	55.43	74.00	-18.57	17.78	3	Horizontal	330	1.89	-	37.65	38.88	13.17	34.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.919G	46.12	68.20	-22.08	7.62	3	Vertical	142	1.32	-	38.50	32.30	9.62	34.30
AV	6.241G	99.91	Inf	-Inf	8.34	3	Vertical	142	1.32	-	91.57	32.78	9.89	34.33
PK	5.773G	58.63	88.20	-29.57	7.22	3	Vertical	142	1.32	-	51.41	32.00	9.51	34.29
PK	6.241G	111.32	Inf	-Inf	8.34	3	Vertical	142	1.32	-	102.98	32.78	9.89	34.33

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.875G	46.08	68.20	-22.12	7.53	3	Horizontal	194	2.10	-	38.55	32.25	9.58	34.30
AV	6.247G	102.27	Inf	-Inf	8.36	3	Horizontal	194	2.10	-	93.91	32.79	9.90	34.33
PK	5.887G	58.11	88.20	-30.09	7.56	3	Horizontal	194	2.10	-	50.55	32.27	9.59	34.30
PK	6.247G	113.49	Inf	-Inf	8.36	3	Horizontal	194	2.10	-	105.13	32.79	9.90	34.33

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.48904G	41.89	54.00	-12.11	17.43	3	Vertical	86	1.50	-	24.46	38.23	13.36	34.16
PK	12.49036G	54.86	74.00	-19.14	17.44	3	Vertical	86	1.50	-	37.42	38.23	13.36	34.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6245MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.49072G	42.02	54.00	-11.98	17.44	3	Horizontal	304	1.47	-	24.58	38.23	13.36	34.15
PK	12.49858G	55.13	74.00	-18.87	17.42	3	Horizontal	304	1.47	-	37.71	38.20	13.37	34.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9058G	45.67	68.20	-22.53	7.60	3	Vertical	10	1.94	-	38.07	32.30	9.60	34.30
AV	6.4122G	100.82	Inf	-Inf	9.31	3	Vertical	10	1.94	-	91.51	33.55	10.10	34.34
PK	5.8506G	57.19	88.20	-31.01	7.46	3	Vertical	10	1.94	-	49.73	32.20	9.56	34.30
PK	6.4146G	111.38	Inf	-Inf	9.33	3	Vertical	10	1.94	-	102.05	33.56	10.11	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9202G	44.75	68.20	-23.45	7.62	3	Horizontal	61	2.40	-	37.13	32.30	9.62	34.30
AV	6.4146G	98.47	Inf	-Inf	9.33	3	Horizontal	61	2.40	-	89.14	33.56	10.11	34.34
PK	5.8602G	56.51	88.20	-31.69	7.49	3	Horizontal	61	2.40	-	49.02	32.22	9.57	34.30
PK	6.4146G	108.92	Inf	-Inf	9.33	3	Horizontal	61	2.40	-	99.59	33.56	10.11	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8227G	45.20	68.20	-23.00	18.85	3	Vertical	0	2.90	-	26.35	38.82	13.57	33.54
PK	12.812G	57.95	88.20	-30.25	18.82	3	Vertical	0	2.90	-	39.13	38.81	13.57	33.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6405MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8032G	45.19	68.20	-23.01	18.78	3	Horizontal	353	1.67	-	26.41	38.80	13.56	33.58
PK	12.8059G	57.54	88.20	-30.66	18.80	3	Horizontal	353	1.67	-	38.74	38.81	13.56	33.57

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9026G	43.44	68.20	-24.76	7.13	3	Vertical	344	1.50	-	36.31	32.30	9.13	34.30
AV	6.4306G	101.85	Inf	-Inf	8.74	3	Vertical	344	1.50	-	93.11	33.62	9.46	34.34
PK	5.8834G	55.10	88.20	-33.10	7.09	3	Vertical	344	1.50	-	48.01	32.27	9.12	34.30
PK	6.433G	111.78	Inf	-Inf	8.75	3	Vertical	344	1.50	-	103.03	33.63	9.46	34.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8858G	43.54	68.20	-24.66	7.09	3	Horizontal	180	1.08	-	36.45	32.27	9.12	34.30
AV	6.4546G	96.59	Inf	-Inf	8.85	3	Horizontal	180	1.08	-	87.74	33.73	9.47	34.35
PK	5.9026G	54.34	88.20	-33.86	7.13	3	Horizontal	180	1.08	-	47.21	32.30	9.13	34.30
PK	6.4426G	111.92	Inf	-Inf	8.79	3	Horizontal	180	1.08	-	103.13	33.67	9.47	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8679G	44.11	68.20	-24.09	18.95	3	Vertical	322	1.90	-	25.16	38.87	13.54	33.46
PK	12.8821G	56.83	88.20	-31.37	19.00	3	Vertical	322	1.90	-	37.83	38.88	13.55	33.43

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6445MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.8901G	44.32	68.20	-23.88	19.02	3	Horizontal	66	1.00	-	25.30	38.89	13.55	33.42
PK	12.9124G	55.99	88.20	-32.21	19.10	3	Horizontal	66	1.00	-	36.89	38.90	13.57	33.37

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9066G	43.39	68.20	-24.81	7.13	3	Vertical	28	1.50	-	36.26	32.30	9.13	34.30
AV	6.4898G	95.88	Inf	-Inf	9.08	3	Vertical	28	1.50	-	86.80	33.94	9.49	34.35
PK	5.8922G	54.37	88.20	-33.83	7.10	3	Vertical	28	1.50	-	47.27	32.28	9.12	34.30
PK	6.4994G	106.27	Inf	-Inf	9.14	3	Vertical	28	1.50	-	97.13	34.00	9.49	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9234G	43.42	68.20	-24.78	7.14	3	Horizontal	346	3.00	-	36.28	32.30	9.14	34.30
AV	6.4898G	95.77	Inf	-Inf	9.08	3	Horizontal	346	3.00	-	86.69	33.94	9.49	34.35
PK	5.9234G	54.81	88.20	-33.39	7.14	3	Horizontal	346	3.00	-	47.67	32.30	9.14	34.30
PK	6.4874G	106.22	Inf	-Inf	9.05	3	Horizontal	346	3.00	-	97.17	33.92	9.48	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.9894G	61.86	68.20	-6.34	19.28	3	Vertical	352	2.96	-	42.58	38.90	13.61	33.23
PK	12.9891G	76.20	88.20	-12.00	19.28	3	Vertical	352	2.96	-	56.92	38.90	13.61	33.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.984G	57.56	68.20	-10.64	19.27	3	Horizontal	181	1.53	-	38.29	38.90	13.61	33.24
PK	12.9809G	71.61	88.20	-16.59	19.26	3	Horizontal	181	1.53	-	52.35	38.90	13.61	33.25

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9006G	43.46	68.20	-24.74	7.13	3	Vertical	360	3.00	-	36.33	32.30	9.13	34.30
AV	6.5082G	98.19	Inf	-Inf	9.16	3	Vertical	360	3.00	-	89.03	34.02	9.49	34.35
AV	7.211G	46.87	68.20	-21.33	11.57	3	Vertical	360	3.00	-	35.30	36.12	10.01	34.56
PK	5.8978G	54.27	88.20	-33.93	7.12	3	Vertical	360	3.00	-	47.15	32.30	9.12	34.30
PK	6.5054G	107.89	Inf	-Inf	9.15	3	Vertical	360	3.00	-	98.74	34.01	9.49	34.35
PK	7.211G	57.65	88.20	-30.55	11.57	3	Vertical	360	3.00	-	46.08	36.12	10.01	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.909G	43.35	68.20	-24.85	7.13	3	Horizontal	200	1.50	-	36.22	32.30	9.13	34.30
AV	6.525G	94.07	Inf	-Inf	9.19	3	Horizontal	200	1.50	-	84.88	34.05	9.50	34.36
AV	7.2166G	46.87	68.20	-21.33	11.58	3	Horizontal	200	1.50	-	35.29	36.13	10.01	34.56
PK	5.8782G	54.90	88.20	-33.30	7.08	3	Horizontal	200	1.50	-	47.82	32.26	9.12	34.30
PK	6.5278G	103.82	Inf	-Inf	9.20	3	Horizontal	200	1.50	-	94.62	34.06	9.50	34.36
PK	7.1606G	58.28	88.20	-29.92	11.27	3	Horizontal	200	1.50	-	47.01	35.86	9.96	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0703G	43.59	68.20	-24.61	19.33	3	Vertical	97	1.14	-	24.26	38.76	13.66	33.09
PK	13.0281G	55.42	88.20	-32.78	19.32	3	Vertical	97	1.14	-	36.10	38.84	13.64	33.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.0625G	43.64	68.20	-24.56	19.32	3	Horizontal	175	1.50	-	24.32	38.77	13.66	33.11
PK	13.0252G	55.42	88.20	-32.78	19.32	3	Horizontal	175	1.50	-	36.10	38.85	13.64	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5674G	98.50	Inf	-Inf	9.25	3	Vertical	325	1.66	-	89.25	34.10	9.52	34.37
AV	7.165G	46.59	68.20	-21.61	11.30	3	Vertical	325	1.66	-	35.29	35.89	9.96	34.55
PK	6.5602G	108.62	Inf	-Inf	9.24	3	Vertical	325	1.66	-	99.38	34.10	9.51	34.37
PK	7.1578G	57.28	88.20	-30.92	11.26	3	Vertical	325	1.66	-	46.02	35.85	9.96	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5482G	97.85	Inf	-Inf	9.24	3	Horizontal	338	1.50	-	88.61	34.10	9.51	34.37
AV	7.1482G	46.41	68.20	-21.79	11.18	3	Horizontal	338	1.50	-	35.23	35.79	9.94	34.55
PK	6.5482G	107.50	Inf	-Inf	9.24	3	Horizontal	338	1.50	-	98.26	34.10	9.51	34.37
PK	7.1626G	58.25	88.20	-29.95	11.29	3	Horizontal	338	1.50	-	46.96	35.88	9.96	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.1543G	44.45	68.20	-23.75	19.50	3	Vertical	99	1.00	-	24.95	38.75	13.71	32.96
PK	13.1239G	56.64	88.20	-31.56	19.41	3	Vertical	99	1.00	-	37.23	38.72	13.70	33.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6565MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.1538G	44.45	68.20	-23.75	19.50	3	Horizontal	14	1.50	-	24.95	38.75	13.71	32.96
PK	13.1472G	56.66	88.20	-31.54	19.49	3	Horizontal	14	1.50	-	37.17	38.75	13.71	32.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.703G	99.24	Inf	-Inf	9.35	3	Vertical	1	2.83	-	89.89	34.10	9.67	34.42
AV	7.181G	46.89	68.20	-21.31	11.42	3	Vertical	1	2.83	-	35.47	35.99	9.99	34.56
PK	6.703G	109.99	Inf	-Inf	9.35	3	Vertical	1	2.83	-	100.64	34.10	9.67	34.42
PK	7.153G	58.02	88.20	-30.18	11.22	3	Vertical	1	2.83	-	46.80	35.82	9.95	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.699G	95.98	Inf	-Inf	9.35	3	Horizontal	13	3.00	-	86.63	34.10	9.67	34.42
AV	7.185G	46.58	68.20	-21.62	11.44	3	Horizontal	13	3.00	-	35.14	36.01	9.99	34.56
PK	6.699G	106.73	Inf	-Inf	9.35	3	Horizontal	13	3.00	-	97.38	34.10	9.67	34.42
PK	7.179G	57.30	88.20	-30.90	11.39	3	Horizontal	13	3.00	-	45.91	35.97	9.98	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.3699G	45.58	54.00	-8.42	20.53	3	Vertical	1	2.91	-	25.05	39.28	13.85	32.60
PK	13.3876G	57.08	74.00	-16.92	20.64	3	Vertical	1	2.91	-	36.44	39.35	13.86	32.57

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6685MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.37G	46.09	54.00	-7.91	20.53	3	Horizontal	0	1.77	-	25.56	39.28	13.85	32.60
PK	13.3698G	57.18	74.00	-16.82	20.53	3	Horizontal	0	1.77	-	36.65	39.28	13.85	32.60

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.8718G	99.28	Inf	-Inf	10.28	3	Vertical	335	2.84	-	89.00	34.53	10.23	34.48
AV	7.1814G	50.44	68.20	-17.76	11.94	3	Vertical	335	2.84	-	38.50	35.99	10.51	34.56
PK	6.8718G	110.63	Inf	-Inf	10.28	3	Vertical	335	2.84	-	100.35	34.53	10.23	34.48
PK	7.1322G	62.71	88.20	-25.49	11.69	3	Vertical	335	2.84	-	51.02	35.73	10.51	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.8754G	96.89	Inf	-Inf	10.30	3	Horizontal	171	1.61	-	86.59	34.55	10.24	34.49
AV	7.1538G	50.34	68.20	-17.86	11.78	3	Horizontal	171	1.61	-	38.56	35.82	10.51	34.55
PK	6.8766G	108.55	Inf	-Inf	10.31	3	Horizontal	171	1.61	-	98.24	34.56	10.24	34.49
PK	7.1634G	63.29	88.20	-24.91	11.84	3	Horizontal	171	1.61	-	51.45	35.88	10.51	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.77576G	49.17	68.20	-19.03	21.48	3	Vertical	63	2.65	-	27.69	39.78	14.18	32.48
PK	13.78062G	62.11	88.20	-26.09	21.48	3	Vertical	63	2.65	-	40.63	39.78	14.18	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.76988G	49.31	68.20	-18.89	21.46	3	Horizontal	3	1.55	-	27.85	39.77	14.17	32.48
PK	13.78272G	62.61	88.20	-25.59	21.48	3	Horizontal	3	1.55	-	41.13	39.78	14.18	32.48

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.9274G	100.55	Inf	-Inf	10.02	3	Vertical	356	1.87	-	90.53	34.75	9.77	34.50
AV	7.219G	46.99	68.20	-21.21	11.59	3	Vertical	356	1.87	-	35.40	36.14	10.01	34.56
PK	6.9262G	111.02	Inf	-Inf	10.02	3	Vertical	356	1.87	-	101.00	34.75	9.77	34.50
PK	7.1986G	58.43	88.20	-29.77	11.54	3	Vertical	356	1.87	-	46.89	36.09	10.01	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.919G	96.34	Inf	-Inf	10.01	3	Horizontal	180	1.38	-	86.33	34.74	9.77	34.50
AV	7.1998G	46.98	68.20	-21.22	11.55	3	Horizontal	180	1.38	-	35.43	36.10	10.01	34.56
PK	6.9178G	106.86	Inf	-Inf	10.01	3	Horizontal	180	1.38	-	96.85	34.74	9.77	34.50
PK	7.171G	58.55	88.20	-29.65	11.35	3	Horizontal	180	1.38	-	47.20	35.93	9.97	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.85088G	46.55	68.20	-21.65	21.59	3	Vertical	87	1.50	-	24.96	39.95	14.14	32.50
PK	13.85748G	58.70	88.20	-29.50	21.61	3	Vertical	87	1.50	-	37.09	39.97	14.14	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6925MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.84652G	46.52	68.20	-21.68	21.58	3	Horizontal	235	1.08	-	24.94	39.94	14.14	32.50
PK	13.85444G	58.33	88.20	-29.87	21.60	3	Horizontal	235	1.08	-	36.73	39.96	14.14	32.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	7.0038G	101.51	Inf	-Inf	10.99	3	Vertical	321	1.77	-	90.52	35.02	10.50	34.53
AV	7.149G	50.37	68.20	-17.83	11.76	3	Vertical	321	1.77	-	38.61	35.80	10.51	34.55
PK	7.0038G	114.03	Inf	-Inf	10.99	3	Vertical	321	1.77	-	103.04	35.02	10.50	34.53
PK	7.137G	62.83	88.20	-25.37	11.71	3	Vertical	321	1.77	-	51.12	35.75	10.51	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0068G	99.31	Inf	-Inf	11.01	3	Horizontal	172	1.42	-	88.30	35.04	10.50	34.53
AV	7.155G	50.22	68.20	-17.98	11.79	3	Horizontal	172	1.42	-	38.43	35.83	10.51	34.55
PK	7.0092G	111.38	Inf	-Inf	11.03	3	Horizontal	172	1.42	-	100.35	35.06	10.50	34.53
PK	7.1514G	62.29	88.20	-25.91	11.77	3	Horizontal	172	1.42	-	50.52	35.81	10.51	34.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.00988G	50.46	68.20	-17.74	22.19	3	Vertical	337	1.50	-	28.27	40.43	14.32	32.56
PK	14.01852G	63.64	88.20	-24.56	22.22	3	Vertical	337	1.50	-	41.42	40.46	14.33	32.57

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7005MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.99962G	50.39	68.20	-17.81	22.17	3	Horizontal	300	2.32	-	28.22	40.40	14.32	32.55
PK	13.9974G	63.66	88.20	-24.54	22.16	3	Horizontal	300	2.32	-	41.50	40.39	14.32	32.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0874G	99.94	Inf	-Inf	10.84	3	Vertical	360	3.00	-	89.10	35.52	9.86	34.54
AV	7.2344G	47.35	68.20	-20.85	11.63	3	Vertical	360	3.00	-	35.72	36.17	10.02	34.56
PK	7.0862G	109.35	Inf	-Inf	10.84	3	Vertical	360	3.00	-	98.51	35.52	9.86	34.54
PK	7.2332G	58.90	88.20	-29.30	11.63	3	Vertical	360	3.00	-	47.27	36.17	10.02	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0676G	95.10	Inf	-Inf	10.71	3	Horizontal	349	1.00	-	84.39	35.41	9.84	34.54
AV	7.2344G	47.35	68.20	-20.85	11.63	3	Horizontal	349	1.00	-	35.72	36.17	10.02	34.56
PK	7.0688G	105.67	Inf	-Inf	10.71	3	Horizontal	349	1.00	-	94.96	35.41	9.84	34.54
PK	7.2338G	59.04	88.20	-29.16	11.63	3	Horizontal	349	1.00	-	47.41	36.17	10.02	34.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.16964G	47.73	68.20	-20.47	22.35	3	Vertical	360	1.53	-	25.38	40.84	14.27	32.76
PK	14.16856G	60.15	88.20	-28.05	22.35	3	Vertical	360	1.53	-	37.80	40.84	14.27	32.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


7085MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.1694G	47.73	68.20	-20.47	22.35	3	Horizontal	313	1.69	-	25.38	40.84	14.27	32.76
PK	14.17364G	59.63	88.20	-28.57	22.36	3	Horizontal	313	1.69	-	37.27	40.85	14.27	32.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8618G	45.98	68.20	-22.22	7.49	3	Vertical	146	1.17	-	38.49	32.22	9.57	34.30
AV	6.1666G	99.67	Inf	-Inf	8.06	3	Vertical	146	1.17	-	91.61	32.57	9.81	34.32
PK	5.8858G	58.22	88.20	-29.98	7.56	3	Vertical	146	1.17	-	50.66	32.27	9.59	34.30
PK	6.1198G	112.19	Inf	-Inf	7.90	3	Vertical	146	1.17	-	104.29	32.44	9.78	34.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8726G	46.10	68.20	-22.10	7.53	3	Horizontal	195	2.37	-	38.57	32.25	9.58	34.30
AV	6.1306G	102.76	Inf	-Inf	7.92	3	Horizontal	195	2.37	-	94.84	32.46	9.78	34.32
PK	5.9086G	57.71	88.20	-30.49	7.61	3	Horizontal	195	2.37	-	50.10	32.30	9.61	34.30
PK	6.1294G	115.07	Inf	-Inf	7.92	3	Horizontal	195	2.37	-	107.15	32.46	9.78	34.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.28982G	43.45	54.00	-10.55	17.79	3	Vertical	339	1.71	-	25.66	38.82	13.23	34.26
PK	12.28976G	56.15	74.00	-17.85	17.79	3	Vertical	339	1.71	-	38.36	38.82	13.23	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6145MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.28754G	42.84	54.00	-11.16	17.79	3	Horizontal	50	1.31	-	25.05	38.82	13.23	34.26
PK	12.29966G	55.82	74.00	-18.18	17.79	3	Horizontal	50	1.31	-	38.03	38.80	13.24	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	43.54	68.20	-24.66	7.13	3	Vertical	258	1.82	-	36.41	32.30	9.13	34.30
AV	6.201G	96.87	Inf	-Inf	7.70	3	Vertical	258	1.82	-	89.17	32.70	9.33	34.33
PK	5.797G	55.55	88.20	-32.65	6.79	3	Vertical	258	1.82	-	48.76	32.00	9.08	34.29
PK	6.199G	107.47	Inf	-Inf	7.70	3	Vertical	258	1.82	-	99.77	32.70	9.33	34.33

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.889G	43.40	68.20	-24.80	7.10	3	Horizontal	0	1.09	-	36.30	32.28	9.12	34.30
AV	6.247G	99.33	Inf	-Inf	7.82	3	Horizontal	0	1.09	-	91.51	32.79	9.36	34.33
PK	5.809G	54.75	88.20	-33.45	6.83	3	Horizontal	0	1.09	-	47.92	32.04	9.08	34.29
PK	6.249G	109.97	Inf	-Inf	7.83	3	Horizontal	0	1.09	-	102.14	32.80	9.36	34.33

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.4584G	43.04	54.00	-10.96	17.44	3	Vertical	169	1.50	-	25.60	38.32	13.29	34.17
PK	12.45632G	55.23	74.00	-18.77	17.45	3	Vertical	169	1.50	-	37.78	38.33	13.29	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6225MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.475G	43.04	54.00	-10.96	17.42	3	Horizontal	0	1.50	-	25.62	38.28	13.30	34.16
PK	12.472G	55.67	74.00	-18.33	17.42	3	Horizontal	0	1.50	-	38.25	38.28	13.30	34.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8666G	43.58	68.20	-24.62	7.04	3	Vertical	354	1.96	-	36.54	32.23	9.11	34.30
AV	6.4234G	99.43	Inf	-Inf	8.71	3	Vertical	354	1.96	-	90.72	33.59	9.46	34.34
PK	5.8714G	55.05	88.20	-33.15	7.05	3	Vertical	354	1.96	-	48.00	32.24	9.11	34.30
PK	6.409G	109.89	Inf	-Inf	8.65	3	Vertical	354	1.96	-	101.24	33.54	9.45	34.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8114G	43.62	68.20	-24.58	6.85	3	Horizontal	347	2.70	-	36.77	32.05	9.09	34.29
AV	6.3538G	95.88	Inf	-Inf	8.30	3	Horizontal	347	2.70	-	87.58	33.22	9.42	34.34
PK	5.8306G	55.07	88.20	-33.13	6.92	3	Horizontal	347	2.70	-	48.15	32.12	9.09	34.29
PK	6.3802G	106.23	Inf	-Inf	8.48	3	Horizontal	347	2.70	-	97.75	33.38	9.44	34.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.777G	44.16	68.20	-24.04	18.58	3	Vertical	57	1.99	-	25.58	38.73	13.48	33.63
PK	12.7918G	55.90	88.20	-32.30	18.67	3	Vertical	57	1.99	-	37.23	38.78	13.49	33.60

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6385MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.7497G	44.18	68.20	-24.02	18.44	3	Horizontal	51	1.50	-	25.74	38.65	13.47	33.68
PK	12.7818G	56.98	88.20	-31.22	18.62	3	Horizontal	51	1.50	-	38.36	38.75	13.49	33.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8794G	46.18	68.20	-22.02	7.54	3	Vertical	346	1.75	-	38.64	32.26	9.58	34.30
AV	6.4698G	99.80	Inf	-Inf	9.60	3	Vertical	346	1.75	-	90.20	33.82	10.13	34.35
PK	5.8842G	57.76	88.20	-30.44	7.56	3	Vertical	346	1.75	-	50.20	32.27	9.59	34.30
PK	6.4674G	110.84	Inf	-Inf	9.58	3	Vertical	346	1.75	-	101.26	33.80	10.13	34.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.8698G	45.84	68.20	-22.36	7.52	3	Horizontal	192	1.55	-	38.32	32.24	9.58	34.30
AV	6.4602G	98.03	Inf	-Inf	9.53	3	Horizontal	192	1.55	-	88.50	33.76	10.12	34.35
PK	5.865G	57.75	88.20	-30.45	7.50	3	Horizontal	192	1.55	-	50.25	32.23	9.57	34.30
PK	6.4626G	109.34	Inf	-Inf	9.56	3	Horizontal	192	1.55	-	99.78	33.78	10.13	34.35

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.94008G	42.89	68.20	-25.31	19.23	3	Vertical	169	1.48	-	23.66	38.90	13.65	33.32
PK	12.91638G	56.61	88.20	-31.59	19.16	3	Vertical	169	1.48	-	37.45	38.90	13.63	33.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.93162G	42.85	68.20	-25.35	19.20	3	Horizontal	42	1.50	-	23.65	38.90	13.64	33.34
PK	12.93282G	56.26	88.20	-31.94	19.20	3	Horizontal	42	1.50	-	37.06	38.90	13.64	33.34

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5426G	102.10	Inf	-Inf	9.23	3	Vertical	29	1.88	-	92.87	34.09	9.51	34.37
AV	7.145G	46.29	68.20	-21.91	11.17	3	Vertical	29	1.88	-	35.12	35.78	9.94	34.55
PK	6.5402G	114.18	Inf	-Inf	9.23	3	Vertical	29	1.88	-	104.95	34.08	9.51	34.36
PK	7.145G	56.87	88.20	-31.33	11.17	3	Vertical	29	1.88	-	45.70	35.78	9.94	34.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5666G	99.96	Inf	-Inf	9.25	3	Horizontal	5	1.44	-	90.71	34.10	9.52	34.37
AV	7.145G	46.29	68.20	-21.91	11.17	3	Horizontal	5	1.44	-	35.12	35.78	9.94	34.55
PK	6.569G	110.16	Inf	-Inf	9.25	3	Horizontal	5	1.44	-	100.91	34.10	9.52	34.37
PK	7.1282G	57.45	88.20	-30.75	11.08	3	Horizontal	5	1.44	-	46.37	35.71	9.92	34.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.1142G	44.08	68.20	-24.12	19.38	3	Vertical	231	1.50	-	24.70	38.71	13.69	33.02
PK	13.0959G	56.01	88.20	-32.19	19.34	3	Vertical	231	1.50	-	36.67	38.71	13.68	33.05

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.1027G	43.97	68.20	-24.23	19.34	3	Horizontal	61	1.50	-	24.63	38.70	13.68	33.04
PK	13.0931G	55.91	88.20	-32.29	19.33	3	Horizontal	61	1.50	-	36.58	38.71	13.68	33.06

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6562G	100.50	Inf	-Inf	9.84	3	Vertical	336	2.13	-	90.66	34.10	10.15	34.41
AV	7.2226G	50.99	68.20	-17.21	12.12	3	Vertical	336	2.13	-	38.87	36.15	10.53	34.56
PK	6.6514G	111.14	Inf	-Inf	9.85	3	Vertical	336	2.13	-	101.29	34.10	10.15	34.40
PK	7.1698G	62.54	88.20	-25.66	11.88	3	Vertical	336	2.13	-	50.66	35.92	10.51	34.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6106G	97.20	Inf	-Inf	9.88	3	Horizontal	189	1.50	-	87.32	34.10	10.17	34.39
AV	7.2106G	50.81	68.20	-17.39	12.08	3	Horizontal	189	1.50	-	38.73	36.12	10.52	34.56
PK	6.613G	109.43	Inf	-Inf	9.88	3	Horizontal	189	1.50	-	99.55	34.10	10.17	34.39
PK	7.1794G	62.75	88.20	-25.45	11.93	3	Horizontal	189	1.50	-	50.82	35.98	10.51	34.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.24992G	44.24	68.20	-23.96	19.94	3	Vertical	336	1.76	-	24.30	38.90	13.84	32.80
PK	13.2512G	56.82	74.00	-17.18	19.94	3	Vertical	336	1.76	-	36.88	38.90	13.84	32.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6625MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.24988G	44.50	68.20	-23.70	19.94	3	Horizontal	326	1.50	-	24.56	38.90	13.84	32.80
PK	13.24968G	56.87	88.20	-31.33	19.94	3	Horizontal	326	1.50	-	36.93	38.90	13.84	32.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	100.49	Inf	-Inf	9.81	3	Vertical	4	2.97	-	90.68	34.10	10.13	34.42
AV	7.171G	50.89	68.20	-17.31	11.89	3	Vertical	4	2.97	-	39.00	35.93	10.51	34.55
PK	6.673G	113.01	Inf	-Inf	9.83	3	Vertical	4	2.97	-	103.18	34.10	10.14	34.41
PK	7.187G	62.55	88.20	-25.65	11.97	3	Vertical	4	2.97	-	50.58	36.02	10.51	34.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.723G	97.03	Inf	-Inf	9.79	3	Horizontal	192	1.50	-	87.24	34.10	10.12	34.43
AV	7.197G	50.87	68.20	-17.33	12.03	3	Horizontal	192	1.50	-	38.84	36.08	10.51	34.56
PK	6.719G	108.55	Inf	-Inf	9.79	3	Horizontal	192	1.50	-	98.76	34.10	10.12	34.43
PK	7.127G	62.33	88.20	-25.87	11.67	3	Horizontal	192	1.50	-	50.66	35.71	10.51	34.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.40982G	44.51	68.20	-23.69	20.83	3	Vertical	332	1.75	-	23.68	39.42	13.95	32.54
PK	13.40722G	56.69	88.20	-31.51	20.81	3	Vertical	332	1.75	-	35.88	39.41	13.94	32.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41G	45.71	68.20	-22.49	20.83	3	Horizontal	358	1.74	-	24.88	39.42	13.95	32.54
PK	13.40972G	57.63	88.20	-30.57	20.83	3	Horizontal	358	1.74	-	36.80	39.42	13.95	32.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.783G	101.44	Inf	-Inf	9.81	3	Vertical	6	2.16	-	91.63	34.17	10.09	34.45
AV	7.281G	50.80	54.00	-3.20	12.34	3	Vertical	6	2.16	-	38.46	36.32	10.59	34.57
PK	6.781G	114.29	Inf	-Inf	9.80	3	Vertical	6	2.16	-	104.49	34.16	10.09	34.45
PK	7.267G	62.22	74.00	-11.78	12.28	3	Vertical	6	2.16	-	49.94	36.27	10.58	34.57

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.775G	95.10	Inf	-Inf	9.79	3	Horizontal	198	1.50	-	85.31	34.15	10.09	34.45
AV	7.255G	50.76	54.00	-3.24	12.21	3	Horizontal	198	1.50	-	38.55	36.22	10.56	34.57
PK	6.771G	106.58	Inf	-Inf	9.78	3	Horizontal	198	1.50	-	96.80	34.14	10.09	34.45
PK	7.265G	62.24	74.00	-11.76	12.26	3	Horizontal	198	1.50	-	49.98	36.26	10.57	34.57

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.56988G	44.34	68.20	-23.86	21.24	3	Vertical	12	2.96	-	23.10	39.60	14.05	32.41
PK	13.5754G	57.51	88.20	-30.69	21.24	3	Vertical	12	2.96	-	36.27	39.60	14.05	32.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.56994G	45.32	68.20	-22.88	21.24	3	Horizontal	2	1.87	-	24.08	39.60	14.05	32.41
PK	13.57246G	5.00	88.20	-83.20	21.24	3	Horizontal	2	1.87	-	-16.24	39.60	14.05	32.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8914G	102.39	Inf	-Inf	10.43	3	Vertical	348	1.82	-	91.96	34.65	10.27	34.49
AV	7.1554G	49.56	68.20	-18.64	11.79	3	Vertical	348	1.82	-	37.77	35.83	10.51	34.55
PK	6.8902G	113.28	Inf	-Inf	10.42	3	Vertical	348	1.82	-	102.86	34.64	10.27	34.49
PK	7.165G	61.43	88.20	-26.77	11.85	3	Vertical	348	1.82	-	49.58	35.89	10.51	34.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8446G	103.07	Inf	-Inf	10.08	3	Horizontal	58	2.43	-	92.99	34.38	10.17	34.47
AV	7.1566G	49.46	68.20	-18.74	11.80	3	Horizontal	58	2.43	-	37.66	35.84	10.51	34.55
PK	6.841G	113.87	Inf	-Inf	10.06	3	Horizontal	58	2.43	-	103.81	34.36	10.17	34.47
PK	7.1554G	60.53	88.20	-27.67	11.79	3	Horizontal	58	2.43	-	48.74	35.83	10.51	34.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.7297G	47.51	68.20	-20.69	21.42	3	Vertical	0	2.15	-	26.09	39.73	14.15	32.46
PK	13.7427G	59.95	88.20	-28.25	21.43	3	Vertical	0	2.15	-	38.52	39.74	14.16	32.47

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.7301G	48.35	68.20	-19.85	21.42	3	Horizontal	0	1.64	-	26.93	39.73	14.15	32.46
PK	13.728G	59.65	88.20	-28.55	21.42	3	Horizontal	0	1.64	-	38.23	39.73	14.15	32.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9642G	97.17	Inf	-Inf	10.10	3	Vertical	305	1.59	-	87.07	34.86	9.76	34.52
AV	7.245G	47.35	68.20	-20.85	11.65	3	Vertical	305	1.59	-	35.70	36.19	10.02	34.56
PK	6.9654G	107.67	Inf	-Inf	10.10	3	Vertical	305	1.59	-	97.57	34.86	9.76	34.52
PK	7.2114G	58.42	88.20	-29.78	11.57	3	Vertical	305	1.59	-	46.85	36.12	10.01	34.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9198G	96.54	Inf	-Inf	10.01	3	Horizontal	180	1.27	-	86.53	34.74	9.77	34.50
AV	7.2402G	47.35	68.20	-20.85	11.64	3	Horizontal	180	1.27	-	35.71	36.18	10.02	34.56
PK	6.9186G	106.89	Inf	-Inf	10.01	3	Horizontal	180	1.27	-	96.88	34.74	9.77	34.50
PK	7.2282G	59.04	88.20	-29.16	11.62	3	Horizontal	180	1.27	-	47.42	36.16	10.02	34.56

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.9094G	46.54	68.20	-21.66	21.78	3	Vertical	267	2.48	-	24.76	40.13	14.17	32.52
PK	13.8797G	58.65	88.20	-29.55	21.69	3	Vertical	267	2.48	-	36.96	40.04	14.16	32.51

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89G	46.91	68.20	-21.29	21.72	3	Horizontal	360	1.59	-	25.19	40.07	14.16	32.51
PK	13.909G	58.51	88.20	-29.69	21.78	3	Horizontal	360	1.59	-	36.73	40.13	14.17	32.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0118G	105.33	Inf	-Inf	11.04	3	Vertical	2	1.90	-	94.29	35.07	10.50	34.53
AV	7.2506G	47.10	54.00	-6.90	12.19	3	Vertical	2	1.90	-	34.91	36.20	10.56	34.57
PK	7.0082G	117.82	Inf	-Inf	11.02	3	Vertical	2	1.90	-	106.80	35.05	10.50	34.53
PK	7.2638G	60.33	74.00	-13.67	12.26	3	Vertical	2	1.90	-	48.07	36.26	10.57	34.57

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0226G	100.17	Inf	-Inf	11.11	3	Horizontal	176	1.52	-	89.06	35.14	10.50	34.53
AV	7.289G	46.80	54.00	-7.20	12.39	3	Horizontal	176	1.52	-	34.41	36.36	10.60	34.57
PK	7.0214G	111.70	Inf	-Inf	11.10	3	Horizontal	176	1.52	-	100.60	35.13	10.50	34.53
PK	7.289G	59.46	74.00	-14.54	12.39	3	Horizontal	176	1.52	-	47.07	36.36	10.60	34.57

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.05726G	49.34	68.20	-18.86	22.29	3	Vertical	112	1.03	-	27.05	40.57	14.34	32.62
PK	14.0455G	62.71	88.20	-25.49	22.26	3	Vertical	112	1.03	-	40.45	40.54	14.33	32.61

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


7025MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	14.04652G	49.39	68.20	-18.81	22.26	3	Horizontal	287	1.50	-	27.13	40.54	14.33	32.61
PK	14.04496G	62.26	88.20	-25.94	22.26	3	Horizontal	287	1.50	-	40.00	40.53	14.33	32.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9078G	42.32	68.20	-25.88	7.61	3	Vertical	141	1.33	-	34.71	32.30	9.61	34.30
AV	6.203G	99.35	Inf	-Inf	8.22	3	Vertical	141	1.33	-	91.13	32.71	9.84	34.33
PK	5.915G	54.91	88.20	-33.29	7.61	3	Vertical	141	1.33	-	47.30	32.30	9.61	34.30
PK	6.2018G	114.67	Inf	-Inf	8.21	3	Vertical	141	1.33	-	106.46	32.70	9.84	34.33

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.9078G	42.34	68.20	-25.86	7.61	3	Horizontal	174	1.17	-	34.73	32.30	9.61	34.30
AV	6.1406G	98.76	Inf	-Inf	7.95	3	Horizontal	174	1.17	-	90.81	32.48	9.79	34.32
PK	5.9114G	55.16	88.20	-33.04	7.61	3	Horizontal	174	1.17	-	47.55	32.30	9.61	34.30
PK	6.2018G	114.15	Inf	-Inf	8.21	3	Horizontal	174	1.17	-	105.94	32.70	9.84	34.33

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37004G	42.69	54.00	-11.31	17.66	3	Vertical	28	1.86	-	25.03	38.59	13.28	34.21
PK	12.36512G	55.59	74.00	-18.41	17.66	3	Vertical	28	1.86	-	37.93	38.60	13.28	34.22

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36986G	42.74	54.00	-11.26	17.65	3	Horizontal	6	1.67	-	25.09	38.59	13.28	34.22
PK	12.3694G	56.00	74.00	-18.00	17.65	3	Horizontal	6	1.67	-	38.35	38.59	13.28	34.22

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.887G	42.13	68.20	-26.07	7.56	3	Vertical	3	1.49	-	34.57	32.27	9.59	34.30
AV	6.365G	97.50	Inf	-Inf	9.00	3	Vertical	3	1.49	-	88.50	33.29	10.05	34.34
PK	5.901G	54.58	88.20	-33.62	7.60	3	Vertical	3	1.49	-	46.98	32.30	9.60	34.30
PK	6.357G	109.24	Inf	-Inf	8.94	3	Vertical	3	1.49	-	100.30	33.24	10.04	34.34

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.913G	42.11	68.20	-26.09	7.61	3	Horizontal	197	1.63	-	34.50	32.30	9.61	34.30
AV	6.297G	99.27	Inf	-Inf	8.72	3	Horizontal	197	1.63	-	90.55	33.08	9.97	34.33
PK	5.889G	54.06	88.20	-34.14	7.57	3	Horizontal	197	1.63	-	46.49	32.28	9.59	34.30
PK	6.297G	111.34	Inf	-Inf	8.72	3	Horizontal	197	1.63	-	102.62	33.08	9.97	34.33

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.69786G	42.07	54.00	-11.93	18.21	3	Vertical	114	1.50	-	23.86	38.50	13.49	33.78
PK	12.68772G	55.48	74.00	-18.52	18.18	3	Vertical	114	1.50	-	37.30	38.49	13.49	33.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	12.6938G	42.31	54.00	-11.69	18.19	3	Horizontal	205	1.49	-	24.12	38.49	13.49	33.79
PK	12.67926G	54.86	74.00	-19.14	18.15	3	Horizontal	205	1.49	-	36.71	38.48	13.48	33.81

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	5.905G	42.12	68.20	-26.08	7.60	3	Vertical	309	1.78	-	34.52	32.30	9.60	34.30
AV	6.541G	100.46	Inf	-Inf	9.88	3	Vertical	309	1.78	-	90.58	34.08	10.16	34.36
PK	5.9194G	54.55	88.20	-33.65	7.62	3	Vertical	309	1.78	-	46.93	32.30	9.62	34.30
PK	6.5386G	110.76	Inf	-Inf	9.88	3	Vertical	309	1.78	-	100.88	34.08	10.16	34.36

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.905G	42.07	68.20	-26.13	7.60	3	Horizontal	338	1.28	-	34.47	32.30	9.60	34.30
AV	6.466G	99.75	Inf	-Inf	9.58	3	Horizontal	338	1.28	-	90.17	33.80	10.13	34.35
PK	5.9194G	54.47	88.20	-33.73	7.62	3	Horizontal	338	1.28	-	46.85	32.30	9.62	34.30
PK	6.469G	109.88	Inf	-Inf	9.59	3	Horizontal	338	1.28	-	100.29	33.81	10.13	34.35

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.00046G	43.05	68.20	-25.15	19.38	3	Vertical	315	1.55	-	23.67	38.90	13.69	33.21
PK	13.00958G	57.04	88.20	-31.16	19.38	3	Vertical	315	1.55	-	37.66	38.88	13.69	33.19

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01006G	43.65	68.20	-24.55	19.38	3	Horizontal	165	1.50	-	24.27	38.88	13.69	33.19
PK	13.00982G	56.41	88.20	-31.79	19.38	3	Horizontal	165	1.50	-	37.03	38.88	13.69	33.19

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6602G	102.95	Inf	-Inf	9.84	3	Vertical	341	2.23	-	93.11	34.10	10.15	34.41
AV	7.2554G	46.82	54.00	-7.18	12.22	3	Vertical	341	2.23	-	34.60	36.22	10.57	34.57
PK	6.6698G	117.39	Inf	-Inf	9.84	3	Vertical	341	2.23	-	107.55	34.10	10.15	34.41
PK	7.265G	58.31	74.00	-15.69	12.26	3	Vertical	341	2.23	-	46.05	36.26	10.57	34.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.6914G	96.81	Inf	-Inf	9.81	3	Horizontal	175	2.44	-	87.00	34.10	10.13	34.42
AV	7.253G	46.81	54.00	-7.19	12.20	3	Horizontal	175	2.44	-	34.61	36.21	10.56	34.57
PK	6.6914G	109.67	Inf	-Inf	9.81	3	Horizontal	175	2.44	-	99.86	34.10	10.13	34.42
PK	7.265G	58.26	74.00	-15.74	12.26	3	Horizontal	175	2.44	-	46.00	36.26	10.57	34.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.33003G	44.37	54.00	-9.63	20.34	3	Vertical	8	1.50	-	24.03	39.12	13.89	32.67
PK	13.33185G	57.64	74.00	-16.36	20.36	3	Vertical	8	1.50	-	37.28	39.13	13.90	32.67

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	13.32998G	45.39	54.00	-8.61	20.34	3	Horizontal	2	1.79	-	25.05	39.12	13.89	32.67
PK	13.32993G	57.43	74.00	-16.57	20.34	3	Horizontal	2	1.79	-	37.09	39.12	13.89	32.67

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.803G	100.04	Inf	-Inf	9.84	3	Vertical	346	1.70	-	90.20	34.21	10.09	34.46
AV	7.305G	47.30	54.00	-6.70	12.43	3	Vertical	346	1.70	-	34.87	36.38	10.62	34.57
PK	6.841G	113.97	Inf	-Inf	10.06	3	Vertical	346	1.70	-	103.91	34.36	10.17	34.47
PK	7.285G	59.64	74.00	-14.36	12.37	3	Vertical	346	1.70	-	47.27	36.34	10.60	34.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.789G	97.52	Inf	-Inf	9.82	3	Horizontal	197	1.50	-	87.70	34.18	10.09	34.45
AV	7.273G	46.91	54.00	-7.09	12.30	3	Horizontal	197	1.50	-	34.61	36.29	10.58	34.57
PK	6.841G	109.64	Inf	-Inf	10.06	3	Horizontal	197	1.50	-	99.58	34.36	10.17	34.47
PK	7.293G	59.01	74.00	-14.99	12.40	3	Horizontal	197	1.50	-	46.61	36.37	10.60	34.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.656G	48.74	68.20	-19.46	21.32	3	Vertical	263	1.50	-	27.42	39.66	14.10	32.44
PK	13.66074G	62.48	88.20	-25.72	21.32	3	Vertical	263	1.50	-	41.16	39.66	14.10	32.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65G	48.80	68.20	-19.40	21.31	3	Horizontal	0	1.48	-	27.49	39.65	14.10	32.44
PK	13.65516G	62.02	88.20	-26.18	21.32	3	Horizontal	0	1.48	-	40.70	39.66	14.10	32.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.961G	101.67	Inf	-Inf	10.74	3	Vertical	11	1.93	-	90.93	34.84	10.42	34.52
AV	7.2802G	50.00	54.00	-4.00	12.34	3	Vertical	11	1.93	-	37.66	36.32	10.59	34.57
PK	7.0102G	118.61	Inf	-Inf	11.03	3	Vertical	11	1.93	-	107.58	35.06	10.50	34.53
PK	7.2682G	70.85	74.00	-3.15	12.28	3	Vertical	11	1.93	-	58.57	36.27	10.58	34.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TX



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB)	(m)		(°)	(m)		(dBuV)	(dB)	(dB)	(dB)
AV	6.961G	99.33	Inf	-Inf	10.74	3	Horizontal	173	1.50	-	88.59	34.84	10.42	34.52
AV	7.2538G	48.28	54.00	-5.72	12.21	3	Horizontal	173	1.50	-	36.07	36.22	10.56	34.57
PK	6.9622G	112.00	Inf	-Inf	10.75	3	Horizontal	173	1.50	-	101.25	34.85	10.42	34.52
PK	7.2574G	60.39	74.00	-13.61	12.23	3	Horizontal	173	1.50	-	48.16	36.23	10.57	34.57