

Test Report No.60364476 001

Appendix D: Radiated and Mains Spurious Emission Data

(File: 60364476 001 Appendix D)

Contents

Spurious Emissions, Bandedge,..... 2

Spurious Emissions, TX Mode, 9kHz-30MHz26

Spurious Emissions, TX Mode, 30MHz-1GHz28

Spurious Emissions, TX Mode, 1GHz-26.5GHz30


Spurious Emissions, AC Mains.....42

Spurious Emissions, Bandedge,


1-DH5_2402 MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2321.92	40.21	3.10	37.11	54.00	-13.79	178	186	Horizontal	Average
2 *	2402.00	96.92	59.55	37.37	54.00	42.92	178	186	Horizontal	Average
3	2557.96	42.03	4.17	37.86	54.00	-11.97	178	186	Horizontal	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2385.36	40.11	2.79	37.32	54.00	-13.89	395	154	Vertical	Average
2 *	2402.00	94.93	57.56	37.37	54.00	40.93	395	154	Vertical	Average
3	2835.57	41.61	3.59	38.02	54.00	-12.39	395	154	Vertical	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2350.87	53.41	16.20	37.21	74.00	-20.59	178	186	Horizontal	Peak
2 *	2402.00	97.44	60.07	37.37	74.00	23.44	178	186	Horizontal	Peak
3	2746.64	55.46	17.61	37.85	74.00	-18.54	178	186	Horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2335.72	53.80	16.64	37.16	74.00	-20.20	395	154	Vertical	Peak
2 *	2402.00	95.41	58.04	37.37	74.00	21.41	395	154	Vertical	Peak
3	2644.49	54.77	16.91	37.86	74.00	-19.23	395	154	Vertical	Peak


1-DH5_2441 MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read	Limit	Over	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	Level	Factor	Line	Limit			
			dBuV	dB/m	dBuV/m	dB	cm	deg	
1	2377.65	40.28	2.98	37.30	54.00	-13.72	176	187 horizontal	Average
2 *	2441.00	101.16	63.67	37.49	54.00	47.16	176	187 horizontal	Average
3	2597.02	41.93	3.95	37.98	54.00	-12.07	176	187 horizontal	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.23	40.10	2.80	37.30	54.00	-13.90	100	162	Vertical	Average
2 *	2441.00	97.15	59.66	37.49	54.00	43.15	100	162	Vertical	Average
3	2898.70	41.63	3.32	38.31	54.00	-12.37	100	162	Vertical	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2327.23	53.05	15.92	37.13	74.00	-20.95	176	187	horizontal	Peak
2 *	2441.00	101.60	64.11	37.49	74.00	27.60	176	187	horizontal	Peak
3	2889.77	55.05	16.78	38.27	74.00	-18.95	176	187	horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2384.34	53.24	15.92	37.32	74.00	-20.76	100	162	Vertical	Peak
2 *	2441.00	97.61	60.12	37.49	74.00	23.61	100	162	Vertical	Peak
3	2824.64	54.90	16.91	37.99	74.00	-19.10	100	162	Vertical	Peak


1-DH5_2480 MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2372.30	40.10	2.83	37.27	54.00	-13.90	190	183	Horizontal	Average
2 *	2480.00	100.36	62.80	37.56	54.00	46.36	190	183	Horizontal	Average
3	2636.00	42.59	4.70	37.89	54.00	-11.41	190	183	Horizontal	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2316.81	40.16	3.06	37.10	54.00	-13.84	100	163	Vertical	Average
2 *	2480.00	96.79	59.23	37.56	54.00	42.79	100	163	Vertical	Average
3	2893.51	41.53	3.25	38.28	54.00	-12.47	100	163	Vertical	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2356.89	53.38	16.16	37.22	74.00	-20.62	190	183	Horizontal	Peak
2 *	2480.00	100.90	63.34	37.56	74.00	26.90	190	183	Horizontal	Peak
3	2844.82	54.67	16.62	38.05	74.00	-19.33	190	183	Horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.31	53.31	16.01	37.30	74.00	-20.69	100	163	Vertical	Peak
2 *	2480.00	97.32	59.76	37.56	74.00	23.32	100	163	Vertical	Peak
3	2797.62	54.49	16.58	37.91	74.00	-19.51	100	163	Vertical	Peak


3-DH5_2402 MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2379.31	40.07	2.77	37.30	54.00	-13.93	177	186	Horizontal	Average
2 *	2402.00	92.37	55.00	37.37	54.00	38.37	177	186	Horizontal	Average
3	2893.12	41.77	3.49	38.28	54.00	-12.23	177	186	Horizontal	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2317.67	40.28	3.17	37.11	54.00	-13.72	395	154	Vertical	Average
2 *	2402.00	90.43	53.06	37.37	54.00	36.43	395	154	Vertical	Average
3	2895.87	41.60	3.30	38.30	54.00	-12.40	395	154	Vertical	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2332.93	53.31	16.15	37.16	74.00	-20.69	177	186	Horizontal	Peak
2 *	2402.00	95.95	58.58	37.37	74.00	21.95	177	186	Horizontal	Peak
3	2832.27	55.58	17.57	38.01	74.00	-18.42	177	186	Horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2340.72	53.07	15.89	37.18	74.00	-20.93	395	154	Vertical	Peak
2 *	2402.00	94.03	56.66	37.37	74.00	20.03	395	154	Vertical	Peak
3	2806.94	54.91	16.98	37.93	74.00	-19.09	395	154	Vertical	Peak


3-DH5_2441 MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.55	40.38	3.05	37.33	54.00	-13.62	176	188	Horizontal	Average
2 *	2441.00	97.25	59.76	37.49	54.00	43.25	176	188	Horizontal	Average
3	2898.74	41.58	3.27	38.31	54.00	-12.42	176	188	Horizontal	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2388.16	40.19	2.86	37.33	54.00	-13.81	100	161	Vertical	Average
2 *	2441.00	93.26	55.77	37.49	54.00	39.26	100	161	Vertical	Average
3	2899.96	41.70	3.38	38.32	54.00	-12.30	100	161	Vertical	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2346.27	53.58	16.39	37.19	74.00	-20.42	176	188	Horizontal	Peak
2 *	2441.00	100.68	63.19	37.49	74.00	26.68	176	188	Horizontal	Peak
3	2775.86	55.48	17.60	37.88	74.00	-18.52	176	188	Horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2350.24	54.12	16.91	37.21	74.00	-19.88	100	161	Vertical	Peak
2 *	2441.00	96.63	59.14	37.49	74.00	22.63	100	161	Vertical	Peak
3	2634.38	55.19	17.30	37.89	74.00	-18.81	100	161	Vertical	Peak


3-DH5_2480 MHz




TÜV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2320.23	40.10	2.99	37.11	54.00	-13.90	190	184	Horizontal	Average
2 *	2480.00	94.69	57.13	37.56	54.00	40.69	190	184	Horizontal	Average
3	2635.88	41.94	4.05	37.89	54.00	-12.06	190	184	Horizontal	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2382.02	40.11	2.81	37.30	54.00	-13.89	100	162	Vertical	Average
2 *	2480.00	91.12	53.56	37.56	54.00	37.12	100	162	Vertical	Average
3	2888.95	41.60	3.33	38.27	54.00	-12.40	100	162	Vertical	Average



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2377.73	54.17	16.87	37.30	74.00	-19.83	190	184	Horizontal	Peak
2 *	2480.00	98.56	61.00	37.56	74.00	24.56	190	184	Horizontal	Peak
3	2612.79	55.22	17.27	37.95	74.00	-18.78	190	184	Horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	2372.82	53.77	16.49	37.28	74.00	-20.23	100	162	Vertical	Peak
2 *	2480.00	95.01	57.45	37.56	74.00	21.01	100	162	Vertical	Peak
3	2889.30	54.51	16.24	38.27	74.00	-19.49	100	162	Vertical	Peak

Spurious Emissions, TX Mode, 9kHz-30MHz


1-DH5_2441 MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.01	81.60	3.08	78.52	127.15	-45.55	100	213	vertical	QP
2	0.03	71.61	0.12	71.49	119.34	-47.73	100	113	vertical	QP
3	0.04	67.68	-0.48	68.16	115.98	-48.30	100	111	vertical	QP
4	0.06	62.41	-1.58	63.99	112.38	-49.97	100	167	vertical	QP
5	0.08	58.45	-2.44	60.89	109.06	-50.61	100	233	vertical	QP
6	0.12	55.35	-2.60	57.95	105.84	-50.49	100	12	vertical	QP




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	0.21	66.27	13.19	53.08	101.05	-34.78	100	321	vertical	QP
2	0.85	54.68	13.70	40.98	69.03	-14.35	100	219	vertical	QP
3	3.33	51.43	13.18	38.25	69.50	-18.07	100	218	vertical	QP
4	12.02	49.90	12.60	37.30	69.50	-19.60	100	351	vertical	QP
5	21.42	50.12	14.13	35.99	69.50	-19.38	100	246	vertical	QP
6	29.27	50.34	12.42	37.92	69.50	-19.16	100	83	vertical	QP

Spurious Emissions, TX Mode, 30MHz-1GHz


1-DH5_2441 MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	99.94	34.57	47.29	-12.72	43.50	-8.93	200	202	horizontal	QP
2	356.60	30.23	35.85	-5.62	46.00	-15.77	100	103	horizontal	QP
3	461.55	28.90	32.56	-3.66	46.00	-17.10	200	80	horizontal	QP
4	560.01	28.99	31.10	-2.11	46.00	-17.01	200	84	horizontal	QP
5	736.65	30.83	29.99	0.84	46.00	-15.17	100	11	horizontal	QP
6	920.27	33.09	29.36	3.73	46.00	-12.91	152	360	horizontal	QP




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	100.03	21.36	34.06	-12.70	43.50	-22.14	200	140	vertical	QP
2	169.87	21.50	28.76	-7.26	43.50	-22.00	200	323	vertical	QP
3	417.13	26.43	30.78	-4.35	46.00	-19.57	200	2	vertical	QP
4	592.60	28.21	29.77	-1.56	46.00	-17.79	200	291	vertical	QP
5	751.58	30.59	29.45	1.14	46.00	-15.41	200	50	vertical	QP
6	845.19	32.65	30.31	2.34	46.00	-13.35	100	320	vertical	QP

Spurious Emissions, TX Mode, 1GHz-26.5GHz


1-DH5_2402 MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel: +886-2172-1000 Fax: +886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	47.03	57.23	-10.20	54.00	-6.97	400	240	horizontal	Average
2	4804.00	50.53	60.73	-10.20	74.00	-23.47	400	240	horizontal	Peak
3 !	7206.00	52.36	60.01	-7.65	54.00	-1.64	273	199	horizontal	Average
4	7206.00	57.31	64.96	-7.65	74.00	-16.69	273	199	horizontal	Peak
5 !	9608.00	53.84	59.13	-5.29	54.00	-0.16	256	218	horizontal	Average
6	9608.00	60.94	66.23	-5.29	74.00	-13.06	256	218	horizontal	Peak
7	12010.00	45.63	46.40	-0.77	54.00	-8.37	200	159	horizontal	Average
8	12010.00	55.96	56.73	-0.77	74.00	-18.04	200	159	horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1 !	4804.00	49.55	59.75	-10.20	54.00	-4.45	100	295	vertical	Average
2	4804.00	52.51	62.71	-10.20	74.00	-21.49	10	295	vertical	Peak
3 !	7206.00	50.65	58.30	-7.65	54.00	-3.35	101	91	vertical	Average
4	7206.00	55.75	63.40	-7.65	74.00	-18.25	101	91	vertical	Peak
5 !	9608.00	50.72	56.01	-5.29	54.00	-3.28	100	196	vertical	Average
6	9608.00	58.18	63.47	-5.29	74.00	-15.82	100	196	vertical	Peak
7 !	12010.00	48.86	49.63	-0.77	54.00	-5.14	200	159	vertical	Average
8	12010.00	51.49	52.26	-0.77	74.00	-22.51	200	159	vertical	Peak




	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			dBuV							
				dB/m	dBuV/m	dB	cm	deg		
1	4882.00	46.71	56.77	-10.06	74.00	-27.29	300	281 Peak	horizontal	
2 !	7323.00	52.19	59.98	-7.79	54.00	-1.81	297	197 Average	horizontal	
3	7323.00	57.05	64.84	-7.79	74.00	-16.95	297	197 Peak	horizontal	
4 *	9764.00	55.26	60.22	-4.96	54.00	1.26	263	217 Average	horizontal	Non-RB
5	9764.00	62.38	67.34	-4.96	74.00	-11.62	263	217 Peak	horizontal	Non-RB



	Freq	Level	Read	Limit	Over	APos	TPos	Remark	Pol/Phase	Note
	MHz	dBuV/m	Level	Line	Limit					
			dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	46.97	57.03	-10.06	74.00	-27.03	300	174	Peak	vertical
2	7323.00	50.60	58.39	-7.79	54.00	-3.40	326	197	Average	vertical
3	7323.00	55.83	63.62	-7.79	74.00	-18.17	326	197	Peak	vertical
4 *	9764.00	54.10	59.06	-4.96	54.00	0.10	310	105	Average	vertical Non-RB
5	9764.00	61.33	66.29	-4.96	74.00	-12.67	310	105	Peak	vertical Non-RB



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	47.94	57.70	-9.76	54.00	-6.06	336	50	horizontal	Average
2	4960.00	51.52	61.28	-9.76	74.00	-22.48	336	50	horizontal	Peak
3	7440.00	46.21	53.93	-7.72	54.00	-7.79	311	195	horizontal	Average
4	7440.00	52.06	59.78	-7.72	74.00	-21.94	311	195	horizontal	Peak
5	9920.00	44.37	49.05	-4.68	54.00	-9.63	300	227	horizontal	Average
6	9920.00	53.75	58.43	-4.68	74.00	-20.25	300	227	horizontal	Peak
7	12400.00	42.75	42.92	-0.17	54.00	-11.25	112	360	horizontal	Average
8	12400.00	53.27	53.44	-0.17	74.00	-20.73	112	360	horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	48.05	57.81	-9.76	74.00	-25.95	300	156	vertical	Peak
2	7440.00	44.48	52.20	-7.72	54.00	-9.52	100	22	vertical	Average
3	7440.00	51.16	58.88	-7.72	74.00	-22.84	102	22	vertical	Peak
4	9920.00	46.78	51.46	-4.68	54.00	-7.22	317	106	vertical	Average
5	9920.00	55.30	59.98	-4.68	74.00	-18.70	317	106	vertical	Peak
6	12400.00	43.26	43.43	-0.17	54.00	-10.74	100	76	vertical	Average
7	12400.00	51.09	51.26	-0.17	74.00	-22.91	100	76	vertical	Peak


3-DH5_2402 MHz




TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	44.84	55.04	-10.20	74.00	-29.16	300	246	horizontal	Peak
2	7206.00	45.20	52.85	-7.65	74.00	-28.80	300	199	horizontal	Peak
3	9608.00	45.11	50.40	-5.29	54.00	-8.89	229	191	horizontal	Average
4	9608.00	55.10	60.39	-5.29	74.00	-18.90	229	191	horizontal	Peak



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4804.00	46.57	56.77	-10.20	54.00	-7.43	101	115	vertical	Average
2	4804.00	51.52	61.72	-10.20	74.00	-22.48	101	115	vertical	Peak
3	7206.00	46.18	53.83	-7.65	74.00	-27.82	300	195	vertical	Peak
4	9608.00	43.90	49.19	-5.29	54.00	-10.10	100	198	vertical	Average
5	9608.00	53.95	59.24	-5.29	74.00	-20.05	100	198	vertical	Peak



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	46.12	56.18	-10.06	74.00	-27.88	300	286	horizontal	Peak
2	7323.00	43.55	51.34	-7.79	54.00	-10.45	297	196	horizontal	Average
3	7323.00	52.61	60.40	-7.79	74.00	-21.39	297	196	horizontal	Peak
4	9764.00	47.41	52.37	-4.96	54.00	-6.59	252	218	horizontal	Average
5	9764.00	57.90	62.86	-4.96	74.00	-16.10	252	218	horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4882.00	46.80	56.86	-10.06	74.00	-27.20	150	265	vertical	Peak
2	7323.00	48.06	55.85	-7.79	74.00	-25.94	300	64	vertical	Peak
3	9764.00	46.80	51.76	-4.96	54.00	-7.20	354	110	vertical	Average
4	9764.00	57.04	62.00	-4.96	74.00	-16.96	354	110	vertical	Peak


3-DH5_2480 MHz



TUV Rheinland Taiwan Ltd.
No. 458-18, Sec 2, Fenliao, Linkou Dist., New Taipei City 244, Taiwan(R.O.C.)
Tel:+886-2172-1000 Fax:+886-2172-1322



	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	45.79	55.55	-9.76	74.00	-28.21	300	57	horizontal	Peak




	Freq	Level	Read Level	Factor	Limit Line	Over Limit	APos	TPos	Pol/Phase	Remark
	MHz	dBuV/m	dBuV	dB/m	dBuV/m	dB	cm	deg		
1	4960.00	45.98	55.74	-9.76	74.00	-28.02	100	231	vertical	Peak

Spurious Emissions, AC Mains




TUV Rheinland Taiwan Ltd(New Taipei City Branch).
No. 458-19, Sec. 2, Fenliao Rd., Linkou Dist., New Taipei City 244
Tel:+886-2172-1000 Fax:+886-2172-1322



Trace: 1

	Freq	Read Level	Factor	Level	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.156	33.35	10.11	43.46	-22.21	QP	line1	
2	0.156	15.54	10.11	25.65	-30.02	Average	line1	
3	0.391	23.94	10.12	34.06	-23.99	QP	line1	
4	0.391	20.36	10.12	30.48	-17.57	Average	line1	
5	0.551	7.70	10.12	17.82	-38.18	QP	line1	
6	0.551	-0.80	10.12	9.32	-36.68	Average	line1	
7	2.116	11.04	10.17	21.21	-34.79	QP	line1	
8	2.116	5.82	10.17	15.99	-30.01	Average	line1	
9	7.212	10.81	10.30	21.11	-38.89	QP	line1	
10	7.212	-1.09	10.30	9.21	-40.79	Average	line1	
11	16.413	8.56	10.51	19.07	-40.93	QP	line1	
12	16.413	-0.51	10.51	10.00	-40.00	Average	line1	



Trace: 1

	Freq	Read Level	Factor	Level	Over Limit	Remark	Pol/Phase	Note
	MHz	dBuV	dB	dBuV	dB			
1	0.162	34.53	10.11	44.64	-20.70	QP	neutral	
2	0.162	18.02	10.11	28.13	-27.21	Average	neutral	
3	0.187	29.06	10.11	39.17	-25.01	QP	neutral	
4	0.187	12.44	10.11	22.55	-31.63	Average	neutral	
5	0.202	26.20	10.11	36.31	-27.21	QP	neutral	
6	0.202	10.27	10.11	20.38	-33.14	Average	neutral	
7	0.287	18.19	10.10	28.29	-32.33	QP	neutral	
8	0.287	-0.59	10.10	9.51	-41.11	Average	neutral	
9	0.391	28.49	10.11	38.60	-19.45	QP	neutral	
10	0.391	23.11	10.11	33.22	-14.83	Average	neutral	
11	7.394	10.76	10.30	21.06	-38.94	QP	neutral	
12	7.394	1.29	10.30	11.59	-38.41	Average	neutral	