

Report No.: SHCR230800171401 Page: 1 of 126

# TEST REPORT

Application No.:	SHCR2308001714AT	
FCC ID:	2AXNA-SECL36	
Applicant:	AGM Global Vision LLC	
Address of Applicant:	173 West Main Street, #962, Springerville, AZ 85938 USA	
Manufacturer:	AGM Global Vision LLC	
Address of Manufacturer:	173 West Main Street, #962, Springerville, AZ 85938 USA	
Equipment Under Test (EUT	):	
EUT Name:	Thermal Imaging Clip-on/Thermal Imaging Rifle Scope	
Model No.: AGM Secutor LRF 50-384,AGM Secutor LRF 50-640,		
	AGM Secutor LRF 35-384,AGM Secutor LRF 35-640,AGM Secutor LRF 75- 640,AGM Secutor LRF-C 50-384,AGM Secutor LRF-C 50-640,AGM Secutor LRF-C 75-640	
*	Please refer to section 2 of this report which indicates which model was actually tested and which were electrically identical.	
Trade Mark:	AGM	
Standard(s) :	47 CFR Part 15, Subpart C 15.247	
Date of Receipt:	2023-07-27	
Date of Test:	2023-08-03 to 2023-08-11	
Date of Issue:	2023-08-28	
Test Result:	Pass*	

\* In the configuration tested, the EUT complied with the standards specified above.

parlan shan

Parlam Zhan Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/an/Terms-and-Conditions">https://www.sgs.com/an/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: (St.Doccheck@egs.com)

đ.	NO.588 West Jindu Road, Songjiang District, ShanghaiC	hina 201612	t (86-21) 61915666	f (86-21) 61915678	www.sgsgroup.com.cn
	中国・上海・松江区金都西路588号 邮	编: 201612	t (86-21) 61915666	f (86-21) 61915678	sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 2 of 126

Revision Record					
Version Description Date Remark					
00	Original	2023-08-28	/		

Authorized for issue by:	
Tested By	Bril WN
	Bill Wu/Project Engineer
Approved By	parlan 2han
	Parlam Zhan/Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/an/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document. Sunlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn

sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 3 of 126

# 2 Test Summary

Radio Spectrum Technical Requirement					
Item	Standard	Method	Requirement	Result	
Antenna Requirement	47 CFR Part 15, Subpart C 15.247	N/A	47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)	Customer Declaration	

Radio Spectrum Matt	· · · · · · · · · · · · · · · · · · ·					
Conducted Emissions at AC Power Line (150kHz-30MHz)	otandard	ANSI C63.10 (2013) Section 6.2	47 CFR Part 15, Subpart C 15.207	Pass		
Conducted Peak Output Power		ANSI C63.10 (2013) Section 11.9.2	47 CFR Part 15, Subpart C 15.247(b)(3)	Pass		
Minimum 6dB Bandwidth		ANSI C63.10 (2013) Section 11.8.1	47 CFR Part 15, Subpart C 15.247a(2)	Pass		
Power Spectrum Density	47 CFR Part 15, Subpart C 15.247	ANSI C63.10 (2013) Section 11.10.2	47 CFR Part 15, Subpart C 15.247(e)	Pass		
Conducted Band Edges Measurement		ANSI C63.10 (2013) Section 11.13.3.2	47 CFR Part 15, Subpart C 15.247(d)	Pass		
Conducted Spurious Emissions		ANSI C63.10 (2013) Section 11.11	47 CFR Part 15, Subpart C 15.247(d)	Pass		
Radiated Emissions which fall in the restricted bands		ANSI C63.10 (2013) Section 6.10.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Spurious Emissions Below 1GHz		ANSI C63.10 (2013) Section 6.4,6.5	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		
Radiated Spurious Emissions Above 1GHz		ANSI C63.10 (2013) Section 6.6	47 CFR Part 15, Subpart C 15.205 & 15.209	Pass		

Model No.: AGM Secutor LRF 50-384,AGM Secutor LRF 50-640,AGM Secutor LRF 35-384,AGM Secutor LRF 35-640,AGM Secutor LRF 75-640,AGM Secutor LRF-C 50-384,AGM Secutor LRF-C 50-640,AGM Secutor LRF-C 75-640

Only the model AGM Secutor LRF 50-384 was tested.

Note1: There are series models mentioned in this report, and they are the identical in electrical and electronic characters. Only the model AGM Secutor LRF 50-384 was tested since their differences lie in the differences in eyepiece size and structure, objective lens focal length, and detector resolution. We evaluated the radiation spurious difference test.

Note2: Differences between old and new prototypes:

a. The laser position is different, that is, the appearance of the objective lens and the middle shell are different. The old prototype is the laser on the objective lens, while the new prototype is the laser on the middle shell;



	Unless otherwise agreed in writing, this document is issued by available on request or accessible at <u>https://www.sgs.com/</u> indemnification and jurisdiction issues defined therein. Any ho the Company's findings at the time of its intervention only a responsibility is to its Client and this document does not exome under the transaction documents. This document cannot be re unauthorized alteration, forgery or falsification of the content on to the fullest extent of the law. Unless otherwise stated the re sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection or email: CN Doccheck@sac.com	an/Terms-and-Conditions. A lider of this document is adv and within the limits of Clie erate parties to a transactior produced except in full, with r appearance of this docume suits shown in this test rep	Attention is drawn to the lised that information co- ent's instructions, if any nout prior written approv- ent is unlawful and offene- ort refer only to the san	e limitation of liability, intained hereon reflects y. The Company's sole ir rights and obligations rail of the Company. Any ders may be prosecuted nple(s) tested and such	
ġ.	NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612	t (86-21) 61915666	f (86-21) 61915678	www.sgsgroup.com.cn	
	中国・上海・松江区金都西路588号 邮编: 201612	t (86-21) 61915666	f (86-21) 61915678	sgs.china@sgs.com	



Report No.: SHCR230800171401 Page: 4 of 126

b. The laser materials are different. After switching manufacturers, the wavelength of the laser remains unchanged and the overall power consumption remains the same. However, there are changes in the structure and hardware of the laser module;

- c. The new prototype of the button board has removed a socket
- d. The new prototype of the power board has added a socket
- e. All MIC positions are adjusted to the objective lens

We have only evaluated the RE part, and the report shows the worst data.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: CN.Doccheck@sgs.com NO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn

中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

Member of the SGS Group (SGS SA)

sgs.china@sgs.com



•	, ,
Report No	b.: SHCR230800171401
Page:	5 of 126

# 3 Contents

		Pa	ge
1	COV	ER PAGE	1
2	Test	Summary	. 3
-		~~	
3	Con	tents	5
4	Gen	eral Information	6
•			
	4.1 4.2	Details of E.U.T.	
	4.2 4.3	Power level setting using in test:	
	4.3 4.4	Description of Support Units	
	4.5	Test Location	
	4.6	Test Facility	
	4.7	Deviation from Standards	
	4.8	Abnormalities from Standard Conditions	8
5	Equi	pment List	9
6	Padi	o Spectrum Technical Requirement	44
0			
	6.1	Antenna Requirement	.11
7	Radi	o Spectrum Matter Test Results	.12
	7.1	Conducted Emissions at AC Power Line (150kHz-30MHz)	.12
	7.2	Conducted Peak Output Power	
	7.3	Minimum 6dB Bandwidth	
	7.4	Power Spectrum Density	
	7.5	Conducted Band Edges Measurement	
	7.6	Conducted Spurious Emissions	
	7.7 7.8	Radiated Emissions which fall in the restricted bands Radiated Spurious Emissions Below 1GHz	
	7.8 7.9	Radiated Spurious Emissions Above 1GHz	
8		Setup Photo	
			-
9	EUT	Constructional Details (EUT Photos)	.73
1(	0 App	endix	.74



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755/83071443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编:201612

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 6 of 126

#### **General Information** 4

## 4.1 Details of E.U.T.

Power supply:	DC 5V by adapter
	DC 3.6V by battery
Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz;802.11n(HT40): 2422MHz to 2452MHz
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
Number of Channels:	802.11b/g/n(HT20):11;802.11n(HT40):7
Channel Spacing:	5MHz
Antenna Type:	PCB Antenna
Antenna Gain:	-3.17dBi (Provided by the manufacturer)

## 4.2 Power level setting using in test:

Channel	802.11b	802.11g	802.11n(HT20)
Channel	Ant 1	Ant 1	Ant 1
1	27	36	36
6	26	36	36
11	26	35	35
Channel	802.11n(HT40)		
Channel	Ant 1		
3	36		
6	36		
9	36		

中国・上海・松江区金都西路588号

## 4.3 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
AC Adapter	HONOTO	ADS-10LA-06 05010EPC	/
Notebook	LENOVO	K27	EB24537645



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness calorings and the stress of the second stress of the

t (86-21) 61915666 NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 f (86-21) 61915678 邮编: 201612

t (86-21) 61915666 f (86-21) 61915678 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 7 of 126

No.	Item	Measurement Uncertainty
1	Radio Frequency	8.4 x 10 <sup>-8</sup>
2	Timeout	2s
3	Duty Cycle	0.4%
4	Occupied Bandwidth	3%
5	RF Conducted Power	0.6dB
6	RF Power Density	2.9dB
7	Conducted Spurious Emissions	0.75dB
8	RE Redicted Rever	5.2dB (Below 1GHz)
0	RF Radiated Power	5.9dB (Above 1GHz)
		4.2dB (Below 30MHz)
9	Redicted Sourious Emission Test	4.5dB (30MHz-1GHz)
9	Radiated Spurious Emission Test	5.1dB (1GHz-18GHz)
		5.4dB (Above 18GHz)
10	Temperature Test	1°C
11	Humidity Test	3%
12	Supply Voltages	1.5%
13	Time	3%

## 4.4 Measurement Uncertainty

Note: The measurement uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t( 中国・上海・松江区金都西路588号 邮编: 201612 t(

t (86-21) 61915666 t (86-21) 61915666 www.sgsgroup.com.cn

sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 8 of 126

## 4.5 Test Location

All tests were performed at: SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. E&E Lab 588 West Jindu Road, Xinqiao, Songjiang, 201612 Shanghai, China Tel: +86 21 6191 5666 Fax: +86 21 6191 5678 No tests were sub-contracted. Note:

SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock frequency, highest internal frequency, antenna gain, cable loss, etc.) is provided by the applicant. (if applicable).
 SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).

## 4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

## • A2LA (Certificate No. 6332.01)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. is accredited by the American Association for Laboratory Accreditation(A2LA).

### • FCC (Designation Number: CN1301)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been recognized as an accredited testing laboratory.

## • ISED (CAB Identifier: CN0020)

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. EMC Laboratory has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory. Company Number: 8617A

## VCCI (Member No.: 3061)

The 3m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-13868, C-14336, T-12221, G-10830 respectively.

## 4.7 Deviation from Standards

None

# 4.8 Abnormalities from Standard Conditions





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) eased and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 6307 1443.

N0.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (84 中国・上海・松江区金都西路588号 邮编: 201612 t (84

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sasaroup.com.cn



Report No.: SHCR230800171401 Page: 9 of 126

#### **Equipment List** 5

Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
RF Conducted Test	•				•
Spectrum Analyzer	R&S	FSP-30	SHEM002-1	2022-12-20	2023-12-19
Spectrum Analyzer	Keysight	N9020B	SHEM241-1	2022-12-20	2023-12-19
Spectrum Analyzer	Agilent	N9020A	SHEM181-1	2023-08-02	2024-08-01
Signal Generator	R&S	SMR20	SHEM006-1	2023-08-02	2024-08-01
Signal Generator	Agilent	N5182A	SHEM182-1	2023-08-02	2024-08-01
Communication Tester	R&S	CMW270	SHEM183-1	2023-06-01	2024-05-31
Communication Tester	R&S	CMW500	SHEM268-1	2023-06-01	2024-05-31
Power Sensor	Keysight	U2021XA * 4	SHEM184-1	2023-08-02	2024-08-01
Splitter	Anritsu	MA1612A	SHEM185-1	/	/
Coupler	e-meca	803-S-1	SHEM186-1	/	/
High-low Temp Cabinet	Suzhou Zhihe	TL-40	SHEM087-1	2022-11-08	2024-11-07
AC Power Stabilizer	APC	KDF-31020T-V0-F0	SHEM216-1	2022-12-20	2023-12-19
DC Power Supply	MCH	MCH-303A	SHEM210-1	2022-12-20	2023-12-19
Conducted test Cable	/	RF01~RF04	/	2022-12-20	2023-12-19
Switcher	Tonscend	JS0806	SHEM184-1	2023-08-02	2024-08-01
Test software	Tonscend	JS Tonscend BT/WIFI System	Version: 2.6	/	/
Coaxial Cable	TST	,	SHEM263-1	2023-08-02	2024-08-01
Test software	TST	TST PASS	Version: 2.0	/	/
RF Radiated Test	1	1			
EMI test Receiver	R&S	ESU40	SHEM051-1	2022-12-20	2023-12-19
Spectrum Analyzer	R&S	FSP-30	SHEM002-1	2022-12-20	2023-12-19
Communication Tester	R&S	CMW500	SHEM268-1	2023-06-01	2024-05-31
Loop Antenna (9kHz-30MHz)	Schwarzbeck	FMZB1519	SHEM135-1	2022-12-20	2023-12-19
Antenna (25MHz-2GHz)	Schwarzbeck	VULB9168	SHEM048-1	2021-09-11	2023-09-10
Antenna (25MHz-2GHz)	Schwarzbeck	VULB9168	SHEM202-1	2022-05-07	2024-05-06
Horn Antenna (1-18GHz)	Schwarzbeck	HF906	SHEM009-1	2022-08-11	2024-08-10
Horn Antenna (1-18GHz)	Schwarzbeck	BBHA9120D	SHEM050-1	2021-09-18	2023-09-17
Horn Antenna (14-40GHz)	Schwarzbeck	BBHA 9170	SHEM049-1	2021-09-18	2023-09-17
Pre-Amplifier	HP	8447D	SHEM236-1	2023-08-02	2024-08-01
High-amplifier (14-40GHz)	Schwarzbeck	10001	SHEM049-2	2022-12-20	2023-12-19
Band Filter	LORCH	9BRX-875/X150	SHEM156-1	/	/
Band Filter	LORCH	13BRX-1950/X500	SHEM083-2	/	/
Band Filter	LORCH	5BRX-2400/X200	SHEM155-1	/	/
Band Filter	LORCH	5BRX-5500/X1000	SHEM157-2	/	/
High pass Filter	Wainwright	WHK3.0/18G	SHEM157-1	/	/
High pass Filter	Wainwright	WHKS1700	SHEM157-3	/	/
Semi/Fully Anechoic	ST	11*6*6M	SHEM078-2	2021-05-25	2024-05-24
RE test Cable	/	RE01, RE02, RE06	/	2023-01-07	2024-01-06
Test software	ESE	E3	Version: 6.111221a	1	1



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/an/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness calorings and the stress of the second stress of the

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666 f (86-21) 61915678 t (86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 10 of 126

Conducted Emissions at A	Conducted Emissions at AC Mains Power Port (150kHz-30MHz)								
Equipment	Cal Date	Cal Due Date							
EMI TEST RECEIVER	ROHDE & SCHWARZ	ESR7	SHEM162-1	2022/12/20	2023/12/19				
LINE IMPEDANCE STABILIZATION NETWORK	SCHWARZBECK	NSLK8127	SHEM061-1	2022/12/20	2023/12/19				
LINE IMPEDANCE STABILIZATION NETWORK	EMCO	3816_2	SHEM019-1	2022/12/20	2023/12/19				
PULSE LIMITER	ROHDE & SCHWARZ	ESH3-Z2	SHEM029-1	2022/12/20	2023/12/19				
SHIELDING ROOM	ZHONGYU	8*4*3M	SHEM079-2	2020/12/20	2023/12/19				
CE TEST CABLE	/	/	SHEM172-1	2022/12/20	2023/12/19				
TEST SOFTWARE	ESE	E3	VERSION: 6.191211	N/A	N/A				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sps.com/an/Terms-and-Conditions. Attention is drawn to the limitation of ilability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (85-755)6307 1443, or email: CN.Doccheck@sgs.com 100 588 West Jindu Road Songiang District. ShanghaiChina. 201612 t (86-21) 61915676 f (86-21) 61915678 www.spsaroup.com.cn

t (86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn

NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612
中国・上海・松江区金都西路588号 邮编:	201612

t (86-21) 61915666 f (86-21) 61915678



Report No.: SHCR230800171401 Page: 11 of 126

# 6 Radio Spectrum Technical Requirement

## 6.1 Antenna Requirement

### 6.1.1 Test Requirement:

47 CFR Part 15, Subpart C 15.203 & 15.247(b)(4)

### 6.1.2 Conclusion

#### Standard Requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

#### 15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### EUT Antenna:

The antenna is PCB antenna and no consideration of replacement. The best case gain of the antenna is -3.17 dBi.

Antenna location: Refer to internal photo.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is undawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the suthenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

NO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn

sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 12 of 126

# 7 Radio Spectrum Matter Test Results

## 7.1 Conducted Emissions at AC Power Line (150kHz-30MHz)

Test Requirement	47 CFR Part 15, Subpart C 15.207
Test Method:	ANSI C63.10 (2013) Section 6.2

Limit:

Frequency of	Conducted limit(dBµV)				
emission(MHz)	Quasi-peak	Average			
0.15-0.5	66 to 56*	56 to 46*			
0.5-5	56	46			
5-30	60	50			
*Decreases with the logarithm of the frequency.					
Detector: Peak for pre-scan (9kHz resolution bandwidth) 0.15M to 30MHz					

### 7.1.1 E.U.T. Operation

Operating Enviro	nment:					
Temperature:	25.6 °C	Humidity:	50.5 % RH	Atmospheric Pressure:	1010	mbar

## 7.1.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/an/Terms-and-Conditions">https://www.sgs.com/an/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)6307 1443,


NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 13 of 126

### 7.1.3 Test Setup Diagram



### 7.1.4 Measurement Procedure and Data

1) The mains terminal disturbance voltage test was conducted in a shielded room.

2) The EUT was connected to AC power source through a LISN 1 (Line Impedance Stabilization Network) which provides a 50ohm/50 $\mu$ H + 5ohm linear impedance. The power cables of all other units of the EUT were connected to a second LISN 2, which was bonded to the ground reference plane in the same way as the LISN 1 for the unit being measured. A multiple socket outlet strip was used to connect multiple power cables to a single LISN provided the rating of the LISN was not exceeded.

3) The tabletop EUT was placed upon a non-metallic table 0.8m above the ground reference plane. And for floor-standing arrangement, the EUT was placed on the horizontal ground reference plane.

4) The test was performed with a vertical ground reference plane. The rear of the EUT shall be 0.4 m from the vertical ground reference plane. The vertical ground reference plane was bonded to the horizontal ground reference plane. The LISN 1 was placed 0.8 m from the boundary of the unit under test and bonded to a ground reference plane for LISNs mounted on top of the ground reference plane. This distance was between the closest points of the LISN 1 and the EUT. All other units of the EUT and associated equipment was at least 0.8 m from the LISN 2.

5) In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10 on conducted measurement.

Remark: Level=Read Level+ Cable Loss+ LISN Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (85-755) 8307 1443,


NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 14 of 126

#### Test Mode: 00; Line: Live line



Site: Chamber Condition : Mode:

No.	Freq (MHz)	Read level (dBuV)	LISN Factor (dB)	Cable Loss (dB)	Emission Level (dBuV)	Limit (dBuV)	Over Limit (dB)	Remark
1	0.15	10.07	19.56	0.00	29.63	56.00	-26.37	Average
2	0.15	13.25	19.56	0.00	32.81	66.00	-33.19	∂ QP –
3	0.18	6.72	19.56	6.00	26.28	54.59	-28.31	l Average
4	0.18	9.83	19.56	6.00	29.39	64.59	-35.26	Ø QP
5	0.35	5.24	19.57	0.00	24.81	49.05	-24.24	1 Average
6	0.35	7.79	19.57	0.00	27.36	59.05	-31.69	∂ QP
7	1.15	6.15	5 19.58	0.00	25.73	46.00	-20.27	7 Average
8	1.15	9.05	5 19.58	0.00	28.63	56.00	-27.37	7 QP
9	3.42	6.01	19.62	0.00	25.63	46.00	-20.37	7 Average
10	3.42	9.11	19.62	0.00	28.73	56.00	-27.27	7 QP
11	4.75	7.06	5 19.66	6.00	26.72	46.00	-19.28	3 Average
12	4.75	9.96	5 19.66	0.00	29.62	56.00	-26.38	3 QP

Notes: Emission Level = Read Level +LISN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Unless of the stand of

(86-21) 61915666

(86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn

NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t
中国・上海・松江区金都西路588号 邮编:	201612	t


Member of the SGS Group (SGS SA)

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 15 of 126

#### Test Mode: 00; Line: Neutral Line



Site: Chamber Condition : Mode:

No.	Freq (MHz)	Read level (dBuV)	LISN Factor (dB)	Cable Loss (dB)	Emission Level (dBuV)	Limit (dBuV)	Over Limit (dB)	Remark
1	0.16	7.7	2 19.5	5 0.00	27.28	55.56	5 -28.28	Avenage
2					30.81			
	0.16					65.56		·
3	0.18	6.74	4 19.5	5 0.00	26.30	54.50	9 -28.26	Average
4	0.18	10.0	7 19.5	6 0.00	29.63	64.50	9 -34.87	7 QP
5	0.37	6.3	5 19.5	7 0.00	25.92	48.61	L -22.69	9 Average
6	0.37	8.8	1 19.5	7 0.00	28.38	58.61	L -30.23	3 QP
7	1.50	6.8	1 19.5	8 0.00	26.39	46.00	9 -19.61	l Average
8	1.50	9.58	3 19.5	8 0.00	29.16	56.00	9 -26.84	4 QP
9	3.38	9.3	5 19.6	2 0.00	28.97	46.00	9 -17.03	3 Average
10	3.38	12.20	9 19.6	2 0.00	31.82	56.00	9 -24.18	3 QP
11	4.90	5.6	1 19.6	7 0.00	25.28	46.00	9 -20.72	2 Average
12	4.90	8.30	5 19.6	7 0.00	28.03	56.00	9 -27.97	7 QP

Notes: Emission Level = Read Level +LISN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Since a function of a structure of the s

1	NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t
	中国・上海・松江区金都西路588号 邮编:	201612	t

(86-21) 61915666 f (86-21) 61915678 (86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 16 of 126

## 7.2 Conducted Peak Output Power

Test Requirement	47 CFR Part 15, Subpart C 15.247(b)(3)
Test Method:	ANSI C63.10 (2013) Section 11.9.2

Limit:

Frequency range(MHz)	Output power of the intentional radiator(watt)	
	1 for ≥50 hopping channels	
902-928	0.25 for 25≤ hopping channels <50	
	1 for digital modulation	
	1 for ≥75 non-overlapping hopping channels	
2400-2483.5	0.125 for all other frequency hopping systems	
	1 for digital modulation	
5725-5850	1 for frequency hopping systems and digital modulation	

## 7.2.1 E.U.T. Operation

Operating Enviro	nment:					
Temperature:	25.6 °C	Humidity:	50.5 % RH	Atmospheric Pressure:	1010	mbar

### 7.2.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/an/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,


NO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 17 of 126

### 7.2.3 Test Setup Diagram



7.2.4 Measurement Procedure and Data

Note: Since the verify power the same operating range bandwidth and smaller power can be covered by the higher power.

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t( 中国・上海・松江区金都西路588号 邮编: 201612 t(

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn

sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 18 of 126

## 7.3 Minimum 6dB Bandwidth

Test Requirement	47 CFR Part 15, Subpart C 15.247a(2)
Test Method:	ANSI C63.10 (2013) Section 11.8.1

Limit:

≥500 kHz

## 7.3.1 E.U.T. Operation


Operating Environment:

1 0						
Temperature:	25.6 °C	Humidity:	50.5 % RH	Atmospheric Pressure:	1010	mbar

## 7.3.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

## 7.3.3 Test Setup Diagram



**Ground Reference Plane** 

## 7.3.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sps.com/an/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (56-755) 6307 1443, or email: **CN.DocchecKegs.com** 

or email: CN. Docchack@sgs.com		
NO.588 West Jindu Road, Songjiang District, Shang	haiChina 201612	t (86-21) 61915666
中国・上海・松江区金都西路588号	邮编: 201612	t (86-21) 61915666

f (86-21) 61915678 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 19 of 126

## 7.4 Power Spectrum Density

Test Requirement	47 CFR Part 15, Subpart C 15.247(e)
Test Method:	ANSI C63.10 (2013) Section 11.10.2

Limit:

≤8dBm in any 3 kHz band during any time interval of continuous transmission

## 7.4.1 E.U.T. Operation


**Operating Environment:** 

1 0						
Temperature:	25.6 °C	Humidity:	50.5 % RH	Atmospheric Pressure:	1010	mbar

### 7.4.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

### 7.4.3 Test Setup Diagram



Ground Reference Plane

## 7.4.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/an/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indennification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

or email: CN. Docchack@sgs.com		
NO.588 West Jindu Road, Songjiang District, Shang	haiChina 201612	t (86-21) 61915666
中国・上海・松江区金都西路588号	邮编: 201612	t (86-21) 61915666

f (86-21) 61915678

www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 20 of 126

## 7.5 Conducted Band Edges Measurement

Test Requirement	47 CFR Part 15, Subpart C 15.247(d)
Test Method:	ANSI C63.10 (2013) Section 11.13.3.2

### Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.5.1 E.U.T. Operation

Operating Environment:

Temperature:	25.6 °C
	20.0 0

Humidity: 50.5 % RH

Atmospheric Pressure: 1010 mbar

### 7.5.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is undawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612


t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 21 of 126

### 7.5.3 Test Setup Diagram



**Ground Reference Plane** 

### 7.5.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/an/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlewful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@esa.com

or email: CN.Doccheck@sgs.com		
NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t
中国・上海・松江区金都西路588号 邮编:	201612	t

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 22 of 126

## 7.6 Conducted Spurious Emissions

Test Requirement	47 CFR Part 15, Subpart C 15.247(d)
Test Method:	ANSI C63.10 (2013) Section 11.11

#### Limit:

In any 100 kHz bandwidth outside the frequency band in which the spread spectrum or digitally modulated intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement, provided the transmitter demonstrates compliance with the peak conducted power limits. If the transmitter complies with the conducted power limits based on the use of RMS averaging over a time interval, as permitted under paragraph (b)(3) of this section, the attenuation required under this paragraph shall be 30 dB instead of 20 dB. Attenuation below the general limits specified in §15.209(a) is not required. In addition, radiated emissions which fall in the restricted bands, as defined in §15.205(a), must also comply with the radiated emission limits specified in §15.209(a) (see §15.205(c).

### 7.6.1 E.U.T. Operation

Operating Environment:

Temperature:	25.6 °C
i cilipciatule.	20.0 0

Humidity: 50.5 % RH

Atmospheric Pressure: 1010 mbar

### 7.6.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is undawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the suthenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612


t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 23 of 126

### 7.6.3 Test Setup Diagram



**Ground Reference Plane** 

### 7.6.4 Measurement Procedure and Data

Please Refer to Appendix for Details



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sps.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@ess.com

t (86-21) 61915666

or email: CN.Doccheck@sgs.com			
NO.588 West Jindu Road, Songjiang District, Shang	ghaiChina	201612	
中国・上海・松江区金都西路588号	邮编:	201612	

t (86-21) 61915666 f (86-21) 61915678

f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 24 of 126

## 7.7 Radiated Emissions which fall in the restricted bands

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.10.5

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
Above 960	500	3

Remark: The emission limits shown in the above table are based on measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90kHz, 110-490kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation.

## 7.7.1 E.U.T. Operation

Operating Enviro	onment:					
Temperature:	22.6 °C	Humidity:	49.7 % RH	Atmospheric Pressure:	1010	mbar

### 7.7.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions, Attention is drawn to the limitation of flability,
indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects
the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any
unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted
to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such
sample(s) are retained for 30 days only. Attention: To check the authenticity of testing linspection report & certificate, please contact us at telephone: (86-755) 8307 1443.
Attention: to check the authenticity of testing inspection report a certificate, please contact us at telephone. (86-755) 5307 1443, or email: CN_Doccheck@sas.com

t (86-21) 61915666


NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86-21) 61915666 f (86-21) 61915678 sgs.china@sgs.com


f (86-21) 61915678

www.sgsgroup.com.cn





### 7.7.3 Test Setup Diagram





Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755/8307 1443,

or email: CN.Docchack@sgk.com NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

f (86-21) 61915678 sgs.china@sgs.com Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 26 of 126

### 7.7.4 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.

h. Test the EUT in the lowest channel, the middle channel, the Highest channel.

i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

j. Repeat above procedures until all frequencies measured was complete.

Remark 1: Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

Remark 2: For frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is undawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

NO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 27 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	351.39	60.86	27.53	2.63	50.18	40.84	74.00	-33.16	Peak
2	390.00	58.77	27.55	2.66	50.13	38.85	74.00	-35.15	Peak
2	412.06	108.11	27.56	2.67	50.05	88.29	74.00	14.29	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: CN. Docchack@sgs.com M. N0.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

t (86-21) 61915666 f (86-21) 61915678


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 28 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	365.39	60.83	27.54	2.64	50.16	40.85	74.00	-33.15	Peak
2	390.00	59.68	27.55	2.66	50.13	39.76	74.00	-34.24	Peak
2	412.06	98.37	27.56	2.67	50.05	78.55	74.00	4.55	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. sample(s) are retained for 30 days only. of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 29 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
	461.96	108.08 60.40	27.58 27.58	2.71 2.73	49.86 49.90	88.51 40.81	74.00 74.00	14.51 -33.19	Peak Peak
	485.65	61.34 60.59	27.58 27.59	2.73 2.74	49.91 49.94	41.74 40.98	74.00 74.00	-32.26 -33.02	Peak Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: CN. Doccheck@sgs.com 0.Ltd: NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 f (86-21) 61915678

中国・上海・松江区金都西路588号 邮编: 201612


t (86-21) 61915666 f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 30 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Antenna Polarity :Vertical

No. Freq					Emission Level			Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2461.96 2483.50	98.60 58.99	27.58	2.71	49.86 49.90	79.03 39.40	74.00 74.00	5.03 -34.60	Peak Peak
2483.30 2491.52 2500.00	60.47 59.65	27.59	2.74	49.90 49.92 49.94	40.88	74.00	-33.12	Peak Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Sinces characteristics and the sample(s) are related for 30 days only. sample(s) are related for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

t (86-21) 61915666

t (86-21) 61915666 f (86-21) 61915678

NO.588	West Jir	ndu Road,	Songjiang Dis	trict, Shangha	iChina	201612	
中国・	上海·	松江区	金都西路58	8号 1	邮编:	201612	

Member of the SGS Group (SGS SA)


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 31 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	2324.00	61.45	27.50	2.65	50.21	41.39	74.00	-32.61	Peak
2	390.00	60.22	27.55	2.66	50.13	40.30	74.00	-33.70	Peak
2	413.68	108.67	27.56	2.67	50.04	88.86	74.00	14.86	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: CN.Doccheck@sgs.com MO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

t (86–21) 61915666 f (86–21) 61915678


www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 32 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	364.99	61.26	27.54	2.64	50.16	41.28	74.00	-32.72	Peak
2	390.00	59.34	27.55	2.66	50.13	39.42	74.00	-34.58	Peak
2	413.88	99.10	27.56	2.68	50.04	79.30	74.00	5.30	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: <u>CN. Doccheck@sgs.com</u> MO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

t (86–21) 61915666 f (86–21) 61915678


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 33 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
-	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
248 248	9.35 3.50 6.09 0.00	108.32 60.12 60.71 59.60	27.57 27.58 27.58 27.59		49.85 49.90 49.91 49.94	88.75 40.53 41.11 39.99	74.00 74.00 74.00 74.00	14.75 -33.47 -32.89 -34.01	Peak Peak Peak Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness characteristics and the standard Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 6307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 6307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 6307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 6307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 6307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 6307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 6307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone (86-755) 6307 1443,

mple(s) are retained for 30 days of tention. To check the authentic email: CN.Doccheck@sgs.com t (86-21) 61915666 f (86-21) 61915678

NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	
中国・上海・松江区金都西路588号 邮编:	201612	

t (86-21) 61915666


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 34 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
_	463.70	98.24 59.23	27.58	2.72	49.86 49.90	78.68 39.64	74.00 74.00	4.68 -34.36	Peak Peak
	494.35	60.58 59.30	27.59 27.59	2.74	49.93 49.94	40.98 39.69	74.00 74.00	-33.02 -34.31	Peak Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Sinces characteristics and the sample(s) are related for 30 days only. sample(s) are related for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

t (86-21) 61915666 f (86-21) 61915678

中国・上海・松江区金都西路588号 邮编::	201612
NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612

t (86-21) 61915666


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 35 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	383.45	62.37	27.55	2.65	50.14	42.43	74.00	-31.57	Peak
2	390.00	59.71	27.55	2.66	50.13	39.79	74.00	-34.21	Peak
2	409.01	108.31	27.56	2.67	50.07	88.47	74.00	14.47	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. sample(s) are retained for 30 days only. of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 36 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	342.06	60.88	27.52	2.64	50.19	40.85	74.00	-33.15	Peak
2	390.00	58.90	27.55	2.66	50.13	38.98	74.00	-35.02	Peak
2	409.01	98.91	27.56	2.67	50.07	79.07	74.00	5.07	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. sample(s) are retained for 30 days only. of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 t (86-21) 61915666 邮编: 201612


f (86-21) 61915678 f (86-21) 61915678 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 37 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Antenna Polarity :Horizontal

Freq								Remark
MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2458.91	108.42	27.57	2.71	49.85	88.85	74.00	14.85	Peak
2483.50	61.89	27.58	2.73	49.90	42.30	74.00	-31.70	Peak
2491.09	60.83	27.59	2.74	49.92	41.24	74.00	-32.76	Peak
2500.00	59.22	27.59	2.74	49.94	39.61	74.00	-34.39	Peak
	MHz 458.91 483.50 491.09	Freq level MHz dBuv 458.91 108.42 483.50 61.89 491.09 60.83	Freq         level         Factor           MHz         dBuv         dB/m           458.91         108.42         27.57           483.50         61.89         27.58           491.09         60.83         27.59	Freq         level         Factor         Loss           MHz         dBuv         dB/m         dB           4458.91         108.42         27.57         2.71           4483.50         61.89         27.58         2.73           491.09         60.83         27.59         2.74	Freq         level         Factor         Loss         Factor           MHz         dBuv         dB/m         dB         dB           458.91         108.42         27.57         2.71         49.85           483.50         61.89         27.58         2.73         49.90           491.09         60.83         27.59         2.74         49.92	Freq         level         Factor         Loss         Factor         Level           MHz         dBuv         dB/m         dB         dB         dBuv/m           4458.91         108.42         27.57         2.71         49.85         88.85           4433.50         61.89         27.58         2.73         49.90         42.30           491.09         60.83         27.59         2.74         49.92         41.24	Freq         level         Factor         Loss         Factor         Level         Line           MHz         dBuv         dB/m         dB         dB         dBuv/m         dBuv/m           458.91         108.42         27.57         2.71         49.85         88.85         74.00           483.50         61.89         27.58         2.73         49.90         42.30         74.00           491.09         60.83         27.59         2.74         49.92         41.24         74.00	MHz         dBuv         dB/m         dB         dB         dBuv/m         dBuv/m         dBuv/m         dB           4458.91         108.42         27.57         2.71         49.85         88.85         74.00         14.85           4433.50         61.89         27.58         2.73         49.90         42.30         74.00         -31.70           491.09         60.83         27.59         2.74         49.92         41.24         74.00         -32.76

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



中国・上海

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: CN. Doccheck@sgs.com Ltd. NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 f (86-21) 61915678

'	松江区金都西路588号	邮编:	201612	t (86-21) 61915666
0	机计区合和正效600日	+0.45	001010	+ (PG 21) 61015666
	ing itension allouid electred ene	ignatorinta	LOIDIA	1 100 21/01010000

Member of the SGS Group (SGS SA)


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 38 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
24 24	68.48 83.50 97.61 00.00	98.30 58.43 60.26 59.06	27.58 27.58 27.59 27.59	2.72 2.73 2.74 2.74	49.87 49.90 49.93 49.94	78.73 38.84 40.66 39.45	74.00 74.00 74.00 74.00	4.73 -35.16 -33.34 -34.55	Peak Peak Peak Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Sinces characteristics and the sample(s) are related for 30 days only. sample(s) are related for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443,

t (86-21) 61915666 f (86-21) 61915678

NO.588 West Jir	du Road, Songjiang District, Sh	anghaiChina	201612	
中国・上海・	松江区金都西路588号	邮编:	201612	

t (86-21) 61915666


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 39 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	388.12	71.08	27.55	2.65	50.13	51.15	74.00	-22.85	Peak
2	390.00	67.69	27.55	2.66	50.13	47.77	74.00	-26.23	Peak
2	414.70	108.24	27.56	2.68	50.03	88.45	74.00	14.45	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (8 中国・上海・松江区金都西路588号 邮编: 201612 t (8

t (86-21) 61915666 t (86-21) 61915666 www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 40 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2	385.88	60.99	27.55	2.65	50.14	41.05	74.00	-32.95	Peak
2	390.00	59.20	27.55	2.66	50.13	39.28	74.00	-34.72	Peak
2	416.93	98.86	27.56	2.68	50.02	79.08	74.00	5.08	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 41 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Antenna Polarity :Horizontal

No. F	Freq					Emission Level			Remark
Ν	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
2483 2485	4.78 3.50 5.68 0.00	107.87 68.70 67.05 59.38	27.57 27.58 27.58 27.59		49.86 49.90 49.91 49.94	88.28 49.11 47.45 39.77	74.00 74.00 74.00 74.00	14.28 -24.89 -26.55 -34.23	Peak Peak Peak Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

t (86-21) 61915666

or email: CN. Doccheck@sgs.com 0. Ltd: NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 f (86-21) 61915678


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 42 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
24 24	442.57 483.50 493.81 500.00	97.82 59.26 60.40 59.10	27.57 27.58 27.59 27.59	2.70 2.73 2.74 2.74	49.87 49.90 49.93 49.94	78.22 39.67 40.80 39.49	74.00 74.00 74.00 74.00	4.22 -34.33 -33.20 -34.51	Peak Peak Peak Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: CN.Doccheck@sgs.com 0 Ltd: NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 f (86-21) 61915678

中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

Member of the SGS Group (SGS SA)

f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 43 of 126

#### 7.8 Radiated Spurious Emissions Below 1GHz

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.4,6.5

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
0.009-0.490	2400/F(kHz)	300
0.490-1.705	24000/F(kHz)	30
1.705-30.0	30	30
30-88	100	3
88-216	150	3
216-960	200	3
960-1000	500	3

#### 7.8.1 E.U.T. Operation

Operating Enviro	nment:					
Temperature:	22.6 °C	Humidity:	49.8 % RH	Atmospheric Pressure:	1010	mbar

#### 7.8.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.


NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn



Report No.:	SHCR230800171401
Page:	44 of 126

#### 7.8.3 Test Setup Diagram



#### 7.8.4 Measurement Procedure and Data

a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 or 10 meter semi-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using quasi-peak method as specified and then reported in a data sheet.

g. Test the EUT in the lowest channel, the middle channel, the Highest channel.

h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

i. Repeat above procedures until all frequencies measured was complete.

Remark:

1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

2. Scan from 9kHz to 30MHz, the disturbance below 30MHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3. The disturbance below 1GHz was very low and the harmonics were the highest point could be found when testing, so only the above harmonics had been displayed.




	Unless otherwise agreed in writing, this document is issu available on request or accessible at <u>https://www.sqs.</u> indemnification and jurisdiction issues defined therein. A the Company's findings at the time of its intervention responsibility is to its Client and this document does not under the transaction documents. This document cannot unauthorized alteration, forgery or falsification of the con to the fullest extent of the law. Unless otherwise stated sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspe or emails: CN. Doccheck@sgs.com	com/en/Ti Any holder only and exonerate t be repro- tent or ap the result	erms-and-Conditions. A of this document is advi- within the limits of Clie parties to a transaction duced except in full, with pearance of this document s shown in this test report	ttention is drawn to the sed that information co- nt's instructions, if any from exercising all thei out prior written approv- nt is unlawful and offend ort refer only to the sam	e limitation of liability, ntained hereon reflects . The Company's sole r rights and obligations al of the Company. Any ters may be prosecuted uple(s) tested and such	
ġ.	NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201	1612	t (86-21) 61915666	f (86-21) 61915678	www.sgsgroup.com.cn	
	中国・上海・松江区金都西路588号 邮编: 201	1612	t (86-21) 61915666	f (86-21) 61915678	sgs.china@sgs.com	

Member of the SGS Group (SGS SA)



Report No.: SHCR230800171401 Page: 45 of 126

#### Test Mode: 00; Polarity: Horizontal



Condition : Mode:

No.	Freq (MHz)	Read level (dBuV)	LISN Factor (dB)	Cable Loss (dB)	Emission Level (dBuV)		Over Limit (dB)	Remark
1	31.07	2.69	24.89	9 0.23	27.81	40.00	) -12.19	QP
2	120.28	3.25	18.47	7 0.91	22.63	43.50	) -20.87	V QP
3	570.61	2.88	3 24.94	4 2.25	30.07	46.00	) -15.93	9 QP
4	719.20	3.46	25.53	3 2.43	31.42	46.00	) -14.58	8 QP
5	776.88	3.68	25.97	7 2.30	31.95	46.00	) -14.05	6 QP
6	938.83	3.08	26.65	5 2.59	32.32	46.00	-13.68	9 QP

Notes: Emission Level = Read Level +LTSN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/an/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_DoccheckBegs.com

Attention: To check the authentic or email: CN.Doccheck@sgs.com 36-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn

1	NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t (86-21) 61915666
	中国・上海・松江区金都西路588号 邮编:	201612	t (86-21) 61915666


Member of the SGS Group (SGS SA)

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 46 of 126

Test Mode: 00; Polarity: Vertical



Notes: Emission Level = Read Level +LISN Factor + Cable loss



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443.

tention: To check the authentic email: CN.Doccheck@sgs.com

1	NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	
	中国・上海・松江区金都西路588号 邮编:	201612	

t (86-21) 61915666 f (86-21) 61915678 t (86-21) 61915666 f (86-21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 47 of 126

#### 7.9 Radiated Spurious Emissions Above 1GHz

Test Requirement	47 CFR Part 15, Subpart C 15.205 & 15.209
Test Method:	ANSI C63.10 (2013) Section 6.6

Limit:

Frequency(MHz)	Field strength(microvolts/meter)	Measurement distance(meters)
Above 1000	500	3


#### 7.9.1 E.U.T. Operation

Operating Environment:						
Temperature:	22.6 °C	Humidity:	49.9 % RH	Atmospheric Pressure: 1010 mb	ar	

#### 7.9.2 Test Mode Description

Pre-scan / Final test	Mode Code	Description
Final test	00	TX mode_Keep the EUT in continuously transmitting mode with all modulation types. All data rates for each modulation type have been tested and found the data rate @ 1Mbps is the worst case of IEEE 802.11b; data rate @ 6Mbps is the worst case of IEEE 802.11g; data rate @ 6.5Mbps is the worst case of IEEE 802.11n(HT20); data rate @ 13.5Mbps is the worst case of IEEE 802.11n(HT40), final test modes are considering the modulation and worse data rates. Only the data of worst case is recorded in the report.

#### 7.9.3 Test Setup Diagram



Above 1GHz



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/an/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)e307 1443,

or email: CN.Doccheck@sgs.com			and have been a stand	
NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	t (86-21) 61915666	f (86-21) 61915678	www.sgsgroup.com.cn
中国・上海・松江区金都西路588号 邮编:	201612	t (86-21) 61915666	f (86-21) 61915678	sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SHCR230800171401 Page: 48 of 126

#### 7.9.4 Measurement Procedure and Data

a. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter fully-anechoic chamber. The table was rotated 360 degrees to determine the position of the highest radiation.

b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.

c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.

d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters (for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.

e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.

f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak or average method as specified and then reported in a data sheet.

g. Test the EUT in the lowest channel, the middle channel, the Highest channel.

h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, and found the X axis positioning which it is the worst case.

i. Repeat above procedures until all frequencies measured was complete.

Remark:

1. Level= Read Level+ Cable Loss+ Antenna Factor- Preamp Factor

2. Scan from 1GHz to 25GHz, the disturbance above 18GHz was very low. The points marked on above plots are the highest emissions could be found when testing, so only above points had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.

3. As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. For the emissions whose peak level is lower than the average limit, only the peak measurement is shown in the report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refor only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 6307 1443.


NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t ( 中国・上海・松江区金都西路588号 邮编: 201612 t (

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 49 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	824.00	52.81	31.30	4.14	47.80	40.45	74.00	-33.55	Peak
7	236.00	49.92	35.83	5.36	46.63	44.48	74.00	-29.52	Peak
9	648.00	49.89	38.24	5.72	46.15	47.70	74.00	-26.30	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness calorings and the stress of the second stress of the

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 t (86-21) 61915666 中国・上海・松江区金都西路588号

邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 50 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	824.00	51.74	31.30	4.14	47.80	39.38	74.00	-34.62	Peak
7	236.00	48.16	35.83	5.36	46.63	42.72	74.00	-31.28	Peak
9	648.00	47.43	38.24	5.72	46.15	45.24	74.00	-28.76	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity of testing /inspection report & certificate</u>, please contact us at telephone: (86-755)6307 1443,

or email: CN.Docchack@sgs.com NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

t (86–21) 61915666 f (86–21) 61915678


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 51 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	50.08	31.41	4.17	47.77	37.89	74.00	-36.11	Peak
7	311.00	49.42	36.05	5.42	46.70	44.19	74.00	-29.81	Peak
9	748.00	49.02	38.34	5.74	46.11	46.99	74.00	-27.01	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity of testing /inspection report & certificate</u>, please contact us at telephone: (86-755)6307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (8 中国・上海・松江区金都西路588号 邮编: 201612 t (8

t (86-21) 61915666 t (86-21) 61915666 www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 52 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:middle



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	50.62	31.41	4.17	47.77	38.43	74.00	-35.57	Peak
7	311.00	49.05	36.05	5.42	46.70	43.82	74.00	-30.18	Peak
9	748.00	48.20	38.34	5.74	46.11	46.17	74.00	-27.83	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity of testing /inspection report & certificate</u>, please contact us at telephone: (86-755)6307 1443,

or email: EN:Doccheck@sgs.com NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

f (86-21) 61915678 sgs.china@sgs.com


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 53 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	924.00	50.92	31.51	4.19	47.74	38.88	74.00	-35.12	Peak
7	386.00	48.41	36.28	5.49	46.78	43.40	74.00	-30.60	Peak
9	848.00	49.49	38.44	5.77	46.06	47.64	74.00	-26.36	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 54 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11b; Bandwidth:20MHz; Channel:High



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	924.00	51.01	31.51	4.19	47.74	38.97	74.00	-35.03	Peak
7	386.00	49.38	36.28	5.49	46.78	44.37	74.00	-29.63	Peak
9	848.00	49.31	38.44	5.77	46.06	47.46	74.00	-26.54	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 55 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	824.00	52.08	31.30	4.14	47.80	39.72	74.00	-34.28	Peak
7	236.00	48.85	35.83	5.36	46.63	43.41	74.00	-30.59	Peak
9	648.00	49.23	38.24	5.72	46.15	47.04	74.00	-26.96	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 56 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	824.00	52.44	31.30	4.14	47.80	40.08	74.00	-33.92	Peak
7	236.00	47.70	35.83	5.36	46.63	42.26	74.00	-31.74	Peak
9	648.00	47.95	38.24	5.72	46.15	45.76	74.00	-28.24	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 57 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	51.53	31.41	4.17	47.77	39.34	74.00	-34.66	Peak
7	311.00	48.41	36.05	5.42	46.70	43.18	74.00	-30.82	Peak
9	748.00	49.34	38.34	5.74	46.11	47.31	74.00	-26.69	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity of testing /inspection report & certificate</u>, please contact us at telephone: (86-755)6307 1443,

 Image: Crimer Crimer Construction
 Construction

Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 58 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:middle



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	50.62	31.41	4.17	47.77	38.43	74.00	-35.57	Peak
7	311.00	48.48	36.05	5.42	46.70	43.25	74.00	-30.75	Peak
9	748.00	48.96	38.34	5.74	46.11	46.93	74.00	-27.07	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: <u>CN.Doccheck@sgs.com</u> MO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

2 t (86-21) 61915666 f (86-21) 61915678


www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 59 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	924.00	50.72	31.51	4.19	47.74	38.68	74.00	-35.32	Peak
7	386.00	52.06	36.28	5.49	46.78	47.05	74.00	-26.95	Peak
9	848.00	49.76	38.44	5.77	46.06	47.91	74.00	-26.09	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号

t (86-21) 61915666 邮编: 201612

Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 60 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11g; Bandwidth:20MHz; Channel:High



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	924.00	51.32	31.51	4.19	47.74	39.28	74.00	-34.72	Peak
7	386.00	50.55	36.28	5.49	46.78	45.54	74.00	-28.46	Peak
9	848.00	48.78	38.44	5.77	46.06	46.93	74.00	-27.07	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: CN.Docchock@sgs.com NO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 t (86–21) 61915666

中国・上海・松江区金都西路588号 邮编: 201612

t (86-21) 61915666

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 61 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	824.00	51.14	31.30	4.14	47.80	38.78	74.00	-35.22	Peak
7	236.00	48.18	35.83	5.36	46.63	42.74	74.00	-31.26	Peak
9	648.00	48.39	38.24	5.72	46.15	46.20	74.00	-27.80	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: <u>CN.Doccheck@sgs.com</u> MO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

t (86-21) 61915666 f (86-21) 61915678


www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 62 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	824.00	52.55	31.30	4.14	47.80	40.19	74.00	-33.81	Peak
7	236.00	48.67	35.83	5.36	46.63	43.23	74.00	-30.77	Peak
9	648.00	48.14	38.24	5.72	46.15	45.95	74.00	-28.05	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 t (86-21) 61915666

中国・上海・松江区金都西路588号 邮编: 201612

Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 63 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	50.79	31.41	4.17	47.77	38.60	74.00	-35.40	Peak
7	311.00	48.66	36.05	5.42	46.70	43.43	74.00	-30.57	Peak
9	748.00	49.29	38.34	5.74	46.11	47.26	74.00	-26.74	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity of testing /inspection report & certificate</u>, please contact us at telephone: (86-755)6307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t( 中国・上海・松江区金都西路588号 邮编: 201612 t(

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 64 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	49.84	31.41	4.17	47.77	37.65	74.00	-36.35	Peak
7	311.00	49.12	36.05	5.42	46.70	43.89	74.00	-30.11	Peak
9	748.00	49.19	38.34	5.74	46.11	47.16	74.00	-26.84	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: CN. Docchack@sgs.com MO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

t (86–21) 61915666 f (86–21) 61915678


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 65 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	924.00	51.12	31.51	4.19	47.74	39.08	74.00	-34.92	Peak
7	386.00	50.37	36.28	5.49	46.78	45.36	74.00	-28.64	Peak
9	848.00	49.69	38.44	5.77	46.06	47.84	74.00	-26.16	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: <u>CN.Doccheck@sg\*.com</u> MO.588 West Jindu Road,Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

邮编: 201612 t (86-21) 61915666 f (86-21) 61915678


www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 66 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	924.00	51.94	31.51	4.19	47.74	39.90	74.00	-34.10	Peak
7	386.00	50.46	36.28	5.49	46.78	45.45	74.00	-28.55	Peak
9	848.00	49.16	38.44	5.77	46.06	47.31	74.00	-26.69	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: <u>CN.Doccheck@sgs.com</u> MO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666

t (86-21) 61915666 f (86-21) 61915678


www.sgsgroup.com.cn

sgs.china@sgs.com



Report No.: SHCR230800171401 Page: 67 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	844.00	51.52	31.34	4.15	47.79	39.22	74.00	-34.78	Peak
7	266.00	48.93	35.92	5.38	46.66	43.57	74.00	-30.43	Peak
9	688.00	48.43	38.28	5.73	46.13	46.31	74.00	-27.69	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company's and unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

dt NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86–21) 61915666

中国・上海・松江区金都西路588号 邮编: 201612

t (86-21) 61915666

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 68 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	844.00	50.39	31.34	4.15	47.79	38.09	74.00	-35.91	Peak
7	266.00	49.06	35.92	5.38	46.66	43.70	74.00	-30.30	Peak
9	688.00	49.10	38.28	5.73	46.13	46.98	74.00	-27.02	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 t (86-21) 61915666

邮编: 201612

f (86-21) 61915678


f (86-21) 61915678

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 69 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	50.59	31.41	4.17	47.77	38.40	74.00	-35.60	Peak
7	311.00	48.63	36.05	5.42	46.70	43.40	74.00	-30.60	Peak
9	748.00	48.79	38.34	5.74	46.11	46.76	74.00	-27.24	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness calorings and the stress of the second stress of the

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612


f (86-21) 61915678 f (86-21) 61915678 sgs.china@sgs.com

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 70 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:middle



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	874.00	53.15	31.41	4.17	47.77	40.96	74.00	-33.04	Peak
7	311.00	48.77	36.05	5.42	46.70	43.54	74.00	-30.46	Peak
9	748.00	48.51	38.34	5.74	46.11	46.48	74.00	-27.52	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the <u>authenticity of testing /inspection report & certificate</u>, please contact us at telephone: (86-755)6307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86 中国・上海・松江区金都西路588号 邮编: 201612 t (86

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 71 of 126

Test Mode: 00; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Antenna Polarity :Horizontal

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	904.00	49.72	31.47	4.18	47.76	37.61	74.00	-36.39	Peak
7	356.00	49.07	36.19	5.46	46.75	43.97	74.00	-30.03	Peak
9	808.00	48.91	38.40	5.76	46.08	46.99	74.00	-27.01	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612

t (86-21) 61915666

www.sgsgroup.com.cn


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 72 of 126

Test Mode: 00; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Antenna Polarity :Vertical

No.	Freq					Emission Level			Remark
	MHz	dBuv	dB/m	dB	dB	dBuv/m	dBuv/m	dB	
4	904.00	49.89	31.47	4.18	47.76	37.78	74.00	-36.22	Peak
7	356.00	49.48	36.19	5.46	46.75	44.38	74.00	-29.62	Peak
9	808.00	48.54	38.40	5.76	46.08	46.62	74.00	-27.38	Peak

Notes: Emission Level=Read Level+Antenna Factor+Cable loss-Preamp Factor



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86-21) 61915666 中国・上海・松江区金都西路588号 t (86-21) 61915666

邮编: 201612

f (86-21) 61915678 sgs.china@sgs.com Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn



Report No.: SHCR230800171401 Page: 73 of 126

## 8 Test Setup Photo

Refer to Appendix - Test Setup Photo for SHCR2308001714AT

# 9 EUT Constructional Details (EUT Photos)

Refer to Appendix - Photographs of EUT Constructional Details for SHCR2308001714AT



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

or email: CN.Doccheck@sgs.com NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (86–21) 61915666 中国・上海・松江区金都西路588号 邮编: 201612 t (86–21) 61915666

t (86-21) 61915666 f (86-21) 61915678

www.sgsgroup.com.cn

sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 74 of 126

## **10** Appendix

- 1. Duty Cycle
- 1.1 Ant1

#### 1.1.1 Test Result

	Ant1						
Mode	ТХ Туре	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
		2412	100.000	100.000	100.00	0.00	0.00
802.11b	SISO	2437	100.000	100.000	100.00	0.00	0.00
		2462	100.000	100.000	100.00	0.00	0.00
		2412	100.000	100.000	100.00	0.00	0.00
802.11g	SISO	2437	100.000	100.000	100.00	0.00	0.00
		2462	100.000	100.000	100.00	0.00	0.00
000.44		2412	100.000	100.000	100.00	0.00	0.00
802.11n (HT20)	SISO	2437	100.000	100.000	100.00	0.00	0.00
(11120)		2462	100.000	100.000	100.00	0.00	0.00
		2422	100.000	100.000	100.00	0.00	0.00
802.11n (HT40)	SISO	2437	100.000	100.000	100.00	0.00	0.00
(1140)		2452	100.000	100.000	100.00	0.00	0.00



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

f (86-21) 61915678 www.sgsgroup.com.cn

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666 t (86-21) 61915666


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 75 of 126


#### 1.1.2 Test Graph








Report No.: SHCR230800171401 Page: 76 of 126








Report No.: SHCR230800171401 Page: 77 of 126








Report No.: SHCR230800171401 Page: 78 of 126








Report No.: SHCR230800171401 Page: 79 of 126







Report No.: SHCR230800171401 Page: 80 of 126







Report No.: SHCR230800171401 Page: 81 of 126

#### 2. Bandwidth

2.1 OBW

#### 2.1.1 Test Result

Mada	ТХ	Frequency	ANT	99% Occupied Bandwidth (MHz)	Verdict	
Mode	Туре	(MHz)	ANT	Result	verdict	
	SISO	2412	1	14.960	Pass	
802.11b		2437	1	14.963	Pass	
		2462	1	14.956	Pass	
	SISO	2412	1	17.568	Pass	
802.11g		2437	1	17.565	Pass	
		2462	1	17.543	Pass	
	SISO	2412	1	18.397	Pass	
802.11n (HT20)		2437	1	18.388	Pass	
(11120)		2462	1	18.360	Pass	
	SISO	2422	1	36.260	Pass	
802.11n (HT40)		2437	1	36.253	Pass	
(1140)		2452	1	36.214	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/an/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's indings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is uniawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Since s called the stand of the stan

t (86-21) 61915666 NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 f (86-21) 61915678 www.sgsgroup.com.cn

中国・上海・松江区金都西路588号 邮编: 201612 t (86-21) 61915666


sgs.china@sgs.com

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 82 of 126


#### 2.1.2 Test Graph








Report No.: SHCR230800171401 Page: 83 of 126








Report No.: SHCR230800171401 Page: 84 of 126








Report No.: SHCR230800171401 Page: 85 of 126








Report No.: SHCR230800171401 Page: 86 of 126







Report No.: SHCR230800171401 Page: 87 of 126







Report No.: SHCR230800171401 Page: 88 of 126

#### 2.2 6dB BW

#### 2.2.1 Test Result

Mode	ТХ Туре	Frequency (MHz)	ANT	6dB Bandw	) (a nali at		
				Result	Limit	Verdict	
	SISO	2412	1	10.098	>=0.5	Pass	
802.11b		2437	1	10.098	>=0.5	Pass	
		2462	1	10.090	>=0.5	Pass	
	SISO	2412	1	16.602	>=0.5	Pass	
802.11g		2437	1	16.606	>=0.5	Pass	
		2462	1	16.599	>=0.5	Pass	
	SISO	2412	1	17.811	>=0.5	Pass	
802.11n (HT20)		2437	1	17.789	>=0.5	Pass	
		2462	1	17.796	>=0.5	Pass	
802.11n (HT40)			2422	1	36.392	>=0.5	Pass
	SISO	2437	1	36.373	>=0.5	Pass	
	(1140)		2452	1	36.383	>=0.5	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Cilent's instructions, if any. The Company's sole responsibility is to its Cilent and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755/83071443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t (8 中国・上海・松江区金都西路588号 邮编: 201612 t (8

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn

sgs.china@sgs.com

f (86-21) 61915678


f (86-21) 61915678



Report No.: SHCR230800171401 Page: 89 of 126

Member of the SGS Group (SGS SA)


#### 2.2.2 Test Graph








Report No.: SHCR230800171401 Page: 90 of 126








Report No.: SHCR230800171401 Page: 91 of 126








Report No.: SHCR230800171401 Page: 92 of 126








Report No.: SHCR230800171401 Page: 93 of 126







Report No.: SHCR230800171401 Page: 94 of 126







Report No.: SHCR230800171401 Page: 95 of 126

#### 3. Maximum Conducted Output Power

3.1 Power

#### 3.1.1 Test Result

Mode	ТХ Туре	Frequency	Maximum Average Cor (dB	Verdict		
		(MHz)	ANT1	Limit		
	SISO	2412	7.39	<=30	Pass	
802.11b		2437	7.18	<=30	Pass	
		2462	7.43	<=30	Pass	
	SISO		2412	7.24	<=30	Pass
802.11g		2437	7.45	<=30	Pass	
		2462	6.93	<=30	Pass	
		2412	7.09	<=30	Pass	
802.11n (HT20)		SISO	2437	7.40	<=30	Pass
			2462	6.89	<=30	Pass
802.11n (HT40)		2422	7.04	<=30	Pass	
		SISO	2437	7.29	<=30	Pass
		2452	7.41	<=30	Pass	
Note1: Anten	na Gain: An	t1: -3.17dBi;				



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Siness caloring state and a state of the state of

t (86-21) 61915666 NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 t (86-21) 61915666

邮编: 201612

Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn

sgs.china@sgs.com


f (86-21) 61915678

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 96 of 126

#### 3.1.2 Test Graph



Unless of the Comparison 在設行為例を用意 Inspection & Testing Services SGS-CST Comparison Services EEC EMC Lab

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sgs.com/an/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN\_DoccheckBegs.com


or email: LN.DOCCHECKIDSGS.com		
NO.588 West Jindu Road, Songjiang District, ShanghaiChina	201612	
中国・上海・松江区金都西路588号 邮编:	201612	

t (86–21) 61915666 f (86–21) 61915678 t (86–21) 61915666 f (86–21) 61915678 www.sgsgroup.com.cn

sgs.china@sgs.com




Report No.: SHCR230800171401 Page: 97 of 126








Report No.: SHCR230800171401 Page: 98 of 126








Report No.: SHCR230800171401 Page: 99 of 126








Report No.: SHCR230800171401 Page: 100 of 126







Report No.: SHCR230800171401 Page: 101 of 126







Report No.: SHCR230800171401 Page: 102 of 126

#### 4. Maximum Power Spectral Density

4.1 PSD

#### 4.1.1 Test Result

Mode	ТХ	Frequency	Maximum PSD (dBm/3kHz)		Vardist
	Туре	(MHz)	ANT1	Limit	Verdict
		2412	-22.44	<=8	Pass
802.11b	SISO	2437	-22.72	<=8	Pass
		2462	-22.40	<=8	Pass
802.11g	SISO	2412	-21.50	<=8	Pass
		2437	-21.22	<=8	Pass
		2462	-21.64	<=8	Pass
802.11n (HT20)	SISO	2412	-21.04	<=8	Pass
		2437	-20.90	<=8	Pass
		2462	-21.00	<=8	Pass
802.11n (HT40)	SISO	2422	-22.63	<=8	Pass
		2437	-20.33	<=8	Pass
		2452	-21.32	<=8	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>https://www.sps.com/en/Terms-and-Conditions</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. to the fullest extent of the law. Since s called the stand of the stan

t (86-21) 61915666 NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 中国・上海・松江区金都西路588号 邮编: 201612

t (86-21) 61915666

www.sgsgroup.com.cn

sgs.china@sgs.com


f (86-21) 61915678

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 103 of 126


#### 4.1.2 Test Graph








Report No.: SHCR230800171401 Page: 104 of 126








Report No.: SHCR230800171401 Page: 105 of 126








Report No.: SHCR230800171401 Page: 106 of 126








Report No.: SHCR230800171401 Page: 107 of 126







Report No.: SHCR230800171401 Page: 108 of 126







Report No.: SHCR230800171401 Page: 109 of 126

#### 5. Unwanted Emissions In Non-restricted Frequency Bands

5.1 Ref

#### 5.1.1 Test Result

Mode	ТХ Туре	Frequency (MHz)	ANT	Level of Reference (dBm)	
802.11b		2412	1	-2.40	
	SISO	2437	1	-2.58	
		2462	1	-2.34	
802.11g	SISO	2412	1	-7.19	
		2437	1	-7.00	
		2462	1	-7.37	
	SISO	2412	1	-6.83	
802.11n (HT20)		2437	1	-6.59	
		2462	1	-7.11	
	SISO	2422	1	-9.88	
802.11n (HT40)		2437	1	-9.76	
		2452	1	-9.54	

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com/en/Terms-and-Conditions. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or faisification of the content or appearance of this document is unawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755)8307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t 中国・上海・松江区金都西路588号 邮编: 201612 t

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn

sgs.china@sgs.com


f (86-21) 61915678

f (86-21) 61915678



Report No.: SHCR230800171401 Page: 110 of 126


#### 5.1.2 Test Graph








Report No.: SHCR230800171401 Page: 111 of 126








Report No.: SHCR230800171401 Page: 112 of 126








Report No.: SHCR230800171401 Page: 113 of 126








Report No.: SHCR230800171401 Page: 114 of 126







Report No.: SHCR230800171401 Page: 115 of 126







Report No.: SHCR230800171401 Page: 116 of 126

#### 5.2 CSE

#### 5.2.1 Test Result

Mode	ТХ Туре	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
802.11b	SISO	2412	1	-2.34	-32.34	Pass
		2437	1	-2.34	-32.34	Pass
		2462	1	-2.34	-32.34	Pass
802.11g	SISO	2412	1	-7.00	-37.00	Pass
		2437	1	-7.00	-37.00	Pass
		2462	1	-7.00	-37.00	Pass
802.11n (HT20)	SISO	2412	1	-6.59	-36.59	Pass
		2437	1	-6.59	-36.59	Pass
		2462	1	-6.59	-36.59	Pass
802.11n (HT40)	SISO	2422	1	-9.54	-39.54	Pass
		2437	1	-9.54	-39.54	Pass
		2452	1	-9.54	-39.54	Pass
		15.247 (d) and A reference level.	NSI C63.10	-2013, the channel contai	ns the maxim	um PSD level



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/an/Terms-and-Conditions">https://www.sgs.com/an/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755/8307 1443,

NO.588 West Jindu Road, Songjiang District, ShanghaiChina 201612 t( 中国・上海・松江区金都西路588号 邮编: 201612 t(

t (86–21) 61915666 t (86–21) 61915666 www.sgsgroup.com.cn

sgs.china@sgs.com

f (86-21) 61915678


f (86-21) 61915678



Report No.: SHCR230800171401 Page: 117 of 126

Member of the SGS Group (SGS SA)


#### 5.2.2 Test Graph








Report No.: SHCR230800171401 Page: 118 of 126








Report No.: SHCR230800171401 Page: 119 of 126








Report No.: SHCR230800171401 Page: 120 of 126








Report No.: SHCR230800171401 Page: 121 of 126








Report No.: SHCR230800171401 Page: 122 of 126








Report No.: SHCR230800171401 Page: 123 of 126








Report No.: SHCR230800171401 Page: 124 of 126








Report No.: SHCR230800171401 Page: 125 of 126







Report No.: SHCR230800171401 Page: 126 of 126



#### - End of the Report -



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/an/Terms-and-Conditions">https://www.sgs.com/an/Terms-and-Conditions</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only. Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755/8307-1443, or emails: CN. Doccheck mean terms com

Di ema	III. I.A. DOLLINGUNGSHA COM				
NO.588	West Jindu Road, Songjiang District, Shan	ghaiChina	201612	t (86-21) 61915666	f (86-21) 61915678
中国	上海・松江区金都西路588号	邮编:	201612	t (86-21) 61915666	f (86-21) 61915678

Member of the SGS Group (SGS SA)

www.sgsgroup.com.cn

sgs.china@sgs.com