




802.11a_MCH_5785MHz_Ant1_NTNV




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



4. Maximum Power Spectral Density


4.1 PSD

4.1.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	4.16	<=11	Pass
		5200	4.44	<=11	Pass
		5240	4.43	<=11	Pass
802.11n (HT20)	SISO	5180	3.94	<=11	Pass
		5200	3.96	<=11	Pass
		5240	4.10	<=11	Pass
802.11n (HT40)	SISO	5190	1.45	<=11	Pass
		5230	1.46	<=11	Pass
802.11ac (VHT20)	SISO	5180	1.33	<=11	Pass
		5200	1.42	<=11	Pass
		5240	4.35	<=11	Pass
802.11ac (VHT40)	SISO	5190	1.46	<=11	Pass
		5230	1.47	<=11	Pass
802.11ac (VHT80)	SISO	5210	-1.75	<=11	Pass

Note1: Antenna Gain: Ant1: 1.16dBi;


4.1.2 Test Graph




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5180MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5200MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




4.2 PSD-Band3

4.2.1 Test Result


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/500kHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5745	2.14	<=30	Pass
		5785	2.26	<=30	Pass
		5825	2.20	<=30	Pass
802.11n (HT20)	SISO	5745	1.95	<=30	Pass
		5785	1.88	<=30	Pass
		5825	2.07	<=30	Pass
802.11n (HT40)	SISO	5755	-1.16	<=30	Pass
		5795	-1.03	<=30	Pass
802.11ac (VHT20)	SISO	5745	1.89	<=30	Pass
		5785	2.13	<=30	Pass
		5825	1.93	<=30	Pass
802.11ac (VHT40)	SISO	5755	-1.10	<=30	Pass
		5795	-0.94	<=30	Pass
802.11ac (VHT80)	SISO	5775	-4.03	<=30	Pass

Note1: Antenna Gain: Ant1: 1.16dBi;


4.2.2 Test Graph




802.11a_HCH_5825MHz_Ant1_NTNV




802.11n(HT20)_LCH_5745MHz_Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40)_LCH_5755MHz_Ant1_NTNV




802.11n(HT40)_HCH_5795MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5745MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5785MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5825MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5755MHz_Ant1_NTNV



802.11ac(VHT40)_HCH_5795MHz_Ant1_NTNV



802.11ac(VHT80)_MCH_5775MHz_Ant1_NTNV



5. Frequency Stability

5.1 Ant1

5.1.1 Test Result

Ant1							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
Carrier Wave	SISO	5180	20	102	5179.975	5150 to 5250	Pass
				120	5179.974	5150 to 5250	Pass
				138	5179.974	5150 to 5250	Pass
			-30	120	5179.974	5150 to 5250	Pass
			-20	120	5179.974	5150 to 5250	Pass
			-10	120	5179.974	5150 to 5250	Pass
			0	120	5179.974	5150 to 5250	Pass
			10	120	5179.974	5150 to 5250	Pass
			30	120	5179.974	5150 to 5250	Pass
			40	120	5179.974	5150 to 5250	Pass
			50	120	5179.974	5150 to 5250	Pass
		5200	20	102	5199.973	5150 to 5250	Pass
				120	5199.973	5150 to 5250	Pass
				138	5199.973	5150 to 5250	Pass
			-30	120	5199.973	5150 to 5250	Pass
			-20	120	5199.973	5150 to 5250	Pass
			-10	120	5199.973	5150 to 5250	Pass
			0	120	5199.973	5150 to 5250	Pass
			10	120	5199.973	5150 to 5250	Pass
			30	120	5199.973	5150 to 5250	Pass
			40	120	5199.973	5150 to 5250	Pass
			50	120	5199.973	5150 to 5250	Pass
		5240	20	102	5239.973	5150 to 5250	Pass
				120	5239.973	5150 to 5250	Pass
				138	5239.973	5150 to 5250	Pass
			-30	120	5239.973	5150 to 5250	Pass
			-20	120	5239.973	5150 to 5250	Pass
			-10	120	5239.973	5150 to 5250	Pass
			0	120	5239.973	5150 to 5250	Pass
			10	120	5239.973	5150 to 5250	Pass
			30	120	5239.973	5150 to 5250	Pass
			40	120	5239.973	5150 to 5250	Pass
			50	120	5239.973	5150 to 5250	Pass
		5745	20	102	5744.970	5725 to 5850	Pass
				120	5744.970	5725 to 5850	Pass
				138	5744.970	5725 to 5850	Pass
			-30	120	5744.970	5725 to 5850	Pass
			-20	120	5744.970	5725 to 5850	Pass
			-10	120	5744.970	5725 to 5850	Pass
			0	120	5744.970	5725 to 5850	Pass
			10	120	5744.970	5725 to 5850	Pass
			30	120	5744.970	5725 to 5850	Pass
			40	120	5744.970	5725 to 5850	Pass
			50	120	5744.970	5725 to 5850	Pass
		5785	20	102	5784.970	5725 to 5850	Pass

				120	5784.970	5725 to 5850	Pass
				138	5784.970	5725 to 5850	Pass
			-30	120	5784.970	5725 to 5850	Pass
			-20	120	5784.970	5725 to 5850	Pass
			-10	120	5784.970	5725 to 5850	Pass
			0	120	5784.970	5725 to 5850	Pass
			10	120	5784.970	5725 to 5850	Pass
			30	120	5784.970	5725 to 5850	Pass
			40	120	5784.970	5725 to 5850	Pass
			50	120	5784.970	5725 to 5850	Pass
		5825	20	102	5824.970	5725 to 5850	Pass
				120	5824.969	5725 to 5850	Pass
				138	5824.969	5725 to 5850	Pass
			-30	120	5824.969	5725 to 5850	Pass
			-20	120	5824.969	5725 to 5850	Pass
			-10	120	5824.969	5725 to 5850	Pass
			0	120	5824.969	5725 to 5850	Pass
			10	120	5824.969	5725 to 5850	Pass
			30	120	5824.969	5725 to 5850	Pass
			40	120	5824.969	5725 to 5850	Pass
			50	120	5824.969	5725 to 5850	Pass
		5190	20	102	5189.973	5150 to 5250	Pass
				120	5189.973	5150 to 5250	Pass
				138	5189.973	5150 to 5250	Pass
			-30	120	5189.973	5150 to 5250	Pass
			-20	120	5189.973	5150 to 5250	Pass
			-10	120	5189.973	5150 to 5250	Pass
			0	120	5189.973	5150 to 5250	Pass
			10	120	5189.973	5150 to 5250	Pass
			30	120	5189.973	5150 to 5250	Pass
			40	120	5189.973	5150 to 5250	Pass
			50	120	5189.973	5150 to 5250	Pass
		5230	20	102	5229.972	5150 to 5250	Pass
				120	5229.972	5150 to 5250	Pass
				138	5229.972	5150 to 5250	Pass
			-30	120	5229.972	5150 to 5250	Pass
			-20	120	5229.972	5150 to 5250	Pass
			-10	120	5229.973	5150 to 5250	Pass
			0	120	5229.972	5150 to 5250	Pass
			10	120	5229.972	5150 to 5250	Pass
			30	120	5229.972	5150 to 5250	Pass
			40	120	5229.972	5150 to 5250	Pass
			50	120	5229.973	5150 to 5250	Pass
		5755	20	102	5754.970	5725 to 5850	Pass
				120	5754.970	5725 to 5850	Pass
				138	5754.970	5725 to 5850	Pass
			-30	120	5754.970	5725 to 5850	Pass
			-20	120	5754.970	5725 to 5850	Pass
			-10	120	5754.970	5725 to 5850	Pass
			0	120	5754.970	5725 to 5850	Pass
			10	120	5754.970	5725 to 5850	Pass
			30	120	5754.970	5725 to 5850	Pass
			40	120	5754.970	5725 to 5850	Pass
			50	120	5754.970	5725 to 5850	Pass
		5795	20	102	5794.969	5725 to 5850	Pass
				120	5794.969	5725 to 5850	Pass
				138	5794.969	5725 to 5850	Pass
			-30	120	5794.969	5725 to 5850	Pass

			-20	120	5794.969	5725 to 5850	Pass
			-10	120	5794.969	5725 to 5850	Pass
			0	120	5794.969	5725 to 5850	Pass
			10	120	5794.969	5725 to 5850	Pass
			30	120	5794.969	5725 to 5850	Pass
			40	120	5794.969	5725 to 5850	Pass
			50	120	5794.969	5725 to 5850	Pass
		5210	20	102	5209.973	5150 to 5250	Pass
				120	5209.973	5150 to 5250	Pass
				138	5209.973	5150 to 5250	Pass
			-30	120	5209.973	5150 to 5250	Pass
			-20	120	5209.973	5150 to 5250	Pass
			-10	120	5209.973	5150 to 5250	Pass
			0	120	5209.973	5150 to 5250	Pass
			10	120	5209.973	5150 to 5250	Pass
			30	120	5209.973	5150 to 5250	Pass
			40	120	5209.973	5150 to 5250	Pass
			50	120	5209.972	5150 to 5250	Pass
		5775	20	102	5774.970	5725 to 5850	Pass
				120	5774.970	5725 to 5850	Pass
				138	5774.970	5725 to 5850	Pass
			-30	120	5774.970	5725 to 5850	Pass
			-20	120	5774.970	5725 to 5850	Pass
			-10	120	5774.970	5725 to 5850	Pass
			0	120	5774.970	5725 to 5850	Pass
			10	120	5774.970	5725 to 5850	Pass
			30	120	5774.970	5725 to 5850	Pass
			40	120	5774.970	5725 to 5850	Pass
			50	120	5774.970	5725 to 5850	Pass

6. Form731

6.1 Form731

6.1.1 Test Result

Lower Freq (MHz)	High Freq (MHz)	MAX Power (W)	MAX Power (dBm)
5180	5240	0.0302	14.80
5745	5825	0.0357	15.53
5190	5230	0.0305	14.84
5755	5795	0.0354	15.49
5210	5210	0.0305	14.85



Test Report Number: BTF230628R00104



BTF Testing Lab (Shenzhen) Co., Ltd.

F101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street,
Bao'an District, Shenzhen, China

www.btf-lab.com

-- END OF REPORT --